

40-00601-01R



Navini Networks®
Ripwave MX8 BTS

Model No. 2.3-BTS3A-R1
Part No. 92-92300-00R
Input: 100-240 VAC, 50/60 Hz
10 A
Freq. Range: 2300 - 2400 MHz, 5 MHz




FCC ID: PL6-2300-BTS3-R2



E112524



Made in U.S.A



92-92300-00RH 075100026

MX8, 2300-2400MHz, 100-240 VAC

40-00601-01R



Navini Networks®
Ripwave MX8 BTS

Model No. 2.3-BTS3T-R1
Part No. 92-92324-01R
Input: + 24 VDC
40 A
Freq. Range: 2300 - 2400 MHz, 5 MHz

FC FCC ID: PL6-2300-BTS3-R2



Made in U.S.A



92-92324-01RH 075100026

MX8, 2300-2400MHz, +24 VDC

40-00601-01R



Navini Networks[®]
Ripwave MX8 BTS

Model No. 2.3-BTS3F-R1
Part No. 92-92348-01R
Input: - 48 VDC
30 A
Freq. Range: 2300 - 2400 MHz, 5 MHz

FC FCC ID: PL6-2300-BTS3-R2



Made in U.S.A



92-92348-01RH 075100026

MX8, 2300-2400MHz, -48 VDC

Regulatory & ID(barcode) labels (BTS-MX Bottom)

Applicable to all BTS-MX Models

1. Affix the Product ID and barcode label in line with PEM screws as shown.

QTY = 1

