



Test Mode: TX:136.025MHz-5W - Analog      Polarity: Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	408.3000	-57.67	-23.09	-20.00	3.09	34.58	130	Horizontal
2	544.1000	-68.92	-31.04	-20.00	11.04	37.88	222	Horizontal
3	679.9000	-66.25	-26.18	-20.00	6.18	40.07	296	Horizontal
4	816.6700	-66.61	-23.27	-20.00	3.27	43.34	259	Horizontal
5	1495.8996	-27.97	-31.19	-20.00	11.19	-3.22	157	Horizontal
6	2585.2335	-26.06	-26.69	-20.00	6.69	-0.63	37	Horizontal

Test Mode: TX:136.025MHz-5W - Analog      Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	408.3000	-57.81	-22.70	-20.00	2.70	35.11	351	Vertical
2	544.1000	-69.05	-31.64	-20.00	11.64	37.41	304	Vertical
3	679.9000	-67.79	-27.67	-20.00	7.67	40.12	295	Vertical
4	816.6700	-69.00	-26.47	-20.00	6.47	42.53	258	Vertical
5	1497.0747	-28.77	-26.63	-20.00	6.63	2.14	184	Vertical
6	2585.2335	-28.66	-29.02	-20.00	9.02	-0.36	202	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:151.850MHz-5W- Analog	Polarity:	Horizontal
------------	--------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-76.99	-44.94	-20.00	24.94	32.05	229	Horizontal
2	455.8300	-70.72	-35.23	-20.00	15.23	35.49	210	Horizontal
3	608.1200	-84.35	-44.48	-20.00	24.48	39.87	183	Horizontal
4	759.4400	-90.49	-48.41	-20.00	28.41	42.08	89	Horizontal
5	1366.6367	-38.73	-42.22	-20.00	22.22	-3.49	173	Horizontal
6	1518.2268	-42.76	-45.83	-20.00	25.83	-3.07	6	Horizontal

Test Mode:	TX:151.850MHz-5W- Analog	Polarity:	Vertical
------------	--------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-66.05	-34.98	-20.00	14.98	31.07	342	Vertical
2	455.8300	-63.91	-28.14	-20.00	8.14	35.77	15	Vertical
3	608.1200	-69.06	-30.21	-20.00	10.21	38.85	342	Vertical
4	1215.0465	-32.10	-31.83	-20.00	11.83	0.27	0	Vertical
5	1518.2268	-36.38	-34.28	-20.00	14.28	2.10	0	Vertical
6	2581.7082	-30.72	-31.11	-20.00	11.11	-0.39	201	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:155.025MHz-5W- Analog	Polarity:	Horizontal
------------	--------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-55.76	-23.55	-20.00	3.55	32.21	140	Horizontal
2	465.5300	-62.71	-27.04	-20.00	7.04	35.67	326	Horizontal
3	620.7300	-63.84	-23.93	-20.00	3.93	39.91	159	Horizontal
4	930.1600	-77.81	-34.22	-20.00	14.22	43.59	252	Horizontal
5	1860.1860	-30.51	-31.03	-20.00	11.03	-0.52	234	Horizontal
6	2480.6481	-25.61	-26.97	-20.00	6.97	-1.36	298	Horizontal

Test Mode:	TX:155.025MHz-5W- Analog	Polarity:	Vertical
------------	--------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-60.47	-29.12	-20.00	9.12	31.35	341	Vertical
2	465.5300	-62.06	-26.15	-20.00	6.15	35.91	6	Vertical
3	620.7300	-64.59	-25.52	-20.00	5.52	39.07	351	Vertical
4	1240.8991	-30.30	-29.86	-20.00	9.86	0.44	351	Vertical
5	1549.9550	-31.18	-29.19	-20.00	9.19	1.99	359	Vertical
6	1860.1860	-29.91	-29.01	-20.00	9.01	0.90	341	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:161.610MHz-5W- Analog	Polarity:	Horizontal
------------	--------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-55.06	-25.54	-20.00	5.54	29.52	147	Horizontal
2	484.9300	-58.74	-25.70	-20.00	5.70	33.04	222	Horizontal
3	646.9200	-60.47	-23.49	-20.00	3.49	36.98	334	Horizontal
4	808.9100	-73.43	-33.05	-20.00	13.05	40.38	315	Horizontal
5	1292.6043	-31.57	-38.22	-20.00	18.22	-6.65	240	Horizontal
6	2586.4086	-31.62	-35.24	-20.00	15.24	-3.62	296	Horizontal

Test Mode:	TX:161.610MHz-5W- Analog	Polarity:	Vertical
------------	--------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-61.17	-32.31	-20.00	12.31	28.86	341	Vertical
2	484.9300	-57.96	-24.78	-20.00	4.78	33.18	351	Vertical
3	646.9200	-64.46	-27.92	-20.00	7.92	36.54	341	Vertical
4	1131.6132	-34.94	-38.23	-20.00	18.23	-3.29	153	Vertical
5	1292.6043	-31.04	-33.26	-20.00	13.26	-2.22	172	Vertical
6	2586.4086	-34.54	-37.89	-20.00	17.89	-3.35	200	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Test Mode:	TX:173.975MHz-5W - Analog	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-55.36	-25.22	-20.00	5.22	30.14	110	Horizontal
2	521.7900	-57.65	-23.55	-20.00	3.55	34.10	233	Horizontal
3	696.3900	-65.71	-28.60	-20.00	8.60	37.11	166	Horizontal
4	870.0200	-77.37	-37.29	-20.00	17.29	40.08	326	Horizontal
5	1740.3240	-35.88	-40.29	-20.00	20.29	-4.41	242	Horizontal
6	2435.9936	-33.98	-38.17	-20.00	18.17	-4.19	298	Horizontal

Test Mode:	TX:173.975MHz-5W - Analog	Polarity:	Vertical
------------	---------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-56.90	-27.01	-20.00	7.01	29.89	173	Vertical
2	521.7900	-55.30	-21.40	-20.00	1.40	33.90	313	Vertical
3	696.3900	-69.63	-32.22	-20.00	12.22	37.41	313	Vertical
4	1218.5719	-36.88	-39.59	-20.00	19.59	-2.71	173	Vertical
5	2435.9936	-36.60	-40.50	-20.00	20.50	-3.90	294	Vertical
6	2609.9110	-35.54	-38.68	-20.00	18.68	-3.14	201	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




**Digital:**

Test Mode:	TX:400.025MHz-35W- Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-76.85	-33.43	-20.00	13.43	43.42	28	Horizontal
2	1199.7700	-18.16	-22.00	-20.00	2.00	-3.84	262	Horizontal
3	1601.6602	-20.30	-22.75	-20.00	2.75	-2.45	206	Horizontal
4	2000.0250	-25.79	-25.26	-20.00	5.26	0.53	197	Horizontal
5	2400.7401	-24.64	-25.69	-20.00	5.69	-1.05	37	Horizontal
6	2800.2800	-27.49	-26.09	-20.00	6.09	1.40	197	Horizontal

Test Mode:	TX:400.025MHz-35W- Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-79.31	-36.94	-20.00	16.94	42.37	258	Vertical
2	1200.9451	-22.27	-22.10	-20.00	2.10	0.17	164	Vertical
3	1600.4850	-24.36	-22.55	-20.00	2.55	1.81	258	Vertical
4	2001.2001	-23.19	-22.78	-20.00	2.78	0.41	333	Vertical
5	2400.7401	-30.64	-31.43	-20.00	11.43	-0.79	71	Vertical
6	2800.2800	-32.05	-30.56	-20.00	10.56	1.49	183	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:453.225MHz-35W - Digital	Polarity:	Horizontal
------------	-----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	906.8800	-65.44	-22.35	-20.00	2.35	43.09	278	Horizontal
2	1359.5860	-19.34	-22.84	-20.00	2.84	-3.50	213	Horizontal
3	1813.1813	-22.24	-23.11	-20.00	3.11	-0.87	296	Horizontal
4	2266.7767	-30.56	-31.08	-20.00	11.08	-0.52	250	Horizontal
5	2720.3720	-24.33	-23.69	-20.00	3.69	0.64	296	Horizontal
6	4078.8079	-33.31	-28.76	-20.00	8.76	4.55	195	Horizontal

Test Mode:	TX:453.225MHz-35W - Digital	Polarity:	Vertical
------------	-----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	906.8800	-82.43	-39.05	-20.00	19.05	43.38	174	Vertical
2	1359.5860	-24.71	-23.48	-20.00	3.48	1.23	155	Vertical
3	1814.3564	-25.79	-24.73	-20.00	4.73	1.06	351	Vertical
4	2266.7767	-30.04	-30.43	-20.00	10.43	-0.39	286	Vertical
5	2719.1969	-23.35	-22.55	-20.00	2.55	0.80	31	Vertical
6	3172.7923	-35.76	-32.60	-20.00	12.60	3.16	286	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:454.025MHz-35W- Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	908.8200	-79.62	-36.49	-20.00	16.49	43.13	272	Horizontal
2	1361.9362	-19.34	-22.84	-20.00	2.84	-3.50	214	Horizontal
3	1815.5316	-21.38	-22.23	-20.00	2.23	-0.85	300	Horizontal
4	2725.0725	-30.68	-29.99	-20.00	9.99	0.69	252	Horizontal
5	3178.6679	-32.30	-28.69	-20.00	8.69	3.61	224	Horizontal
6	4085.8586	-33.01	-28.48	-20.00	8.48	4.53	196	Horizontal

Test Mode:	TX:454.025MHz-35W- Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	908.8200	-67.48	-24.08	-20.00	4.08	43.40	180	Vertical
2	1361.9362	-24.64	-23.40	-20.00	3.40	1.24	161	Vertical
3	1817.8818	-24.47	-23.42	-20.00	3.42	1.05	342	Vertical
4	2270.3020	-31.18	-31.58	-20.00	11.58	-0.40	285	Vertical
5	2723.8974	-23.24	-22.40	-20.00	2.40	0.84	30	Vertical
6	3178.6679	-36.39	-33.23	-20.00	13.23	3.16	285	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Test Mode:	TX:479.975MHz-35W- Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-77.23	-32.98	-20.00	12.98	44.25	298	Horizontal
2	1440.6691	-22.26	-25.59	-20.00	5.59	-3.33	130	Horizontal
3	1920.1170	-30.39	-30.46	-20.00	10.46	-0.07	215	Horizontal
4	2399.5650	-29.49	-30.53	-20.00	10.53	-1.04	308	Horizontal
5	2880.1880	-35.16	-33.00	-20.00	13.00	2.16	252	Horizontal
6	5279.7780	-41.68	-35.04	-20.00	15.04	6.64	271	Horizontal

Test Mode:	TX:479.975MHz-35W- Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-67.84	-23.92	-20.00	3.92	43.92	0	Vertical
2	1440.6691	-23.36	-21.59	-20.00	1.59	1.77	237	Vertical
3	1920.1170	-24.04	-23.35	-20.00	3.35	0.69	264	Vertical
4	2399.5650	-34.26	-35.05	-20.00	15.05	-0.79	72	Vertical
5	2880.1880	-37.77	-35.59	-20.00	15.59	2.18	145	Vertical
6	4800.3300	-39.50	-35.94	-20.00	15.94	3.56	145	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:400.025MHz-5W- Digital	Polarity:	Horizontal
------------	---------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-76.37	-32.95	-20.00	12.95	43.42	252	Horizontal
2	1199.7700	-22.38	-26.22	-20.00	6.22	-3.84	252	Horizontal
3	1599.3099	-20.71	-23.18	-20.00	3.18	-2.47	205	Horizontal
4	2001.2001	-29.84	-29.31	-20.00	9.31	0.53	205	Horizontal
5	2400.7401	-34.29	-35.34	-20.00	15.34	-1.05	308	Horizontal
6	2800.2800	-35.65	-34.25	-20.00	14.25	1.40	354	Horizontal

Test Mode:	TX:400.025MHz-5W- Digital	Polarity:	Vertical
------------	---------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	800.1800	-65.99	-23.62	-20.00	3.62	42.37	230	Vertical
2	1200.9451	-22.69	-22.52	-20.00	2.52	0.17	174	Vertical
3	1600.4850	-23.11	-21.30	-20.00	1.30	1.81	258	Vertical
4	2000.0250	-24.82	-24.41	-20.00	4.41	0.41	333	Vertical
5	2800.2800	-37.83	-36.34	-20.00	16.34	1.49	314	Vertical
6	3599.3599	-40.05	-36.94	-20.00	16.94	3.11	100	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:453.225MHz-5W - Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	906.8800	-79.72	-36.63	-20.00	16.63	43.09	265	Horizontal
2	1359.5860	-28.34	-31.84	-20.00	11.84	-3.50	142	Horizontal
3	1813.1813	-23.13	-24.00	-20.00	4.00	-0.87	302	Horizontal
4	2265.6016	-46.35	-46.87	-20.00	26.87	-0.52	227	Horizontal
5	2719.1969	-34.53	-33.90	-20.00	13.90	0.63	246	Horizontal
6	3626.3876	-44.75	-40.43	-20.00	20.43	4.32	208	Horizontal

Test Mode:	TX:453.225MHz-5W - Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	906.8800	-83.89	-40.51	-20.00	20.51	43.38	181	Vertical
2	1359.5860	-27.01	-25.78	-20.00	5.78	1.23	172	Vertical
3	1813.1813	-23.06	-22.00	-20.00	2.00	1.06	351	Vertical
4	2266.7767	-44.75	-45.14	-20.00	25.14	-0.39	162	Vertical
5	2719.1969	-41.75	-40.95	-20.00	20.95	0.80	267	Vertical
6	3626.3876	-44.76	-41.64	-20.00	21.64	3.12	107	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode: TX:454.025MHz-5W - Digital      Polarity: Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	908.8200	-78.63	-35.50	-20.00	15.50	43.13	260	Horizontal
2	1361.9362	-27.67	-31.17	-20.00	11.17	-3.50	149	Horizontal
3	1816.7067	-22.43	-23.27	-20.00	3.27	-0.84	296	Horizontal
4	2270.3020	-45.22	-45.75	-20.00	25.75	-0.53	223	Horizontal
5	2723.8974	-34.29	-33.61	-20.00	13.61	0.68	250	Horizontal
6	3632.2632	-47.26	-42.93	-20.00	22.93	4.33	214	Horizontal

Test Mode: TX:454.025MHz-5W - Digital      Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	908.8200	-82.84	-39.44	-20.00	19.44	43.40	173	Vertical
2	1361.9362	-26.87	-25.63	-20.00	5.63	1.24	164	Vertical
3	1816.7067	-23.26	-22.21	-20.00	2.21	1.05	351	Vertical
4	2270.3020	-44.59	-44.99	-20.00	24.99	-0.40	154	Vertical
5	2723.8974	-41.01	-40.17	-20.00	20.17	0.84	276	Vertical
6	3632.2632	-47.57	-44.45	-20.00	24.45	3.12	98	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Test Mode:	TX:479.975MHz-5W - Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-79.60	-35.35	-20.00	15.35	44.25	294	Horizontal
2	1440.6691	-23.49	-26.82	-20.00	6.82	-3.33	225	Horizontal
3	1920.1170	-38.80	-38.87	-20.00	18.87	-0.07	208	Horizontal
4	2399.5650	-37.91	-38.95	-20.00	18.95	-1.04	36	Horizontal
5	2880.1880	-37.29	-35.13	-20.00	15.13	2.16	225	Horizontal
6	3359.6360	-49.24	-45.31	-20.00	25.31	3.93	157	Horizontal

Test Mode:	TX:479.975MHz-5W - Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	960.2300	-81.35	-37.43	-20.00	17.43	43.92	0	Vertical
2	1440.6691	-24.40	-22.63	-20.00	2.63	1.77	240	Vertical
3	1920.1170	-36.73	-36.04	-20.00	16.04	0.69	334	Vertical
4	2399.5650	-42.11	-42.90	-20.00	22.90	-0.79	193	Vertical
5	2880.1880	-40.18	-38.00	-20.00	18.00	2.18	14	Vertical
6	3359.6360	-47.75	-44.65	-20.00	24.65	3.10	110	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:136.025MHz-40W- Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-66.20	-33.14	-20.00	13.14	33.06	206	Horizontal
2	408.3000	-58.06	-23.48	-20.00	3.48	34.58	131	Horizontal
3	544.1000	-76.05	-38.17	-20.00	18.17	37.88	215	Horizontal
4	679.9000	-64.01	-23.94	-20.00	3.94	40.07	299	Horizontal
5	1495.8996	-24.64	-27.86	-20.00	7.86	-3.22	159	Horizontal
6	2448.9199	-24.33	-25.57	-20.00	5.57	-1.24	299	Horizontal

Test Mode:	TX:136.025MHz-40W- Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-67.85	-37.67	-20.00	17.67	30.18	295	Vertical
2	408.3000	-73.87	-38.76	-20.00	18.76	35.11	295	Vertical
3	544.1000	-85.36	-47.95	-20.00	27.95	37.41	304	Vertical
4	679.9000	-62.97	-22.85	-20.00	2.85	40.12	0	Vertical
5	816.6700	-71.63	-29.10	-20.00	9.10	42.53	267	Vertical
6	1495.8996	-30.59	-28.46	-20.00	8.46	2.13	239	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:151.850MHz-40W- Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-52.97	-20.92	-20.00	0.92	32.05	131	Horizontal
2	455.8300	-75.02	-39.53	-20.00	19.53	35.49	186	Horizontal
3	608.1200	-65.94	-26.07	-20.00	6.07	39.87	177	Horizontal
4	759.4400	-72.14	-30.06	-20.00	10.06	42.08	270	Horizontal
5	1670.9921	-21.60	-23.53	-20.00	3.53	-1.93	242	Horizontal
6	2581.7082	-27.35	-28.02	-20.00	8.02	-0.67	354	Horizontal

Test Mode:	TX:151.850MHz-40W- Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-58.27	-27.20	-20.00	7.20	31.07	342	Vertical
2	455.8300	-59.45	-23.68	-20.00	3.68	35.77	6	Vertical
3	608.1200	-65.22	-26.37	-20.00	6.37	38.85	324	Vertical
4	759.4400	-73.28	-31.68	-20.00	11.68	41.60	230	Vertical
5	1215.0465	-29.96	-29.69	-20.00	9.69	0.27	174	Vertical
6	1670.9921	-31.95	-30.39	-20.00	10.39	1.56	276	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode: TX:155.025MHz-40W- Digital      Polarity: Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-71.25	-39.04	-20.00	19.04	32.21	222	Horizontal
2	465.5300	-63.75	-28.08	-20.00	8.08	35.67	212	Horizontal
3	775.9300	-85.78	-43.15	-20.00	23.15	42.63	315	Horizontal
4	1396.0146	-25.46	-28.89	-20.00	8.89	-3.43	156	Horizontal
5	3410.1660	-41.18	-37.16	-20.00	17.16	4.02	222	Horizontal

Test Mode: TX:155.025MHz-40W- Digital      Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-57.86	-26.51	-20.00	6.51	31.35	342	Vertical
2	465.5300	-73.18	-37.27	-20.00	17.27	35.91	7	Vertical
3	620.7300	-61.59	-22.52	-20.00	2.52	39.07	351	Vertical
4	775.9300	-70.19	-28.28	-20.00	8.28	41.91	240	Vertical
5	1240.8991	-30.45	-30.01	-20.00	10.01	0.44	351	Vertical
6	1705.0705	-26.35	-24.91	-20.00	4.91	1.44	323	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Test Mode:	TX:161.610MHz-40W- Digital	Polarity:	Horizontal
------------	----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-58.11	-25.59	-20.00	5.59	32.52	139	Horizontal
2	484.9300	-73.74	-37.70	-20.00	17.70	36.04	333	Horizontal
3	646.9200	-62.50	-22.52	-20.00	2.52	39.98	315	Horizontal
4	808.9100	-74.52	-31.14	-20.00	11.14	43.38	306	Horizontal
5	969.9300	-76.54	-32.08	-20.00	12.08	44.46	359	Horizontal
6	1615.7616	-28.20	-30.54	-20.00	10.54	-2.34	204	Horizontal

Test Mode:	TX:161.610MHz-40W- Digital	Polarity:	Vertical
------------	----------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-62.87	-31.01	-20.00	11.01	31.86	342	Vertical
2	484.9300	-75.07	-38.89	-20.00	18.89	36.18	1	Vertical
3	646.9200	-62.51	-22.97	-20.00	2.97	39.54	350	Vertical
4	808.9100	-78.47	-36.02	-20.00	16.02	42.45	249	Vertical
5	1292.6043	-30.31	-29.53	-20.00	9.53	0.78	175	Vertical
6	1454.7705	-30.93	-29.07	-20.00	9.07	1.86	184	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	TX:173.975MHz-40W - Digital	Polarity:	Horizontal
------------	-----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-64.81	-31.67	-20.00	11.67	33.14	74	Horizontal
2	521.7900	-65.12	-28.02	-20.00	8.02	37.10	334	Horizontal
3	696.3900	-74.43	-34.32	-20.00	14.32	40.11	306	Horizontal
4	870.0200	-74.56	-31.48	-20.00	11.48	43.08	325	Horizontal
5	1740.3240	-29.39	-30.80	-20.00	10.80	-1.41	185	Horizontal
6	2609.9110	-33.08	-33.48	-20.00	13.48	-0.40	352	Horizontal

Test Mode:	TX:173.975MHz-40W - Digital	Polarity:	Vertical
------------	-----------------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-58.01	-25.12	-20.00	5.12	32.89	175	Vertical
2	521.7900	-64.01	-27.11	-20.00	7.11	36.90	295	Vertical
3	696.3900	-77.19	-36.78	-20.00	16.78	40.41	295	Vertical
4	870.0200	-76.33	-33.30	-20.00	13.30	43.03	138	Vertical
5	1218.5719	-32.62	-32.33	-20.00	12.33	0.29	165	Vertical
6	1566.4066	-29.58	-27.65	-20.00	7.65	1.93	147	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

