



Test Mode:	Freq.136.025MHz-5W- Digital	Polarity:	Horizontal
------------	-----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-82.24	-49.18	-20.00	29.18	33.06	157	Horizontal
2	408.3000	-71.25	-36.67	-20.00	16.67	34.58	222	Horizontal
3	544.1000	-84.42	-46.54	-20.00	26.54	37.88	242	Horizontal
4	1224.4474	-34.08	-37.87	-20.00	17.87	-3.79	194	Horizontal
5	1632.2132	-39.73	-41.95	-20.00	21.95	-2.22	157	Horizontal
6	3129.3129	-44.55	-41.03	-20.00	21.03	3.52	147	Horizontal

Test Mode:	Freq. 136.025MHz-5W- Digital	Polarity:	Vertical
------------	------------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-61.51	-31.33	-20.00	11.33	30.18	221	Vertical
2	408.3000	-51.86	-16.75	-20.00	-3.25	35.11	127	Vertical
3	544.1000	-77.88	-40.47	-20.00	20.47	37.41	221	Vertical
4	679.9000	-79.75	-39.63	-20.00	19.63	40.12	0	Vertical
5	1224.4474	-28.36	-28.03	-20.00	8.03	0.33	127	Vertical
6	1632.2132	-34.18	-32.48	-20.00	12.48	1.70	137	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	Freq.151.850MHz-5W- Digital	Polarity:	Horizontal
------------	-----------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-73.40	-41.35	-20.00	21.35	32.05	291	Horizontal
2	455.8300	-72.97	-37.48	-20.00	17.48	35.49	28	Horizontal
3	1215.0465	-40.40	-44.21	-20.00	24.21	-3.81	272	Horizontal
4	1670.9921	-28.77	-30.70	-20.00	10.70	-1.93	188	Horizontal
5	1822.5823	-34.99	-35.79	-20.00	15.79	-0.80	216	Horizontal
6	3189.2439	-39.21	-35.58	-20.00	15.58	3.63	140	Horizontal

Test Mode:	Freq. 151.850MHz-5W- Digital	Polarity:	Vertical
------------	------------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-62.89	-31.82	-20.00	11.82	31.07	15	Vertical
2	455.8300	-57.90	-22.13	-20.00	2.13	35.77	0	Vertical
3	911.7300	-78.25	-34.82	-20.00	14.82	43.43	192	Vertical
4	1215.0465	-21.73	-21.46	-20.00	1.46	0.27	0	Vertical
5	1518.2268	-30.19	-28.09	-20.00	8.09	2.10	323	Vertical
6	1822.5823	-32.40	-31.37	-20.00	11.37	1.03	7	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	Freq. 155.025MHz-5W- Digital	Polarity:	Horizontal
------------	------------------------------	-----------	------------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
310.3300	-74.12	-41.91	-20.00	21.91	32.21	270	Horizontal	310.3300
465.5300	-78.92	-43.25	-20.00	23.25	35.67	196	Horizontal	465.5300
775.9300	-85.16	-42.53	-20.00	22.53	42.63	308	Horizontal	775.9300
1240.8991	-27.51	-31.26	-20.00	11.26	-3.75	167	Horizontal	1240.8991
1705.0705	-40.90	-42.58	-20.00	22.58	-1.68	74	Horizontal	1705.0705

Test Mode:	Freq. 155.025MHz-5W- Digital	Polarity:	Vertical
------------	------------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-64.67	-33.32	-20.00	13.32	31.35	25	Vertical
2	465.5300	-59.89	-23.98	-20.00	3.98	35.91	34	Vertical
3	620.7300	-66.23	-27.16	-20.00	7.16	39.07	128	Vertical
4	930.1600	-81.45	-37.83	-20.00	17.83	43.62	184	Vertical
5	1240.8991	-15.94	-15.50	-20.00	-4.50	0.44	258	Vertical
6	3101.1101	-38.63	-35.45	-20.00	15.45	3.18	0	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode: Freq.161.610MHz-5W- Digital Polarity: Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	484.9300	-66.50	-30.46	-20.00	10.46	36.04	204	Horizontal
2	646.9200	-65.39	-25.41	-20.00	5.41	39.98	157	Horizontal
3	808.9100	-74.99	-31.61	-20.00	11.61	43.38	36	Horizontal
4	1292.6043	-23.57	-27.22	-20.00	7.22	-3.65	231	Horizontal
5	1615.7616	-24.08	-26.42	-20.00	6.42	-2.34	360	Horizontal
6	1777.9278	-21.64	-22.77	-20.00	2.77	-1.13	360	Horizontal

Test Mode: Freq. 161.610MHz-5W- Digital Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-36.79	-4.93	-20.00	-15.07	31.86	313	Vertical
2	484.9300	-55.43	-19.25	-20.00	-0.75	36.18	182	Vertical
3	808.9100	-65.77	-23.32	-20.00	3.32	42.45	106	Vertical
4	1131.6132	-14.31	-14.60	-20.00	-5.40	-0.29	0	Vertical
5	1615.7616	-12.39	-10.64	-20.00	-9.36	1.75	41	Vertical
6	1777.9278	-16.26	-15.07	-20.00	-4.93	1.19	41	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode: Freq. 173.975MHz-5W - Digital Polarity: Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-82.58	-49.44	-20.00	29.44	33.14	282	Horizontal
2	521.7900	-75.57	-38.47	-20.00	18.47	37.10	186	Horizontal
3	696.3900	-90.35	-50.24	-20.00	30.24	40.11	328	Horizontal
4	1218.5719	-36.51	-40.31	-20.00	20.31	-3.80	186	Horizontal
5	1392.4892	-43.18	-46.62	-20.00	26.62	-3.44	64	Horizontal
6	1740.3240	-40.58	-41.99	-20.00	21.99	-1.41	360	Horizontal

Test Mode: Freq. 173.975MHz-5W - Digital Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-56.54	-23.65	-20.00	3.65	32.89	137	Vertical
2	521.7900	-68.29	-31.39	-20.00	11.39	36.90	332	Vertical
3	696.3900	-77.62	-37.21	-20.00	17.21	40.41	0	Vertical
4	870.0200	-87.03	-44.00	-20.00	24.00	43.03	183	Vertical
5	1217.3967	-30.17	-29.89	-20.00	9.89	0.28	146	Vertical
6	1740.3240	-36.15	-34.83	-20.00	14.83	1.32	72	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	Freq.136.025MHz-1W - Digital	Polarity:	Horizontal
------------	------------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-84.48	-51.42	-20.00	31.42	33.06	140	Horizontal
2	408.3000	-71.73	-37.15	-20.00	17.15	34.58	196	Horizontal
3	544.1000	-86.09	-48.21	-20.00	28.21	37.88	360	Horizontal
4	679.9000	-91.81	-51.74	-20.00	31.74	40.07	187	Horizontal
5	1224.4474	-35.36	-39.15	-20.00	19.15	-3.79	206	Horizontal
6	1768.5269	-43.16	-44.36	-20.00	24.36	-1.20	360	Horizontal

Test Mode:	Freq. 136.025MHz-1W - Digital	Polarity:	Vertical
------------	-------------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	271.5300	-62.11	-31.93	-20.00	11.93	30.18	239	Vertical
2	408.3000	-52.13	-17.02	-20.00	-2.98	35.11	34	Vertical
3	544.1000	-81.07	-43.66	-20.00	23.66	37.41	249	Vertical
4	679.9000	-81.11	-40.99	-20.00	20.99	40.12	146	Vertical
5	1224.4474	-29.78	-29.45	-20.00	9.45	0.33	155	Vertical
6	1632.2132	-36.47	-34.77	-20.00	14.77	1.70	62	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	Freq. 151.850MHz-1W - Digital	Polarity:	Horizontal
------------	-------------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-76.90	-44.85	-20.00	24.85	32.05	279	Horizontal
2	392.7800	-94.33	-60.09	-20.00	40.09	34.24	121	Horizontal
3	455.8300	-89.68	-54.19	-20.00	34.19	35.49	360	Horizontal
4	608.1200	-98.12	-58.25	-20.00	38.25	39.87	308	Horizontal
5	1366.6367	-49.62	-53.11	-20.00	33.11	-3.49	65	Horizontal
6	3588.7839	-53.83	-49.55	-20.00	29.55	4.28	112	Horizontal

Test Mode:	Freq. 151.850MHz-1W - Digital	Polarity:	Vertical
------------	-------------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	303.5400	-66.34	-35.27	-20.00	15.27	31.07	33	Vertical
2	455.8300	-54.10	-18.33	-20.00	-1.67	35.77	0	Vertical
3	608.1200	-89.85	-51.00	-20.00	31.00	38.85	0	Vertical
4	759.4400	-92.06	-50.46	-20.00	30.46	41.60	174	Vertical
5	911.7300	-87.93	-44.50	-20.00	24.50	43.43	174	Vertical
6	1366.6367	-39.41	-38.14	-20.00	18.14	1.27	108	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode: Freq. 155.025MHz-1W - Digital Polarity: Horizontal



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-78.11	-45.90	-20.00	25.90	32.21	270	Horizontal
2	465.5300	-77.82	-42.15	-20.00	22.15	35.67	205	Horizontal
3	620.7300	-96.42	-56.51	-20.00	36.51	39.91	1	Horizontal
4	930.1600	-96.48	-52.89	-20.00	32.89	43.59	252	Horizontal
5	1240.8991	-29.16	-32.91	-20.00	12.91	-3.75	336	Horizontal
6	1705.0705	-32.50	-34.18	-20.00	14.18	-1.68	360	Horizontal

Test Mode: Freq. 155.025MHz-1W - Digital Polarity: Vertical




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	310.3300	-67.50	-36.15	-20.00	16.15	31.35	13	Vertical
2	465.5300	-68.05	-32.14	-20.00	12.14	35.91	87	Vertical
3	620.7300	-89.92	-50.85	-20.00	30.85	39.07	0	Vertical
4	775.9300	-85.82	-43.91	-20.00	23.91	41.91	183	Vertical
5	930.1600	-85.00	-41.38	-20.00	21.38	43.62	172	Vertical
6	1240.8991	-36.25	-35.81	-20.00	15.81	0.44	50	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	Freq. 161.610MHz-1W - Digital	Polarity:	Horizontal
------------	-------------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	160.9500	-37.98	-8.66	-20.00	-11.34	29.32	223	Horizontal
2	322.9400	-81.08	-48.56	-20.00	28.56	32.52	289	Horizontal
3	484.9300	-68.12	-32.08	-20.00	12.08	36.04	9	Horizontal
4	1131.6132	-40.47	-44.45	-20.00	24.45	-3.98	47	Horizontal
5	1615.7616	-44.12	-46.46	-20.00	26.46	-2.34	130	Horizontal
6	1777.9278	-39.11	-40.24	-20.00	20.24	-1.13	360	Horizontal

Test Mode:	Freq. 161.610MHz-1W- Digital	Polarity:	Vertical
------------	------------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	322.9400	-60.56	-28.70	-20.00	8.70	31.86	276	Vertical
2	484.9300	-54.71	-18.53	-20.00	-1.47	36.18	351	Vertical
3	646.9200	-88.57	-49.03	-20.00	29.03	39.54	248	Vertical
4	969.9300	-91.27	-47.25	-20.00	27.25	44.02	183	Vertical
5	1454.7705	-49.72	-47.86	-20.00	27.86	1.86	127	Vertical
6	1615.7616	-48.28	-46.53	-20.00	26.53	1.75	127	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Test Mode:	Freq. 173.975MHz-1W - Digital	Polarity:	Horizontal
------------	-------------------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	348.1600	-83.87	-50.73	-20.00	30.73	33.14	308	Horizontal
2	521.7900	-75.60	-38.50	-20.00	18.50	37.10	186	Horizontal
3	696.3900	-90.51	-50.40	-20.00	30.40	40.11	298	Horizontal
4	1218.5719	-36.60	-40.40	-20.00	20.40	-3.80	167	Horizontal
5	1740.3240	-40.33	-41.74	-20.00	21.74	-1.41	335	Horizontal
6	3305.5806	-48.05	-44.22	-20.00	24.22	3.83	139	Horizontal

Test Mode:	Freq. 173.975MHz-1W - Digital	Polarity:	Vertical
------------	-------------------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	356.9800	-77.74	-48.37	-20.00	28.37	29.37	174	Vertical
2	548.1600	-56.54	-23.65	-20.00	3.65	32.89	146	Vertical
3	621.7900	-67.29	-30.39	-20.00	10.39	36.90	323	Vertical
4	1216.3900	-77.71	-37.30	-20.00	17.30	40.41	0	Vertical
5	1738.5719	-32.07	-31.78	-20.00	11.78	0.29	127	Vertical
6	3340.3240	-35.97	-34.65	-20.00	14.65	1.32	80	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



APPENDIX I: PHOTOGRAPHS OF TEST SETUP RADIATED EMISSION TEST SETUP



RADIATED EMISSION ABOVE 1G TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



APPENDIX II: PHOTOGRAPHS OF TEST EUT

TOTAL VIEW OF EUT



TOP VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



BOTTOM VIEW OF EUT



FRONT VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



BACK VIEW OF EUT



LEFT VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



RIGHT VIEW OF EUT



OPEN VIEW-1 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/

