

Compliance Information



With the CE symbol, IntriCon confirms that this product – including accessories – meets the requirements of the Medical Device Directive 93/42/EEC as well as Radio Equipment Directive 2014/53/EU. A copy of the Declaration of Conformity can be obtained from IntriCon. The numbers after the CE symbol correspond to the code of certified institutions that were consulted under the above-mentioned directives



The symbol with the crossed-out garbage bin is to make you aware that this hearing aid may not be thrown away as normal household waste. Please dispose of old or unused hearing aids, at waste disposal sites intended for electronic waste, or give your hearing aid to your hearing care professional for disposal. Proper disposal protects the environment and health.



Symbol for consult Instructions for Use.



Symbol for keep dry.



Symbol for caution. This is a safety symbol used to highlight that there are specific warnings or precautions associated with the devices that are not otherwise found on the label.



Telecoil compatible assisted listening Device




IntriCon Corporation
1260 Red Fox Road
Arden Hills MN 55112 USA



Symbol for fragile, handle with care.



Year of manufacture is the first 2 digits of the serial number (assume 2 digits are preceded by "20"; e.g. "14" = year 2014)



Serial Number is located on part as a 8-digit number. Last 6 digits represent the serial number

FCC Information: FCC ID: POMIINHAB3A0

Per FCC 15.19(a)(3) and (a)(4), this device complies with part 15 of the FCC Rules. Operation is subject to the following conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

Radio Equipment Directive Information:

The equipment operates in the ISM 2.4 GHz band (2.40 – 2.4835 GHz), using the Bluetooth™ SMART protocol, and the maximum RF Power transmitted in that band is -10.1 dBm EIRP.