

Chris Harvey

From: SUN-HEE KIM (HCT) [alondra@hct.co.kr]
Sent: Monday, June 05, 2006 9:47 PM
To: Chris Harvey
Cc: '김영관 (HCT)'; '신국선(HCT)'; '박근호 (HCT)'; 'Mike Kuo (CCS)'
Subject: Re: PANTECH&CURITEL COMMUNICATIONS, INC., FCC ID: PP4PC-7300SU, Assessment NO.: AN06T5813, Notice#1

Hello Chris,

Thank you for your email.

- The SAR, RF Test mode : RC3/SO55

According to the FCC 3-G SAR Guidance document, RC3 / SO32 was used for Body SAR tests.

- We use the base station simulator : E5515C

- Test device is directly connect to base station simulator via mobile cable to measure maximum output power in all applicable mode.

- To get a maximum output power, we set closed power control mode as "all up bits" in all applicable mode.

Please contact me if you need more information.

Thank you.

Best Regards,

Sun- Hee KIM

----- Original Message -----

From: [Chris Harvey](#)
To: '[SUN-HEE KIM \(HCT\)](#)'
Cc: '[김영관 \(HCT\)](#)'; '[신국선\(HCT\)](#)'; '[박근호 \(HCT\)](#)'; '[Mike Kuo \(CCS\)](#)'
Sent: Monday, June 05, 2006 10:32 PM
Subject: RE: PANTECH&CURITEL COMMUNICATIONS, INC., FCC ID: PP4PC-7300SU, Assessment NO.: AN06T5813, Notice#1

Sun-Hee,

Thank you for the response and welcome back to the office.

You have only provided a partial answer to question #1. You have provided the RC/SO combination used for the SAR testing, but you still have not provided the RC/SO combination used for the RF testing or provided your justification. Please provide this information. I am copying the original request here for your reference:

1. The Output Power by RC exhibit shows that you have made power measurement using the

combinations of RC & SO, but does not explain which RC/SO combination was used for the RF and SAR testing, or explain why the specific mode was selected for that test. The FCC requires compliance with their 3G policy for RF and SAR (and HAC) measurements. Please include in the RF and SAR reports (for this application and all future CDMA applications) the RC/SO combination(s) tested and the reason that mode was selected.

Please contact me if you have any questions.

Best regards,

Chris Harvey
Charvey-tcb@ccsemc.com

From: SUN-HEE KIM (HCT) [mailto:alondra@hct.co.kr]
Sent: Monday, June 05, 2006 5:09 AM
To: charvey-tcb@ccsemc.com
Cc: 김영관 (HCT); 신국선(HCT); 박근호 (HCT); Chris Harvey; Mike Kuo (CCS)
Subject: Re: PANTECH&CURITEL COMMUNICATIONS, INC., FCC ID: PP4PC-7300SU, Assessment NO.: AN06T5813, Notice#1

Hello Chris,

Thank you for your email.

Please refer to my below explanation and attachment files.

Your prompt response would be much appreciated.

Thank you.

Best Regards,

Sun- Hee KIM

----- Original Message -----

From: <charvey-tcb@ccsemc.com>

To: <alondra@hct.co.kr>

Cc: <charvey-tcb@ccsemc.com>

Sent: Thursday, June 01, 2006 8:24 PM

Subject: PANTECH&CURITEL COMMUNICATIONS, INC., FCC ID: PP4PC-7300SU, Assessment NO.: AN06T5813, Notice#1

> Dear Sun-Hee,

>

> I have performed the initial review of the above referenced TCB application and find that the following items need to be addressed before the review can be completed:

>

> 1. The Output Power by RC exhibit shows that you have made power measurement using the combinations of RC & SO, but does not explain which RC/SO combination was used for the RF and SAR testing, or explain why the specific mode was selected for that test. The FCC requires compliance with their 3G policy for RF and SAR (and HAC) measurements. Please include in the RF and SAR reports (for this application and all future CDMA applications) the RC/SO combination(s) tested and the reason that mode was selected.

==> [We revised the SAR Test Report. Page 16-18 of 21](#)

>

> 2. The SAR Probe Calibration exhibit was provided for probe s/n: 1607, however testing was performed using s/n: 1609. Please provide the current calibration (3-23-2006) for SAR Probe ET3DV6, s/n: 1609.

==> [Please find the attachment file.](#)

>

> The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information within 30 days of the original e-mail date may result in application dismissal and forfeiture of the filing fee. Also, please note that partial responses increase processing time and should not be submitted. Any questions about the content of this correspondence should be directed to the e-mail address listed below the name of the sender.

>

> Best regards,

>

> Chris Harvey

> charvey-tcb@ccsemc.com

>

>

>=====

Ms. Sun-hee Kim

Product Compliance Division
Hyundai Calibration & Certification Co.,Ltd (HCT)
San 136-1, Ami-ri , Bubal-eup, Icheon-si,
Kyouunki- do, Korea (467-701)

Tel. : (82-31)639-8565/ 8518
Fax.: (82-31)639-8535
H.P.: 011-9558-9875

E-mail : alondra@hct.co.kr

http :// www.hct.co.kr

=====