


## ATTACHMENT O – SAR TEST PLOTS (3 of 4)


## TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz  
Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$   
Cube 5x5x7: SAR (1g): 0.794 mW/g, SAR (10g): 0.511 mW/g  
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0  
Powerdrift: -0.11 dB  
Comment:  
FCC ID: PP4TX-110C / MODEL: TX-110C  
Company: Hyundai Curitel Inc.  
Test Position: Left Touch / Antenna: in  
Mode: PCS CDMA / Channel: 25 (1851.25MHz)  
Conducted Power : 25.0 dBm  
Liquid Temperature : 21.8°C  
Date Tested : January 17, 2005




## TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz  
Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$   
Cube 5x5x7: SAR (1g): 0.527 mW/g, SAR (10g): 0.284 mW/g  
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0  
Powerdrift: -0.03 dB  
Comment:  
FCC ID: PP4TX-110C / MODEL: TX-110C  
Company: Hyundai Curitel Inc.  
Test Position: Left Touch / Antenna: out  
Mode: PCS CDMA / Channel: 25 (1851.25MHz)  
Conducted Power : 25.0 dBm  
Liquid Temperature : 21.8°C  
Date Tested : January 17, 2005



## TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz  
Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$   
Cube 5x5x7: SAR (1g): 0.952 mW/g, SAR (10g): 0.599 mW/g  
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0  
Powerdrift: -0.27 dB  
Comment:  
FCC ID: PP4TX-110C / MODEL: TX-110C  
Company: Hyundai Curitel Inc.  
Test Position: Left Touch / Antenna: in  
Mode: PCS CDMA / Channel: 600 (1880.00MHz)  
Conducted Power : 25.0 dBm  
Liquid Temperature : 21.8°C  
Date Tested : January 17, 2005



## TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41$  mho/m  $\epsilon_r = 39.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Cube 5x5x7; SAR (1g): 0.423 mW/g, SAR (10g): 0.228 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.03 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm


Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C


SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz  
 Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$   
 Cube 5x5x7: SAR (1g): 0.641 mW/g, SAR (10g): 0.404 mW/g  
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0  
 Powerdrift: -0.25 dB  
 Comment:  
 FCC ID: PP4TX-110C / MODEL: TX-110C  
 Company: Hyundai Curitel Inc.  
 Test Position: Left Touch / Antenna: in  
 Mode: PCS CDMA / Channel: 1175 (1908.75MHz)  
 Conducted Power : 25.0 dBm  
 Liquid Temperature : 21.8°C  
 Date Tested : January 17, 2005





## TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz  
 Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$   
 Cube 5x5x7: SAR (1g): 0.573 mW/g, SAR (10g): 0.299 mW/g  
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0  
 Powerdrift: 0.07 dB  
 Comment:  
 FCC ID: PP4TX-110C / MODEL: TX-110C  
 Company: Hyundai Curitel Inc.  
 Test Position: Left Touch / Antenna: out  
 Mode: PCS CDMA / Channel: 1175 (1908.75MHz)  
 Conducted Power : 25.0 dBm  
 Liquid Temperature : 21.8°C  
 Date Tested : January 17, 2005



## TX-110C

SAM II Phantom, Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 0.894 mW/g, SAR (10g): 0.589 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.17 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: PCS CDMA / Channel: 25 (1851.25MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005





## TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.720 mW/g, SAR (10g): 0.380 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.05 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: PCS CDMA / Channel: 25 (1851.25MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C

SAM II Phantom, Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 0.882 mW/g, SAR (10g): 0.581 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.09 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 0.565 mW/g, SAR (10g): 0.295 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.06 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C

SAM II Phantom, Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 1.14 mW/g, SAR (10g): 0.608 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.00 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.43 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7: SAR (1g): 0.995 mW/g, SAR (10g): 0.534 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.20 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C (E-battery)

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005





## TX-110C

SAM II Phantom, Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$ ,  $\epsilon_r = 39.6$ ,  $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 0.779 mW/g, SAR (10g): 0.409 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.26 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C

SAM II Phantom, Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 0.595 mW/g, SAR (10g): 0.340 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.12 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Left Tilt 15° / Antenna: in

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm


Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz  
 Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$   
 Cube 5x5x7: SAR (1g): 0.210 mW/g, SAR (10g): 0.125 mW/g  
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0  
 Powerdrift: -0.12 dB  
 Comment:  
 FCC ID: PP4TX-110C / MODEL: TX-110C  
 Company: Hyundai Curitel Inc.  
 Test Position: Left Tilt 15° / Antenna: out  
 Mode: PCS CDMA / Channel: 600 (1880.00MHz)  
 Conducted Power : 25.0 dBm  
 Liquid Temperature : 21.8°C  
 Date Tested : January 17, 2005



## TX-110C

SAM II Phantom, Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 0.553 mW/g, SAR (10g): 0.313 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.08 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.


Test Position: Right Tilt 15° / Antenna: in

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005



## TX-110C

SAM II Phantom, Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1607; ConvF(5.10,5.10,5.10); Crest factor: 1.0; Head 1900 MHz:  $\sigma = 1.41 \text{ mho/m}$   $\epsilon_r = 39.6$   $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 0.537 mW/g, SAR (10g): 0.306 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.04 dB

Comment:

FCC ID: PP4TX-110C / MODEL: TX-110C

Company: Hyundai Curitel Inc.

Test Position: Right Tilt 15° / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : January 17, 2005

