


ATTACHMENT O – SAR TEST PLOTS (4 of 4)

TX-130CA (Body)

SAM I Phantom; Flat Section; Position: (90°,90°); Frequency: 835 MHz
Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$
mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.655 mW/g, SAR (10g): 0.459 mW/g
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.12 dB
Comment:
FCC ID: PP4TX-130CA / MODEL: TX-130CA
Company: Hyundai Curitel Inc.
Test Position: Body / Antenna: in
Mode: AMPS / Channel: 383 (836.49MHz)
Conducted Power: 26.5 dBm
Liquid Temperature: 21.2°C
Date Tested : February 23, 2004



TX-130CA (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.539 mW/g, SAR (10g): 0.379 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.13 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: out

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 26.5 dBm

Liquid Temperature: 21.2°C

Date Tested : February 23, 2004



TX-130CA (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.607 mW/g, SAR (10g): 0.423 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.01 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA (Rotate LCD)

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 26.5 dBm

Liquid Temperature: 21.2°C

Date Tested : February 23, 2004



TX-130CA (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.457 mW/g, SAR (10g): 0.320 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.04 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.399 mW/g, SAR (10g): 0.281 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.17 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: out

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA (Body)

SAM I Phantom: Flat Section: Position: (90°,90°); Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.393 mW/g, SAR (10g): 0.276 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.11 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA (Rotate LCD)

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.324 mW/g, SAR (10g): 0.194 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.29 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position : Body / Antenna: in

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004



TX-130CA (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.698 mW/g, SAR (10g): 0.408 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.00 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position : Body / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004



TX-130CA (Body)

SAM II Phantom; Flat Section; Position: (90°,90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.622 mW/g, SAR (10g): 0.367 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.14 dB

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA (Rotate LCD)

Company: Hyundai Curitel Inc.


Test Position : Body / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004



TX-130CA

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA (Rotate LCD)

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 26.5 dBm

Liquid Temperature: 21.2°C

Date Tested : February 23, 2004



TX-130CA

SAM I Phantom; Section; Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 26.5 dBm

Liquid Temperature: 21.2°C

Date Tested : February 23, 2004



TX-130CA

SAM I Phantom; Section; Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Left Tilt 15° / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 26.5 dBm

Liquid Temperature: 21.2°C

Date Tested : February 23, 2004



TX-130CA

SAM I Phantom; Section; Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.90$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Right Tilt 15° / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 26.5 dBm

Liquid Temperature: 21.2°C

Date Tested : February 23, 2004



TX-130CA

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: CDMA / Channel: 1013 (824.70MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA

SAM I Phantom; Section; Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA (Rotate LCD)

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: CDMA / Channel: 1013 (824.70MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA

SAM I Phantom; Section; Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Left Tilt 15° / Antenna: out

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA

SAM I Phantom; Section; Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.62,6.62,6.62); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Right Tilt 15° / Antenna: in

Mode: CDMA / Channel: 363 (853.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA

SAM II Phantom; Section; Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA (Rotate LCD)

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004



TX-130CA

SAM II Phantom; Section; Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA (Rotate LCD)

Company: Hyundai Curitel Inc.


Test Position: Right Touch / Antenna: out

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004



TX-130CA

SAM II Phantom; Section; Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Left Tilt 15° / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004



TX-130CA

SAM II Phantom; Section; Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(5.29,5.29,5.29); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.39$ mho/m $\epsilon_r = 40.2$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Right Tilt 15° / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004



TX-130CA (Body)

SAM I Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.1$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 26.5 dBm

Liquid Temperature: 21.2°C

Date Tested : February 23, 2004



TX-130CA (Body)

SAM I Phantom; Section; Position; ; Frequency: 835 MHz

Probe: ET3DV6 - SN1609; ConvF(6.57,6.57,6.57); Crest factor: 1.0; Body 835 MHz: $\sigma = 0.99$ mho/m $\epsilon_r = 54.3$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.


Test Position: Body / Antenna: in

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power : 25.5 dBm

Liquid Temperature: 21.6°C

Date Tested : February 24, 2004



TX-130CA (Body)

SAM II Phantom; Section; Position: ; Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(4.69,4.69,4.69); Crest factor: 1.0; Body 1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 53.2$ $\rho = 1.00$ g/cm³

:

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

FCC ID: PP4TX-130CA / MODEL: TX-130CA

Company: Hyundai Curitel Inc.

Test Position: Body / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.5°C

Date Tested : February 25, 2004

