



ATTACHMENT D – TEST PLOTS


■ CDMA MODE (1013 CH.) Conducted Spurious




■ CDMA MODE (0363 CH.) Conducted Spurious




■ CDMA MODE (0777 CH.) Conducted Spurious



■ PCS CDMA MODE (0025 CH.) Conducted Spurious




■ PCS CDMA MODE (0600 CH.) Conducted Spurious



■ PCS CDMA MODE (1175 CH.) Conducted Spurious

MODEL: TX-215 (PCS:1175)

REF 25.0 dBm DL -13.0 dBm MKR 3.79 GHz
10 dB/ *A_Max Posi B_Blank Norm -23.64 dBm




START 10 MHz STOP 20.00 GHz
*RBW 1 MHz *VBW 1 MHz SWP 300 ms ATT 10 dB


Multi Marker List

1:	3.79 GHz	-23.64 dBm
2:	5.69 GHz	-34.62 dBm
3:	8.97 GHz	-30.82 dBm
4:	11.62 GHz	-31.75 dBm
5:	17.40 GHz	-26.65 dBm
6:		
7:		
8:		
9:		
10:		
Δ:		


■ CDMA MODE (0363 CH.) : Channel Power




■ PCS CDMA MODE (0600 CH.) : Channel Power



■ CDMA Mode (0363 CH.) : Occupied Bandwidth




■ PCS CDMA Mode (0600 CH) : Occupied Bandwidth




CDMA Cellular (1013 CH.) Band Edge

■ CDMA Cellular (777 CH.) Band Edge




■ PCS Mode Band Edge (25 CH.)




■ PCS Mode Band Edge (1175 CH.)


■ CDMA (1013 CH) Test Mode: POWER OUT




■ CDMA (0363 CH) Test Mode: POWER OUT




■ CDMA (0777 CH) Test Mode: POWER OUT




■ PCS CDMA (0025 CH) Test Mode: POWER OUT



■ PCS CDMA (0600 CH) Test Mode: POWER OUT



■ PCS CDMA (1175 CH) Test Mode: POWER OUT



MODEL: TX-215 (CDMA:1013)

REF -35.0 dBm

DL -80.0 dBm

MKR 870.95 MHz

10 dB/

*A_View


Norm

B_Blank Norm

-90.38 dBm

LOF

MARKER
870.95 MHz



START 869.00 MHz

STOP 894.00 MHz

*RBW 1 MHz

*VBW 1 MHz

SWP 20 ms

ATT 10 dB

MODEL: TX-215 (CDMA:363)

REF -35.0 dBm

DL -80.0 dBm

MKR 891.50 MHz

10 dB/

*A_View

Norm


B_Blank Norm

-90.54 dBm

LOF

MARKER

891.50 MHz



START 869.00 MHz

STOP 894.00 MHz

*RBW 1 MHz

*VBW 1 MHz

SWP 20 ms

ATT 10 dB

MODEL: TX-215 (CDMA:777)

REF -35.0 dBm

DL -80.0 dBm

MKR 875.98 MHz

10 dB/

*A_View


Norm

B_Blank Norm

-91.13 dBm

LOF

MARKER
875.98 MHz



START 869.00 MHz

STOP 894.00 MHz

*RBW 1 MHz

*VBW 1 MHz

SWP 20 ms

ATT 10 dB