

ATTACHMENT O – SAR TEST PLOTS (3 of 4)

TX-215A

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: s = 1.39
rho/m $\epsilon_r = 40.4$ r = 1.00 g/cm³

Cube 5x5x7; SAR (1g): 0.722 mW/g, SAR (10g): 0.443 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.05 dB

Comment:

FCC ID: PP4TX-215A / MODEL: TX-215A

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: PCS CDMA / Channel: 25 (1851.25MHz)

Conducted Power : 25.0 dBm

Liquid Temperature : 21.8°C

Date Tested : February 25, 2005



TX-215A

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: s = 1.39
rho/m e_r = 40.4 r = 1.00 g/cm³

Cube 5x5x7; SAR (1g): 0.184 mW/g, SAR (10g): 0.114 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.07 dB

Comment:

FCC ID: PP4TX-215A / MODEL: TX-215A

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: PCS CDMA / Channel: 25 (1851.25MHz)

Conducted Power : 25.0 dBm


Liquid Temperature : 21.8°C

Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $e_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7; SAR (1g): 1.12 mW/g, SAR (10g): 0.675 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.12 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: s = 1.39
rho/m e_r = 40.4 r = 1.00 g/cm³
Cube 5x5x7; SAR (1g): 0.274 mW/g, SAR (10g): 0.165 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005



TX-215A

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: s = 1.39
rho/m e_r = 40.4 r = 1.00 g/cm³
Cube 5x5x7; SAR (1g): 1.32 mW/g, SAR (10g): 0.776 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.24 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005



TX-215A

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: s = 1.39
rho/m $\epsilon_r = 40.4$ r = 1.00 g/cm³

Cube 5x5x7; SAR (1g): 1.29 mW/g, SAR (10g): 0.760 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.24 dB

Comment:

FCC ID: PP4TX-215A / MODEL: TX-215A (E-battery)

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power : 25.0 dBm


Liquid Temperature : 21.8°C

Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{ho}/m e_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7; SAR (1g): 0.361 mW/g, SAR (10g): 0.216 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.14 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $r = 1.00 \text{ g/cm}^3$
Cube 5x5x7; SAR (1g): 0.726 mW/g, SAR (10g): 0.476 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.16 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{ho}/m e_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7; SAR (1g): 0.224 mW/g, SAR (10g): 0.145 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.13 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7; SAR (1g): 0.750 mW/g, SAR (10g): 0.498 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.26 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\text{mho/m } \epsilon_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7: SAR (1g): 0.203 mW/g, SAR (10g): 0.136 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.08 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $e_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7; SAR (1g): 0.838 mW/g, SAR (10g): 0.547 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.03 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{\text{ho/m}} e_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7: SAR (1g): 0.280 mW/g, SAR (10g): 0.190 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.03 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 $\rho_{ho}/m e_r = 40.4 r = 1.00 g/cm^3$
Cube 5x5x7: SAR (1g): 0.193 mW/g, SAR (10g): 0.113 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.12 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005




TX-215A

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7; SAR (1g): 0.0629 mW/g, SAR (10g): 0.0377 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: 0.09 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005



TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7; SAR (1g): 0.125 mW/g , SAR (10g): 0.0896 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.18 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005



TX-215A

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 1.0; Brain 1900 MHz: $s = 1.39$
 mho/m $\epsilon_r = 40.4$ $r = 1.00$ g/cm^3
Cube 5x5x7; SAR (1g): 0.0414 mW/g, SAR (10g): 0.0296 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.02 dB
Comment:
FCC ID: PP4TX-215A / MODEL: TX-215A
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: out
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.8°C
Date Tested : February 25, 2005

