

ATTACHMENT O – SAR TEST PLOTS (1 of 2)

€AMPS (Touch)

TX-30B

SAM TP1019 Phantom; Left Hand Section; Position: (90°, 59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.602 mW/g, SAR (10g): 0.388 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.901 mW/g; Powerdrift: -0.24 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 991(Low)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.961 mW/g, SAR (10g): 0.630 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 1.41 mW/g; Powerdrift: -0.04 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 991(Low)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6,70,6,70,6,70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.516 mW/g, SAR (10g): 0.334 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.764 mW/g; Powerdrift: -0.11 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 383 (Middle)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.866 mW/g, SAR (10g): 0.563 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 1.27 mW/g; Powerdrift: 0.02 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 383 (Middle)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.524 mW/g, SAR (10g): 0.336 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.781 mW/g; Powerdrift: -0.21 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 799 (High)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.746 mW/g, SAR (10g): 0.483 mW/g.

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 1.10 mW/g; Powerdrift: -0.22 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 799 (High)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.579 mW/g, SAR (10g): 0.374 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.856 mW/g; Powerdrift: -0.25 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 991(low)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.989 mW/g, SAR (10g): 0.653 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 1.41 mW/g; Powerdrift: 0.08 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 991(low)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.478 mW/g, SAR (10g): 0.310 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.703 mW/g; Powerdrift: 0.08 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 383(middle)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.777 mW/g, SAR (10g): 0.510 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 1.13 mW/g; Powerdrift: 0.22 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 27.2 dBm

AMPS Mode / CH: 383(middle)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.463 mW/g, SAR (10g): 0.300 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.680 mW/g; Powerdrift: -0.14 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

AMPS Mode / CH: 799(high)



€AMPS (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.691 mW/g, SAR (10g): 0.454 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.996 mW/g; Powerdrift: -0.22 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

AMPS Mode / CH: 799(high)



€CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.419 mW/g, SAR (10g): 0.269 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.629 mW/g; Powerdrift: -0.23 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 1013(Low)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.695 mW/g, SAR (10g): 0.451 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 1.03 mW/g; Powerdrift: 0.02 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 991(Low)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.391 mW/g, SAR (10g): 0.252 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.587 mW/g; Powerdrift: -0.05 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 363(Middle)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6,70,6,70,6,70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.588 mW/g, SAR (10g): 0.383 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.865 mW/g; Powerdrift: 0.12 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 363(Middle)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.338 mW/g, SAR (10g): 0.217 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.504 mW/g; Powerdrift: -0.30 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 777(highe)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6,70,6,70,6,70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.484 mW/g, SAR (10g): 0.313 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.715 mW/g; Powerdrift: -0.27 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 777(highc)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.407 mW/g, SAR (10g): 0.258 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.617 mW/g; Powerdrift: -0.16 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 1013(Low)



€CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.646 mW/g, SAR (10g): 0.426 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.930 mW/g; Powerdrift: -0.04 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 1013(Low)



€CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.355 mW/g, SAR (10g): 0.231 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.518 mW/g; Powerdrift: -0.01 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc, Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 363(Middle)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.577 mW/g, SAR (10g): 0.381 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.831 mW/g; Powerdrift: 0.14 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 363(Middle)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.329 mW/g, SAR (10g): 0.214 mW/g,

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.480 mW/g; Powerdrift: -0.13 dB

Comment :


horinzontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 777(High)



€ CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Righ Hand Section; Position: (90°,59°); Frequency: 835 MHz

Probe: ET3DV6 - SN1608; ConvF(6.70,6.70,6.70); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.485 mW/g; SAR (10g): 0.314 mW/g;

Coarse: Dx = 19.0, Dy = 14.0, Dz = 10.0

Peak: 0.710 mW/g; Powerdrift: -0.09 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.4 dBm

CDMA Mode / CH: 777(High)



PCS CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1800 MHz

Probe: ET3DV6 - SN1608; ConvF(5.54,5.54,5.54); Crest factor: 1.0; Brain 1800 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.244 mW/g, SAR (10g): 0.140 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.423 mW/g; Powerdrift: -0.37 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.0 dBm

PCS CDMA Mode / CH:25(low)



PCS CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1800 MHz

Probe: ET3DV6 - SN1608; ConvF(5.54,5.54,5.54); Crest factor: 1.0; Brain 1800 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.286 mW/g, SAR (10g): 0.161 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.496 mW/g; Powerdrift: -0.11 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.0 dBm

PCS CDMA Mode / CH:25(low)



PCS CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1800 MHz

Probe: ET3DV6 - SN1608; ConvF(5.54,5.54,5.54); Crest factor: 1.0; Brain 1800 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.548 mW/g, SAR (10g): 0.310 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.958 mW/g; Powerdrift: -0.25 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.0 dBm

PCS CDMA Mode / CH:600(middle)



PCS CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1800 MHz

Probe: ET3DV6 - SN1608; ConvF(5.54,5.54,5.54); Crest factor: 1.0; Brain 1800 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.547 mW/g, SAR (10g): 0.308 mW/g.

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.959 mW/g; Powerdrift: -0.10 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.0 dBm

PCS CDMA Mode / CH:600(middle)



PCS CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1800 MHz

Probe: ET3DV6 - SN1608; ConvF(5.54,5.54,5.54); Crest factor: 1.0; Brain 1800 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.423 mW/g, SAR (10g): 0.243 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.740 mW/g; Powerdrift: -0.32 dB

Comment :


horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.0 dBm

PCS CDMA Mode / CH:1175(high)



PCS CDMA (Touch)**TX-30B**

SAM TP1019 Phantom; Left Hand Section; Position: (90°,59°); Frequency: 1800 MHz

Probe: ET3DV6 - SN1608; ConvF(5.54,5.54,5.54); Crest factor: 1.0; Brain 1800 MHz: $\sigma = 1.40$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.419 mW/g, SAR (10g): 0.235 mW/g,

Coarse: Dx = 19.0, Dy = 15.0, Dz = 10.0

Peak: 0.747 mW/g; Powerdrift: -0.27 dB

Comment :

horizontal angle until touching head (80°-90°)

FCC ID : PP4TX-30B

Hyundai Curitel Inc. Tri-Mode Phone/ Model: TX-30B

Conducted Power: 25.0 dBm

PCS CDMA Mode / CH:1175(high)

