ATTACHMENT O – SAR TEST PLOTS (2 of 4)

TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.329 mW/g, SAR (10g): 0.226 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.11 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.284 mW/g, SAR (10g): 0.197 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.10 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.550 mW/g, SAR (10g): 0.378 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.15 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.377 mW/g, SAR (10g): 0.260 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.04 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.379 mW/g, SAR (10g): 0.260 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.19 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.236 mW/g, SAR (10g): 0.162 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.04 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.286 mW/g, SAR (10g): 0.198 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.06 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.253 mW/g, SAR (10g): 0.175 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.500 mW/g, SAR (10g): 0.345 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.12 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.304 mW/g, SAR (10g): 0.210 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.07 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.379 mW/g, SAR (10g): 0.261 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.03 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.211 mW/g, SAR (10g): 0.146 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.500 mW/g, SAR (10g): 0.345 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.317 mW/g, SAR (10g): 0.222 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.453 mW/g, SAR (10g): 0.315 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003



TX-60P
SAM I Phantom; Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: σ = 0.90 mho/m ε_r = 41.9 ρ = 1.00 g/cm^3
Cube 5x5x7: SAR (1g): 0.266 mW/g, SAR (10g): 0.187 mW/g
Coarse: Dx = 13.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.09 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power: 25.0dBm
Liquid Temperature: 21.5℃
Date Tested : December 2, 2003