

ATTACHMENT O – SAR TEST PLOTS (3 of 4)

TX-60P

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 1.11 mW/g, SAR (10g): 0.619 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.18 dB

Comment:

FCC ID: PP4TX-60B / MODEL: TX-60P

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: PCS CDMA / Channel: 25 (1851.25MHz)

Conducted Power: 24.5dBm


Liquid Temperature: 21.4°C

Date Tested : December 3, 2003




TX-60P

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvP(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$
mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 1.19 mW/g, SAR (10g): 0.649 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.12 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power: 24.5dBm
Liquid Temperature: 21.4°C
Date Tested : December 3, 2003



TX-60P

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$
mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.859 mW/g, SAR (10g): 0.466 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.01 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: PCS CDMA / Channel: 600 (1880.00MHz)
Conducted Power: 24.5dBm
Liquid Temperature: 21.4°C
Date Tested : December 3, 2003



TX-60P

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvP(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.851 mW/g, SAR (10g): 0.455 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.07 dB

Comment:

FCC ID: PP4TX-60B / MODEL: TX-60P

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: out

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power: 24.5dBm

Liquid Temperature: 21.4°C

Date Tested : December 3, 2003



TX-60P

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.904 mW/g, SAR (10g): 0.481 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.12 dB

Comment:

FCC ID: PP4TX-60B / MODEL: TX-60P

Company: Hyundai Curitel Inc.


Test Position: Left Touch / Antenna: in

Mode: PCS CDMA / Channel: 1175 (1908.75MHz)

Conducted Power: 24.5dBm


Liquid Temperature: 21.4°C

Date Tested : December 3, 2003




TX-60P

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvP(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$
mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.809 mW/g, SAR (10g): 0.434 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.13 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: PCS CDMA / Channel: 1175 (1908.75MHz)
Conducted Power: 24.5dBm
Liquid Temperature: 21.4°C
Date Tested : December 3, 2003




TX-60P

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvF(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$
mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 1.21 mW/g, SAR (10g): 0.680 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.14 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power: 24.5dBm
Liquid Temperature: 21.4°C
Date Tested : December 3, 2003



TX-60P

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvP(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$
mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 1.25 mW/g, SAR (10g): 0.695 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.02 dB
Comment:
FCC ID: PP4TX-60B / MODEL: TX-60P
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: PCS CDMA / Channel: 25 (1851.25MHz)
Conducted Power: 24.5dBm
Liquid Temperature: 21.4°C
Date Tested : December 3, 2003



TX-60P

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1798; ConvP(5.20,5.20,5.20); Crest factor: 1.0; Brain 1900 MHz: $\sigma = 1.43$

mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.821 mW/g, SAR (10g): 0.457 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.06 dB

Comment:

FCC ID: PP4TX-60B / MODEL: TX-60P

Company: Hyundai Curitel Inc.

Test Position: Right Touch / Antenna: in

Mode: PCS CDMA / Channel: 600 (1880.00MHz)

Conducted Power: 24.5dBm

Liquid Temperature: 21.4°C

Date Tested : December 3, 2003

