

April 3, 2009

TEL: +82 31 639 8565

Test Site: HCT CO., LTD.

FAX: +82 31 639 8525

FRN: 0005866421

<http://www.hct.co.kr>

**SUBJECT: PANTECH&CURITEL COMMUNICATION, INC.  
FCC ID: PP4ZEPHYR / MODEL: WP8990  
Part 22(H) / 24(E) / 15(C) / 20 Certification**

Gentlemen:

Submitted herewith, on behalf of PANTECH&CURITEL COMMUNICATION, INC. is an application for **Part 22(H) / 24(E) / 15(C) / 20** Certification of the following Dual-Band CDMA PCS Phone with Bluetooth:

Trade Name/Model(s):	PANTECH&CURITEL / WP8990
EUT Type:	Dual-Band Dual-Mode CDMA/GSM Phone with Bluetooth
Tx Frequency:	824.70 — 848.31 MHz (CDMA) 1 851.25 — 1 908.75 MHz (PCS CDMA) 824.20 - 848.80 MHz (GSM850) 1 850.20 – 1 909.80 MHz (PCS1900) 2 402 – 2 480 MHz (Bluetooth)
Rx Frequency:	869.70 — 893.31 MHz (CDMA) 1 931.25 — 1 988.75 MHz (PCS CDMA) 869.20 - 893.80 MHz (GSM850) 1 930.20 – 1 989.80 MHz (PCS1900) 2 402 – 2 480 MHz (Bluetooth)
Max. RF Output Power:	0.358 W ERP CDMA ( 25.54 dBm) / 0.760 W EIRP PCS CDMA ( 28.81 dBm) 1.629 W ERP GSM 850 (32.12 dBm) / 1.318 W EIRP PCS 1900 (31.20 dBm)
Maximum SAR:	0.934 W/kg CDMA 835 Head SAR / 1.33 W/kg CDMA 835 Body SAR 1.24 W/kg PCS CDMA 1900 Head SAR / 0.943 W/kg PCS CDMA 1900 Body SAR 1.02 W/kg GSM 850 Head SAR / 1.27 W/kg GSM 850 Body SAR 0.395 W/kg PCS 1900 Head SAR / 0.570 W/kg PCS 1900 Body SAR
HAC Rating:	M3

Attachment exhibits are the applicant's Letter of Authorization, Confidentiality Request, ESN Affidavit, measurement report test data and plots, RF Exposure measurement report and data, FCC ID label and location, test setup photographs, internal and external photographs, block diagram (confidential), circuit diagrams & description (confidential), operational description (confidential), parts list & tune-up procedure (confidential), and the user's manual.

If you have any question or comment concerning the above, please contact the undersigned.

Sincerely,



-----  
Sun-Hee Kim - Engineer

HCT Co., Ltd. / cc. PANTECH & CURITEL COMMUNICATIONS, INC.