


字體:Adobe Hebrew 3.8pt - 5.3pt

條碼類型: code 128 (高度:4.5mm)
條碼顯示內容:O-90-N120



Ethernet MAC 由業務提供
(Ethernet 0欄位)

條碼類型為: code 128 B (條碼高度:6mm)

S/N 編碼原則:

條碼顯示內容 : 001174 XXXXXX

↓ 固定碼 ↓ 同MAC Address 後6碼

(客戶): AirTight

(局部空白LABEL 料號): 509120124827

(材質): 50# 啞銀龍PET

(背膠): 壓花底背膠

(顏色): Black

(尺寸): 60x60mm

(公差): +/-0.3mm

※ 要不易掉色且不易脫落



LIMITS UNLESS OTHERWISE NOTED	
X. +-	X.° +-
.X +-	.X.° +-
.XX +-	.XX.° +-
.XXX +-	.XXX.° +-


A4	UNIT	SCALE	SHEET	MODEL No.	WP939i-RJIO(O-90-N120)		
	MM	NON	1(1)	PART NAME	Product Unit label		
APPROVED	CHECKED	DESIGNED	PART No.	MM125301807	REV	AO	
				光寶科技股份有限公司 LITE-ON TECHNOLOGY CORP.			

謝秋霞
qiuqiaxie
2016.4.19

字體: Adobe Hebrew 3.8pt - 5.3pt

條碼類型: code 128 (高度: 4.5mm)
條碼顯示內容: O-90-N30

60mm



Ethernet MAC 由業務提供
(Ethernet 0欄位)

條碼類型為: code 128 B (條碼高度: 6mm) 字體: Adobe Hebrew 3.8pt 5.3pt

S/N 編碼原則:

條碼顯示內容 : 001174 XXXXXX

↓ ↓
固定碼 同MAC Address 後6碼


- (客戶): AirTight
- (局部空白 LABEL 料號): 509120124827
- (材質): 50# 啞銀龍PET
- (背膠): 壓花底背膠
- (顏色): Black
- (尺寸): 60x60mm
- (公差): +/- 0.3mm

※ 要不易掉色且不易脫落



LIMITS UNLESS OTHERWISE NOTED	
X. +- X. ° +-	
.X +- .X ° +-	
.XX +- .XX ° +-	
.XXX +- .XXX ° +-	

A4	UNIT	SCALE	SHEET	MODEL No.	WP939i-RJIO(O-90-N30)			
	MM	NON	1(1)	PART NAME	Product Unit label			
APPROVED	CHECKED	DESIGNED	PART No.	MM125301707	REV	A0		
			專案號 Date 2015.06.06 圖版號 DATE 2016.4.19	光寶科技股份有限公司 LITE-ON TECHNOLOGY CORP.				



Label Here