

5. RF antenna conducted test


5.1. Test Equipment

	Equipment	Manufacturer	Model No./Serial No.	Last Cal.
	Spectrum Analyzer	R&S	FSP40 / 100170	Jun, 2012
	Spectrum Analyzer	Agilent	E4407B / US39440758	Jun, 2012
X	Spectrum Analyzer	Agilent	N9010A / MY48030495	Apr., 2012

- Note:
1. All equipments are calibrated with traceable calibrations. Each calibration is traceable to the national or international standards.
 2. The test instruments marked with “X” are used to measure the final test results.

5.2. Test Setup

RF antenna Conducted Measurement:



5.3. Limits

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

5.4. Test Procedure

The EUT was tested according to DTS test procedure of Jan. 2012 KDB558074 for compliance to FCC 47CFR 15.247 requirements.

Set RBW = 100 kHz, Set VBW > RBW, scan up through 10th harmonic.

5.5. Uncertainty


The measurement uncertainty



Conducted is defined as $\pm 1.27\text{dB}$

5.6. Test Result of RF antenna conducted test



Product : Play-Fi Player
 Test Item : RF antenna conducted test
 Test Site : No.3 OATS
 Test Mode : Mode 1: Transmit (802.11b 1Mbps) main chip_162


Channel 01 (2412MHz) 30MHz-25GHz








Channel 06 (2437MHz) 30MHz -25GHz






Channel 11 (2462MHz) 30MHz -25GHz









Product : Play-Fi Player
 Test Item : RF Antenna Conducted Spurious
 Test Site : No.3 OATS
 Test Mode : Mode 2: Transmit (802.11g 6Mbps) main chip_162


Channel 01 (2412MHz) 30MHz -25GHz








Channel 06 (2437MHz) 30MHz -25GHz






Channel 11 (2462MHz) 30MHz -25GHz









Product : Play-Fi Player
 Test Item : RF Antenna Conducted Spurious
 Test Site : No.3 OATS
 Test Mode : Mode 3: Transmit - 802.11n-20BW_7.2Mbps(2.4G Band) main chip_162


Channel 01 (2412MHz) 30MHz -25GHz








Channel 06 (2437MHz) 30MHz -25GHz






Channel 11 (2462MHz) 30MHz -25GHz









Product : Play-Fi Player
 Test Item : RF Antenna Conducted Spurious
 Test Site : No.3 OATS
 Test Mode : Mode 4: Transmit - 802.11n-40BW_15Mbps(2.4G Band) main chip_162


Channel 01 (2422MHz) 30MHz -25GHz





Channel 04 (2437MHz) 30MHz -25GHz





Channel 07 (2452MHz) 30MHz -25GHz

