


802.11ac VHT20\_Nss1,(MCS0)\_2TX

20/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0954G	45.32	54.00	-8.68	4.28	3	Horizontal	143	2.51	-	41.04	31.74	6.97	34.43
AV	5.2418G	103.88	Inf	-Inf	4.53	3	Horizontal	143	2.51	-	99.35	31.80	7.15	34.42
AV	5.357G	45.49	54.00	-8.51	4.73	3	Horizontal	143	2.51	-	40.76	31.84	7.30	34.41
PK	5.1326G	58.13	74.00	-15.87	4.33	3	Horizontal	143	2.51	-	53.80	31.75	7.01	34.43
PK	5.2394G	113.34	Inf	-Inf	4.53	3	Horizontal	143	2.51	-	108.81	31.80	7.15	34.42
PK	5.3564G	57.03	74.00	-16.97	4.73	3	Horizontal	143	2.51	-	52.30	31.84	7.30	34.41

802.11ac VHT20\_Nss1,(MCS0)\_2TX

20/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71724G	47.20	54.00	-6.80	16.42	3	Vertical	202	2.75	-	30.78	38.15	13.09	34.82
PK	10.48222G	58.46	68.20	-9.74	15.08	3	Vertical	120	1.01	-	43.38	39.53	10.35	34.80
PK	15.71418G	61.20	74.00	-12.80	16.44	3	Vertical	202	2.75	-	44.76	38.16	13.09	34.81

802.11ac VHT20\_Nss1,(MCS0)\_2TX

20/08/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72402G	51.19	54.00	-2.81	16.40	3	Horizontal	215	1.00	-	34.79	38.12	13.10	34.82
PK	10.48492G	61.57	68.20	-6.63	15.08	3	Horizontal	153	1.00	-	46.49	39.53	10.35	34.80
PK	15.71652G	64.24	74.00	-9.76	16.42	3	Horizontal	215	1.00	-	47.82	38.15	13.09	34.82

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1328G	45.76	54.00	-8.24	4.33	3	Vertical	13	2.63	-	41.43	31.75	7.01	34.43
AV	5.2588G	106.38	Inf	-Inf	4.55	3	Vertical	13	2.63	-	101.83	31.80	7.17	34.42
AV	5.359G	46.20	54.00	-7.80	4.73	3	Vertical	13	2.63	-	41.47	31.84	7.30	34.41
PK	5.1358G	57.54	74.00	-16.46	4.34	3	Vertical	13	2.63	-	53.20	31.75	7.02	34.43
PK	5.2612G	115.18	Inf	-Inf	4.56	3	Vertical	13	2.63	-	110.62	31.80	7.18	34.42
PK	5.3728G	58.18	74.00	-15.82	4.76	3	Vertical	13	2.63	-	53.42	31.85	7.32	34.41

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	44.82	54.00	-9.18	4.36	3	Horizontal	343	1.12	-	40.46	31.76	7.03	34.43
AV	5.2588G	102.47	Inf	-Inf	4.55	3	Horizontal	343	1.12	-	97.92	31.80	7.17	34.42
AV	5.3524G	45.57	54.00	-8.43	4.72	3	Horizontal	343	1.12	-	40.85	31.84	7.29	34.41
PK	5.119G	56.06	74.00	-17.94	4.32	3	Horizontal	343	1.12	-	51.74	31.75	7.00	34.43
PK	5.2606G	111.67	Inf	-Inf	4.56	3	Horizontal	343	1.12	-	107.11	31.80	7.18	34.42
PK	5.3914G	57.34	74.00	-16.66	4.79	3	Horizontal	343	1.12	-	52.55	31.86	7.34	34.41

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78642G	48.10	54.00	-5.90	18.44	3	Vertical	51	1.01	-	29.66	38.16	14.61	34.33
PK	10.51718G	58.30	68.20	-9.90	17.08	3	Vertical	168	1.12	-	41.22	39.57	12.04	34.53
PK	15.77868G	60.10	74.00	-13.90	18.47	3	Vertical	51	1.01	-	41.63	38.19	14.60	34.32



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77868G	49.06	54.00	-4.94	18.47	3	Horizontal	56	1.96	-	30.59	38.19	14.60	34.32
PK	10.52498G	61.33	68.20	-6.87	17.10	3	Horizontal	178	1.00	-	44.23	39.58	12.04	34.52
PK	15.7761G	62.39	74.00	-11.61	18.47	3	Horizontal	56	1.96	-	43.92	38.19	14.60	34.32

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	106.92	Inf	-Inf	4.63	3	Vertical	21	2.28	-	102.29	31.82	7.23	34.42
AV	5.3508G	48.22	54.00	-5.78	4.72	3	Vertical	21	2.28	-	43.50	31.84	7.29	34.41
PK	5.2992G	115.96	Inf	-Inf	4.62	3	Vertical	21	2.28	-	111.34	31.82	7.22	34.42
PK	5.3508G	60.60	74.00	-13.40	4.72	3	Vertical	21	2.28	-	55.88	31.84	7.29	34.41



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	102.83	Inf	-Inf	4.62	3	Horizontal	341	2.35	-	98.21	31.82	7.22	34.42
AV	5.3512G	46.19	54.00	-7.81	4.72	3	Horizontal	341	2.35	-	41.47	31.84	7.29	34.41
PK	5.3008G	112.00	Inf	-Inf	4.63	3	Horizontal	341	2.35	-	107.37	31.82	7.23	34.42
PK	5.35G	58.13	74.00	-15.87	4.72	3	Horizontal	341	2.35	-	53.41	31.84	7.29	34.41

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89694G	46.92	54.00	-7.08	18.05	3	Vertical	208	1.50	-	28.87	37.82	14.66	34.43
PK	10.59472G	58.18	68.20	-10.02	17.27	3	Vertical	112	2.82	-	40.91	39.67	12.08	34.48
PK	15.9045G	59.29	74.00	-14.71	18.02	3	Vertical	208	1.50	-	41.27	37.80	14.66	34.44



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90144G	48.07	54.00	-5.93	18.04	3	Horizontal	28	1.00	-	30.03	37.81	14.66	34.43
PK	10.5952G	61.13	68.20	-7.07	17.27	3	Horizontal	178	1.00	-	43.86	39.67	12.08	34.48
PK	15.89322G	59.75	74.00	-14.25	18.07	3	Horizontal	28	1.00	-	41.68	37.83	14.66	34.42

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3206G	104.65	Inf	-Inf	4.66	3	Vertical	22	2.27	-	99.99	31.83	7.25	34.42
AV	5.3504G	51.06	54.00	-2.94	4.72	3	Vertical	22	2.27	-	46.34	31.84	7.29	34.41
PK	5.3182G	113.77	Inf	-Inf	4.66	3	Vertical	22	2.27	-	109.11	31.83	7.25	34.42
PK	5.3502G	66.44	74.00	-7.56	4.72	3	Vertical	22	2.27	-	61.72	31.84	7.29	34.41

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3194G	100.36	Inf	-Inf	4.66	3	Horizontal	342	1.18	-	95.70	31.83	7.25	34.42
AV	5.35G	47.57	54.00	-6.43	4.72	3	Horizontal	342	1.18	-	42.85	31.84	7.29	34.41
PK	5.322G	110.10	Inf	-Inf	4.66	3	Horizontal	342	1.18	-	105.44	31.83	7.25	34.42
PK	5.3516G	62.24	74.00	-11.76	4.72	3	Horizontal	342	1.18	-	57.52	31.84	7.29	34.41

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6424G	46.05	54.00	-7.95	17.40	3	Vertical	113	1.01	-	28.65	39.74	12.11	34.45
AV	15.97422G	45.85	54.00	-8.15	17.78	3	Vertical	95	1.50	-	28.07	37.58	14.70	34.50
PK	10.63742G	58.45	74.00	-15.55	17.39	3	Vertical	113	1.01	-	41.06	39.73	12.11	34.45
PK	15.9471G	57.94	74.00	-16.06	17.87	3	Vertical	95	1.50	-	40.07	37.66	14.68	34.47

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	48.12	54.00	-5.88	17.39	3	Horizontal	176	1.00	-	30.73	39.73	12.11	34.45
AV	15.96714G	46.87	54.00	-7.13	17.80	3	Horizontal	59	1.00	-	29.07	37.60	14.69	34.49
PK	10.64246G	60.19	74.00	-13.81	17.40	3	Horizontal	176	1.00	-	42.79	39.74	12.11	34.45
PK	15.96252G	59.22	74.00	-14.78	17.82	3	Horizontal	59	1.00	-	41.40	37.62	14.69	34.49

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.33	54.00	-5.67	4.90	3	Vertical	57	1.16	-	43.43	31.88	7.43	34.41
AV	5.4994G	103.97	Inf	-Inf	4.97	3	Vertical	57	1.16	-	99.00	31.90	7.48	34.41
PK	5.4694G	66.55	68.20	-1.65	4.92	3	Vertical	57	1.16	-	61.63	31.89	7.44	34.41
PK	5.502G	113.56	Inf	-Inf	4.97	3	Vertical	57	1.16	-	108.59	31.90	7.48	34.41



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.32	54.00	-6.68	4.90	3	Horizontal	138	2.28	-	42.42	31.88	7.43	34.41
AV	5.5022G	101.45	Inf	-Inf	4.97	3	Horizontal	138	2.28	-	96.48	31.90	7.48	34.41
PK	5.4696G	63.85	68.20	-4.35	4.92	3	Horizontal	138	2.28	-	58.93	31.89	7.44	34.41
PK	5.502G	111.18	Inf	-Inf	4.97	3	Horizontal	138	2.28	-	106.21	31.90	7.48	34.41

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99976G	48.22	54.00	-5.78	18.30	3	Vertical	314	1.09	-	29.92	40.20	12.31	34.21
PK	10.99466G	60.70	74.00	-13.30	18.29	3	Vertical	314	1.09	-	42.41	40.19	12.31	34.21
PK	16.4856G	60.86	68.20	-7.34	19.58	3	Vertical	219	2.51	-	41.28	38.81	14.94	34.17



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99988G	50.56	54.00	-3.44	18.30	3	Horizontal	181	1.17	-	32.26	40.20	12.31	34.21
PK	10.99994G	62.50	74.00	-11.50	18.30	3	Horizontal	181	1.17	-	44.20	40.20	12.31	34.21
PK	16.49892G	61.14	68.20	-7.06	19.63	3	Horizontal	185	1.00	-	41.51	38.85	14.94	34.16

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	45.65	54.00	-8.35	4.88	3	Vertical	333	1.72	-	40.77	31.88	7.41	34.41
AV	5.5812G	106.34	Inf	-Inf	5.11	3	Vertical	333	1.72	-	101.23	32.01	7.53	34.43
PK	5.466G	56.41	68.20	-11.79	4.91	3	Vertical	333	1.72	-	51.50	31.89	7.43	34.41
PK	5.5788G	115.55	Inf	-Inf	5.11	3	Vertical	333	1.72	-	110.44	32.01	7.53	34.43
PK	5.7276G	56.17	68.20	-12.03	5.38	3	Vertical	333	1.72	-	50.79	32.22	7.62	34.46

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	44.45	54.00	-9.55	4.89	3	Horizontal	347	1.50	-	39.56	31.88	7.42	34.41
AV	5.5824G	100.20	Inf	-Inf	5.12	3	Horizontal	347	1.50	-	95.08	32.02	7.53	34.43
PK	5.4678G	55.34	68.20	-12.86	4.92	3	Horizontal	347	1.50	-	50.42	31.89	7.44	34.41
PK	5.5824G	110.18	Inf	-Inf	5.12	3	Horizontal	347	1.50	-	105.06	32.02	7.53	34.43
PK	5.73G	56.05	68.20	-12.15	5.38	3	Horizontal	347	1.50	-	50.67	32.22	7.62	34.46

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16056G	52.03	54.00	-1.97	16.12	3	Vertical	62	2.66	-	35.91	40.01	10.52	34.41
PK	11.15792G	65.05	74.00	-8.95	16.12	3	Vertical	62	2.66	-	48.93	40.01	10.52	34.41
PK	16.73848G	62.60	68.20	-5.60	18.96	3	Vertical	52	2.29	-	43.64	39.24	13.76	34.04



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15808G	52.82	54.00	-1.18	16.12	3	Horizontal	44	1.14	-	36.70	40.01	10.52	34.41
PK	11.158G	65.96	74.00	-8.04	16.12	3	Horizontal	44	1.14	-	49.84	40.01	10.52	34.41
PK	16.742G	62.72	68.20	-5.48	18.98	3	Horizontal	29	3.00	-	43.74	39.25	13.77	34.04

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7004G	104.51	Inf	-Inf	5.34	3	Vertical	48	1.00	-	99.17	32.18	7.61	34.45
PK	5.7032G	113.23	Inf	-Inf	5.34	3	Vertical	48	1.00	-	107.89	32.18	7.61	34.45
PK	5.7252G	66.61	68.20	-1.59	5.38	3	Vertical	48	1.00	-	61.23	32.22	7.62	34.46



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	100.00	Inf	-Inf	5.33	3	Horizontal	141	2.38	-	94.67	32.18	7.60	34.45
PK	5.7012G	109.72	Inf	-Inf	5.34	3	Horizontal	141	2.38	-	104.38	32.18	7.61	34.45
PK	5.726G	62.65	68.20	-5.55	5.38	3	Horizontal	141	2.38	-	57.27	32.22	7.62	34.46

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3976G	46.49	54.00	-7.51	15.88	3	Vertical	309	1.00	-	30.61	39.72	10.64	34.48
PK	11.39802G	59.05	74.00	-14.95	15.88	3	Vertical	309	1.00	-	43.17	39.72	10.64	34.48
PK	17.10618G	62.03	68.20	-6.17	20.86	3	Vertical	266	1.50	-	41.17	40.70	13.87	33.71

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	48.63	54.00	-5.37	15.88	3	Horizontal	185	1.01	-	32.75	39.72	10.64	34.48
PK	11.39706G	60.89	74.00	-13.11	15.88	3	Horizontal	185	1.01	-	45.01	39.72	10.64	34.48
PK	17.09424G	61.89	68.20	-6.31	20.79	3	Horizontal	200	2.26	-	41.10	40.62	13.87	33.70



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	43.01	54.00	-10.99	6.65	3	Vertical	14	2.40	-	36.36	31.65	9.18	34.18
AV	5.7224G	103.93	Inf	-Inf	6.89	3	Vertical	14	2.40	-	97.04	31.87	9.37	34.35
PK	5.4692G	54.48	68.20	-13.72	6.76	3	Vertical	14	2.40	-	47.72	31.71	9.19	34.14
PK	5.7224G	113.02	Inf	-Inf	6.89	3	Vertical	14	2.40	-	106.13	31.87	9.37	34.35
PK	5.894G	56.75	68.20	-11.45	7.51	3	Vertical	14	2.40	-	49.24	32.38	9.51	34.38

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	42.46	54.00	-11.54	6.68	3	Horizontal	301	1.00	-	35.78	31.67	9.18	34.17
AV	5.72G	98.22	Inf	-Inf	6.88	3	Horizontal	301	1.00	-	91.34	31.86	9.37	34.35
PK	5.4668G	53.61	68.20	-14.59	6.75	3	Horizontal	301	1.00	-	46.86	31.70	9.19	34.14
PK	5.7212G	106.81	Inf	-Inf	6.88	3	Horizontal	301	1.00	-	99.93	31.86	9.37	34.35
PK	5.894G	55.42	68.20	-12.78	7.51	3	Horizontal	301	1.00	-	47.91	32.38	9.51	34.38



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43712G	49.68	54.00	-4.32	17.97	3	Vertical	154	1.50	-	31.71	39.63	12.57	34.23
PK	11.43706G	61.96	74.00	-12.04	17.97	3	Vertical	154	1.50	-	43.99	39.63	12.57	34.23
PK	17.17416G	63.41	68.20	-4.79	22.84	3	Vertical	27	1.50	-	40.57	41.40	15.26	33.82



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43958G	52.62	54.00	-1.38	17.97	3	Horizontal	184	1.11	-	34.65	39.63	12.57	34.23
PK	11.43742G	65.56	74.00	-8.44	17.97	3	Horizontal	184	1.11	-	47.59	39.63	12.57	34.23
PK	17.15034G	64.50	68.20	-3.70	22.67	3	Horizontal	154	1.50	-	41.83	41.24	15.25	33.82

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.09	Inf	-Inf	6.98	3	Vertical	13	2.13	-	97.11	31.94	9.40	34.36
PK	5.6358G	56.55	68.20	-11.65	6.60	3	Vertical	13	2.13	-	49.95	31.67	9.27	34.34
PK	5.7438G	113.28	Inf	-Inf	6.97	3	Vertical	13	2.13	-	106.31	31.93	9.40	34.36
PK	5.9838G	55.12	68.20	-13.08	7.78	3	Vertical	13	2.13	-	47.34	32.40	9.56	34.18



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	100.29	Inf	-Inf	6.97	3	Horizontal	275	2.99	-	93.32	31.93	9.40	34.36
PK	5.5722G	54.87	68.20	-13.33	6.62	3	Horizontal	275	2.99	-	48.25	31.66	9.22	34.26
PK	5.7462G	108.56	Inf	-Inf	6.98	3	Horizontal	275	2.99	-	101.58	31.94	9.40	34.36
PK	5.9442G	55.60	68.20	-12.60	7.67	3	Horizontal	275	2.99	-	47.93	32.40	9.54	34.27

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48472G	48.53	54.00	-5.47	17.94	3	Vertical	317	1.99	-	30.59	39.57	12.60	34.23
PK	11.49228G	61.21	74.00	-12.79	17.93	3	Vertical	317	1.99	-	43.28	39.56	12.60	34.23
PK	17.23392G	63.89	68.20	-4.31	23.26	3	Vertical	121	1.97	-	40.63	41.81	15.28	33.83

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48712G	52.95	54.00	-1.05	17.94	3	Horizontal	180	1.08	-	35.01	39.57	12.60	34.23
PK	11.48718G	66.42	74.00	-7.58	17.94	3	Horizontal	180	1.08	-	48.48	39.57	12.60	34.23
PK	17.2416G	64.11	68.20	-4.09	23.33	3	Horizontal	239	1.50	-	40.78	41.87	15.29	33.83

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	102.27	Inf	-Inf	7.14	3	Vertical	9	1.00	-	95.13	32.06	9.45	34.37
PK	5.5874G	55.22	68.20	-12.98	6.55	3	Vertical	9	1.00	-	48.67	31.63	9.22	34.30
PK	5.7874G	111.37	Inf	-Inf	7.14	3	Vertical	9	1.00	-	104.23	32.06	9.45	34.37
PK	5.9506G	55.80	68.20	-12.40	7.68	3	Vertical	9	1.00	-	48.12	32.40	9.54	34.26

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.785G	97.86	Inf	-Inf	7.13	3	Horizontal	300	2.41	-	90.73	32.05	9.45	34.37
PK	5.6074G	54.58	68.20	-13.62	6.50	3	Horizontal	300	2.41	-	48.08	31.61	9.23	34.34
PK	5.7862G	106.23	Inf	-Inf	7.14	3	Horizontal	300	2.41	-	99.09	32.06	9.45	34.37
PK	5.9878G	55.77	68.20	-12.43	7.79	3	Horizontal	300	2.41	-	47.98	32.40	9.56	34.17

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5697G	48.64	54.00	-5.36	17.86	3	Vertical	309	1.00	-	30.78	39.46	12.64	34.24
PK	11.5673G	61.02	74.00	-12.98	17.86	3	Vertical	309	1.00	-	43.16	39.46	12.64	34.24
PK	17.35194G	65.57	68.20	-2.63	24.12	3	Vertical	317	1.50	-	41.45	42.63	15.34	33.85

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57204G	52.85	54.00	-1.15	17.87	3	Horizontal	113	1.03	-	34.98	39.46	12.65	34.24
PK	11.56718G	65.91	74.00	-8.09	17.86	3	Horizontal	113	1.03	-	48.05	39.46	12.64	34.24
PK	17.3595G	65.12	68.20	-3.08	24.17	3	Horizontal	224	2.73	-	40.95	42.68	15.34	33.85

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.30	Inf	-Inf	7.29	3	Vertical	48	2.27	-	96.01	32.18	9.48	34.37
PK	5.603G	54.67	68.20	-13.53	6.50	3	Vertical	48	2.27	-	48.17	31.61	9.23	34.34
PK	5.825G	112.37	Inf	-Inf	7.28	3	Vertical	48	2.27	-	105.09	32.17	9.48	34.37
PK	5.951G	55.30	68.20	-12.90	7.68	3	Vertical	48	2.27	-	47.62	32.40	9.54	34.26



802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	97.53	Inf	-Inf	7.28	3	Horizontal	304	1.00	-	90.25	32.17	9.48	34.37
PK	5.5898G	54.34	68.20	-13.86	6.53	3	Horizontal	304	1.00	-	47.81	31.62	9.22	34.31
PK	5.8226G	105.40	Inf	-Inf	7.28	3	Horizontal	304	1.00	-	98.12	32.17	9.48	34.37
PK	5.9558G	54.95	68.20	-13.25	7.69	3	Horizontal	304	1.00	-	47.26	32.40	9.54	34.25

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64898G	48.13	54.00	-5.87	17.81	3	Vertical	0	3.00	-	30.32	39.36	12.69	34.24
PK	11.65168G	60.28	74.00	-13.72	17.80	3	Vertical	0	3.00	-	42.48	39.35	12.69	34.24
PK	17.48508G	65.79	68.20	-2.41	25.08	3	Vertical	171	2.51	-	40.71	43.55	15.40	33.87

802.11ac VHT20\_Nss1,(MCS0)\_2TX

21/08/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64688G	51.29	54.00	-2.71	17.81	3	Horizontal	188	1.02	-	33.48	39.36	12.69	34.24
PK	11.65156G	63.93	74.00	-10.07	17.80	3	Horizontal	188	1.02	-	46.13	39.35	12.69	34.24
PK	17.47854G	65.82	68.20	-2.38	25.03	3	Horizontal	79	1.50	-	40.79	43.50	15.40	33.87

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.26	54.00	-1.74	6.59	3	Vertical	18	2.28	-	45.67	31.80	9.06	34.27
AV	5.1916G	99.21	Inf	-Inf	6.41	3	Vertical	18	2.28	-	92.80	31.63	9.06	34.28
PK	5.1488G	67.94	74.00	-6.06	6.59	3	Vertical	18	2.28	-	61.35	31.80	9.06	34.27
PK	5.1912G	106.49	Inf	-Inf	6.42	3	Vertical	18	2.28	-	100.07	31.64	9.06	34.28

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	50.55	54.00	-3.45	6.59	3	Horizontal	107	2.69	-	43.96	31.80	9.06	34.27
AV	5.1888G	96.50	Inf	-Inf	6.42	3	Horizontal	107	2.69	-	90.08	31.64	9.06	34.28
PK	5.1492G	64.49	74.00	-9.51	6.59	3	Horizontal	107	2.69	-	57.90	31.80	9.06	34.27
PK	5.1912G	103.96	Inf	-Inf	6.42	3	Horizontal	107	2.69	-	97.54	31.64	9.06	34.28

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5646G	47.36	54.00	-6.64	19.22	3	Vertical	4	2.72	-	28.14	38.85	14.50	34.13
PK	10.37166G	57.90	68.20	-10.30	16.71	3	Vertical	135	1.50	-	41.19	39.38	11.95	34.62
PK	15.57426G	59.35	74.00	-14.65	19.19	3	Vertical	4	2.72	-	40.16	38.82	14.51	34.14



802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5847G	47.57	54.00	-6.43	19.15	3	Horizontal	198	1.00	-	28.42	38.79	14.51	34.15
PK	10.37988G	58.53	68.20	-9.67	16.73	3	Horizontal	180	1.08	-	41.80	39.39	11.96	34.62
PK	15.5679G	59.25	74.00	-14.75	19.20	3	Horizontal	198	1.00	-	40.05	38.84	14.50	34.14

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	46.48	54.00	-7.52	6.59	3	Vertical	2	1.50	-	39.89	31.80	9.06	34.27
AV	5.2316G	100.58	Inf	-Inf	6.26	3	Vertical	2	1.50	-	94.32	31.47	9.08	34.29
PK	5.1416G	57.86	74.00	-16.14	6.62	3	Vertical	2	1.50	-	51.24	31.83	9.06	34.27
PK	5.2264G	107.84	Inf	-Inf	6.27	3	Vertical	2	1.50	-	101.57	31.49	9.07	34.29






802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	45.05	54.00	-8.95	6.59	3	Horizontal	288	2.72	-	38.46	31.80	9.06	34.27
AV	5.2316G	98.36	Inf	-Inf	6.26	3	Horizontal	288	2.72	-	92.10	31.47	9.08	34.29
PK	5.1488G	57.42	74.00	-16.58	6.59	3	Horizontal	288	2.72	-	50.83	31.80	9.06	34.27
PK	5.232G	105.75	Inf	-Inf	6.26	3	Horizontal	288	2.72	-	99.49	31.47	9.08	34.29

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69762G	47.71	54.00	-6.29	18.75	3	Vertical	190	1.50	-	28.96	38.44	14.56	34.25
PK	10.47032G	57.87	68.20	-10.33	16.96	3	Vertical	6	1.50	-	40.91	39.51	12.01	34.56
PK	15.69156G	59.85	74.00	-14.15	18.77	3	Vertical	190	1.50	-	41.08	38.46	14.56	34.25

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7011G	48.28	54.00	-5.72	18.75	3	Horizontal	25	1.00	-	29.53	38.43	14.57	34.25
PK	10.46G	58.84	68.20	-9.36	16.93	3	Horizontal	176	1.00	-	41.91	39.50	12.00	34.57
PK	15.6909G	59.65	74.00	-14.35	18.78	3	Horizontal	25	1.00	-	40.87	38.46	14.56	34.24

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2684G	101.75	Inf	-Inf	6.14	3	Vertical	337	2.18	-	95.61	31.33	9.10	34.29
AV	5.3508G	47.57	54.00	-6.43	6.18	3	Vertical	337	2.18	-	41.39	31.35	9.14	34.31
PK	5.2684G	110.25	Inf	-Inf	6.14	3	Vertical	337	2.18	-	104.11	31.33	9.10	34.29
PK	5.3508G	60.98	74.00	-13.02	6.18	3	Vertical	337	2.18	-	54.80	31.35	9.14	34.31

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.272G	97.59	Inf	-Inf	6.12	3	Horizontal	270	2.45	-	91.47	31.31	9.10	34.29
AV	5.3516G	44.29	54.00	-9.71	6.18	3	Horizontal	270	2.45	-	38.11	31.35	9.14	34.31
PK	5.272G	106.00	Inf	-Inf	6.12	3	Horizontal	270	2.45	-	99.88	31.31	9.10	34.29
PK	5.3516G	56.20	74.00	-17.80	6.18	3	Horizontal	270	2.45	-	50.02	31.35	9.14	34.31

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81193G	49.47	54.00	-4.53	18.35	3	Vertical	205	1.04	-	31.12	38.08	14.62	34.35
PK	10.5397G	60.14	68.20	-8.06	17.14	3	Vertical	103	1.00	-	43.00	39.60	12.05	34.51
PK	15.81224G	61.16	74.00	-12.84	18.35	3	Vertical	205	1.04	-	42.81	38.08	14.62	34.35

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81119G	50.16	54.00	-3.84	18.36	3	Horizontal	157	1.00	-	31.80	38.09	14.62	34.35
PK	10.53984G	61.30	68.20	-6.90	17.14	3	Horizontal	175	1.00	-	44.16	39.60	12.05	34.51
PK	15.80904G	62.48	74.00	-11.52	18.36	3	Horizontal	157	1.00	-	44.12	38.09	14.62	34.35

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3112G	98.75	Inf	-Inf	6.05	3	Vertical	17	2.33	-	92.70	31.23	9.12	34.30
AV	5.3508G	52.48	54.00	-1.52	6.18	3	Vertical	17	2.33	-	46.30	31.35	9.14	34.31
PK	5.3112G	106.84	Inf	-Inf	6.05	3	Vertical	17	2.33	-	100.79	31.23	9.12	34.30
PK	5.3536G	68.74	74.00	-5.26	6.19	3	Vertical	17	2.33	-	62.55	31.36	9.14	34.31



802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	93.78	Inf	-Inf	6.05	3	Horizontal	318	2.51	-	87.73	31.23	9.12	34.30
AV	5.3508G	48.97	54.00	-5.03	6.18	3	Horizontal	318	2.51	-	42.79	31.35	9.14	34.31
PK	5.3056G	101.56	Inf	-Inf	6.04	3	Horizontal	318	2.51	-	95.52	31.22	9.12	34.30
PK	5.354G	63.93	74.00	-10.07	6.19	3	Horizontal	318	2.51	-	57.74	31.36	9.14	34.31

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6191G	46.03	54.00	-7.97	17.33	3	Vertical	359	1.98	-	28.70	39.70	12.09	34.46
AV	15.93128G	46.65	54.00	-7.35	17.93	3	Vertical	111	1.50	-	28.72	37.71	14.68	34.46
PK	10.62089G	58.59	74.00	-15.41	17.35	3	Vertical	359	1.98	-	41.24	39.71	12.10	34.46
PK	15.9286G	59.12	74.00	-14.88	17.93	3	Vertical	111	1.50	-	41.19	37.72	14.67	34.46

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6199G	46.57	54.00	-7.43	17.34	3	Horizontal	172	1.10	-	29.23	39.71	12.09	34.46
AV	15.92997G	46.85	54.00	-7.15	17.94	3	Horizontal	359	1.50	-	28.91	37.72	14.68	34.46
PK	10.61992G	58.57	74.00	-15.43	17.34	3	Horizontal	172	1.10	-	41.23	39.71	12.09	34.46
PK	15.93163G	58.72	74.00	-15.28	17.93	3	Horizontal	359	1.50	-	40.79	37.71	14.68	34.46

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.09	54.00	-7.91	6.70	3	Vertical	341	2.36	-	39.39	31.68	9.18	34.16
AV	5.5084G	97.54	Inf	-Inf	6.90	3	Vertical	341	2.36	-	90.64	31.78	9.20	34.08
PK	5.4688G	65.50	68.20	-2.70	6.76	3	Vertical	341	2.36	-	58.74	31.71	9.19	34.14
PK	5.5084G	105.51	Inf	-Inf	6.90	3	Vertical	341	2.36	-	98.61	31.78	9.20	34.08

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.73	54.00	-8.27	6.70	3	Horizontal	286	2.50	-	39.03	31.68	9.18	34.16
AV	5.5116G	95.34	Inf	-Inf	6.89	3	Horizontal	286	2.50	-	88.45	31.78	9.20	34.09
PK	5.4696G	65.98	68.20	-2.22	6.76	3	Horizontal	286	2.50	-	59.22	31.71	9.19	34.14
PK	5.512G	103.83	Inf	-Inf	6.89	3	Horizontal	286	2.50	-	96.94	31.78	9.20	34.09

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02199G	46.99	54.00	-7.01	18.29	3	Vertical	331	1.50	-	28.70	40.17	12.33	34.21
PK	11.02017G	58.97	74.00	-15.03	18.29	3	Vertical	331	1.50	-	40.68	40.17	12.33	34.21
PK	16.53172G	60.43	68.20	-7.77	19.76	3	Vertical	31	2.63	-	40.67	38.94	14.96	34.14

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02001G	48.29	54.00	-5.71	18.29	3	Horizontal	177	1.01	-	30.00	40.17	12.33	34.21
PK	11.01976G	59.79	74.00	-14.21	18.29	3	Horizontal	177	1.01	-	41.50	40.17	12.33	34.21
PK	16.5302G	60.86	68.20	-7.34	19.75	3	Horizontal	283	3.00	-	41.11	38.93	14.96	34.14

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	47.17	54.00	-6.83	6.70	3	Vertical	36	2.23	-	40.47	31.68	9.18	34.16
AV	5.5488G	102.59	Inf	-Inf	6.71	3	Vertical	36	2.23	-	95.88	31.70	9.21	34.20
PK	5.4684G	60.36	68.20	-7.84	6.76	3	Vertical	36	2.23	-	53.60	31.71	9.19	34.14
PK	5.5484G	110.99	Inf	-Inf	6.71	3	Vertical	36	2.23	-	104.28	31.70	9.21	34.20



802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.63	54.00	-9.37	6.70	3	Horizontal	287	2.17	-	37.93	31.68	9.18	34.16
AV	5.5516G	97.71	Inf	-Inf	6.71	3	Horizontal	287	2.17	-	91.00	31.70	9.21	34.20
PK	5.464G	58.03	68.20	-10.17	6.72	3	Horizontal	287	2.17	-	51.31	31.69	9.18	34.15
PK	5.5468G	105.90	Inf	-Inf	6.73	3	Horizontal	287	2.17	-	99.17	31.71	9.21	34.19

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09998G	50.14	54.00	-3.86	18.23	3	Vertical	311	1.00	-	31.91	40.07	12.37	34.21
PK	11.0996G	62.20	74.00	-11.80	18.23	3	Vertical	311	1.00	-	43.97	40.07	12.37	34.21
PK	16.6499G	61.65	68.20	-6.55	20.21	3	Vertical	58	1.35	-	41.44	39.25	15.01	34.05

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09926G	51.07	54.00	-2.93	18.23	3	Horizontal	185	1.00	-	32.84	40.07	12.37	34.21
PK	11.09666G	63.58	74.00	-10.42	18.23	3	Horizontal	185	1.00	-	45.35	40.07	12.37	34.21
PK	16.65174G	62.88	68.20	-5.32	20.22	3	Horizontal	184	2.94	-	42.66	39.26	15.01	34.05



802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	101.79	Inf	-Inf	6.70	3	Vertical	40	2.28	-	95.09	31.74	9.31	34.35
PK	5.6682G	110.50	Inf	-Inf	6.70	3	Vertical	40	2.28	-	103.80	31.74	9.31	34.35
PK	5.7258G	66.53	68.20	-1.67	6.90	3	Vertical	40	2.28	-	59.63	31.88	9.38	34.36



802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6718G	96.31	Inf	-Inf	6.70	3	Horizontal	334	1.00	-	89.61	31.74	9.31	34.35
PK	5.6718G	103.80	Inf	-Inf	6.70	3	Horizontal	334	1.00	-	97.10	31.74	9.31	34.35
PK	5.7264G	60.44	68.20	-7.76	6.90	3	Horizontal	334	1.00	-	53.54	31.88	9.38	34.36

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33969G	49.06	54.00	-4.94	18.04	3	Vertical	313	1.00	-	31.02	39.76	12.51	34.23
PK	11.33966G	60.77	74.00	-13.23	18.04	3	Vertical	313	1.00	-	42.73	39.76	12.51	34.23
PK	17.01167G	62.81	68.20	-5.39	21.66	3	Vertical	150	2.32	-	41.15	40.28	15.18	33.80

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33981G	52.00	54.00	-2.00	18.04	3	Horizontal	177	1.12	-	33.96	39.76	12.51	34.23
PK	11.33942G	63.43	74.00	-10.57	18.04	3	Horizontal	177	1.12	-	45.39	39.76	12.51	34.23
PK	17.01174G	62.61	68.20	-5.59	21.66	3	Horizontal	196	1.50	-	40.95	40.28	15.18	33.80

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	47.48	54.00	-6.52	6.64	3	Vertical	8	2.37	-	40.84	31.65	9.18	34.19
AV	5.7088G	106.20	Inf	-Inf	6.84	3	Vertical	8	2.37	-	99.36	31.83	9.36	34.35
PK	5.4652G	59.48	68.20	-8.72	6.74	3	Vertical	8	2.37	-	52.74	31.70	9.19	34.15
PK	5.7088G	114.58	Inf	-Inf	6.84	3	Vertical	8	2.37	-	107.74	31.83	9.36	34.35
PK	5.8792G	60.75	68.20	-7.45	7.47	3	Vertical	8	2.37	-	53.28	32.34	9.51	34.38






802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	46.83	54.00	-7.17	6.59	3	Horizontal	283	1.00	-	40.24	31.62	9.18	34.21
AV	5.7052G	99.54	Inf	-Inf	6.82	3	Horizontal	283	1.00	-	92.72	31.82	9.35	34.35
PK	5.4676G	57.94	68.20	-10.26	6.75	3	Horizontal	283	1.00	-	51.19	31.70	9.19	34.14
PK	5.7076G	107.80	Inf	-Inf	6.82	3	Horizontal	283	1.00	-	100.98	31.82	9.35	34.35
PK	5.8696G	59.74	68.20	-8.46	7.43	3	Horizontal	283	1.00	-	52.31	32.31	9.50	34.38



802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41947G	47.56	54.00	-6.44	15.87	3	Vertical	303	1.02	-	31.69	39.70	10.65	34.48
PK	11.41978G	59.49	74.00	-14.51	15.87	3	Vertical	303	1.02	-	43.62	39.70	10.65	34.48
PK	17.13134G	62.93	68.20	-5.27	21.03	3	Vertical	3	1.50	-	41.90	40.87	13.88	33.72

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41954G	49.47	54.00	-4.53	15.87	3	Horizontal	175	1.00	-	33.60	39.70	10.65	34.48
PK	11.41988G	62.68	74.00	-11.32	15.87	3	Horizontal	175	1.00	-	46.81	39.70	10.65	34.48
PK	17.13162G	62.81	68.20	-5.39	21.03	3	Horizontal	164	1.10	-	41.78	40.87	13.88	33.72

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	101.68	Inf	-Inf	7.01	3	Vertical	5	1.00	-	94.67	31.96	9.41	34.36
PK	5.6062G	56.55	68.20	-11.65	6.50	3	Vertical	5	1.00	-	50.05	31.61	9.23	34.34
PK	5.7538G	109.33	Inf	-Inf	7.01	3	Vertical	5	1.00	-	102.32	31.96	9.41	34.36
PK	5.9422G	55.85	68.20	-12.35	7.66	3	Vertical	5	1.00	-	48.19	32.40	9.54	34.28

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	95.29	Inf	-Inf	7.00	3	Horizontal	287	1.93	-	88.29	31.95	9.41	34.36
PK	5.5858G	55.70	68.20	-12.50	6.55	3	Horizontal	287	1.93	-	49.15	31.63	9.22	34.30
PK	5.7526G	103.46	Inf	-Inf	7.01	3	Horizontal	287	1.93	-	96.45	31.96	9.41	34.36
PK	5.989G	56.02	68.20	-12.18	7.79	3	Horizontal	287	1.93	-	48.23	32.40	9.56	34.17

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50935G	47.94	54.00	-6.06	17.91	3	Vertical	151	2.39	-	30.03	39.54	12.61	34.24
PK	11.50949G	60.03	74.00	-13.97	17.91	3	Vertical	151	2.39	-	42.12	39.54	12.61	34.24
PK	17.26629G	64.68	68.20	-3.52	23.50	3	Vertical	235	2.53	-	41.18	42.04	15.30	33.84

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5096G	51.91	54.00	-2.09	17.91	3	Horizontal	36	1.42	-	34.00	39.54	12.61	34.24
PK	11.50971G	64.46	74.00	-9.54	17.91	3	Horizontal	36	1.42	-	46.55	39.54	12.61	34.24
PK	17.26379G	64.61	68.20	-3.59	23.48	3	Horizontal	155	2.90	-	41.13	42.02	15.30	33.84

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	101.52	Inf	-Inf	7.17	3	Vertical	340	1.00	-	94.35	32.08	9.46	34.37
PK	5.6234G	55.67	68.20	-12.53	6.56	3	Vertical	340	1.00	-	49.11	31.65	9.25	34.34
PK	5.7938G	109.31	Inf	-Inf	7.17	3	Vertical	340	1.00	-	102.14	32.08	9.46	34.37
PK	5.9318G	55.80	68.20	-12.40	7.63	3	Vertical	340	1.00	-	48.17	32.40	9.53	34.30



802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	97.00	Inf	-Inf	7.17	3	Horizontal	299	2.36	-	89.83	32.08	9.46	34.37
PK	5.5466G	55.61	68.20	-12.59	6.73	3	Horizontal	299	2.36	-	48.88	31.71	9.21	34.19
PK	5.7962G	104.59	Inf	-Inf	7.18	3	Horizontal	299	2.36	-	97.41	32.09	9.46	34.37
PK	5.9402G	55.80	68.20	-12.40	7.65	3	Horizontal	299	2.36	-	48.15	32.40	9.53	34.28

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58996G	47.24	54.00	-6.76	17.85	3	Vertical	322	1.48	-	29.39	39.43	12.66	34.24
PK	11.59005G	59.16	74.00	-14.84	17.85	3	Vertical	322	1.48	-	41.31	39.43	12.66	34.24
PK	17.38694G	65.72	68.20	-2.48	24.38	3	Vertical	222	1.46	-	41.34	42.87	15.36	33.85

802.11ac VHT40\_Nss1,(MCS0)\_2TX

21/08/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58938G	50.96	54.00	-3.04	17.85	3	Horizontal	172	1.02	-	33.11	39.43	12.66	34.24
PK	11.58963G	62.93	74.00	-11.07	17.85	3	Horizontal	172	1.02	-	45.08	39.43	12.66	34.24
PK	17.38596G	65.58	68.20	-2.62	24.36	3	Horizontal	195	1.50	-	41.22	42.86	15.35	33.85

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.93	54.00	-1.07	6.59	3	Vertical	15	2.50	-	46.34	31.80	9.06	34.27
AV	5.214G	91.22	Inf	-Inf	6.33	3	Vertical	15	2.50	-	84.89	31.54	9.07	34.28
AV	5.389G	43.91	54.00	-10.09	6.32	3	Vertical	15	2.50	-	37.59	31.47	9.16	34.31
PK	5.136G	61.54	74.00	-12.46	6.65	3	Vertical	15	2.50	-	54.89	31.86	9.06	34.27
PK	5.214G	99.48	Inf	-Inf	6.33	3	Vertical	15	2.50	-	93.15	31.54	9.07	34.28
PK	5.399G	54.19	74.00	-19.81	6.36	3	Vertical	15	2.50	-	47.83	31.50	9.17	34.31

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	49.21	54.00	-4.79	6.65	3	Horizontal	269	2.45	-	42.56	31.86	9.06	34.27
AV	5.208G	88.16	Inf	-Inf	6.35	3	Horizontal	269	2.45	-	81.81	31.57	9.06	34.28
AV	5.46G	43.87	54.00	-10.13	6.70	3	Horizontal	269	2.45	-	37.17	31.68	9.18	34.16
PK	5.136G	60.67	74.00	-13.33	6.65	3	Horizontal	269	2.45	-	54.02	31.86	9.06	34.27
PK	5.228G	96.65	Inf	-Inf	6.27	3	Horizontal	269	2.45	-	90.38	31.49	9.07	34.29
PK	5.446G	55.56	74.00	-18.44	6.62	3	Horizontal	269	2.45	-	48.94	31.64	9.18	34.20

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.64278G	49.22	54.00	-4.78	18.95	3	Vertical	175	1.48	-	30.27	38.61	14.54	34.20
PK	10.42432G	57.49	68.20	-10.71	16.84	3	Vertical	83	2.31	-	40.65	39.45	11.98	34.59
PK	15.621G	59.45	74.00	-14.55	19.02	3	Vertical	175	1.48	-	40.43	38.67	14.53	34.18

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.64122G	49.19	54.00	-4.81	18.95	3	Horizontal	261	1.65	-	30.24	38.61	14.54	34.20
PK	10.42744G	58.18	68.20	-10.02	16.85	3	Horizontal	88	1.34	-	41.33	39.46	11.98	34.59
PK	15.62862G	59.36	74.00	-14.64	18.99	3	Horizontal	261	1.65	-	40.37	38.65	14.53	34.19

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.085G	45.59	54.00	-8.41	6.75	3	Vertical	1	2.33	-	38.84	31.93	9.06	34.24
AV	5.287G	93.04	Inf	-Inf	6.06	3	Vertical	1	2.33	-	86.98	31.25	9.11	34.30
AV	5.35G	52.67	54.00	-1.33	6.18	3	Vertical	1	2.33	-	46.49	31.35	9.14	34.31
PK	5.148G	55.77	74.00	-18.23	6.60	3	Vertical	1	2.33	-	49.17	31.81	9.06	34.27
PK	5.302G	100.89	Inf	-Inf	6.02	3	Vertical	1	2.33	-	94.87	31.21	9.11	34.30
PK	5.35G	64.66	74.00	-9.34	6.18	3	Vertical	1	2.33	-	58.48	31.35	9.14	34.31



802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.128G	45.40	54.00	-8.60	6.68	3	Horizontal	285	2.35	-	38.72	31.89	9.06	34.27
AV	5.296G	88.68	Inf	-Inf	6.03	3	Horizontal	285	2.35	-	82.65	31.22	9.11	34.30
AV	5.355G	48.65	54.00	-5.35	6.19	3	Horizontal	285	2.35	-	42.46	31.36	9.14	34.31
PK	5.07G	55.55	74.00	-18.45	6.70	3	Horizontal	285	2.35	-	48.85	31.85	9.06	34.21
PK	5.308G	97.19	Inf	-Inf	6.04	3	Horizontal	285	2.35	-	91.15	31.22	9.12	34.30
PK	5.46G	55.68	68.20	-12.52	6.70	3	Horizontal	285	2.35	-	48.98	31.68	9.18	34.16

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88212G	48.55	54.00	-5.45	18.10	3	Vertical	87	2.44	-	30.45	37.87	14.65	34.42
PK	10.58024G	57.78	68.20	-10.42	17.23	3	Vertical	133	1.93	-	40.55	39.65	12.07	34.49
PK	15.8616G	59.21	74.00	-14.79	18.17	3	Vertical	87	2.44	-	41.04	37.93	14.64	34.40



802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85986G	48.60	54.00	-5.40	18.17	3	Horizontal	169	1.50	-	30.43	37.93	14.64	34.40
PK	10.5932G	58.11	68.20	-10.09	17.27	3	Horizontal	16	2.86	-	40.84	39.67	12.08	34.48
PK	15.86538G	59.22	74.00	-14.78	18.16	3	Horizontal	169	1.50	-	41.06	37.92	14.64	34.40

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.86	54.00	-1.14	6.68	3	Vertical	33	2.09	-	46.18	31.67	9.18	34.17
AV	5.526G	93.42	Inf	-Inf	6.82	3	Vertical	33	2.09	-	86.60	31.75	9.20	34.13
PK	5.468G	65.11	68.20	-3.09	6.75	3	Vertical	33	2.09	-	58.36	31.70	9.19	34.14
PK	5.524G	101.02	Inf	-Inf	6.82	3	Vertical	33	2.09	-	94.20	31.75	9.20	34.13
PK	5.78G	54.92	68.20	-13.28	7.11	3	Vertical	33	2.09	-	47.81	32.04	9.44	34.37

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.60	54.00	-3.40	6.70	3	Horizontal	282	2.50	-	43.90	31.68	9.18	34.16
AV	5.524G	90.06	Inf	-Inf	6.82	3	Horizontal	282	2.50	-	83.24	31.75	9.20	34.13
PK	5.469G	62.15	68.20	-6.05	6.76	3	Horizontal	282	2.50	-	55.39	31.71	9.19	34.14
PK	5.532G	97.89	Inf	-Inf	6.79	3	Horizontal	282	2.50	-	91.10	31.74	9.20	34.15
PK	5.755G	54.65	68.20	-13.55	7.01	3	Horizontal	282	2.50	-	47.64	31.96	9.41	34.36

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07026G	48.76	54.00	-5.24	18.26	3	Vertical	245	1.50	-	30.50	40.11	12.36	34.21
PK	11.05106G	59.37	74.00	-14.63	18.26	3	Vertical	245	1.50	-	41.11	40.13	12.34	34.21
PK	16.60458G	61.85	68.20	-6.35	20.04	3	Vertical	272	1.05	-	41.81	39.13	14.99	34.08



802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0584G	49.17	54.00	-4.83	18.26	3	Horizontal	182	1.00	-	30.91	40.12	12.35	34.21
PK	11.05754G	60.48	74.00	-13.52	18.27	3	Horizontal	182	1.00	-	42.21	40.13	12.35	34.21
PK	16.60104G	61.09	68.20	-7.11	20.02	3	Horizontal	17	1.50	-	41.07	39.12	14.99	34.09

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	45.43	54.00	-8.57	6.65	3	Vertical	35	2.21	-	38.78	31.65	9.18	34.18
AV	5.6888G	99.95	Inf	-Inf	6.76	3	Vertical	35	2.21	-	93.19	31.78	9.33	34.35
PK	5.4608G	55.09	68.20	-13.11	6.70	3	Vertical	35	2.21	-	48.39	31.68	9.18	34.16
PK	5.6828G	107.17	Inf	-Inf	6.74	3	Vertical	35	2.21	-	100.43	31.77	9.32	34.35
PK	5.8532G	58.55	68.20	-9.65	7.37	3	Vertical	35	2.21	-	51.18	32.26	9.49	34.38



802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	44.47	54.00	-9.53	6.66	3	Horizontal	330	1.00	-	37.81	31.66	9.18	34.18
AV	5.6888G	93.78	Inf	-Inf	6.76	3	Horizontal	330	1.00	-	87.02	31.78	9.33	34.35
PK	5.4644G	54.07	68.20	-14.13	6.73	3	Horizontal	330	1.00	-	47.34	31.69	9.19	34.15
PK	5.6864G	101.37	Inf	-Inf	6.75	3	Horizontal	330	1.00	-	94.62	31.77	9.33	34.35
PK	5.9648G	56.16	68.20	-12.04	7.73	3	Horizontal	330	1.00	-	48.43	32.40	9.55	34.22



802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38702G	48.61	54.00	-5.39	18.01	3	Vertical	311	1.02	-	30.60	39.70	12.54	34.23
PK	11.38906G	59.13	74.00	-14.87	18.00	3	Vertical	311	1.02	-	41.13	39.69	12.54	34.23
PK	17.07588G	63.01	68.20	-5.19	22.12	3	Vertical	156	2.12	-	40.89	40.72	15.21	33.81



802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3824G	49.10	54.00	-4.90	18.01	3	Horizontal	36	1.00	-	31.09	39.70	12.54	34.23
PK	11.3798G	60.89	74.00	-13.11	18.01	3	Horizontal	36	1.00	-	42.88	39.71	12.53	34.23
PK	17.08374G	62.98	68.20	-5.22	22.18	3	Horizontal	25	2.08	-	40.80	40.78	15.21	33.81

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	98.42	Inf	-Inf	7.08	3	Vertical	9	2.20	-	91.34	32.01	9.43	34.36
PK	5.6514G	61.27	69.24	-7.97	6.64	3	Vertical	9	2.20	-	54.63	31.70	9.29	34.35
PK	5.7546G	106.25	Inf	-Inf	7.01	3	Vertical	9	2.20	-	99.24	31.96	9.41	34.36
PK	5.9622G	55.94	68.20	-12.26	7.72	3	Vertical	9	2.20	-	48.22	32.40	9.55	34.23

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	92.19	Inf	-Inf	7.10	3	Horizontal	289	1.00	-	85.09	32.02	9.44	34.36
PK	5.6466G	55.95	68.20	-12.25	6.63	3	Horizontal	289	1.00	-	49.32	31.69	9.28	34.34
PK	5.7702G	101.54	Inf	-Inf	7.08	3	Horizontal	289	1.00	-	94.46	32.01	9.43	34.36
PK	5.9478G	56.45	68.20	-11.75	7.67	3	Horizontal	289	1.00	-	48.78	32.40	9.54	34.27



802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56098G	48.04	54.00	-5.96	17.87	3	Vertical	159	1.50	-	30.17	39.47	12.64	34.24
PK	11.53578G	58.97	74.00	-15.03	17.89	3	Vertical	159	1.50	-	41.08	39.50	12.63	34.24
PK	17.31384G	64.94	68.20	-3.26	23.85	3	Vertical	271	1.07	-	41.09	42.37	15.32	33.84

802.11ac VHT80\_Nss1,(MCS0)\_2TX

21/08/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54972G	50.35	54.00	-3.65	17.88	3	Horizontal	179	1.04	-	32.47	39.49	12.63	34.24
PK	11.54932G	61.11	74.00	-12.89	17.88	3	Horizontal	179	1.04	-	43.23	39.49	12.63	34.24
PK	17.31834G	64.60	68.20	-3.60	23.88	3	Horizontal	12	1.07	-	40.72	42.40	15.32	33.84