



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1_2TX	Pass	PK	730.34M	41.04	46.00	-4.96	3	Horizontal	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	37.76M	34.22	40.00	-5.78	3	Vertical	360	1.00	-
2437MHz	Pass	PK	92.08M	28.53	43.50	-14.97	3	Vertical	360	1.00	-
2437MHz	Pass	PK	105.66M	29.44	43.50	-14.06	3	Vertical	360	1.00	-
2437MHz	Pass	PK	734.22M	39.05	46.00	-6.95	3	Vertical	360	1.00	-
2437MHz	Pass	PK	745.86M	40.49	46.00	-5.51	3	Vertical	360	1.00	-
2437MHz	Pass	PK	932.1M	37.08	46.00	-8.92	3	Vertical	360	1.00	-
2437MHz	Pass	PK	30M	27.78	40.00	-12.22	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	80.44M	27.88	40.00	-12.12	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	256.98M	27.67	46.00	-18.33	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	716.76M	38.15	46.00	-7.85	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	730.34M	41.04	46.00	-4.96	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	747.8M	37.07	46.00	-8.93	3	Horizontal	0	1.00	-

802.11n HT40_Nss1_2TX


2437MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	37.76M	34.22	40.00	-5.78	-7.21	3	Vertical	360	1.00	-	41.43	19.08	0.86	27.15
PK	92.08M	28.53	43.50	-14.97	-11.88	3	Vertical	360	1.00	-	40.41	14.52	1.40	27.80
PK	105.66M	29.44	43.50	-14.06	-9.56	3	Vertical	360	1.00	-	39.00	16.73	1.46	27.75
PK	734.22M	39.05	46.00	-6.95	0.99	3	Vertical	360	1.00	-	38.06	24.75	4.27	28.03
PK	745.86M	40.49	46.00	-5.51	1.18	3	Vertical	360	1.00	-	39.31	24.90	4.29	28.01
PK	932.1M	37.08	46.00	-8.92	3.39	3	Vertical	360	1.00	-	33.69	25.83	4.86	27.30

802.11n HT40_Nss1_2TX

2437MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	27.78	40.00	-12.22	-3.19	3	Horizontal	0	1.00	-	30.97	23.32	0.70	27.21
PK	80.44M	27.88	40.00	-12.12	-14.37	3	Horizontal	0	1.00	-	42.25	12.15	1.30	27.82
PK	256.98M	27.67	46.00	-18.33	-6.25	3	Horizontal	0	1.00	-	33.92	18.37	2.43	27.05
PK	716.76M	38.15	46.00	-7.85	0.47	3	Horizontal	0	1.00	-	37.68	24.31	4.23	28.07
PK	730.34M	41.04	46.00	-4.96	0.88	3	Horizontal	0	1.00	-	40.16	24.66	4.26	28.04
PK	747.8M	37.07	46.00	-8.93	1.19	3	Horizontal	0	1.00	-	35.88	24.89	4.30	28.00

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
11b-5M_Nss1_2TX	Pass	AV	4.83496G	50.94	54.00	-3.06	3	Vertical	252	2.67	-
11b-10M_Nss1_2TX	Pass	AV	4.82396G	50.91	54.00	-3.09	3	Vertical	251	2.73	-
11b-20M_Nss1_2TX	Pass	AV	4.83396G	50.90	54.00	-3.10	3	Vertical	98	2.33	-
11g-5M_Nss1_2TX	Pass	AV	2.4835G	50.59	54.00	-3.41	3	Vertical	94	1.72	-
11g-10M_Nss1_2TX	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Vertical	96	2.16	-
11g-20M_Nss1_2TX	Pass	AV	2.3898G	50.86	54.00	-3.14	3	Vertical	93	1.19	-
11n-5M_Nss1_2TX	Pass	AV	2.4835G	50.80	54.00	-3.20	3	Vertical	189	1.17	-
11n-10M_Nss1_2TX	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Vertical	27	1.19	-
802.11n HT20_Nss1_2TX	Pass	AV	2.4835G	50.89	54.00	-3.11	3	Vertical	101	1.31	-
802.11n HT40_Nss1_2TX	Pass	AV	2.39G	50.81	54.00	-3.19	3	Vertical	341	1.05	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11b-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	46.79	54.00	-7.21	3	Vertical	282	1.51	-
2412MHz	Pass	AV	2.4124G	112.73	Inf	-Inf	3	Vertical	282	1.51	-
2412MHz	Pass	AV	2.4835G	46.67	54.00	-7.33	3	Vertical	282	1.51	-
2412MHz	Pass	PK	2.3196G	57.47	74.00	-16.53	3	Vertical	282	1.51	-
2412MHz	Pass	PK	2.4124G	119.17	Inf	-Inf	3	Vertical	282	1.51	-
2412MHz	Pass	PK	2.4848G	56.99	74.00	-17.01	3	Vertical	282	1.51	-
2412MHz	Pass	AV	2.3144G	46.08	54.00	-7.92	3	Horizontal	90	1.50	-
2412MHz	Pass	AV	2.4124G	106.10	Inf	-Inf	3	Horizontal	90	1.50	-
2412MHz	Pass	AV	2.4835G	45.58	54.00	-8.42	3	Horizontal	90	1.50	-
2412MHz	Pass	PK	2.3524G	57.32	74.00	-16.68	3	Horizontal	90	1.50	-
2412MHz	Pass	PK	2.4124G	112.41	Inf	-Inf	3	Horizontal	90	1.50	-
2412MHz	Pass	PK	2.4924G	56.95	74.00	-17.05	3	Horizontal	90	1.50	-
2412MHz	Pass	AV	4.82496G	49.86	54.00	-4.14	3	Vertical	239	1.49	-
2412MHz	Pass	PK	4.82495G	54.36	74.00	-19.64	3	Vertical	239	1.49	-
2412MHz	Pass	AV	4.82496G	50.55	54.00	-3.45	3	Horizontal	118	1.20	-
2412MHz	Pass	PK	4.82507G	55.05	74.00	-18.95	3	Horizontal	118	1.20	-
2417MHz	Pass	AV	2.3898G	46.91	54.00	-7.09	3	Vertical	110	1.78	-
2417MHz	Pass	AV	2.4178G	111.95	Inf	-Inf	3	Vertical	110	1.78	-
2417MHz	Pass	AV	2.4835G	46.14	54.00	-7.86	3	Vertical	110	1.78	-
2417MHz	Pass	PK	2.3882G	57.44	74.00	-16.56	3	Vertical	110	1.78	-
2417MHz	Pass	PK	2.4178G	118.08	Inf	-Inf	3	Vertical	110	1.78	-
2417MHz	Pass	PK	2.485G	56.99	74.00	-17.01	3	Vertical	110	1.78	-
2417MHz	Pass	AV	2.3186G	46.06	54.00	-7.94	3	Horizontal	90	1.49	-
2417MHz	Pass	AV	2.4174G	104.93	Inf	-Inf	3	Horizontal	90	1.49	-
2417MHz	Pass	AV	2.4886G	45.58	54.00	-8.42	3	Horizontal	90	1.49	-
2417MHz	Pass	PK	2.3182G	57.31	74.00	-16.69	3	Horizontal	90	1.49	-
2417MHz	Pass	PK	2.4174G	111.05	Inf	-Inf	3	Horizontal	90	1.49	-
2417MHz	Pass	PK	2.4966G	56.80	74.00	-17.20	3	Horizontal	90	1.49	-
2417MHz	Pass	AV	4.83496G	50.94	54.00	-3.06	3	Vertical	252	2.67	-
2417MHz	Pass	AV	7.252G	37.12	54.00	-16.88	3	Vertical	191	1.62	-
2417MHz	Pass	PK	4.83496G	54.96	74.00	-19.04	3	Vertical	252	2.67	-
2417MHz	Pass	PK	7.25254G	50.24	74.00	-23.76	3	Vertical	191	1.62	-
2417MHz	Pass	AV	4.83498G	48.58	54.00	-5.42	3	Horizontal	150	1.07	-
2417MHz	Pass	AV	7.25202G	36.09	54.00	-17.91	3	Horizontal	89	1.00	-
2417MHz	Pass	PK	4.83498G	53.14	74.00	-20.86	3	Horizontal	150	1.07	-
2417MHz	Pass	PK	7.25222G	49.41	74.00	-24.59	3	Horizontal	89	1.00	-
2437MHz	Pass	AV	2.3894G	47.60	54.00	-6.40	3	Vertical	182	1.53	-
2437MHz	Pass	AV	2.4366G	117.80	Inf	-Inf	3	Vertical	182	1.53	-
2437MHz	Pass	AV	2.4835G	48.89	54.00	-5.11	3	Vertical	182	1.53	-
2437MHz	Pass	PK	2.3894G	58.79	74.00	-15.21	3	Vertical	182	1.53	-
2437MHz	Pass	PK	2.4374G	123.15	Inf	-Inf	3	Vertical	182	1.53	-
2437MHz	Pass	PK	2.4835G	59.61	74.00	-14.39	3	Vertical	182	1.53	-
2437MHz	Pass	AV	2.337G	45.88	54.00	-8.12	3	Horizontal	100	1.30	-
2437MHz	Pass	AV	2.4374G	110.55	Inf	-Inf	3	Horizontal	100	1.30	-
2437MHz	Pass	AV	2.4838G	45.78	54.00	-8.22	3	Horizontal	100	1.30	-
2437MHz	Pass	PK	2.3578G	56.95	74.00	-17.05	3	Horizontal	100	1.30	-
2437MHz	Pass	PK	2.4374G	116.84	Inf	-Inf	3	Horizontal	100	1.30	-
2437MHz	Pass	PK	2.4842G	56.29	74.00	-17.71	3	Horizontal	100	1.30	-
2437MHz	Pass	AV	4.87497G	49.40	54.00	-4.60	3	Vertical	111	1.00	-
2437MHz	Pass	AV	7.31267G	50.86	54.00	-3.14	3	Vertical	192	1.77	-
2437MHz	Pass	PK	4.87504G	52.59	74.00	-21.41	3	Vertical	111	1.00	-
2437MHz	Pass	PK	7.31268G	59.27	74.00	-14.73	3	Vertical	192	1.77	-
2437MHz	Pass	AV	4.87498G	48.45	54.00	-5.55	3	Horizontal	151	1.00	-
2437MHz	Pass	AV	7.31265G	45.11	54.00	-8.89	3	Horizontal	194	1.81	-
2437MHz	Pass	PK	4.87497G	53.48	74.00	-20.52	3	Horizontal	151	1.00	-
2437MHz	Pass	PK	7.31261G	55.20	74.00	-18.80	3	Horizontal	194	1.81	-
2457MHz	Pass	AV	2.3894G	45.77	54.00	-8.23	3	Vertical	97	1.71	-
2457MHz	Pass	AV	2.4578G	112.25	Inf	-Inf	3	Vertical	97	1.71	-
2457MHz	Pass	AV	2.4842G	47.80	54.00	-6.20	3	Vertical	97	1.71	-
2457MHz	Pass	PK	2.3866G	56.28	74.00	-17.72	3	Vertical	97	1.71	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.4574G	118.61	Inf	-Inf	3	Vertical	97	1.71	-
2457MHz	Pass	PK	2.485G	58.89	74.00	-15.11	3	Vertical	97	1.71	-
2457MHz	Pass	AV	2.357G	45.73	54.00	-8.27	3	Horizontal	91	1.11	-
2457MHz	Pass	AV	2.4574G	103.36	Inf	-Inf	3	Horizontal	91	1.11	-
2457MHz	Pass	AV	2.4838G	45.83	54.00	-8.17	3	Horizontal	91	1.11	-
2457MHz	Pass	PK	2.3674G	57.51	74.00	-16.49	3	Horizontal	91	1.11	-
2457MHz	Pass	PK	2.4574G	109.56	Inf	-Inf	3	Horizontal	91	1.11	-
2457MHz	Pass	PK	2.4994G	57.07	74.00	-16.93	3	Horizontal	91	1.11	-
2457MHz	Pass	AV	4.915G	50.50	54.00	-3.50	3	Vertical	252	2.59	-
2457MHz	Pass	AV	7.3726G	35.99	54.00	-18.01	3	Vertical	291	1.70	-
2457MHz	Pass	PK	4.915G	54.96	74.00	-19.04	3	Vertical	252	2.59	-
2457MHz	Pass	PK	7.37524G	49.07	74.00	-24.93	3	Vertical	291	1.70	-
2457MHz	Pass	AV	4.91496G	48.80	54.00	-5.20	3	Horizontal	151	1.00	-
2457MHz	Pass	AV	7.3726G	35.80	54.00	-18.20	3	Horizontal	353	2.17	-
2457MHz	Pass	PK	4.91496G	53.51	74.00	-20.49	3	Horizontal	151	1.00	-
2457MHz	Pass	PK	7.36872G	49.27	74.00	-24.73	3	Horizontal	353	2.17	-
2462MHz	Pass	AV	2.39G	45.90	54.00	-8.10	3	Vertical	96	1.48	-
2462MHz	Pass	AV	2.4628G	115.55	Inf	-Inf	3	Vertical	96	1.48	-
2462MHz	Pass	AV	2.4835G	48.06	54.00	-5.94	3	Vertical	96	1.48	-
2462MHz	Pass	PK	2.3888G	57.49	74.00	-16.51	3	Vertical	96	1.48	-
2462MHz	Pass	PK	2.4624G	121.81	Inf	-Inf	3	Vertical	96	1.48	-
2462MHz	Pass	PK	2.4848G	58.63	74.00	-15.37	3	Vertical	96	1.48	-
2462MHz	Pass	AV	2.3628G	45.73	54.00	-8.27	3	Horizontal	90	1.13	-
2462MHz	Pass	AV	2.4624G	107.61	Inf	-Inf	3	Horizontal	90	1.13	-
2462MHz	Pass	AV	2.484G	45.90	54.00	-8.10	3	Horizontal	90	1.13	-
2462MHz	Pass	PK	2.3684G	56.99	74.00	-17.01	3	Horizontal	90	1.13	-
2462MHz	Pass	PK	2.4624G	113.88	Inf	-Inf	3	Horizontal	90	1.13	-
2462MHz	Pass	PK	2.486G	57.30	74.00	-16.70	3	Horizontal	90	1.13	-
2462MHz	Pass	AV	4.92496G	50.90	54.00	-3.10	3	Vertical	253	2.59	-
2462MHz	Pass	AV	7.38722G	38.51	54.00	-15.49	3	Vertical	190	1.83	-
2462MHz	Pass	PK	4.925G	55.20	74.00	-18.80	3	Vertical	253	2.59	-
2462MHz	Pass	PK	7.3875G	50.77	74.00	-23.23	3	Vertical	190	1.83	-
2462MHz	Pass	AV	4.92496G	49.37	54.00	-4.63	3	Horizontal	151	1.01	-
2462MHz	Pass	AV	7.3875G	36.17	54.00	-17.83	3	Horizontal	172	1.02	-
2462MHz	Pass	PK	4.92504G	54.03	74.00	-19.97	3	Horizontal	151	1.01	-
2462MHz	Pass	PK	7.38392G	49.63	74.00	-24.37	3	Horizontal	172	1.02	-
11b-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	47.23	54.00	-6.77	3	Vertical	270	1.17	-
2412MHz	Pass	AV	2.4124G	111.08	Inf	-Inf	3	Vertical	270	1.17	-
2412MHz	Pass	AV	2.4835G	46.19	54.00	-7.81	3	Vertical	270	1.17	-
2412MHz	Pass	PK	2.3132G	58.17	74.00	-15.83	3	Vertical	270	1.17	-
2412MHz	Pass	PK	2.4128G	116.16	Inf	-Inf	3	Vertical	270	1.17	-
2412MHz	Pass	PK	2.484G	56.79	74.00	-17.21	3	Vertical	270	1.17	-
2412MHz	Pass	AV	2.312G	46.16	54.00	-7.84	3	Horizontal	89	1.50	-
2412MHz	Pass	AV	2.4116G	103.98	Inf	-Inf	3	Horizontal	89	1.50	-
2412MHz	Pass	AV	2.484G	45.58	54.00	-8.42	3	Horizontal	89	1.50	-
2412MHz	Pass	PK	2.3356G	57.78	74.00	-16.22	3	Horizontal	89	1.50	-
2412MHz	Pass	PK	2.4116G	108.91	Inf	-Inf	3	Horizontal	89	1.50	-
2412MHz	Pass	PK	2.4888G	56.36	74.00	-17.64	3	Horizontal	89	1.50	-
2412MHz	Pass	AV	4.82396G	50.91	54.00	-3.09	3	Vertical	251	2.73	-
2412MHz	Pass	PK	4.82392G	53.97	74.00	-20.03	3	Vertical	251	2.73	-
2412MHz	Pass	AV	4.82396G	49.23	54.00	-4.77	3	Horizontal	153	1.04	-
2412MHz	Pass	PK	4.82388G	52.72	74.00	-21.28	3	Horizontal	153	1.04	-
2417MHz	Pass	AV	2.3894G	46.55	54.00	-7.45	3	Vertical	97	1.76	-
2417MHz	Pass	AV	2.4174G	110.58	Inf	-Inf	3	Vertical	97	1.76	-
2417MHz	Pass	AV	2.4835G	46.57	54.00	-7.43	3	Vertical	97	1.76	-
2417MHz	Pass	PK	2.3874G	57.39	74.00	-16.61	3	Vertical	97	1.76	-
2417MHz	Pass	PK	2.4178G	115.58	Inf	-Inf	3	Vertical	97	1.76	-
2417MHz	Pass	PK	2.4842G	57.10	74.00	-16.90	3	Vertical	97	1.76	-
2417MHz	Pass	AV	2.3186G	46.11	54.00	-7.89	3	Horizontal	101	1.08	-
2417MHz	Pass	AV	2.4174G	103.67	Inf	-Inf	3	Horizontal	101	1.08	-
2417MHz	Pass	AV	2.4862G	45.60	54.00	-8.40	3	Horizontal	101	1.08	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.3594G	57.41	74.00	-16.59	3	Horizontal	101	1.08	-
2417MHz	Pass	PK	2.4178G	108.61	Inf	-Inf	3	Horizontal	101	1.08	-
2417MHz	Pass	PK	2.4998G	56.36	74.00	-17.64	3	Horizontal	101	1.08	-
2417MHz	Pass	AV	4.83397G	50.87	54.00	-3.13	3	Vertical	251	2.68	-
2417MHz	Pass	AV	7.2517G	36.72	54.00	-17.28	3	Vertical	193	1.66	-
2417MHz	Pass	PK	4.83402G	54.34	74.00	-19.66	3	Vertical	251	2.68	-
2417MHz	Pass	PK	7.24994G	48.26	Inf	-Inf	3	Vertical	193	1.66	-
2417MHz	Pass	AV	4.83398G	49.22	54.00	-4.78	3	Horizontal	152	1.08	-
2417MHz	Pass	AV	7.25212G	35.53	54.00	-18.47	3	Horizontal	189	1.50	-
2417MHz	Pass	PK	4.83398G	52.97	74.00	-21.03	3	Horizontal	152	1.08	-
2417MHz	Pass	PK	7.25182G	49.33	74.00	-24.67	3	Horizontal	189	1.50	-
2437MHz	Pass	AV	2.3898G	46.78	54.00	-7.22	3	Vertical	99	2.00	-
2437MHz	Pass	AV	2.4366G	116.17	Inf	-Inf	3	Vertical	99	2.00	-
2437MHz	Pass	AV	2.4835G	47.57	54.00	-6.43	3	Vertical	99	2.00	-
2437MHz	Pass	PK	2.389G	58.46	74.00	-15.54	3	Vertical	99	2.00	-
2437MHz	Pass	PK	2.4362G	121.02	Inf	-Inf	3	Vertical	99	2.00	-
2437MHz	Pass	PK	2.4838G	57.99	74.00	-16.01	3	Vertical	99	2.00	-
2437MHz	Pass	AV	2.3394G	45.94	54.00	-8.06	3	Horizontal	101	1.31	-
2437MHz	Pass	AV	2.4366G	109.34	Inf	-Inf	3	Horizontal	101	1.31	-
2437MHz	Pass	AV	2.4835G	45.81	54.00	-8.19	3	Horizontal	101	1.31	-
2437MHz	Pass	PK	2.3602G	57.26	74.00	-16.74	3	Horizontal	101	1.31	-
2437MHz	Pass	PK	2.4366G	114.31	Inf	-Inf	3	Horizontal	101	1.31	-
2437MHz	Pass	PK	2.499G	56.70	74.00	-17.30	3	Horizontal	101	1.31	-
2437MHz	Pass	AV	4.87396G	48.71	54.00	-5.29	3	Vertical	108	1.11	-
2437MHz	Pass	AV	7.31134G	50.74	54.00	-3.26	3	Vertical	190	1.77	-
2437MHz	Pass	PK	4.87402G	51.65	74.00	-22.35	3	Vertical	108	1.11	-
2437MHz	Pass	PK	7.3117G	57.85	74.00	-16.15	3	Vertical	190	1.77	-
2437MHz	Pass	AV	4.87396G	47.37	54.00	-6.63	3	Horizontal	151	1.06	-
2437MHz	Pass	AV	7.31134G	44.36	54.00	-9.64	3	Horizontal	195	1.63	-
2437MHz	Pass	PK	4.87412G	51.93	74.00	-22.07	3	Horizontal	151	1.06	-
2437MHz	Pass	PK	7.31136G	53.88	74.00	-20.12	3	Horizontal	195	1.63	-
2457MHz	Pass	AV	2.3898G	46.00	54.00	-8.00	3	Vertical	151	1.35	-
2457MHz	Pass	AV	2.4574G	108.91	Inf	-Inf	3	Vertical	151	1.35	-
2457MHz	Pass	AV	2.4835G	47.67	54.00	-6.33	3	Vertical	151	1.35	-
2457MHz	Pass	PK	2.3654G	56.77	74.00	-17.23	3	Vertical	151	1.35	-
2457MHz	Pass	PK	2.4578G	114.11	Inf	-Inf	3	Vertical	151	1.35	-
2457MHz	Pass	PK	2.4835G	57.55	74.00	-16.45	3	Vertical	151	1.35	-
2457MHz	Pass	AV	2.3574G	45.81	54.00	-8.19	3	Horizontal	354	1.48	-
2457MHz	Pass	AV	2.4566G	100.61	Inf	-Inf	3	Horizontal	354	1.48	-
2457MHz	Pass	AV	2.4838G	45.62	54.00	-8.38	3	Horizontal	354	1.48	-
2457MHz	Pass	PK	2.3594G	56.95	74.00	-17.05	3	Horizontal	354	1.48	-
2457MHz	Pass	PK	2.4566G	105.60	Inf	-Inf	3	Horizontal	354	1.48	-
2457MHz	Pass	PK	2.4862G	56.42	74.00	-17.58	3	Horizontal	354	1.48	-
2457MHz	Pass	AV	4.91398G	50.54	54.00	-3.46	3	Vertical	250	2.36	-
2457MHz	Pass	AV	7.37142G	36.31	54.00	-17.69	3	Vertical	192	2.16	-
2457MHz	Pass	PK	4.914G	54.05	74.00	-19.95	3	Vertical	250	2.36	-
2457MHz	Pass	PK	7.37014G	49.39	74.00	-24.61	3	Vertical	192	2.16	-
2457MHz	Pass	AV	4.91397G	47.33	54.00	-6.67	3	Horizontal	154	1.38	-
2457MHz	Pass	AV	7.37522G	35.56	54.00	-18.44	3	Horizontal	173	1.49	-
2457MHz	Pass	PK	4.91406G	51.65	74.00	-22.35	3	Horizontal	154	1.38	-
2457MHz	Pass	PK	7.372G	50.26	74.00	-23.74	3	Horizontal	173	1.49	-
2462MHz	Pass	AV	2.3896G	45.87	54.00	-8.13	3	Vertical	99	1.48	-
2462MHz	Pass	AV	2.4624G	114.03	Inf	-Inf	3	Vertical	99	1.48	-
2462MHz	Pass	AV	2.4835G	47.75	54.00	-6.25	3	Vertical	99	1.48	-
2462MHz	Pass	PK	2.362G	57.09	74.00	-16.91	3	Vertical	99	1.48	-
2462MHz	Pass	PK	2.4628G	119.08	Inf	-Inf	3	Vertical	99	1.48	-
2462MHz	Pass	PK	2.4844G	57.84	74.00	-16.16	3	Vertical	99	1.48	-
2462MHz	Pass	AV	2.364G	45.78	54.00	-8.22	3	Horizontal	90	1.11	-
2462MHz	Pass	AV	2.4616G	105.68	Inf	-Inf	3	Horizontal	90	1.11	-
2462MHz	Pass	AV	2.484G	45.86	54.00	-8.14	3	Horizontal	90	1.11	-
2462MHz	Pass	PK	2.3776G	56.35	74.00	-17.65	3	Horizontal	90	1.11	-
2462MHz	Pass	PK	2.4616G	110.64	Inf	-Inf	3	Horizontal	90	1.11	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.4868G	56.80	74.00	-17.20	3	Horizontal	90	1.11	-
2462MHz	Pass	AV	4.92398G	50.59	54.00	-3.41	3	Vertical	250	2.60	-
2462MHz	Pass	AV	7.38688G	36.03	54.00	-17.97	3	Vertical	138	2.32	-
2462MHz	Pass	PK	4.924G	53.93	74.00	-20.07	3	Vertical	250	2.60	-
2462MHz	Pass	PK	7.38724G	48.73	74.00	-25.27	3	Vertical	138	2.32	-
2462MHz	Pass	AV	4.92396G	49.53	54.00	-4.47	3	Horizontal	152	1.09	-
2462MHz	Pass	AV	7.38168G	35.37	54.00	-18.63	3	Horizontal	279	1.49	-
2462MHz	Pass	PK	4.92396G	53.40	74.00	-20.60	3	Horizontal	152	1.09	-
2462MHz	Pass	PK	7.3876G	49.09	74.00	-24.91	3	Horizontal	279	1.49	-
11b-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	47.06	54.00	-6.94	3	Vertical	99	1.20	-
2412MHz	Pass	AV	2.4132G	108.44	Inf	-Inf	3	Vertical	99	1.20	-
2412MHz	Pass	AV	2.4835G	46.87	54.00	-7.13	3	Vertical	99	1.20	-
2412MHz	Pass	PK	2.3892G	58.11	74.00	-15.89	3	Vertical	99	1.20	-
2412MHz	Pass	PK	2.4128G	112.47	Inf	-Inf	3	Vertical	99	1.20	-
2412MHz	Pass	PK	2.4848G	57.85	74.00	-16.15	3	Vertical	99	1.20	-
2412MHz	Pass	AV	2.3156G	46.11	54.00	-7.89	3	Horizontal	119	1.12	-
2412MHz	Pass	AV	2.4128G	101.34	Inf	-Inf	3	Horizontal	119	1.12	-
2412MHz	Pass	AV	2.496G	45.59	54.00	-8.41	3	Horizontal	119	1.12	-
2412MHz	Pass	PK	2.3264G	57.11	74.00	-16.89	3	Horizontal	119	1.12	-
2412MHz	Pass	PK	2.4132G	105.40	Inf	-Inf	3	Horizontal	119	1.12	-
2412MHz	Pass	PK	2.4988G	56.28	74.00	-17.72	3	Horizontal	119	1.12	-
2412MHz	Pass	AV	4.82398G	50.88	54.00	-3.12	3	Vertical	111	1.14	-
2412MHz	Pass	PK	4.82388G	53.48	74.00	-20.52	3	Vertical	111	1.14	-
2412MHz	Pass	AV	4.82396G	49.10	54.00	-4.90	3	Horizontal	151	1.13	-
2412MHz	Pass	PK	4.824G	52.24	74.00	-21.76	3	Horizontal	151	1.13	-
2417MHz	Pass	AV	2.3898G	47.40	54.00	-6.60	3	Vertical	98	1.20	-
2417MHz	Pass	AV	2.4178G	111.93	Inf	-Inf	3	Vertical	98	1.20	-
2417MHz	Pass	AV	2.4835G	46.98	54.00	-7.02	3	Vertical	98	1.20	-
2417MHz	Pass	PK	2.3862G	57.75	74.00	-16.25	3	Vertical	98	1.20	-
2417MHz	Pass	PK	2.4178G	116.09	Inf	-Inf	3	Vertical	98	1.20	-
2417MHz	Pass	PK	2.4898G	57.40	74.00	-16.60	3	Vertical	98	1.20	-
2417MHz	Pass	AV	2.3898G	46.37	54.00	-7.63	3	Horizontal	119	1.06	-
2417MHz	Pass	AV	2.4178G	104.24	Inf	-Inf	3	Horizontal	119	1.06	-
2417MHz	Pass	AV	2.4862G	45.58	54.00	-8.42	3	Horizontal	119	1.06	-
2417MHz	Pass	PK	2.365G	56.79	74.00	-17.21	3	Horizontal	119	1.06	-
2417MHz	Pass	PK	2.4178G	108.25	Inf	-Inf	3	Horizontal	119	1.06	-
2417MHz	Pass	PK	2.4946G	56.38	74.00	-17.62	3	Horizontal	119	1.06	-
2417MHz	Pass	AV	4.83396G	50.90	54.00	-3.10	3	Vertical	98	2.33	-
2417MHz	Pass	AV	7.2502G	37.06	54.00	-16.94	3	Vertical	193	1.33	-
2417MHz	Pass	PK	4.83392G	53.56	74.00	-20.44	3	Vertical	98	2.33	-
2417MHz	Pass	PK	7.25232G	50.10	74.00	-23.90	3	Vertical	193	1.33	-
2417MHz	Pass	AV	4.83396G	50.80	54.00	-3.20	3	Horizontal	151	1.27	-
2417MHz	Pass	AV	7.25156G	35.97	54.00	-18.03	3	Horizontal	298	2.48	-
2417MHz	Pass	PK	4.83404G	53.43	74.00	-20.57	3	Horizontal	151	1.27	-
2417MHz	Pass	PK	7.2514G	49.72	74.00	-24.28	3	Horizontal	298	2.48	-
2437MHz	Pass	AV	2.389G	47.64	54.00	-6.36	3	Vertical	96	1.14	-
2437MHz	Pass	AV	2.4362G	112.58	Inf	-Inf	3	Vertical	96	1.14	-
2437MHz	Pass	AV	2.4835G	49.48	54.00	-4.52	3	Vertical	96	1.14	-
2437MHz	Pass	PK	2.389G	57.19	74.00	-16.81	3	Vertical	96	1.14	-
2437MHz	Pass	PK	2.4362G	116.46	Inf	-Inf	3	Vertical	96	1.14	-
2437MHz	Pass	PK	2.4846G	60.00	74.00	-14.00	3	Vertical	96	1.14	-
2437MHz	Pass	AV	2.3434G	46.00	54.00	-8.00	3	Horizontal	286	1.25	-
2437MHz	Pass	AV	2.4362G	103.57	Inf	-Inf	3	Horizontal	286	1.25	-
2437MHz	Pass	AV	2.4835G	45.90	54.00	-8.10	3	Horizontal	286	1.25	-
2437MHz	Pass	PK	2.3742G	57.73	74.00	-16.27	3	Horizontal	286	1.25	-
2437MHz	Pass	PK	2.4362G	107.40	Inf	-Inf	3	Horizontal	286	1.25	-
2437MHz	Pass	PK	2.4966G	56.13	74.00	-17.87	3	Horizontal	286	1.25	-
2437MHz	Pass	AV	4.874G	50.11	54.00	-3.89	3	Vertical	103	1.00	-
2437MHz	Pass	AV	7.31164G	38.01	54.00	-15.99	3	Vertical	196	2.48	-
2437MHz	Pass	PK	4.8739G	53.12	74.00	-20.88	3	Vertical	103	1.00	-
2437MHz	Pass	PK	7.30992G	50.01	74.00	-23.99	3	Vertical	196	2.48	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	4.87398G	47.06	54.00	-6.94	3	Horizontal	149	1.12	-
2437MHz	Pass	AV	7.30544G	35.99	54.00	-18.01	3	Horizontal	194	2.30	-
2437MHz	Pass	PK	4.87404G	50.78	74.00	-23.22	3	Horizontal	149	1.12	-
2437MHz	Pass	PK	7.31108G	50.68	74.00	-23.32	3	Horizontal	194	2.30	-
2457MHz	Pass	AV	2.3898G	46.18	54.00	-7.82	3	Vertical	152	1.33	-
2457MHz	Pass	AV	2.4586G	112.31	Inf	-Inf	3	Vertical	152	1.33	-
2457MHz	Pass	AV	2.4838G	48.47	54.00	-5.53	3	Vertical	152	1.33	-
2457MHz	Pass	PK	2.3702G	57.83	74.00	-16.17	3	Vertical	152	1.33	-
2457MHz	Pass	PK	2.4582G	116.43	Inf	-Inf	3	Vertical	152	1.33	-
2457MHz	Pass	PK	2.4842G	58.92	74.00	-15.08	3	Vertical	152	1.33	-
2457MHz	Pass	AV	2.3598G	45.80	54.00	-8.20	3	Horizontal	298	1.05	-
2457MHz	Pass	AV	2.4578G	104.03	Inf	-Inf	3	Horizontal	298	1.05	-
2457MHz	Pass	AV	2.4838G	46.17	54.00	-7.83	3	Horizontal	298	1.05	-
2457MHz	Pass	PK	2.369G	57.11	74.00	-16.89	3	Horizontal	298	1.05	-
2457MHz	Pass	PK	2.4582G	108.03	Inf	-Inf	3	Horizontal	298	1.05	-
2457MHz	Pass	PK	2.4835G	56.77	74.00	-17.23	3	Horizontal	298	1.05	-
2457MHz	Pass	AV	4.91396G	50.89	54.00	-3.11	3	Vertical	10	2.09	-
2457MHz	Pass	AV	7.37012G	38.14	54.00	-15.86	3	Vertical	195	2.65	-
2457MHz	Pass	PK	4.91392G	53.46	74.00	-20.54	3	Vertical	10	2.09	-
2457MHz	Pass	PK	7.37184G	50.03	74.00	-23.97	3	Vertical	195	2.65	-
2457MHz	Pass	AV	4.91392G	50.75	54.00	-3.25	3	Horizontal	150	1.00	-
2457MHz	Pass	AV	7.37548G	36.00	54.00	-18.00	3	Horizontal	197	1.87	-
2457MHz	Pass	PK	4.91388G	53.54	74.00	-20.46	3	Horizontal	150	1.00	-
2457MHz	Pass	PK	7.37012G	50.25	74.00	-23.75	3	Horizontal	197	1.87	-
2462MHz	Pass	AV	2.3896G	46.14	54.00	-7.86	3	Vertical	95	1.32	-
2462MHz	Pass	AV	2.4612G	113.55	Inf	-Inf	3	Vertical	95	1.32	-
2462MHz	Pass	AV	2.484G	48.78	54.00	-5.22	3	Vertical	95	1.32	-
2462MHz	Pass	PK	2.386G	57.16	74.00	-16.84	3	Vertical	95	1.32	-
2462MHz	Pass	PK	2.4612G	117.44	Inf	-Inf	3	Vertical	95	1.32	-
2462MHz	Pass	PK	2.4848G	59.93	74.00	-14.07	3	Vertical	95	1.32	-
2462MHz	Pass	AV	2.362G	45.84	54.00	-8.16	3	Horizontal	120	1.31	-
2462MHz	Pass	AV	2.4628G	103.60	Inf	-Inf	3	Horizontal	120	1.31	-
2462MHz	Pass	AV	2.484G	45.85	54.00	-8.15	3	Horizontal	120	1.31	-
2462MHz	Pass	PK	2.3752G	56.66	74.00	-17.34	3	Horizontal	120	1.31	-
2462MHz	Pass	PK	2.4628G	107.54	Inf	-Inf	3	Horizontal	120	1.31	-
2462MHz	Pass	PK	2.4908G	56.77	74.00	-17.23	3	Horizontal	120	1.31	-
2462MHz	Pass	AV	4.92396G	50.65	54.00	-3.35	3	Vertical	253	2.64	-
2462MHz	Pass	AV	7.38524G	38.21	54.00	-15.79	3	Vertical	194	2.49	-
2462MHz	Pass	PK	4.92404G	53.56	74.00	-20.44	3	Vertical	253	2.64	-
2462MHz	Pass	PK	7.38628G	50.13	74.00	-23.87	3	Vertical	194	2.49	-
2462MHz	Pass	AV	4.92396G	48.44	54.00	-5.56	3	Horizontal	150	1.00	-
2462MHz	Pass	AV	7.39036G	36.05	54.00	-17.95	3	Horizontal	215	1.20	-
2462MHz	Pass	PK	4.92396G	51.78	74.00	-22.22	3	Horizontal	150	1.00	-
2462MHz	Pass	PK	7.39532G	49.59	74.00	-24.41	3	Horizontal	215	1.20	-
11g-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	50.25	54.00	-3.75	3	Vertical	45	1.50	-
2412MHz	Pass	AV	2.4136G	112.31	Inf	-Inf	3	Vertical	45	1.50	-
2412MHz	Pass	AV	2.4835G	47.20	54.00	-6.80	3	Vertical	45	1.50	-
2412MHz	Pass	PK	2.39G	67.48	74.00	-6.52	3	Vertical	45	1.50	-
2412MHz	Pass	PK	2.4112G	122.85	Inf	-Inf	3	Vertical	45	1.50	-
2412MHz	Pass	PK	2.4844G	59.86	74.00	-14.14	3	Vertical	45	1.50	-
2412MHz	Pass	AV	2.39G	47.24	54.00	-6.76	3	Horizontal	96	1.48	-
2412MHz	Pass	AV	2.414G	106.73	Inf	-Inf	3	Horizontal	96	1.48	-
2412MHz	Pass	AV	2.4835G	45.87	54.00	-8.13	3	Horizontal	96	1.48	-
2412MHz	Pass	PK	2.3888G	61.87	74.00	-12.13	3	Horizontal	96	1.48	-
2412MHz	Pass	PK	2.4136G	116.90	Inf	-Inf	3	Horizontal	96	1.48	-
2412MHz	Pass	PK	2.488G	57.65	74.00	-16.35	3	Horizontal	96	1.48	-
2412MHz	Pass	AV	4.82482G	44.48	54.00	-9.52	3	Vertical	250	2.57	-
2412MHz	Pass	PK	4.82506G	57.47	74.00	-16.53	3	Vertical	250	2.57	-
2412MHz	Pass	AV	4.82486G	41.79	54.00	-12.21	3	Horizontal	153	0.99	-
2412MHz	Pass	PK	4.82728G	54.55	74.00	-19.45	3	Horizontal	153	0.99	-
2417MHz	Pass	AV	2.3898G	50.20	54.00	-3.80	3	Vertical	195	1.48	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.4186G	111.71	Inf	-Inf	3	Vertical	195	1.48	-
2417MHz	Pass	AV	2.4835G	48.29	54.00	-5.71	3	Vertical	195	1.48	-
2417MHz	Pass	PK	2.389G	63.59	74.00	-10.41	3	Vertical	195	1.48	-
2417MHz	Pass	PK	2.417G	121.75	Inf	-Inf	3	Vertical	195	1.48	-
2417MHz	Pass	PK	2.485G	60.62	74.00	-13.38	3	Vertical	195	1.48	-
2417MHz	Pass	AV	2.3898G	48.06	54.00	-5.94	3	Horizontal	96	1.48	-
2417MHz	Pass	AV	2.4182G	106.84	Inf	-Inf	3	Horizontal	96	1.48	-
2417MHz	Pass	AV	2.4835G	46.48	54.00	-7.52	3	Horizontal	96	1.48	-
2417MHz	Pass	PK	2.3882G	61.27	74.00	-12.73	3	Horizontal	96	1.48	-
2417MHz	Pass	PK	2.4174G	116.67	Inf	-Inf	3	Horizontal	96	1.48	-
2417MHz	Pass	PK	2.4835G	58.05	74.00	-15.95	3	Horizontal	96	1.48	-
2437MHz	Pass	AV	2.3898G	46.67	54.00	-7.33	3	Vertical	26	1.16	-
2437MHz	Pass	AV	2.4366G	111.17	Inf	-Inf	3	Vertical	26	1.16	-
2437MHz	Pass	AV	2.4838G	47.48	54.00	-6.52	3	Vertical	26	1.16	-
2437MHz	Pass	PK	2.3702G	57.90	74.00	-16.10	3	Vertical	26	1.16	-
2437MHz	Pass	PK	2.4362G	121.24	Inf	-Inf	3	Vertical	26	1.16	-
2437MHz	Pass	PK	2.485G	58.19	74.00	-15.81	3	Vertical	26	1.16	-
2437MHz	Pass	AV	2.3422G	45.90	54.00	-8.10	3	Horizontal	96	1.91	-
2437MHz	Pass	AV	2.437G	104.57	Inf	-Inf	3	Horizontal	96	1.91	-
2437MHz	Pass	AV	2.4835G	45.95	54.00	-8.05	3	Horizontal	96	1.91	-
2437MHz	Pass	PK	2.3702G	57.46	74.00	-16.54	3	Horizontal	96	1.91	-
2437MHz	Pass	PK	2.4386G	114.70	Inf	-Inf	3	Horizontal	96	1.91	-
2437MHz	Pass	PK	2.4866G	57.31	74.00	-16.69	3	Horizontal	96	1.91	-
2437MHz	Pass	AV	4.87504G	45.34	54.00	-8.66	3	Vertical	157	2.67	-
2437MHz	Pass	AV	7.31248G	45.70	54.00	-8.30	3	Vertical	109	2.26	-
2437MHz	Pass	PK	4.8727G	58.24	74.00	-15.76	3	Vertical	157	2.67	-
2437MHz	Pass	PK	7.31544G	58.54	74.00	-15.46	3	Vertical	109	2.26	-
2437MHz	Pass	AV	4.87494G	41.80	54.00	-12.20	3	Horizontal	154	1.19	-
2437MHz	Pass	AV	7.31298G	42.59	54.00	-11.41	3	Horizontal	193	1.81	-
2437MHz	Pass	PK	4.87614G	54.71	74.00	-19.29	3	Horizontal	154	1.19	-
2437MHz	Pass	PK	7.31062G	55.89	74.00	-18.11	3	Horizontal	193	1.81	-
2457MHz	Pass	AV	2.3898G	46.38	54.00	-7.62	3	Vertical	95	1.71	-
2457MHz	Pass	AV	2.459G	111.90	Inf	-Inf	3	Vertical	95	1.71	-
2457MHz	Pass	AV	2.4838G	50.37	54.00	-3.63	3	Vertical	95	1.71	-
2457MHz	Pass	PK	2.3878G	58.00	74.00	-16.00	3	Vertical	95	1.71	-
2457MHz	Pass	PK	2.459G	122.21	Inf	-Inf	3	Vertical	95	1.71	-
2457MHz	Pass	PK	2.4842G	65.83	74.00	-8.17	3	Vertical	95	1.71	-
2457MHz	Pass	AV	2.3894G	45.82	54.00	-8.18	3	Horizontal	96	1.13	-
2457MHz	Pass	AV	2.4582G	105.98	Inf	-Inf	3	Horizontal	96	1.13	-
2457MHz	Pass	AV	2.4835G	47.31	54.00	-6.69	3	Horizontal	96	1.13	-
2457MHz	Pass	PK	2.3618G	57.08	74.00	-16.92	3	Horizontal	96	1.13	-
2457MHz	Pass	PK	2.4578G	115.01	Inf	-Inf	3	Horizontal	96	1.13	-
2457MHz	Pass	PK	2.4838G	60.45	74.00	-13.55	3	Horizontal	96	1.13	-
2462MHz	Pass	AV	2.39G	45.98	54.00	-8.02	3	Vertical	94	1.72	-
2462MHz	Pass	AV	2.462G	115.19	Inf	-Inf	3	Vertical	94	1.72	-
2462MHz	Pass	AV	2.4835G	50.59	54.00	-3.41	3	Vertical	94	1.72	-
2462MHz	Pass	PK	2.3872G	56.72	74.00	-17.28	3	Vertical	94	1.72	-
2462MHz	Pass	PK	2.4616G	125.40	Inf	-Inf	3	Vertical	94	1.72	-
2462MHz	Pass	PK	2.484G	62.40	74.00	-11.60	3	Vertical	94	1.72	-
2462MHz	Pass	AV	2.3628G	45.78	54.00	-8.22	3	Horizontal	97	1.14	-
2462MHz	Pass	AV	2.4612G	108.71	Inf	-Inf	3	Horizontal	97	1.14	-
2462MHz	Pass	AV	2.4835G	47.10	54.00	-6.90	3	Horizontal	97	1.14	-
2462MHz	Pass	PK	2.3704G	56.86	74.00	-17.14	3	Horizontal	97	1.14	-
2462MHz	Pass	PK	2.462G	118.57	Inf	-Inf	3	Horizontal	97	1.14	-
2462MHz	Pass	PK	2.4844G	58.33	74.00	-15.67	3	Horizontal	97	1.14	-
2462MHz	Pass	AV	4.92492G	41.69	54.00	-12.31	3	Vertical	149	2.61	-
2462MHz	Pass	AV	7.38788G	47.23	54.00	-6.77	3	Vertical	201	2.91	-
2462MHz	Pass	PK	4.9252G	54.39	74.00	-19.61	3	Vertical	149	2.61	-
2462MHz	Pass	PK	7.38666G	61.43	74.00	-12.57	3	Vertical	201	2.91	-
2462MHz	Pass	AV	4.92492G	37.92	54.00	-16.08	3	Horizontal	153	1.16	-
2462MHz	Pass	AV	7.38722G	42.58	54.00	-11.42	3	Horizontal	165	1.20	-
2462MHz	Pass	PK	4.92232G	51.83	74.00	-22.17	3	Horizontal	153	1.16	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	7.3827G	56.77	74.00	-17.23	3	Horizontal	165	1.20	-
11g-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.09	54.00	-3.91	3	Vertical	194	1.50	-
2412MHz	Pass	AV	2.414G	107.75	Inf	-Inf	3	Vertical	194	1.50	-
2412MHz	Pass	AV	2.4835G	47.44	54.00	-6.56	3	Vertical	194	1.50	-
2412MHz	Pass	PK	2.3896G	67.49	74.00	-6.51	3	Vertical	194	1.50	-
2412MHz	Pass	PK	2.414G	117.76	Inf	-Inf	3	Vertical	194	1.50	-
2412MHz	Pass	PK	2.4835G	61.60	74.00	-12.40	3	Vertical	194	1.50	-
2412MHz	Pass	AV	2.39G	47.47	54.00	-6.53	3	Horizontal	96	1.47	-
2412MHz	Pass	AV	2.4132G	103.01	Inf	-Inf	3	Horizontal	96	1.47	-
2412MHz	Pass	AV	2.4835G	45.87	54.00	-8.13	3	Horizontal	96	1.47	-
2412MHz	Pass	PK	2.388G	61.96	74.00	-12.04	3	Horizontal	96	1.47	-
2412MHz	Pass	PK	2.4136G	113.24	Inf	-Inf	3	Horizontal	96	1.47	-
2412MHz	Pass	PK	2.4852G	58.30	74.00	-15.70	3	Horizontal	96	1.47	-
2412MHz	Pass	AV	4.82388G	42.48	54.00	-11.52	3	Vertical	105	1.00	-
2412MHz	Pass	PK	4.82376G	52.13	74.00	-21.87	3	Vertical	105	1.00	-
2412MHz	Pass	AV	4.82382G	38.91	54.00	-15.09	3	Horizontal	154	1.08	-
2412MHz	Pass	PK	4.82904G	51.72	74.00	-22.28	3	Horizontal	154	1.08	-
2417MHz	Pass	AV	2.3898G	50.50	54.00	-3.50	3	Vertical	352	1.62	-
2417MHz	Pass	AV	2.4202G	110.86	Inf	-Inf	3	Vertical	352	1.62	-
2417MHz	Pass	AV	2.4835G	47.34	54.00	-6.66	3	Vertical	352	1.62	-
2417MHz	Pass	PK	2.3886G	66.03	74.00	-7.97	3	Vertical	352	1.62	-
2417MHz	Pass	PK	2.4174G	120.60	Inf	-Inf	3	Vertical	352	1.62	-
2417MHz	Pass	PK	2.4858G	62.48	74.00	-11.52	3	Vertical	352	1.62	-
2417MHz	Pass	AV	2.3898G	47.26	54.00	-6.74	3	Horizontal	95	1.49	-
2417MHz	Pass	AV	2.4186G	104.86	Inf	-Inf	3	Horizontal	95	1.49	-
2417MHz	Pass	AV	2.4835G	46.07	54.00	-7.93	3	Horizontal	95	1.49	-
2417MHz	Pass	PK	2.3898G	63.51	74.00	-10.49	3	Horizontal	95	1.49	-
2417MHz	Pass	PK	2.4182G	114.61	Inf	-Inf	3	Horizontal	95	1.49	-
2417MHz	Pass	PK	2.4866G	58.69	74.00	-15.31	3	Horizontal	95	1.49	-
2437MHz	Pass	AV	2.3882G	50.23	54.00	-3.77	3	Vertical	13	1.16	-
2437MHz	Pass	AV	2.4354G	111.14	Inf	-Inf	3	Vertical	13	1.16	-
2437MHz	Pass	AV	2.4846G	50.62	54.00	-3.38	3	Vertical	13	1.16	-
2437MHz	Pass	PK	2.3886G	62.55	74.00	-11.45	3	Vertical	13	1.16	-
2437MHz	Pass	PK	2.4402G	120.36	Inf	-Inf	3	Vertical	13	1.16	-
2437MHz	Pass	PK	2.4842G	62.68	74.00	-11.32	3	Vertical	13	1.16	-
2437MHz	Pass	AV	2.3898G	48.43	54.00	-5.57	3	Horizontal	96	1.26	-
2437MHz	Pass	AV	2.4346G	105.90	Inf	-Inf	3	Horizontal	96	1.26	-
2437MHz	Pass	AV	2.4842G	48.16	54.00	-5.84	3	Horizontal	96	1.26	-
2437MHz	Pass	PK	2.3874G	59.36	74.00	-14.64	3	Horizontal	96	1.26	-
2437MHz	Pass	PK	2.4354G	115.61	Inf	-Inf	3	Horizontal	96	1.26	-
2437MHz	Pass	PK	2.4874G	59.01	74.00	-14.99	3	Horizontal	96	1.26	-
2437MHz	Pass	AV	4.87406G	41.95	54.00	-12.05	3	Vertical	243	1.49	-
2437MHz	Pass	AV	7.3098G	43.25	54.00	-10.75	3	Vertical	127	2.63	-
2437MHz	Pass	PK	4.87382G	53.59	74.00	-20.41	3	Vertical	243	1.49	-
2437MHz	Pass	PK	7.30926G	56.58	74.00	-17.42	3	Vertical	127	2.63	-
2437MHz	Pass	AV	4.87388G	39.25	54.00	-14.75	3	Horizontal	152	2.63	-
2437MHz	Pass	AV	7.3095G	39.87	54.00	-14.13	3	Horizontal	192	1.62	-
2437MHz	Pass	PK	4.87712G	52.36	74.00	-21.64	3	Horizontal	152	2.63	-
2437MHz	Pass	PK	7.30968G	53.43	74.00	-20.57	3	Horizontal	192	1.62	-
2457MHz	Pass	AV	2.3898G	46.34	54.00	-7.66	3	Vertical	95	1.73	-
2457MHz	Pass	AV	2.4582G	111.50	Inf	-Inf	3	Vertical	95	1.73	-
2457MHz	Pass	AV	2.4835G	50.32	54.00	-3.68	3	Vertical	95	1.73	-
2457MHz	Pass	PK	2.3882G	57.88	74.00	-16.12	3	Vertical	95	1.73	-
2457MHz	Pass	PK	2.4582G	121.61	Inf	-Inf	3	Vertical	95	1.73	-
2457MHz	Pass	PK	2.4835G	67.85	74.00	-6.15	3	Vertical	95	1.73	-
2457MHz	Pass	AV	2.3594G	45.83	54.00	-8.17	3	Horizontal	96	1.11	-
2457MHz	Pass	AV	2.4586G	104.74	Inf	-Inf	3	Horizontal	96	1.11	-
2457MHz	Pass	AV	2.4835G	46.99	54.00	-7.01	3	Horizontal	96	1.11	-
2457MHz	Pass	PK	2.3894G	57.52	74.00	-16.48	3	Horizontal	96	1.11	-
2457MHz	Pass	PK	2.4558G	115.05	Inf	-Inf	3	Horizontal	96	1.11	-
2457MHz	Pass	PK	2.4838G	60.96	74.00	-13.04	3	Horizontal	96	1.11	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.39G	46.08	54.00	-7.92	3	Vertical	96	2.16	-
2462MHz	Pass	AV	2.4632G	112.85	Inf	-Inf	3	Vertical	96	2.16	-
2462MHz	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Vertical	96	2.16	-
2462MHz	Pass	PK	2.3772G	57.18	74.00	-16.82	3	Vertical	96	2.16	-
2462MHz	Pass	PK	2.4644G	123.04	Inf	-Inf	3	Vertical	96	2.16	-
2462MHz	Pass	PK	2.484G	62.66	74.00	-11.34	3	Vertical	96	2.16	-
2462MHz	Pass	AV	2.3688G	45.77	54.00	-8.23	3	Horizontal	97	1.14	-
2462MHz	Pass	AV	2.4608G	106.11	Inf	-Inf	3	Horizontal	97	1.14	-
2462MHz	Pass	AV	2.4835G	46.82	54.00	-7.18	3	Horizontal	97	1.14	-
2462MHz	Pass	PK	2.384G	57.04	74.00	-16.96	3	Horizontal	97	1.14	-
2462MHz	Pass	PK	2.4648G	116.82	Inf	-Inf	3	Horizontal	97	1.14	-
2462MHz	Pass	PK	2.4844G	56.79	74.00	-17.21	3	Horizontal	97	1.14	-
2462MHz	Pass	AV	4.92396G	40.44	54.00	-13.56	3	Vertical	153	1.50	-
2462MHz	Pass	AV	7.3856G	39.88	54.00	-14.12	3	Vertical	189	1.80	-
2462MHz	Pass	PK	4.92392G	47.80	74.00	-26.20	3	Vertical	153	1.50	-
2462MHz	Pass	PK	7.3804G	53.24	74.00	-20.76	3	Vertical	189	1.80	-
2462MHz	Pass	AV	4.92124G	37.47	54.00	-16.53	3	Horizontal	153	1.03	-
2462MHz	Pass	AV	7.3845G	37.57	54.00	-16.43	3	Horizontal	193	1.68	-
2462MHz	Pass	PK	4.92106G	51.24	74.00	-22.76	3	Horizontal	153	1.03	-
2462MHz	Pass	PK	7.3844G	50.25	74.00	-23.75	3	Horizontal	193	1.68	-
11g-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.03	54.00	-3.97	3	Vertical	99	1.20	-
2412MHz	Pass	AV	2.4192G	104.50	Inf	-Inf	3	Vertical	99	1.20	-
2412MHz	Pass	AV	2.4835G	47.22	54.00	-6.78	3	Vertical	99	1.20	-
2412MHz	Pass	PK	2.3896G	62.44	74.00	-11.56	3	Vertical	99	1.20	-
2412MHz	Pass	PK	2.4192G	113.80	Inf	-Inf	3	Vertical	99	1.20	-
2412MHz	Pass	PK	2.4888G	57.96	74.00	-16.04	3	Vertical	99	1.20	-
2412MHz	Pass	AV	2.39G	48.00	54.00	-6.00	3	Horizontal	120	1.08	-
2412MHz	Pass	AV	2.4192G	96.54	Inf	-Inf	3	Horizontal	120	1.08	-
2412MHz	Pass	AV	2.4864G	45.87	54.00	-8.13	3	Horizontal	120	1.08	-
2412MHz	Pass	PK	2.39G	58.59	74.00	-15.41	3	Horizontal	120	1.08	-
2412MHz	Pass	PK	2.4196G	105.75	Inf	-Inf	3	Horizontal	120	1.08	-
2412MHz	Pass	PK	2.496G	56.79	74.00	-17.21	3	Horizontal	120	1.08	-
2412MHz	Pass	AV	4.824G	42.36	54.00	-11.64	3	Vertical	157	1.23	-
2412MHz	Pass	PK	4.8238G	49.13	74.00	-24.87	3	Vertical	157	1.23	-
2412MHz	Pass	AV	4.82396G	34.01	54.00	-19.99	3	Horizontal	119	1.48	-
2412MHz	Pass	PK	4.82416G	46.71	74.00	-27.29	3	Horizontal	119	1.48	-
2417MHz	Pass	AV	2.3898G	50.86	54.00	-3.14	3	Vertical	93	1.19	-
2417MHz	Pass	AV	2.4198G	107.72	Inf	-Inf	3	Vertical	93	1.19	-
2417MHz	Pass	AV	2.4835G	47.71	54.00	-6.29	3	Vertical	93	1.19	-
2417MHz	Pass	PK	2.389G	61.08	74.00	-12.92	3	Vertical	93	1.19	-
2417MHz	Pass	PK	2.4202G	116.76	Inf	-Inf	3	Vertical	93	1.19	-
2417MHz	Pass	PK	2.4835G	58.32	74.00	-15.68	3	Vertical	93	1.19	-
2417MHz	Pass	AV	2.3894G	47.31	54.00	-6.69	3	Horizontal	117	1.49	-
2417MHz	Pass	AV	2.4198G	98.39	Inf	-Inf	3	Horizontal	117	1.49	-
2417MHz	Pass	AV	2.4862G	46.21	54.00	-7.79	3	Horizontal	117	1.49	-
2417MHz	Pass	PK	2.3222G	57.56	74.00	-16.44	3	Horizontal	117	1.49	-
2417MHz	Pass	PK	2.4194G	107.59	Inf	-Inf	3	Horizontal	117	1.49	-
2417MHz	Pass	PK	2.489G	56.51	74.00	-17.49	3	Horizontal	117	1.49	-
2437MHz	Pass	AV	2.389G	47.90	54.00	-6.10	3	Vertical	98	1.15	-
2437MHz	Pass	AV	2.4318G	107.60	Inf	-Inf	3	Vertical	98	1.15	-
2437MHz	Pass	AV	2.4835G	50.54	54.00	-3.46	3	Vertical	98	1.15	-
2437MHz	Pass	PK	2.3606G	57.73	74.00	-16.27	3	Vertical	98	1.15	-
2437MHz	Pass	PK	2.4318G	116.35	Inf	-Inf	3	Vertical	98	1.15	-
2437MHz	Pass	PK	2.4835G	60.24	74.00	-13.76	3	Vertical	98	1.15	-
2437MHz	Pass	AV	2.3378G	46.49	54.00	-7.51	3	Horizontal	295	1.49	-
2437MHz	Pass	AV	2.4314G	98.38	Inf	-Inf	3	Horizontal	295	1.49	-
2437MHz	Pass	AV	2.4846G	46.49	54.00	-7.51	3	Horizontal	295	1.49	-
2437MHz	Pass	PK	2.353G	57.18	74.00	-16.82	3	Horizontal	295	1.49	-
2437MHz	Pass	PK	2.431G	107.46	Inf	-Inf	3	Horizontal	295	1.49	-
2437MHz	Pass	PK	2.4854G	56.40	74.00	-17.60	3	Horizontal	295	1.49	-
2437MHz	Pass	AV	4.87392G	43.37	54.00	-10.63	3	Vertical	146	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	7.31148G	36.21	54.00	-17.79	3	Vertical	306	2.44	-
2437MHz	Pass	PK	4.87416G	48.78	74.00	-25.22	3	Vertical	146	1.00	-
2437MHz	Pass	PK	7.31824G	49.03	74.00	-24.97	3	Vertical	306	2.44	-
2437MHz	Pass	AV	4.87404G	34.46	54.00	-19.54	3	Horizontal	112	1.01	-
2437MHz	Pass	AV	7.30456G	36.24	54.00	-17.76	3	Horizontal	18	1.76	-
2437MHz	Pass	PK	4.87388G	45.00	74.00	-29.00	3	Horizontal	112	1.01	-
2437MHz	Pass	PK	7.30728G	49.05	74.00	-24.95	3	Horizontal	18	1.76	-
2457MHz	Pass	AV	2.3898G	46.78	54.00	-7.22	3	Vertical	98	1.34	-
2457MHz	Pass	AV	2.4618G	105.81	Inf	-Inf	3	Vertical	98	1.34	-
2457MHz	Pass	AV	2.4835G	50.04	54.00	-3.96	3	Vertical	98	1.34	-
2457MHz	Pass	PK	2.3894G	57.22	74.00	-16.78	3	Vertical	98	1.34	-
2457MHz	Pass	PK	2.4626G	115.14	Inf	-Inf	3	Vertical	98	1.34	-
2457MHz	Pass	PK	2.4846G	61.69	74.00	-12.31	3	Vertical	98	1.34	-
2457MHz	Pass	AV	2.3602G	46.24	54.00	-7.76	3	Horizontal	306	1.48	-
2457MHz	Pass	AV	2.4618G	95.43	Inf	-Inf	3	Horizontal	306	1.48	-
2457MHz	Pass	AV	2.4858G	46.50	54.00	-7.50	3	Horizontal	306	1.48	-
2457MHz	Pass	PK	2.3686G	57.06	74.00	-16.94	3	Horizontal	306	1.48	-
2457MHz	Pass	PK	2.4622G	104.52	Inf	-Inf	3	Horizontal	306	1.48	-
2457MHz	Pass	PK	2.4838G	56.71	74.00	-17.29	3	Horizontal	306	1.48	-
2462MHz	Pass	AV	2.3896G	46.57	54.00	-7.43	3	Vertical	97	1.30	-
2462MHz	Pass	AV	2.4596G	105.47	Inf	-Inf	3	Vertical	97	1.30	-
2462MHz	Pass	AV	2.4835G	50.68	54.00	-3.32	3	Vertical	97	1.30	-
2462MHz	Pass	PK	2.3852G	56.72	74.00	-17.28	3	Vertical	97	1.30	-
2462MHz	Pass	PK	2.4648G	115.43	Inf	-Inf	3	Vertical	97	1.30	-
2462MHz	Pass	PK	2.4844G	60.61	74.00	-13.39	3	Vertical	97	1.30	-
2462MHz	Pass	AV	2.3624G	46.18	54.00	-7.82	3	Horizontal	295	1.09	-
2462MHz	Pass	AV	2.4596G	96.09	Inf	-Inf	3	Horizontal	295	1.09	-
2462MHz	Pass	AV	2.4844G	46.77	54.00	-7.23	3	Horizontal	295	1.09	-
2462MHz	Pass	PK	2.3812G	57.51	74.00	-16.49	3	Horizontal	295	1.09	-
2462MHz	Pass	PK	2.4596G	105.06	Inf	-Inf	3	Horizontal	295	1.09	-
2462MHz	Pass	PK	2.49G	56.69	74.00	-17.31	3	Horizontal	295	1.09	-
2462MHz	Pass	AV	4.92396G	41.62	54.00	-12.38	3	Vertical	141	1.27	-
2462MHz	Pass	AV	7.39344G	36.53	54.00	-17.47	3	Vertical	309	1.04	-
2462MHz	Pass	PK	4.92408G	49.13	74.00	-24.87	3	Vertical	141	1.27	-
2462MHz	Pass	PK	7.38484G	49.33	74.00	-24.67	3	Vertical	309	1.04	-
2462MHz	Pass	AV	4.92412G	34.32	54.00	-19.68	3	Horizontal	113	1.00	-
2462MHz	Pass	AV	7.38892G	36.28	54.00	-17.72	3	Horizontal	221	1.89	-
2462MHz	Pass	PK	4.92348G	45.21	74.00	-28.79	3	Horizontal	113	1.00	-
2462MHz	Pass	PK	7.38548G	49.06	74.00	-24.94	3	Horizontal	221	1.89	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.46	54.00	-3.54	3	Vertical	331	1.60	-
2412MHz	Pass	AV	2.4132G	113.80	Inf	-Inf	3	Vertical	331	1.60	-
2412MHz	Pass	AV	2.484G	47.60	54.00	-6.40	3	Vertical	331	1.60	-
2412MHz	Pass	PK	2.3896G	64.01	74.00	-9.99	3	Vertical	331	1.60	-
2412MHz	Pass	PK	2.4136G	123.70	Inf	-Inf	3	Vertical	331	1.60	-
2412MHz	Pass	PK	2.484G	60.94	74.00	-13.06	3	Vertical	331	1.60	-
2412MHz	Pass	AV	2.3892G	46.78	54.00	-7.22	3	Horizontal	340	2.41	-
2412MHz	Pass	AV	2.412G	105.67	Inf	-Inf	3	Horizontal	340	2.41	-
2412MHz	Pass	AV	2.4835G	45.80	54.00	-8.20	3	Horizontal	340	2.41	-
2412MHz	Pass	PK	2.3896G	61.37	74.00	-12.63	3	Horizontal	340	2.41	-
2412MHz	Pass	PK	2.4116G	116.83	Inf	-Inf	3	Horizontal	340	2.41	-
2412MHz	Pass	PK	2.4948G	57.93	74.00	-16.07	3	Horizontal	340	2.41	-
2412MHz	Pass	AV	4.8249G	44.51	54.00	-9.49	3	Vertical	150	2.23	-
2412MHz	Pass	PK	4.82484G	55.09	74.00	-18.91	3	Vertical	150	2.23	-
2412MHz	Pass	AV	4.8249G	42.13	54.00	-11.87	3	Horizontal	132	1.00	-
2412MHz	Pass	PK	4.8249G	53.25	74.00	-20.75	3	Horizontal	132	1.00	-
2417MHz	Pass	AV	2.3898G	49.72	54.00	-4.28	3	Vertical	204	1.76	-
2417MHz	Pass	AV	2.4166G	113.36	Inf	-Inf	3	Vertical	204	1.76	-
2417MHz	Pass	AV	2.4835G	47.78	54.00	-6.22	3	Vertical	204	1.76	-
2417MHz	Pass	PK	2.3886G	65.00	74.00	-9.00	3	Vertical	204	1.76	-
2417MHz	Pass	PK	2.4166G	122.84	Inf	-Inf	3	Vertical	204	1.76	-
2417MHz	Pass	PK	2.4835G	61.77	74.00	-12.23	3	Vertical	204	1.76	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.3898G	46.28	54.00	-7.72	3	Horizontal	341	1.52	-
2417MHz	Pass	AV	2.417G	105.92	Inf	-Inf	3	Horizontal	341	1.52	-
2417MHz	Pass	AV	2.4838G	45.89	54.00	-8.11	3	Horizontal	341	1.52	-
2417MHz	Pass	PK	2.3886G	58.93	74.00	-15.07	3	Horizontal	341	1.52	-
2417MHz	Pass	PK	2.4174G	116.27	Inf	-Inf	3	Horizontal	341	1.52	-
2417MHz	Pass	PK	2.4898G	57.02	74.00	-16.98	3	Horizontal	341	1.52	-
2437MHz	Pass	AV	2.3898G	47.36	54.00	-6.64	3	Vertical	27	1.47	-
2437MHz	Pass	AV	2.4366G	114.20	Inf	-Inf	3	Vertical	27	1.47	-
2437MHz	Pass	AV	2.4858G	48.46	54.00	-5.54	3	Vertical	27	1.47	-
2437MHz	Pass	PK	2.3874G	58.96	74.00	-15.04	3	Vertical	27	1.47	-
2437MHz	Pass	PK	2.4366G	124.08	Inf	-Inf	3	Vertical	27	1.47	-
2437MHz	Pass	PK	2.4862G	61.42	74.00	-12.58	3	Vertical	27	1.47	-
2437MHz	Pass	AV	2.3886G	46.02	54.00	-7.98	3	Horizontal	298	1.25	-
2437MHz	Pass	AV	2.4382G	107.86	Inf	-Inf	3	Horizontal	298	1.25	-
2437MHz	Pass	AV	2.4835G	46.87	54.00	-7.13	3	Horizontal	298	1.25	-
2437MHz	Pass	PK	2.3454G	57.03	74.00	-16.97	3	Horizontal	298	1.25	-
2437MHz	Pass	PK	2.4382G	116.85	Inf	-Inf	3	Horizontal	298	1.25	-
2437MHz	Pass	PK	2.4874G	57.06	74.00	-16.94	3	Horizontal	298	1.25	-
2437MHz	Pass	AV	4.87496G	45.22	54.00	-8.78	3	Vertical	151	2.05	-
2437MHz	Pass	AV	7.31208G	47.64	54.00	-6.36	3	Vertical	189	1.78	-
2437MHz	Pass	PK	4.8761G	56.94	74.00	-17.06	3	Vertical	151	2.05	-
2437MHz	Pass	PK	7.3074G	60.19	74.00	-13.81	3	Vertical	189	1.78	-
2437MHz	Pass	AV	4.8752G	42.61	54.00	-11.39	3	Horizontal	131	2.47	-
2437MHz	Pass	AV	7.3125G	42.42	54.00	-11.58	3	Horizontal	195	1.03	-
2437MHz	Pass	PK	4.8752G	54.76	74.00	-19.24	3	Horizontal	131	2.47	-
2437MHz	Pass	PK	7.31196G	55.47	74.00	-18.53	3	Horizontal	195	1.03	-
2457MHz	Pass	AV	2.3898G	46.64	54.00	-7.36	3	Vertical	189	1.17	-
2457MHz	Pass	AV	2.4586G	113.20	Inf	-Inf	3	Vertical	189	1.17	-
2457MHz	Pass	AV	2.4835G	50.80	54.00	-3.20	3	Vertical	189	1.17	-
2457MHz	Pass	PK	2.3886G	58.08	74.00	-15.92	3	Vertical	189	1.17	-
2457MHz	Pass	PK	2.4582G	124.16	Inf	-Inf	3	Vertical	189	1.17	-
2457MHz	Pass	PK	2.4835G	67.09	74.00	-6.91	3	Vertical	189	1.17	-
2457MHz	Pass	AV	2.3626G	45.89	54.00	-8.11	3	Horizontal	295	1.03	-
2457MHz	Pass	AV	2.4558G	105.89	Inf	-Inf	3	Horizontal	295	1.03	-
2457MHz	Pass	AV	2.4838G	47.02	54.00	-6.98	3	Horizontal	295	1.03	-
2457MHz	Pass	PK	2.3738G	56.74	74.00	-17.26	3	Horizontal	295	1.03	-
2457MHz	Pass	PK	2.4566G	115.94	Inf	-Inf	3	Horizontal	295	1.03	-
2457MHz	Pass	PK	2.4854G	59.06	74.00	-14.94	3	Horizontal	295	1.03	-
2462MHz	Pass	AV	2.39G	46.16	54.00	-7.84	3	Vertical	98	1.32	-
2462MHz	Pass	AV	2.462G	116.44	Inf	-Inf	3	Vertical	98	1.32	-
2462MHz	Pass	AV	2.4835G	50.61	54.00	-3.39	3	Vertical	98	1.32	-
2462MHz	Pass	PK	2.384G	57.40	74.00	-16.60	3	Vertical	98	1.32	-
2462MHz	Pass	PK	2.4628G	126.93	Inf	-Inf	3	Vertical	98	1.32	-
2462MHz	Pass	PK	2.484G	61.88	74.00	-12.12	3	Vertical	98	1.32	-
2462MHz	Pass	AV	2.3648G	45.96	54.00	-8.04	3	Horizontal	295	1.00	-
2462MHz	Pass	AV	2.4632G	109.39	Inf	-Inf	3	Horizontal	295	1.00	-
2462MHz	Pass	AV	2.4835G	47.30	54.00	-6.70	3	Horizontal	295	1.00	-
2462MHz	Pass	PK	2.3832G	57.59	74.00	-16.41	3	Horizontal	295	1.00	-
2462MHz	Pass	PK	2.4612G	119.52	Inf	-Inf	3	Horizontal	295	1.00	-
2462MHz	Pass	PK	2.4848G	58.41	74.00	-15.59	3	Horizontal	295	1.00	-
2462MHz	Pass	AV	4.92496G	43.44	54.00	-10.56	3	Vertical	97	1.16	-
2462MHz	Pass	AV	7.38684G	45.36	54.00	-8.64	3	Vertical	188	1.85	-
2462MHz	Pass	PK	4.92496G	54.31	74.00	-19.69	3	Vertical	97	1.16	-
2462MHz	Pass	PK	7.38486G	59.81	74.00	-14.19	3	Vertical	188	1.85	-
2462MHz	Pass	AV	4.92502G	37.87	54.00	-16.13	3	Horizontal	151	1.00	-
2462MHz	Pass	AV	7.3872G	40.42	54.00	-13.58	3	Horizontal	193	1.76	-
2462MHz	Pass	PK	4.92676G	50.20	74.00	-23.80	3	Horizontal	151	1.00	-
2462MHz	Pass	PK	7.38546G	55.31	74.00	-18.69	3	Horizontal	193	1.76	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.53	54.00	-3.47	3	Vertical	324	1.13	-
2412MHz	Pass	AV	2.4136G	108.78	Inf	-Inf	3	Vertical	324	1.13	-
2412MHz	Pass	AV	2.484G	47.27	54.00	-6.73	3	Vertical	324	1.13	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.3896G	65.00	74.00	-9.00	3	Vertical	324	1.13	-
2412MHz	Pass	PK	2.4136G	119.61	Inf	-Inf	3	Vertical	324	1.13	-
2412MHz	Pass	PK	2.4835G	59.51	74.00	-14.49	3	Vertical	324	1.13	-
2412MHz	Pass	AV	2.39G	47.17	54.00	-6.83	3	Horizontal	341	2.43	-
2412MHz	Pass	AV	2.4108G	100.88	Inf	-Inf	3	Horizontal	341	2.43	-
2412MHz	Pass	AV	2.4835G	45.73	54.00	-8.27	3	Horizontal	341	2.43	-
2412MHz	Pass	PK	2.3896G	58.81	74.00	-15.19	3	Horizontal	341	2.43	-
2412MHz	Pass	PK	2.4128G	111.76	Inf	-Inf	3	Horizontal	341	2.43	-
2412MHz	Pass	PK	2.4944G	57.70	74.00	-16.30	3	Horizontal	341	2.43	-
2412MHz	Pass	AV	4.82394G	42.13	54.00	-11.87	3	Vertical	159	2.26	-
2412MHz	Pass	PK	4.82358G	53.00	74.00	-21.00	3	Vertical	159	2.26	-
2412MHz	Pass	AV	4.8234G	40.74	54.00	-13.26	3	Horizontal	150	1.11	-
2412MHz	Pass	PK	4.82454G	53.61	74.00	-20.39	3	Horizontal	150	1.11	-
2417MHz	Pass	AV	2.3898G	49.59	54.00	-4.41	3	Vertical	101	1.20	-
2417MHz	Pass	AV	2.4206G	111.70	Inf	-Inf	3	Vertical	101	1.20	-
2417MHz	Pass	AV	2.4835G	47.36	54.00	-6.64	3	Vertical	101	1.20	-
2417MHz	Pass	PK	2.3878G	67.04	74.00	-6.96	3	Vertical	101	1.20	-
2417MHz	Pass	PK	2.4206G	121.50	Inf	-Inf	3	Vertical	101	1.20	-
2417MHz	Pass	PK	2.4838G	62.82	74.00	-11.18	3	Vertical	101	1.20	-
2417MHz	Pass	AV	2.389G	46.41	54.00	-7.59	3	Horizontal	342	1.52	-
2417MHz	Pass	AV	2.4162G	103.36	Inf	-Inf	3	Horizontal	342	1.52	-
2417MHz	Pass	AV	2.4835G	45.82	54.00	-8.18	3	Horizontal	342	1.52	-
2417MHz	Pass	PK	2.3242G	57.51	74.00	-16.49	3	Horizontal	342	1.52	-
2417MHz	Pass	PK	2.4154G	113.68	Inf	-Inf	3	Horizontal	342	1.52	-
2417MHz	Pass	PK	2.4874G	56.88	74.00	-17.12	3	Horizontal	342	1.52	-
2437MHz	Pass	AV	2.389G	48.98	54.00	-5.02	3	Vertical	27	1.19	-
2437MHz	Pass	AV	2.4346G	110.97	Inf	-Inf	3	Vertical	27	1.19	-
2437MHz	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Vertical	27	1.19	-
2437MHz	Pass	PK	2.3898G	60.95	74.00	-13.05	3	Vertical	27	1.19	-
2437MHz	Pass	PK	2.4354G	121.31	Inf	-Inf	3	Vertical	27	1.19	-
2437MHz	Pass	PK	2.4854G	63.25	74.00	-10.75	3	Vertical	27	1.19	-
2437MHz	Pass	AV	2.3898G	46.43	54.00	-7.57	3	Horizontal	297	1.25	-
2437MHz	Pass	AV	2.4386G	103.87	Inf	-Inf	3	Horizontal	297	1.25	-
2437MHz	Pass	AV	2.4846G	47.18	54.00	-6.82	3	Horizontal	297	1.25	-
2437MHz	Pass	PK	2.389G	57.00	74.00	-17.00	3	Horizontal	297	1.25	-
2437MHz	Pass	PK	2.4402G	114.41	Inf	-Inf	3	Horizontal	297	1.25	-
2437MHz	Pass	PK	2.487G	57.77	74.00	-16.23	3	Horizontal	297	1.25	-
2437MHz	Pass	AV	4.87394G	42.28	54.00	-11.72	3	Vertical	143	1.15	-
2437MHz	Pass	AV	7.31064G	41.60	54.00	-12.40	3	Vertical	223	2.63	-
2437MHz	Pass	PK	4.87406G	52.21	74.00	-21.79	3	Vertical	143	1.15	-
2437MHz	Pass	PK	7.3101G	54.63	74.00	-19.37	3	Vertical	223	2.63	-
2437MHz	Pass	AV	4.87406G	38.09	54.00	-15.91	3	Horizontal	132	1.00	-
2437MHz	Pass	AV	7.3107G	38.84	54.00	-15.16	3	Horizontal	196	1.85	-
2437MHz	Pass	PK	4.87274G	52.04	74.00	-21.96	3	Horizontal	132	1.00	-
2437MHz	Pass	PK	7.31154G	51.57	74.00	-22.43	3	Horizontal	196	1.85	-
2457MHz	Pass	AV	2.3898G	46.50	54.00	-7.50	3	Vertical	188	1.01	-
2457MHz	Pass	AV	2.4586G	112.34	Inf	-Inf	3	Vertical	188	1.01	-
2457MHz	Pass	AV	2.4835G	50.11	54.00	-3.89	3	Vertical	188	1.01	-
2457MHz	Pass	PK	2.3886G	58.89	74.00	-15.11	3	Vertical	188	1.01	-
2457MHz	Pass	PK	2.459G	123.23	Inf	-Inf	3	Vertical	188	1.01	-
2457MHz	Pass	PK	2.4835G	67.64	74.00	-6.36	3	Vertical	188	1.01	-
2457MHz	Pass	AV	2.3594G	45.90	54.00	-8.10	3	Horizontal	296	1.05	-
2457MHz	Pass	AV	2.459G	104.91	Inf	-Inf	3	Horizontal	296	1.05	-
2457MHz	Pass	AV	2.4835G	46.85	54.00	-7.15	3	Horizontal	296	1.05	-
2457MHz	Pass	PK	2.385G	56.99	74.00	-17.01	3	Horizontal	296	1.05	-
2457MHz	Pass	PK	2.459G	116.22	Inf	-Inf	3	Horizontal	296	1.05	-
2457MHz	Pass	PK	2.4842G	58.41	74.00	-15.59	3	Horizontal	296	1.05	-
2462MHz	Pass	AV	2.39G	46.25	54.00	-7.75	3	Vertical	102	1.29	-
2462MHz	Pass	AV	2.4612G	112.54	Inf	-Inf	3	Vertical	102	1.29	-
2462MHz	Pass	AV	2.4835G	50.62	54.00	-3.38	3	Vertical	102	1.29	-
2462MHz	Pass	PK	2.3844G	56.96	74.00	-17.04	3	Vertical	102	1.29	-
2462MHz	Pass	PK	2.4616G	122.68	Inf	-Inf	3	Vertical	102	1.29	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.484G	61.86	74.00	-12.14	3	Vertical	102	1.29	-
2462MHz	Pass	AV	2.3648G	45.86	54.00	-8.14	3	Horizontal	296	1.05	-
2462MHz	Pass	AV	2.4592G	105.30	Inf	-Inf	3	Horizontal	296	1.05	-
2462MHz	Pass	AV	2.484G	47.02	54.00	-6.98	3	Horizontal	296	1.05	-
2462MHz	Pass	PK	2.372G	56.70	74.00	-17.30	3	Horizontal	296	1.05	-
2462MHz	Pass	PK	2.4632G	116.37	Inf	-Inf	3	Horizontal	296	1.05	-
2462MHz	Pass	PK	2.4835G	58.07	74.00	-15.93	3	Horizontal	296	1.05	-
2462MHz	Pass	AV	4.924G	41.32	54.00	-12.68	3	Vertical	144	1.09	-
2462MHz	Pass	AV	7.3854G	39.32	54.00	-14.68	3	Vertical	190	1.84	-
2462MHz	Pass	PK	4.924G	49.57	74.00	-24.43	3	Vertical	144	1.09	-
2462MHz	Pass	PK	7.3887G	54.77	74.00	-19.23	3	Vertical	190	1.84	-
2462MHz	Pass	AV	4.92268G	36.70	54.00	-17.30	3	Horizontal	149	1.01	-
2462MHz	Pass	AV	7.38582G	36.70	54.00	-17.30	3	Horizontal	193	1.62	-
2462MHz	Pass	PK	4.9225G	49.73	74.00	-24.27	3	Horizontal	149	1.01	-
2462MHz	Pass	PK	7.3803G	50.05	74.00	-23.95	3	Horizontal	193	1.62	-
802.11n HT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.58	54.00	-3.42	3	Vertical	341	1.05	-
2412MHz	Pass	AV	2.4164G	103.91	Inf	-Inf	3	Vertical	341	1.05	-
2412MHz	Pass	AV	2.4844G	46.54	54.00	-7.46	3	Vertical	341	1.05	-
2412MHz	Pass	PK	2.39G	60.67	74.00	-13.33	3	Vertical	341	1.05	-
2412MHz	Pass	PK	2.4168G	113.19	Inf	-Inf	3	Vertical	341	1.05	-
2412MHz	Pass	PK	2.4976G	56.57	74.00	-17.43	3	Vertical	341	1.05	-
2412MHz	Pass	AV	2.39G	47.08	54.00	-6.92	3	Horizontal	123	1.48	-
2412MHz	Pass	AV	2.4184G	95.59	Inf	-Inf	3	Horizontal	123	1.48	-
2412MHz	Pass	AV	2.4992G	46.01	54.00	-7.99	3	Horizontal	123	1.48	-
2412MHz	Pass	PK	2.3556G	57.69	74.00	-16.31	3	Horizontal	123	1.48	-
2412MHz	Pass	PK	2.4184G	105.10	Inf	-Inf	3	Horizontal	123	1.48	-
2412MHz	Pass	PK	2.5G	57.01	74.00	-16.99	3	Horizontal	123	1.48	-
2412MHz	Pass	AV	4.82404G	42.20	54.00	-11.80	3	Vertical	157	1.23	-
2412MHz	Pass	PK	4.82388G	48.69	74.00	-25.31	3	Vertical	157	1.23	-
2412MHz	Pass	AV	4.824G	34.89	54.00	-19.11	3	Horizontal	117	1.06	-
2412MHz	Pass	PK	4.82404G	47.31	74.00	-26.69	3	Horizontal	117	1.06	-
2417MHz	Pass	AV	2.3882G	50.78	54.00	-3.22	3	Vertical	352	1.03	-
2417MHz	Pass	AV	2.4222G	109.87	Inf	-Inf	3	Vertical	352	1.03	-
2417MHz	Pass	AV	2.4835G	46.94	54.00	-7.06	3	Vertical	352	1.03	-
2417MHz	Pass	PK	2.389G	62.51	74.00	-11.49	3	Vertical	352	1.03	-
2417MHz	Pass	PK	2.4222G	119.67	Inf	-Inf	3	Vertical	352	1.03	-
2417MHz	Pass	PK	2.4835G	57.28	74.00	-16.72	3	Vertical	352	1.03	-
2417MHz	Pass	AV	2.3886G	48.04	54.00	-5.96	3	Horizontal	124	1.48	-
2417MHz	Pass	AV	2.4222G	101.04	Inf	-Inf	3	Horizontal	124	1.48	-
2417MHz	Pass	AV	2.497G	45.90	54.00	-8.10	3	Horizontal	124	1.48	-
2417MHz	Pass	PK	2.3898G	58.16	74.00	-15.84	3	Horizontal	124	1.48	-
2417MHz	Pass	PK	2.4214G	110.31	Inf	-Inf	3	Horizontal	124	1.48	-
2417MHz	Pass	PK	2.4898G	56.67	74.00	-17.33	3	Horizontal	124	1.48	-
2437MHz	Pass	AV	2.3898G	50.25	54.00	-3.75	3	Vertical	28	1.49	-
2437MHz	Pass	AV	2.4314G	110.08	Inf	-Inf	3	Vertical	28	1.49	-
2437MHz	Pass	AV	2.4835G	50.87	54.00	-3.13	3	Vertical	28	1.49	-
2437MHz	Pass	PK	2.3894G	61.65	74.00	-12.35	3	Vertical	28	1.49	-
2437MHz	Pass	PK	2.433G	119.34	Inf	-Inf	3	Vertical	28	1.49	-
2437MHz	Pass	PK	2.4842G	61.46	74.00	-12.54	3	Vertical	28	1.49	-
2437MHz	Pass	AV	2.3898G	46.84	54.00	-7.16	3	Horizontal	124	1.48	-
2437MHz	Pass	AV	2.431G	100.32	Inf	-Inf	3	Horizontal	124	1.48	-
2437MHz	Pass	AV	2.4835G	46.67	54.00	-7.33	3	Horizontal	124	1.48	-
2437MHz	Pass	PK	2.3498G	57.39	74.00	-16.61	3	Horizontal	124	1.48	-
2437MHz	Pass	PK	2.4302G	108.73	Inf	-Inf	3	Horizontal	124	1.48	-
2437MHz	Pass	PK	2.4902G	57.10	74.00	-16.90	3	Horizontal	124	1.48	-
2437MHz	Pass	AV	4.87404G	42.38	54.00	-11.62	3	Vertical	146	1.16	-
2437MHz	Pass	AV	7.30972G	39.44	54.00	-14.56	3	Vertical	192	1.49	-
2437MHz	Pass	PK	4.87396G	48.45	74.00	-25.55	3	Vertical	146	1.16	-
2437MHz	Pass	PK	7.31112G	52.07	74.00	-21.93	3	Vertical	192	1.49	-
2437MHz	Pass	AV	4.87436G	34.72	54.00	-19.28	3	Horizontal	151	1.11	-
2437MHz	Pass	AV	7.30964G	37.58	54.00	-16.42	3	Horizontal	193	1.39	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.874G	47.57	74.00	-26.43	3	Horizontal	151	1.11	-
2437MHz	Pass	PK	7.31024G	49.98	74.00	-24.02	3	Horizontal	193	1.39	-
2457MHz	Pass	AV	2.3898G	46.73	54.00	-7.27	3	Vertical	104	1.48	-
2457MHz	Pass	AV	2.4634G	107.50	Inf	-Inf	3	Vertical	104	1.48	-
2457MHz	Pass	AV	2.4835G	50.63	54.00	-3.37	3	Vertical	104	1.48	-
2457MHz	Pass	PK	2.3814G	56.74	74.00	-17.26	3	Vertical	104	1.48	-
2457MHz	Pass	PK	2.4634G	116.22	Inf	-Inf	3	Vertical	104	1.48	-
2457MHz	Pass	PK	2.4866G	61.34	74.00	-12.66	3	Vertical	104	1.48	-
2457MHz	Pass	AV	2.3586G	46.36	54.00	-7.64	3	Horizontal	296	1.07	-
2457MHz	Pass	AV	2.4586G	98.78	Inf	-Inf	3	Horizontal	296	1.07	-
2457MHz	Pass	AV	2.4835G	47.05	54.00	-6.95	3	Horizontal	296	1.07	-
2457MHz	Pass	PK	2.389G	56.66	74.00	-17.34	3	Horizontal	296	1.07	-
2457MHz	Pass	PK	2.4586G	107.61	Inf	-Inf	3	Horizontal	296	1.07	-
2457MHz	Pass	PK	2.4882G	57.54	74.00	-16.46	3	Horizontal	296	1.07	-
2462MHz	Pass	AV	2.3884G	46.47	54.00	-7.53	3	Vertical	101	1.31	-
2462MHz	Pass	AV	2.4604G	105.25	Inf	-Inf	3	Vertical	101	1.31	-
2462MHz	Pass	AV	2.4835G	50.89	54.00	-3.11	3	Vertical	101	1.31	-
2462MHz	Pass	PK	2.3856G	57.01	74.00	-16.99	3	Vertical	101	1.31	-
2462MHz	Pass	PK	2.4596G	114.41	Inf	-Inf	3	Vertical	101	1.31	-
2462MHz	Pass	PK	2.4835G	60.22	74.00	-13.78	3	Vertical	101	1.31	-
2462MHz	Pass	AV	2.37G	46.13	54.00	-7.87	3	Horizontal	119	1.11	-
2462MHz	Pass	AV	2.46G	95.16	Inf	-Inf	3	Horizontal	119	1.11	-
2462MHz	Pass	AV	2.484G	46.77	54.00	-7.23	3	Horizontal	119	1.11	-
2462MHz	Pass	PK	2.37G	56.87	74.00	-17.13	3	Horizontal	119	1.11	-
2462MHz	Pass	PK	2.464G	104.04	Inf	-Inf	3	Horizontal	119	1.11	-
2462MHz	Pass	PK	2.4835G	56.73	74.00	-17.27	3	Horizontal	119	1.11	-
2462MHz	Pass	AV	4.924G	42.21	54.00	-11.79	3	Vertical	147	1.00	-
2462MHz	Pass	AV	7.37792G	36.39	54.00	-17.61	3	Vertical	334	2.43	-
2462MHz	Pass	PK	4.92396G	48.06	74.00	-25.94	3	Vertical	147	1.00	-
2462MHz	Pass	PK	7.37912G	49.23	74.00	-24.77	3	Vertical	334	2.43	-
2462MHz	Pass	AV	4.92404G	34.33	54.00	-19.67	3	Horizontal	113	1.20	-
2462MHz	Pass	AV	7.38208G	36.45	54.00	-17.55	3	Horizontal	312	1.07	-
2462MHz	Pass	PK	4.92404G	45.09	74.00	-28.91	3	Horizontal	113	1.20	-
2462MHz	Pass	PK	7.3832G	49.23	74.00	-24.77	3	Horizontal	312	1.07	-
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	50.81	54.00	-3.19	3	Vertical	341	1.05	-
2422MHz	Pass	AV	2.4248G	98.50	Inf	-Inf	3	Vertical	341	1.05	-
2422MHz	Pass	AV	2.4856G	47.44	54.00	-6.56	3	Vertical	341	1.05	-
2422MHz	Pass	PK	2.3884G	64.38	74.00	-9.62	3	Vertical	341	1.05	-
2422MHz	Pass	PK	2.426G	107.96	Inf	-Inf	3	Vertical	341	1.05	-
2422MHz	Pass	PK	2.484G	59.88	74.00	-14.12	3	Vertical	341	1.05	-
2422MHz	Pass	AV	2.39G	47.46	54.00	-6.54	3	Horizontal	125	1.49	-
2422MHz	Pass	AV	2.4268G	88.98	Inf	-Inf	3	Horizontal	125	1.49	-
2422MHz	Pass	AV	2.4835G	46.43	54.00	-7.57	3	Horizontal	125	1.49	-
2422MHz	Pass	PK	2.3852G	57.59	74.00	-16.41	3	Horizontal	125	1.49	-
2422MHz	Pass	PK	2.4256G	97.95	Inf	-Inf	3	Horizontal	125	1.49	-
2422MHz	Pass	PK	2.4844G	57.64	74.00	-16.36	3	Horizontal	125	1.49	-
2422MHz	Pass	AV	4.844G	41.72	54.00	-12.28	3	Vertical	141	2.33	-
2422MHz	Pass	AV	7.2703G	37.33	54.00	-16.67	3	Vertical	341	1.20	-
2422MHz	Pass	PK	4.84408G	46.75	74.00	-27.25	3	Vertical	141	2.33	-
2422MHz	Pass	PK	7.26848G	49.00	74.00	-25.00	3	Vertical	341	1.20	-
2422MHz	Pass	AV	4.844G	36.04	54.00	-17.96	3	Horizontal	59	2.75	-
2422MHz	Pass	AV	7.26638G	37.09	54.00	-16.91	3	Horizontal	226	1.98	-
2422MHz	Pass	PK	4.84406G	43.87	74.00	-30.13	3	Horizontal	59	2.75	-
2422MHz	Pass	PK	7.26112G	49.10	74.00	-24.90	3	Horizontal	226	1.98	-
2427MHz	Pass	AV	2.3886G	50.72	54.00	-3.28	3	Vertical	360	1.75	-
2427MHz	Pass	AV	2.4226G	102.50	Inf	-Inf	3	Vertical	360	1.75	-
2427MHz	Pass	AV	2.4835G	48.69	54.00	-5.31	3	Vertical	360	1.75	-
2427MHz	Pass	PK	2.387G	66.99	74.00	-7.01	3	Vertical	360	1.75	-
2427MHz	Pass	PK	2.4222G	111.76	Inf	-Inf	3	Vertical	360	1.75	-
2427MHz	Pass	PK	2.4858G	64.88	74.00	-9.12	3	Vertical	360	1.75	-
2427MHz	Pass	AV	2.389G	49.52	54.00	-4.48	3	Horizontal	148	2.29	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	AV	2.4254G	95.63	Inf	-Inf	3	Horizontal	148	2.29	-
2427MHz	Pass	AV	2.4835G	46.48	54.00	-7.52	3	Horizontal	148	2.29	-
2427MHz	Pass	PK	2.389G	61.88	74.00	-12.12	3	Horizontal	148	2.29	-
2427MHz	Pass	PK	2.4242G	105.13	Inf	-Inf	3	Horizontal	148	2.29	-
2427MHz	Pass	PK	2.4958G	57.21	74.00	-16.79	3	Horizontal	148	2.29	-
2437MHz	Pass	AV	2.3882G	47.70	54.00	-6.30	3	Vertical	100	1.17	-
2437MHz	Pass	AV	2.4254G	100.66	Inf	-Inf	3	Vertical	100	1.17	-
2437MHz	Pass	AV	2.4838G	50.75	54.00	-3.25	3	Vertical	100	1.17	-
2437MHz	Pass	PK	2.3898G	58.18	74.00	-15.82	3	Vertical	100	1.17	-
2437MHz	Pass	PK	2.4258G	109.82	Inf	-Inf	3	Vertical	100	1.17	-
2437MHz	Pass	PK	2.4874G	66.48	74.00	-7.52	3	Vertical	100	1.17	-
2437MHz	Pass	AV	2.3426G	46.76	54.00	-7.24	3	Horizontal	121	1.48	-
2437MHz	Pass	AV	2.4262G	90.42	Inf	-Inf	3	Horizontal	121	1.48	-
2437MHz	Pass	AV	2.4835G	46.72	54.00	-7.28	3	Horizontal	121	1.48	-
2437MHz	Pass	PK	2.3822G	56.94	74.00	-17.06	3	Horizontal	121	1.48	-
2437MHz	Pass	PK	2.4246G	99.28	Inf	-Inf	3	Horizontal	121	1.48	-
2437MHz	Pass	PK	2.497G	56.60	74.00	-17.40	3	Horizontal	121	1.48	-
2437MHz	Pass	AV	4.87394G	41.81	54.00	-12.19	3	Vertical	141	1.62	-
2437MHz	Pass	AV	7.30848G	36.96	54.00	-17.04	3	Vertical	134	1.98	-
2437MHz	Pass	PK	4.87402G	46.85	74.00	-27.15	3	Vertical	141	1.62	-
2437MHz	Pass	PK	7.3097G	49.88	74.00	-24.12	3	Vertical	134	1.98	-
2437MHz	Pass	AV	4.87398G	35.73	54.00	-18.27	3	Horizontal	61	2.74	-
2437MHz	Pass	AV	7.30748G	36.92	54.00	-17.08	3	Horizontal	318	1.75	-
2437MHz	Pass	PK	4.87392G	43.80	74.00	-30.20	3	Horizontal	61	2.74	-
2437MHz	Pass	PK	7.31192G	49.43	74.00	-24.57	3	Horizontal	318	1.75	-
2452MHz	Pass	AV	2.39G	46.99	54.00	-7.01	3	Vertical	79	1.49	-
2452MHz	Pass	AV	2.4652G	98.59	Inf	-Inf	3	Vertical	79	1.49	-
2452MHz	Pass	AV	2.4835G	50.68	54.00	-3.32	3	Vertical	79	1.49	-
2452MHz	Pass	PK	2.3848G	57.23	74.00	-16.77	3	Vertical	79	1.49	-
2452MHz	Pass	PK	2.4624G	107.87	Inf	-Inf	3	Vertical	79	1.49	-
2452MHz	Pass	PK	2.4864G	61.65	74.00	-12.35	3	Vertical	79	1.49	-
2452MHz	Pass	AV	2.3556G	46.67	54.00	-7.33	3	Horizontal	70	1.12	-
2452MHz	Pass	AV	2.4624G	92.15	Inf	-Inf	3	Horizontal	70	1.12	-
2452MHz	Pass	AV	2.4835G	47.71	54.00	-6.29	3	Horizontal	70	1.12	-
2452MHz	Pass	PK	2.3776G	56.98	74.00	-17.02	3	Horizontal	70	1.12	-
2452MHz	Pass	PK	2.4616G	100.81	Inf	-Inf	3	Horizontal	70	1.12	-
2452MHz	Pass	PK	2.4844G	57.53	74.00	-16.47	3	Horizontal	70	1.12	-
2452MHz	Pass	AV	4.90398G	41.81	54.00	-12.19	3	Vertical	142	1.00	-
2452MHz	Pass	AV	7.35892G	37.01	54.00	-16.99	3	Vertical	164	2.06	-
2452MHz	Pass	PK	4.904G	48.05	74.00	-25.95	3	Vertical	142	1.00	-
2452MHz	Pass	PK	7.3573G	49.36	74.00	-24.64	3	Vertical	164	2.06	-
2452MHz	Pass	AV	4.90394G	35.66	54.00	-18.34	3	Horizontal	56	2.85	-
2452MHz	Pass	AV	7.35996G	37.14	54.00	-16.86	3	Horizontal	340	1.21	-
2452MHz	Pass	PK	4.90386G	44.20	74.00	-29.80	3	Horizontal	56	2.85	-
2452MHz	Pass	PK	7.35388G	49.64	74.00	-24.36	3	Horizontal	340	1.21	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3896G	46.79	54.00	-7.21	33.57	3	Vertical	282	1.51	-	13.22	27.62	5.95	-
AV	2.4124G	112.73	Inf	-Inf	33.52	3	Vertical	282	1.51	-	79.21	27.55	5.97	-
AV	2.4835G	46.67	54.00	-7.33	33.46	3	Vertical	282	1.51	-	13.21	27.40	6.06	-
PK	2.3196G	57.47	74.00	-16.53	33.72	3	Vertical	282	1.51	-	23.75	27.82	5.90	-
PK	2.4124G	119.17	Inf	-Inf	33.52	3	Vertical	282	1.51	-	85.65	27.55	5.97	-
PK	2.4848G	56.99	74.00	-17.01	33.46	3	Vertical	282	1.51	-	23.53	27.40	6.06	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3144G	46.08	54.00	-7.92	33.74	3	Horizontal	90	1.50	-	12.34	27.84	5.90	-
AV	2.4124G	106.10	Inf	-Inf	33.52	3	Horizontal	90	1.50	-	72.58	27.55	5.97	-
AV	2.4835G	45.58	54.00	-8.42	33.46	3	Horizontal	90	1.50	-	12.12	27.40	6.06	-
PK	2.3524G	57.32	74.00	-16.68	33.62	3	Horizontal	90	1.50	-	23.70	27.70	5.92	-
PK	2.4124G	112.41	Inf	-Inf	33.52	3	Horizontal	90	1.50	-	78.89	27.55	5.97	-
PK	2.4924G	56.95	74.00	-17.05	33.47	3	Horizontal	90	1.50	-	23.48	27.40	6.07	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82496G	49.86	54.00	-4.14	4.99	3	Vertical	239	1.49	-	44.87	31.00	8.27	34.28
PK	4.82495G	54.36	74.00	-19.64	4.99	3	Vertical	239	1.49	-	49.37	31.00	8.27	34.28

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82496G	50.55	54.00	-3.45	4.99	3	Horizontal	118	1.20	-	45.56	31.00	8.27	34.28
PK	4.82507G	55.05	74.00	-18.95	4.99	3	Horizontal	118	1.20	-	50.06	31.00	8.27	34.28

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.91	54.00	-7.09	33.57	3	Vertical	110	1.78	-	13.34	27.62	5.95	-
AV	2.4178G	111.95	Inf	-Inf	33.51	3	Vertical	110	1.78	-	78.44	27.53	5.98	-
AV	2.4835G	46.14	54.00	-7.86	33.46	3	Vertical	110	1.78	-	12.68	27.40	6.06	-
PK	2.3882G	57.44	74.00	-16.56	33.57	3	Vertical	110	1.78	-	23.87	27.62	5.95	-
PK	2.4178G	118.08	Inf	-Inf	33.51	3	Vertical	110	1.78	-	84.57	27.53	5.98	-
PK	2.485G	56.99	74.00	-17.01	33.46	3	Vertical	110	1.78	-	23.53	27.40	6.06	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3186G	46.06	54.00	-7.94	33.73	3	Horizontal	90	1.49	-	12.33	27.83	5.90	-
AV	2.4174G	104.93	Inf	-Inf	33.51	3	Horizontal	90	1.49	-	71.42	27.53	5.98	-
AV	2.4886G	45.58	54.00	-8.42	33.47	3	Horizontal	90	1.49	-	12.11	27.40	6.07	-
PK	2.3182G	57.31	74.00	-16.69	33.73	3	Horizontal	90	1.49	-	23.58	27.83	5.90	-
PK	2.4174G	111.05	Inf	-Inf	33.51	3	Horizontal	90	1.49	-	77.54	27.53	5.98	-
PK	2.4966G	56.80	74.00	-17.20	33.48	3	Horizontal	90	1.49	-	23.32	27.40	6.08	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83496G	50.94	54.00	-3.06	5.03	3	Vertical	252	2.67	-	45.91	31.04	8.27	34.28
AV	7.252G	37.12	54.00	-16.88	11.66	3	Vertical	191	1.62	-	25.46	36.21	10.02	34.57
PK	4.83496G	54.96	74.00	-19.04	5.03	3	Vertical	252	2.67	-	49.93	31.04	8.27	34.28
PK	7.25254G	50.24	74.00	-23.76	11.66	3	Vertical	191	1.62	-	38.58	36.21	10.02	34.57

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83498G	48.58	54.00	-5.42	5.03	3	Horizontal	150	1.07	-	43.55	31.04	8.27	34.28
AV	7.25202G	36.09	54.00	-17.91	11.66	3	Horizontal	89	1.00	-	24.43	36.21	10.02	34.57
PK	4.83498G	53.14	74.00	-20.86	5.03	3	Horizontal	150	1.07	-	48.11	31.04	8.27	34.28
PK	7.25222G	49.41	74.00	-24.59	11.66	3	Horizontal	89	1.00	-	37.75	36.21	10.02	34.57

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.60	54.00	-6.40	33.57	3	Vertical	182	1.53	-	14.03	27.62	5.95	-
AV	2.4366G	117.80	Inf	-Inf	33.45	3	Vertical	182	1.53	-	84.35	27.45	6.00	-
AV	2.4835G	48.89	54.00	-5.11	33.46	3	Vertical	182	1.53	-	15.43	27.40	6.06	-
PK	2.3894G	58.79	74.00	-15.21	33.57	3	Vertical	182	1.53	-	25.22	27.62	5.95	-
PK	2.4374G	123.15	Inf	-Inf	33.45	3	Vertical	182	1.53	-	89.70	27.45	6.00	-
PK	2.4835G	59.61	74.00	-14.39	33.46	3	Vertical	182	1.53	-	26.15	27.40	6.06	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.337G	45.88	54.00	-8.12	33.66	3	Horizontal	100	1.30	-	12.22	27.75	5.91	-
AV	2.4374G	110.55	Inf	-Inf	33.45	3	Horizontal	100	1.30	-	77.10	27.45	6.00	-
AV	2.4838G	45.78	54.00	-8.22	33.46	3	Horizontal	100	1.30	-	12.32	27.40	6.06	-
PK	2.3578G	56.95	74.00	-17.05	33.61	3	Horizontal	100	1.30	-	23.34	27.68	5.93	-
PK	2.4374G	116.84	Inf	-Inf	33.45	3	Horizontal	100	1.30	-	83.39	27.45	6.00	-
PK	2.4842G	56.29	74.00	-17.71	33.46	3	Horizontal	100	1.30	-	22.83	27.40	6.06	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87497G	49.40	54.00	-4.60	5.09	3	Vertical	111	1.00	-	44.31	31.05	8.30	34.26
AV	7.31267G	50.86	54.00	-3.14	11.81	3	Vertical	192	1.77	-	39.05	36.35	10.03	34.57
PK	4.87504G	52.59	74.00	-21.41	5.09	3	Vertical	111	1.00	-	47.50	31.05	8.30	34.26
PK	7.31268G	59.27	74.00	-14.73	11.81	3	Vertical	192	1.77	-	47.46	36.35	10.03	34.57

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87498G	48.45	54.00	-5.55	5.09	3	Horizontal	151	1.00	-	43.36	31.05	8.30	34.26
AV	7.31265G	45.11	54.00	-8.89	11.81	3	Horizontal	194	1.81	-	33.30	36.35	10.03	34.57
PK	4.87497G	53.48	74.00	-20.52	5.09	3	Horizontal	151	1.00	-	48.39	31.05	8.30	34.26
PK	7.31261G	55.20	74.00	-18.80	11.81	3	Horizontal	194	1.81	-	43.39	36.35	10.03	34.57

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.77	54.00	-8.23	33.57	3	Vertical	97	1.71	-	12.20	27.62	5.95	-
AV	2.4578G	112.25	Inf	-Inf	33.43	3	Vertical	97	1.71	-	78.82	27.40	6.03	-
AV	2.4842G	47.80	54.00	-6.20	33.46	3	Vertical	97	1.71	-	14.34	27.40	6.06	-
PK	2.3866G	56.28	74.00	-17.72	33.58	3	Vertical	97	1.71	-	22.70	27.63	5.95	-
PK	2.4574G	118.61	Inf	-Inf	33.43	3	Vertical	97	1.71	-	85.18	27.40	6.03	-
PK	2.485G	58.89	74.00	-15.11	33.46	3	Vertical	97	1.71	-	25.43	27.40	6.06	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.357G	45.73	54.00	-8.27	33.62	3	Horizontal	91	1.11	-	12.11	27.69	5.93	-
AV	2.4574G	103.36	Inf	-Inf	33.43	3	Horizontal	91	1.11	-	69.93	27.40	6.03	-
AV	2.4838G	45.83	54.00	-8.17	33.46	3	Horizontal	91	1.11	-	12.37	27.40	6.06	-
PK	2.3674G	57.51	74.00	-16.49	33.61	3	Horizontal	91	1.11	-	23.90	27.67	5.94	-
PK	2.4574G	109.56	Inf	-Inf	33.43	3	Horizontal	91	1.11	-	76.13	27.40	6.03	-
PK	2.4994G	57.07	74.00	-16.93	33.48	3	Horizontal	91	1.11	-	23.59	27.40	6.08	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.915G	50.50	54.00	-3.50	5.13	3	Vertical	252	2.59	-	45.37	31.06	8.32	34.25
AV	7.3726G	35.99	54.00	-18.01	11.61	3	Vertical	291	1.70	-	24.38	36.15	10.04	34.58
PK	4.915G	54.96	74.00	-19.04	5.13	3	Vertical	252	2.59	-	49.83	31.06	8.32	34.25
PK	7.37524G	49.07	74.00	-24.93	11.62	3	Vertical	291	1.70	-	37.45	36.15	10.05	34.58

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91496G	48.80	54.00	-5.20	5.13	3	Horizontal	151	1.00	-	43.67	31.06	8.32	34.25
AV	7.3726G	35.80	54.00	-18.20	11.61	3	Horizontal	353	2.17	-	24.19	36.15	10.04	34.58
PK	4.91496G	53.51	74.00	-20.49	5.13	3	Horizontal	151	1.00	-	48.38	31.06	8.32	34.25
PK	7.36872G	49.27	74.00	-24.73	11.62	3	Horizontal	353	2.17	-	37.65	36.16	10.04	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	45.90	54.00	-8.10	33.57	3	Vertical	96	1.48	-	12.33	27.62	5.95	-
AV	2.4628G	115.55	Inf	-Inf	33.44	3	Vertical	96	1.48	-	82.11	27.40	6.04	-
AV	2.4835G	48.06	54.00	-5.94	33.46	3	Vertical	96	1.48	-	14.60	27.40	6.06	-
PK	2.3888G	57.49	74.00	-16.51	33.57	3	Vertical	96	1.48	-	23.92	27.62	5.95	-
PK	2.4624G	121.81	Inf	-Inf	33.43	3	Vertical	96	1.48	-	88.38	27.40	6.03	-
PK	2.4848G	58.63	74.00	-15.37	33.46	3	Vertical	96	1.48	-	25.17	27.40	6.06	-

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3628G	45.73	54.00	-8.27	33.60	3	Horizontal	90	1.13	-	12.13	27.67	5.93	-
AV	2.4624G	107.61	Inf	-Inf	33.43	3	Horizontal	90	1.13	-	74.18	27.40	6.03	-
AV	2.484G	45.90	54.00	-8.10	33.46	3	Horizontal	90	1.13	-	12.44	27.40	6.06	-
PK	2.3684G	56.99	74.00	-17.01	33.60	3	Horizontal	90	1.13	-	23.39	27.66	5.94	-
PK	2.4624G	113.88	Inf	-Inf	33.43	3	Horizontal	90	1.13	-	80.45	27.40	6.03	-
PK	2.486G	57.30	74.00	-16.70	33.46	3	Horizontal	90	1.13	-	23.84	27.40	6.06	-

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92496G	50.90	54.00	-3.10	5.18	3	Vertical	253	2.59	-	45.72	31.10	8.33	34.25
AV	7.38722G	38.51	54.00	-15.49	11.60	3	Vertical	190	1.83	-	26.91	36.13	10.05	34.58
PK	4.925G	55.20	74.00	-18.80	5.18	3	Vertical	253	2.59	-	50.02	31.10	8.33	34.25
PK	7.3875G	50.77	74.00	-23.23	11.59	3	Vertical	190	1.83	-	39.18	36.12	10.05	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92496G	49.37	54.00	-4.63	5.18	3	Horizontal	151	1.01	-	44.19	31.10	8.33	34.25
AV	7.3875G	36.17	54.00	-17.83	11.59	3	Horizontal	172	1.02	-	24.58	36.12	10.05	34.58
PK	4.92504G	54.03	74.00	-19.97	5.18	3	Horizontal	151	1.01	-	48.85	31.10	8.33	34.25
PK	7.38392G	49.63	74.00	-24.37	11.60	3	Horizontal	172	1.02	-	38.03	36.13	10.05	34.58

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3892G	47.23	54.00	-6.77	33.57	3	Vertical	270	1.17	-	13.66	27.62	5.95	-
AV	2.4124G	111.08	Inf	-Inf	33.52	3	Vertical	270	1.17	-	77.56	27.55	5.97	-
AV	2.4835G	46.19	54.00	-7.81	33.46	3	Vertical	270	1.17	-	12.73	27.40	6.06	-
PK	2.3132G	58.17	74.00	-15.83	33.74	3	Vertical	270	1.17	-	24.43	27.85	5.89	-
PK	2.4128G	116.16	Inf	-Inf	33.53	3	Vertical	270	1.17	-	82.63	27.55	5.98	-
PK	2.484G	56.79	74.00	-17.21	33.46	3	Vertical	270	1.17	-	23.33	27.40	6.06	-

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.312G	46.16	54.00	-7.84	33.74	3	Horizontal	89	1.50	-	12.42	27.85	5.89	-
AV	2.4116G	103.98	Inf	-Inf	33.52	3	Horizontal	89	1.50	-	70.46	27.55	5.97	-
AV	2.484G	45.58	54.00	-8.42	33.46	3	Horizontal	89	1.50	-	12.12	27.40	6.06	-
PK	2.3356G	57.78	74.00	-16.22	33.67	3	Horizontal	89	1.50	-	24.11	27.76	5.91	-
PK	2.4116G	108.91	Inf	-Inf	33.52	3	Horizontal	89	1.50	-	75.39	27.55	5.97	-
PK	2.4888G	56.36	74.00	-17.64	33.47	3	Horizontal	89	1.50	-	22.89	27.40	6.07	-

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	50.91	54.00	-3.09	4.99	3	Vertical	251	2.73	-	45.92	31.00	8.27	34.28
PK	4.82392G	53.97	74.00	-20.03	4.99	3	Vertical	251	2.73	-	48.98	31.00	8.27	34.28

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	49.23	54.00	-4.77	4.99	3	Horizontal	153	1.04	-	44.24	31.00	8.27	34.28
PK	4.82388G	52.72	74.00	-21.28	4.99	3	Horizontal	153	1.04	-	47.73	31.00	8.27	34.28

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.55	54.00	-7.45	33.57	3	Vertical	97	1.76	-	12.98	27.62	5.95	-
AV	2.4174G	110.58	Inf	-Inf	33.51	3	Vertical	97	1.76	-	77.07	27.53	5.98	-
AV	2.4835G	46.57	54.00	-7.43	33.46	3	Vertical	97	1.76	-	13.11	27.40	6.06	-
PK	2.3874G	57.39	74.00	-16.61	33.58	3	Vertical	97	1.76	-	23.81	27.63	5.95	-
PK	2.4178G	115.58	Inf	-Inf	33.51	3	Vertical	97	1.76	-	82.07	27.53	5.98	-
PK	2.4842G	57.10	74.00	-16.90	33.46	3	Vertical	97	1.76	-	23.64	27.40	6.06	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3186G	46.11	54.00	-7.89	33.73	3	Horizontal	101	1.08	-	12.38	27.83	5.90	-
AV	2.4174G	103.67	Inf	-Inf	33.51	3	Horizontal	101	1.08	-	70.16	27.53	5.98	-
AV	2.4862G	45.60	54.00	-8.40	33.46	3	Horizontal	101	1.08	-	12.14	27.40	6.06	-
PK	2.3594G	57.41	74.00	-16.59	33.61	3	Horizontal	101	1.08	-	23.80	27.68	5.93	-
PK	2.4178G	108.61	Inf	-Inf	33.51	3	Horizontal	101	1.08	-	75.10	27.53	5.98	-
PK	2.4998G	56.36	74.00	-17.64	33.48	3	Horizontal	101	1.08	-	22.88	27.40	6.08	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83397G	50.87	54.00	-3.13	5.03	3	Vertical	251	2.68	-	45.84	31.04	8.27	34.28
AV	7.2517G	36.72	54.00	-17.28	11.66	3	Vertical	193	1.66	-	25.06	36.21	10.02	34.57
PK	4.83402G	54.34	74.00	-19.66	5.03	3	Vertical	251	2.68	-	49.31	31.04	8.27	34.28
PK	7.24994G	48.26	Inf	-Inf	11.66	3	Vertical	193	1.66	-	36.60	36.20	10.02	34.56

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83398G	49.22	54.00	-4.78	5.03	3	Horizontal	152	1.08	-	44.19	31.04	8.27	34.28
AV	7.25212G	35.53	54.00	-18.47	11.66	3	Horizontal	189	1.50	-	23.87	36.21	10.02	34.57
PK	4.83398G	52.97	74.00	-21.03	5.03	3	Horizontal	152	1.08	-	47.94	31.04	8.27	34.28
PK	7.25182G	49.33	74.00	-24.67	11.66	3	Horizontal	189	1.50	-	37.67	36.21	10.02	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.78	54.00	-7.22	33.57	3	Vertical	99	2.00	-	13.21	27.62	5.95	-
AV	2.4366G	116.17	Inf	-Inf	33.45	3	Vertical	99	2.00	-	82.72	27.45	6.00	-
AV	2.4835G	47.57	54.00	-6.43	33.46	3	Vertical	99	2.00	-	14.11	27.40	6.06	-
PK	2.389G	58.46	74.00	-15.54	33.57	3	Vertical	99	2.00	-	24.89	27.62	5.95	-
PK	2.4362G	121.02	Inf	-Inf	33.46	3	Vertical	99	2.00	-	87.56	27.46	6.00	-
PK	2.4838G	57.99	74.00	-16.01	33.46	3	Vertical	99	2.00	-	24.53	27.40	6.06	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3394G	45.94	54.00	-8.06	33.65	3	Horizontal	101	1.31	-	12.29	27.74	5.91	-
AV	2.4366G	109.34	Inf	-Inf	33.45	3	Horizontal	101	1.31	-	75.89	27.45	6.00	-
AV	2.4835G	45.81	54.00	-8.19	33.46	3	Horizontal	101	1.31	-	12.35	27.40	6.06	-
PK	2.3602G	57.26	74.00	-16.74	33.61	3	Horizontal	101	1.31	-	23.65	27.68	5.93	-
PK	2.4366G	114.31	Inf	-Inf	33.45	3	Horizontal	101	1.31	-	80.86	27.45	6.00	-
PK	2.499G	56.70	74.00	-17.30	33.48	3	Horizontal	101	1.31	-	23.22	27.40	6.08	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87396G	48.71	54.00	-5.29	5.09	3	Vertical	108	1.11	-	43.62	31.05	8.30	34.26
AV	7.31134G	50.74	54.00	-3.26	11.81	3	Vertical	190	1.77	-	38.93	36.35	10.03	34.57
PK	4.87402G	51.65	74.00	-22.35	5.09	3	Vertical	108	1.11	-	46.56	31.05	8.30	34.26
PK	7.3117G	57.85	74.00	-16.15	11.81	3	Vertical	190	1.77	-	46.04	36.35	10.03	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	47.37	54.00	-6.63	5.09	3	Horizontal	151	1.06	-	42.28	31.05	8.30	34.26
AV	7.31134G	44.36	54.00	-9.64	11.81	3	Horizontal	195	1.63	-	32.55	36.35	10.03	34.57
PK	4.87412G	51.93	74.00	-22.07	5.09	3	Horizontal	151	1.06	-	46.84	31.05	8.30	34.26
PK	7.31136G	53.88	74.00	-20.12	11.81	3	Horizontal	195	1.63	-	42.07	36.35	10.03	34.57

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	46.00	54.00	-8.00	33.57	3	Vertical	151	1.35	-	12.43	27.62	5.95	-
AV	2.4574G	108.91	Inf	-Inf	33.43	3	Vertical	151	1.35	-	75.48	27.40	6.03	-
AV	2.4835G	47.67	54.00	-6.33	33.46	3	Vertical	151	1.35	-	14.21	27.40	6.06	-
PK	2.3654G	56.77	74.00	-17.23	33.60	3	Vertical	151	1.35	-	23.17	27.67	5.93	-
PK	2.4578G	114.11	Inf	-Inf	33.43	3	Vertical	151	1.35	-	80.68	27.40	6.03	-
PK	2.4835G	57.55	74.00	-16.45	33.46	3	Vertical	151	1.35	-	24.09	27.40	6.06	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3574G	45.81	54.00	-8.19	33.62	3	Horizontal	354	1.48	-	12.19	27.69	5.93	-
AV	2.4566G	100.61	Inf	-Inf	33.43	3	Horizontal	354	1.48	-	67.18	27.40	6.03	-
AV	2.4838G	45.62	54.00	-8.38	33.46	3	Horizontal	354	1.48	-	12.16	27.40	6.06	-
PK	2.3594G	56.95	74.00	-17.05	33.61	3	Horizontal	354	1.48	-	23.34	27.68	5.93	-
PK	2.4566G	105.60	Inf	-Inf	33.43	3	Horizontal	354	1.48	-	72.17	27.40	6.03	-
PK	2.4862G	56.42	74.00	-17.58	33.46	3	Horizontal	354	1.48	-	22.96	27.40	6.06	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91398G	50.54	54.00	-3.46	5.13	3	Vertical	250	2.36	-	45.41	31.06	8.32	34.25
AV	7.37142G	36.31	54.00	-17.69	11.62	3	Vertical	192	2.16	-	24.69	36.16	10.04	34.58
PK	4.914G	54.05	74.00	-19.95	5.13	3	Vertical	250	2.36	-	48.92	31.06	8.32	34.25
PK	7.37014G	49.39	74.00	-24.61	11.62	3	Vertical	192	2.16	-	37.77	36.16	10.04	34.58

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91397G	47.33	54.00	-6.67	5.13	3	Horizontal	154	1.38	-	42.20	31.06	8.32	34.25
AV	7.37522G	35.56	54.00	-18.44	11.62	3	Horizontal	173	1.49	-	23.94	36.15	10.05	34.58
PK	4.91406G	51.65	74.00	-22.35	5.13	3	Horizontal	154	1.38	-	46.52	31.06	8.32	34.25
PK	7.372G	50.26	74.00	-23.74	11.62	3	Horizontal	173	1.49	-	38.64	36.16	10.04	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.87	54.00	-8.13	33.57	3	Vertical	99	1.48	-	12.30	27.62	5.95	-
AV	2.4624G	114.03	Inf	-Inf	33.43	3	Vertical	99	1.48	-	80.60	27.40	6.03	-
AV	2.4835G	47.75	54.00	-6.25	33.46	3	Vertical	99	1.48	-	14.29	27.40	6.06	-
PK	2.362G	57.09	74.00	-16.91	33.61	3	Vertical	99	1.48	-	23.48	27.68	5.93	-
PK	2.4628G	119.08	Inf	-Inf	33.44	3	Vertical	99	1.48	-	85.64	27.40	6.04	-
PK	2.4844G	57.84	74.00	-16.16	33.46	3	Vertical	99	1.48	-	24.38	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.364G	45.78	54.00	-8.22	33.60	3	Horizontal	90	1.11	-	12.18	27.67	5.93	-
AV	2.4616G	105.68	Inf	-Inf	33.43	3	Horizontal	90	1.11	-	72.25	27.40	6.03	-
AV	2.484G	45.86	54.00	-8.14	33.46	3	Horizontal	90	1.11	-	12.40	27.40	6.06	-
PK	2.3776G	56.35	74.00	-17.65	33.58	3	Horizontal	90	1.11	-	22.77	27.64	5.94	-
PK	2.4616G	110.64	Inf	-Inf	33.43	3	Horizontal	90	1.11	-	77.21	27.40	6.03	-
PK	2.4868G	56.80	74.00	-17.20	33.46	3	Horizontal	90	1.11	-	23.34	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92398G	50.59	54.00	-3.41	5.18	3	Vertical	250	2.60	-	45.41	31.10	8.33	34.25
AV	7.38688G	36.03	54.00	-17.97	11.60	3	Vertical	138	2.32	-	24.43	36.13	10.05	34.58
PK	4.924G	53.93	74.00	-20.07	5.18	3	Vertical	250	2.60	-	48.75	31.10	8.33	34.25
PK	7.38724G	48.73	74.00	-25.27	11.60	3	Vertical	138	2.32	-	37.13	36.13	10.05	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	49.53	54.00	-4.47	5.18	3	Horizontal	152	1.09	-	44.35	31.10	8.33	34.25
AV	7.38168G	35.37	54.00	-18.63	11.61	3	Horizontal	279	1.49	-	23.76	36.14	10.05	34.58
PK	4.92396G	53.40	74.00	-20.60	5.18	3	Horizontal	152	1.09	-	48.22	31.10	8.33	34.25
PK	7.3876G	49.09	74.00	-24.91	11.59	3	Horizontal	279	1.49	-	37.50	36.12	10.05	34.58

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.06	54.00	-6.94	33.57	3	Vertical	99	1.20	-	13.49	27.62	5.95	-
AV	2.4132G	108.44	Inf	-Inf	33.53	3	Vertical	99	1.20	-	74.91	27.55	5.98	-
AV	2.4835G	46.87	54.00	-7.13	33.46	3	Vertical	99	1.20	-	13.41	27.40	6.06	-
PK	2.3892G	58.11	74.00	-15.89	33.57	3	Vertical	99	1.20	-	24.54	27.62	5.95	-
PK	2.4128G	112.47	Inf	-Inf	33.53	3	Vertical	99	1.20	-	78.94	27.55	5.98	-
PK	2.4848G	57.85	74.00	-16.15	33.46	3	Vertical	99	1.20	-	24.39	27.40	6.06	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3156G	46.11	54.00	-7.89	33.74	3	Horizontal	119	1.12	-	12.37	27.84	5.90	-
AV	2.4128G	101.34	Inf	-Inf	33.53	3	Horizontal	119	1.12	-	67.81	27.55	5.98	-
AV	2.496G	45.59	54.00	-8.41	33.48	3	Horizontal	119	1.12	-	12.11	27.40	6.08	-
PK	2.3264G	57.11	74.00	-16.89	33.69	3	Horizontal	119	1.12	-	23.42	27.79	5.90	-
PK	2.4132G	105.40	Inf	-Inf	33.53	3	Horizontal	119	1.12	-	71.87	27.55	5.98	-
PK	2.4988G	56.28	74.00	-17.72	33.48	3	Horizontal	119	1.12	-	22.80	27.40	6.08	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82398G	50.88	54.00	-3.12	4.99	3	Vertical	111	1.14	-	45.89	31.00	8.27	34.28
PK	4.82388G	53.48	74.00	-20.52	4.99	3	Vertical	111	1.14	-	48.49	31.00	8.27	34.28

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	49.10	54.00	-4.90	4.99	3	Horizontal	151	1.13	-	44.11	31.00	8.27	34.28
PK	4.824G	52.24	74.00	-21.76	4.99	3	Horizontal	151	1.13	-	47.25	31.00	8.27	34.28

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.40	54.00	-6.60	33.57	3	Vertical	98	1.20	-	13.83	27.62	5.95	-
AV	2.4178G	111.93	Inf	-Inf	33.51	3	Vertical	98	1.20	-	78.42	27.53	5.98	-
AV	2.4835G	46.98	54.00	-7.02	33.46	3	Vertical	98	1.20	-	13.52	27.40	6.06	-
PK	2.3862G	57.75	74.00	-16.25	33.58	3	Vertical	98	1.20	-	24.17	27.63	5.95	-
PK	2.4178G	116.09	Inf	-Inf	33.51	3	Vertical	98	1.20	-	82.58	27.53	5.98	-
PK	2.4898G	57.40	74.00	-16.60	33.47	3	Vertical	98	1.20	-	23.93	27.40	6.07	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.37	54.00	-7.63	33.57	3	Horizontal	119	1.06	-	12.80	27.62	5.95	-
AV	2.4178G	104.24	Inf	-Inf	33.51	3	Horizontal	119	1.06	-	70.73	27.53	5.98	-
AV	2.4862G	45.58	54.00	-8.42	33.46	3	Horizontal	119	1.06	-	12.12	27.40	6.06	-
PK	2.365G	56.79	74.00	-17.21	33.60	3	Horizontal	119	1.06	-	23.19	27.67	5.93	-
PK	2.4178G	108.25	Inf	-Inf	33.51	3	Horizontal	119	1.06	-	74.74	27.53	5.98	-
PK	2.4946G	56.38	74.00	-17.62	33.47	3	Horizontal	119	1.06	-	22.91	27.40	6.07	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83396G	50.90	54.00	-3.10	5.03	3	Vertical	98	2.33	-	45.87	31.04	8.27	34.28
AV	7.2502G	37.06	54.00	-16.94	11.65	3	Vertical	193	1.33	-	25.41	36.20	10.02	34.57
PK	4.83392G	53.56	74.00	-20.44	5.03	3	Vertical	98	2.33	-	48.53	31.04	8.27	34.28
PK	7.25232G	50.10	74.00	-23.90	11.66	3	Vertical	193	1.33	-	38.44	36.21	10.02	34.57

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83396G	50.80	54.00	-3.20	5.03	3	Horizontal	151	1.27	-	45.77	31.04	8.27	34.28
AV	7.25156G	35.97	54.00	-18.03	11.66	3	Horizontal	298	2.48	-	24.31	36.21	10.02	34.57
PK	4.83404G	53.43	74.00	-20.57	5.03	3	Horizontal	151	1.27	-	48.40	31.04	8.27	34.28
PK	7.2514G	49.72	74.00	-24.28	11.66	3	Horizontal	298	2.48	-	38.06	36.21	10.02	34.57

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	47.64	54.00	-6.36	33.57	3	Vertical	96	1.14	-	14.07	27.62	5.95	-
AV	2.4362G	112.58	Inf	-Inf	33.46	3	Vertical	96	1.14	-	79.12	27.46	6.00	-
AV	2.4835G	49.48	54.00	-4.52	33.46	3	Vertical	96	1.14	-	16.02	27.40	6.06	-
PK	2.389G	57.19	74.00	-16.81	33.57	3	Vertical	96	1.14	-	23.62	27.62	5.95	-
PK	2.4362G	116.46	Inf	-Inf	33.46	3	Vertical	96	1.14	-	83.00	27.46	6.00	-
PK	2.4846G	60.00	74.00	-14.00	33.46	3	Vertical	96	1.14	-	26.54	27.40	6.06	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3434G	46.00	54.00	-8.00	33.65	3	Horizontal	286	1.25	-	12.35	27.73	5.92	-
AV	2.4362G	103.57	Inf	-Inf	33.46	3	Horizontal	286	1.25	-	70.11	27.46	6.00	-
AV	2.4835G	45.90	54.00	-8.10	33.46	3	Horizontal	286	1.25	-	12.44	27.40	6.06	-
PK	2.3742G	57.73	74.00	-16.27	33.59	3	Horizontal	286	1.25	-	24.14	27.65	5.94	-
PK	2.4362G	107.40	Inf	-Inf	33.46	3	Horizontal	286	1.25	-	73.94	27.46	6.00	-
PK	2.4966G	56.13	74.00	-17.87	33.48	3	Horizontal	286	1.25	-	22.65	27.40	6.08	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	50.11	54.00	-3.89	5.09	3	Vertical	103	1.00	-	45.02	31.05	8.30	34.26
AV	7.31164G	38.01	54.00	-15.99	11.81	3	Vertical	196	2.48	-	26.20	36.35	10.03	34.57
PK	4.8739G	53.12	74.00	-20.88	5.09	3	Vertical	103	1.00	-	48.03	31.05	8.30	34.26
PK	7.30992G	50.01	74.00	-23.99	11.82	3	Vertical	196	2.48	-	38.19	36.36	10.03	34.57

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87398G	47.06	54.00	-6.94	5.09	3	Horizontal	149	1.12	-	41.97	31.05	8.30	34.26
AV	7.30544G	35.99	54.00	-18.01	11.84	3	Horizontal	194	2.30	-	24.15	36.38	10.03	34.57
PK	4.87404G	50.78	74.00	-23.22	5.09	3	Horizontal	149	1.12	-	45.69	31.05	8.30	34.26
PK	7.31108G	50.68	74.00	-23.32	11.82	3	Horizontal	194	2.30	-	38.86	36.36	10.03	34.57

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.18	54.00	-7.82	33.57	3	Vertical	152	1.33	-	12.61	27.62	5.95	-
AV	2.4586G	112.31	Inf	-Inf	33.43	3	Vertical	152	1.33	-	78.88	27.40	6.03	-
AV	2.4838G	48.47	54.00	-5.53	33.46	3	Vertical	152	1.33	-	15.01	27.40	6.06	-
PK	2.3702G	57.83	74.00	-16.17	33.60	3	Vertical	152	1.33	-	24.23	27.66	5.94	-
PK	2.4582G	116.43	Inf	-Inf	33.43	3	Vertical	152	1.33	-	83.00	27.40	6.03	-
PK	2.4842G	58.92	74.00	-15.08	33.46	3	Vertical	152	1.33	-	25.46	27.40	6.06	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3598G	45.80	54.00	-8.20	33.61	3	Horizontal	298	1.05	-	12.19	27.68	5.93	-
AV	2.4578G	104.03	Inf	-Inf	33.43	3	Horizontal	298	1.05	-	70.60	27.40	6.03	-
AV	2.4838G	46.17	54.00	-7.83	33.46	3	Horizontal	298	1.05	-	12.71	27.40	6.06	-
PK	2.369G	57.11	74.00	-16.89	33.60	3	Horizontal	298	1.05	-	23.51	27.66	5.94	-
PK	2.4582G	108.03	Inf	-Inf	33.43	3	Horizontal	298	1.05	-	74.60	27.40	6.03	-
PK	2.4835G	56.77	74.00	-17.23	33.46	3	Horizontal	298	1.05	-	23.31	27.40	6.06	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	50.89	54.00	-3.11	5.13	3	Vertical	10	2.09	-	45.76	31.06	8.32	34.25
AV	7.37012G	38.14	54.00	-15.86	11.62	3	Vertical	195	2.65	-	26.52	36.16	10.04	34.58
PK	4.91392G	53.46	74.00	-20.54	5.13	3	Vertical	10	2.09	-	48.33	31.06	8.32	34.25
PK	7.37184G	50.03	74.00	-23.97	11.62	3	Vertical	195	2.65	-	38.41	36.16	10.04	34.58

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	50.75	54.00	-3.25	5.13	3	Horizontal	150	1.00	-	45.62	31.06	8.32	34.25
AV	7.37548G	36.00	54.00	-18.00	11.62	3	Horizontal	197	1.87	-	24.38	36.15	10.05	34.58
PK	4.91388G	53.54	74.00	-20.46	5.13	3	Horizontal	150	1.00	-	48.41	31.06	8.32	34.25
PK	7.37012G	50.25	74.00	-23.75	11.62	3	Horizontal	197	1.87	-	38.63	36.16	10.04	34.58

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.14	54.00	-7.86	33.57	3	Vertical	95	1.32	-	12.57	27.62	5.95	-
AV	2.4612G	113.55	Inf	-Inf	33.43	3	Vertical	95	1.32	-	80.12	27.40	6.03	-
AV	2.484G	48.78	54.00	-5.22	33.46	3	Vertical	95	1.32	-	15.32	27.40	6.06	-
PK	2.386G	57.16	74.00	-16.84	33.58	3	Vertical	95	1.32	-	23.58	27.63	5.95	-
PK	2.4612G	117.44	Inf	-Inf	33.43	3	Vertical	95	1.32	-	84.01	27.40	6.03	-
PK	2.4848G	59.93	74.00	-14.07	33.46	3	Vertical	95	1.32	-	26.47	27.40	6.06	-

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.362G	45.84	54.00	-8.16	33.61	3	Horizontal	120	1.31	-	12.23	27.68	5.93	-
AV	2.4628G	103.60	Inf	-Inf	33.44	3	Horizontal	120	1.31	-	70.16	27.40	6.04	-
AV	2.484G	45.85	54.00	-8.15	33.46	3	Horizontal	120	1.31	-	12.39	27.40	6.06	-
PK	2.3752G	56.66	74.00	-17.34	33.59	3	Horizontal	120	1.31	-	23.07	27.65	5.94	-
PK	2.4628G	107.54	Inf	-Inf	33.44	3	Horizontal	120	1.31	-	74.10	27.40	6.04	-
PK	2.4908G	56.77	74.00	-17.23	33.47	3	Horizontal	120	1.31	-	23.30	27.40	6.07	-

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	50.65	54.00	-3.35	5.18	3	Vertical	253	2.64	-	45.47	31.10	8.33	34.25
AV	7.38524G	38.21	54.00	-15.79	11.60	3	Vertical	194	2.49	-	26.61	36.13	10.05	34.58
PK	4.92404G	53.56	74.00	-20.44	5.18	3	Vertical	253	2.64	-	48.38	31.10	8.33	34.25
PK	7.38628G	50.13	74.00	-23.87	11.60	3	Vertical	194	2.49	-	38.53	36.13	10.05	34.58

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	48.44	54.00	-5.56	5.18	3	Horizontal	150	1.00	-	43.26	31.10	8.33	34.25
AV	7.39036G	36.05	54.00	-17.95	11.59	3	Horizontal	215	1.20	-	24.46	36.12	10.05	34.58
PK	4.92396G	51.78	74.00	-22.22	5.18	3	Horizontal	150	1.00	-	46.60	31.10	8.33	34.25
PK	7.39532G	49.59	74.00	-24.41	11.57	3	Horizontal	215	1.20	-	38.02	36.11	10.05	34.59

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3892G	50.25	54.00	-3.75	33.57	3	Vertical	45	1.50	-	16.68	27.62	5.95	-
AV	2.4136G	112.31	Inf	-Inf	33.53	3	Vertical	45	1.50	-	78.78	27.55	5.98	-
AV	2.4835G	47.20	54.00	-6.80	33.46	3	Vertical	45	1.50	-	13.74	27.40	6.06	-
PK	2.39G	67.48	74.00	-6.52	33.57	3	Vertical	45	1.50	-	33.91	27.62	5.95	-
PK	2.4112G	122.85	Inf	-Inf	33.53	3	Vertical	45	1.50	-	89.32	27.56	5.97	-
PK	2.4844G	59.86	74.00	-14.14	33.46	3	Vertical	45	1.50	-	26.40	27.40	6.06	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.24	54.00	-6.76	33.57	3	Horizontal	96	1.48	-	13.67	27.62	5.95	-
AV	2.414G	106.73	Inf	-Inf	33.52	3	Horizontal	96	1.48	-	73.21	27.54	5.98	-
AV	2.4835G	45.87	54.00	-8.13	33.46	3	Horizontal	96	1.48	-	12.41	27.40	6.06	-
PK	2.3888G	61.87	74.00	-12.13	33.57	3	Horizontal	96	1.48	-	28.30	27.62	5.95	-
PK	2.4136G	116.90	Inf	-Inf	33.53	3	Horizontal	96	1.48	-	83.37	27.55	5.98	-
PK	2.488G	57.65	74.00	-16.35	33.47	3	Horizontal	96	1.48	-	24.18	27.40	6.07	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82482G	44.48	54.00	-9.52	4.99	3	Vertical	250	2.57	-	39.49	31.00	8.27	34.28
PK	4.82506G	57.47	74.00	-16.53	4.99	3	Vertical	250	2.57	-	52.48	31.00	8.27	34.28

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82486G	41.79	54.00	-12.21	4.99	3	Horizontal	153	0.99	-	36.80	31.00	8.27	34.28
PK	4.82728G	54.55	74.00	-19.45	5.00	3	Horizontal	153	0.99	-	49.55	31.01	8.27	34.28

11g-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.20	54.00	-3.80	33.57	3	Vertical	195	1.48	-	16.63	27.62	5.95	-
AV	2.4186G	111.71	Inf	-Inf	33.51	3	Vertical	195	1.48	-	78.20	27.53	5.98	-
AV	2.4835G	48.29	54.00	-5.71	33.46	3	Vertical	195	1.48	-	14.83	27.40	6.06	-
PK	2.389G	63.59	74.00	-10.41	33.57	3	Vertical	195	1.48	-	30.02	27.62	5.95	-
PK	2.417G	121.75	Inf	-Inf	33.51	3	Vertical	195	1.48	-	88.24	27.53	5.98	-
PK	2.485G	60.62	74.00	-13.38	33.46	3	Vertical	195	1.48	-	27.16	27.40	6.06	-

11g-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.06	54.00	-5.94	33.57	3	Horizontal	96	1.48	-	14.49	27.62	5.95	-
AV	2.4182G	106.84	Inf	-Inf	33.51	3	Horizontal	96	1.48	-	73.33	27.53	5.98	-
AV	2.4835G	46.48	54.00	-7.52	33.46	3	Horizontal	96	1.48	-	13.02	27.40	6.06	-
PK	2.3882G	61.27	74.00	-12.73	33.57	3	Horizontal	96	1.48	-	27.70	27.62	5.95	-
PK	2.4174G	116.67	Inf	-Inf	33.51	3	Horizontal	96	1.48	-	83.16	27.53	5.98	-
PK	2.4835G	58.05	74.00	-15.95	33.46	3	Horizontal	96	1.48	-	24.59	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	46.67	54.00	-7.33	33.57	3	Vertical	26	1.16	-	13.10	27.62	5.95	-
AV	2.4366G	111.17	Inf	-Inf	33.45	3	Vertical	26	1.16	-	77.72	27.45	6.00	-
AV	2.4838G	47.48	54.00	-6.52	33.46	3	Vertical	26	1.16	-	14.02	27.40	6.06	-
PK	2.3702G	57.90	74.00	-16.10	33.60	3	Vertical	26	1.16	-	24.30	27.66	5.94	-
PK	2.4362G	121.24	Inf	-Inf	33.46	3	Vertical	26	1.16	-	87.78	27.46	6.00	-
PK	2.485G	58.19	74.00	-15.81	33.46	3	Vertical	26	1.16	-	24.73	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3422G	45.90	54.00	-8.10	33.65	3	Horizontal	96	1.91	-	12.25	27.73	5.92	-
AV	2.437G	104.57	Inf	-Inf	33.45	3	Horizontal	96	1.91	-	71.12	27.45	6.00	-
AV	2.4835G	45.95	54.00	-8.05	33.46	3	Horizontal	96	1.91	-	12.49	27.40	6.06	-
PK	2.3702G	57.46	74.00	-16.54	33.60	3	Horizontal	96	1.91	-	23.86	27.66	5.94	-
PK	2.4386G	114.70	Inf	-Inf	33.46	3	Horizontal	96	1.91	-	81.24	27.45	6.01	-
PK	2.4866G	57.31	74.00	-16.69	33.46	3	Horizontal	96	1.91	-	23.85	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87504G	45.34	54.00	-8.66	5.09	3	Vertical	157	2.67	-	40.25	31.05	8.30	34.26
AV	7.31248G	45.70	54.00	-8.30	11.81	3	Vertical	109	2.26	-	33.89	36.35	10.03	34.57
PK	4.8727G	58.24	74.00	-15.76	5.09	3	Vertical	157	2.67	-	53.15	31.05	8.30	34.26
PK	7.31544G	58.54	74.00	-15.46	11.80	3	Vertical	109	2.26	-	46.74	36.34	10.03	34.57

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87494G	41.80	54.00	-12.20	5.09	3	Horizontal	154	1.19	-	36.71	31.05	8.30	34.26
AV	7.31298G	42.59	54.00	-11.41	11.81	3	Horizontal	193	1.81	-	30.78	36.35	10.03	34.57
PK	4.87614G	54.71	74.00	-19.29	5.09	3	Horizontal	154	1.19	-	49.62	31.05	8.30	34.26
PK	7.31062G	55.89	74.00	-18.11	11.82	3	Horizontal	193	1.81	-	44.07	36.36	10.03	34.57

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.38	54.00	-7.62	33.57	3	Vertical	95	1.71	-	12.81	27.62	5.95	-
AV	2.459G	111.90	Inf	-Inf	33.43	3	Vertical	95	1.71	-	78.47	27.40	6.03	-
AV	2.4838G	50.37	54.00	-3.63	33.46	3	Vertical	95	1.71	-	16.91	27.40	6.06	-
PK	2.3878G	58.00	74.00	-16.00	33.57	3	Vertical	95	1.71	-	24.43	27.62	5.95	-
PK	2.459G	122.21	Inf	-Inf	33.43	3	Vertical	95	1.71	-	88.78	27.40	6.03	-
PK	2.4842G	65.83	74.00	-8.17	33.46	3	Vertical	95	1.71	-	32.37	27.40	6.06	-

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.82	54.00	-8.18	33.57	3	Horizontal	96	1.13	-	12.25	27.62	5.95	-
AV	2.4582G	105.98	Inf	-Inf	33.43	3	Horizontal	96	1.13	-	72.55	27.40	6.03	-
AV	2.4835G	47.31	54.00	-6.69	33.46	3	Horizontal	96	1.13	-	13.85	27.40	6.06	-
PK	2.3618G	57.08	74.00	-16.92	33.61	3	Horizontal	96	1.13	-	23.47	27.68	5.93	-
PK	2.4578G	115.01	Inf	-Inf	33.43	3	Horizontal	96	1.13	-	81.58	27.40	6.03	-
PK	2.4838G	60.45	74.00	-13.55	33.46	3	Horizontal	96	1.13	-	26.99	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	45.98	54.00	-8.02	33.57	3	Vertical	94	1.72	-	12.41	27.62	5.95	-
AV	2.462G	115.19	Inf	-Inf	33.43	3	Vertical	94	1.72	-	81.76	27.40	6.03	-
AV	2.4835G	50.59	54.00	-3.41	33.46	3	Vertical	94	1.72	-	17.13	27.40	6.06	-
PK	2.3872G	56.72	74.00	-17.28	33.58	3	Vertical	94	1.72	-	23.14	27.63	5.95	-
PK	2.4616G	125.40	Inf	-Inf	33.43	3	Vertical	94	1.72	-	91.97	27.40	6.03	-
PK	2.484G	62.40	74.00	-11.60	33.46	3	Vertical	94	1.72	-	28.94	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3628G	45.78	54.00	-8.22	33.60	3	Horizontal	97	1.14	-	12.18	27.67	5.93	-
AV	2.4612G	108.71	Inf	-Inf	33.43	3	Horizontal	97	1.14	-	75.28	27.40	6.03	-
AV	2.4835G	47.10	54.00	-6.90	33.46	3	Horizontal	97	1.14	-	13.64	27.40	6.06	-
PK	2.3704G	56.86	74.00	-17.14	33.60	3	Horizontal	97	1.14	-	23.26	27.66	5.94	-
PK	2.462G	118.57	Inf	-Inf	33.43	3	Horizontal	97	1.14	-	85.14	27.40	6.03	-
PK	2.4844G	58.33	74.00	-15.67	33.46	3	Horizontal	97	1.14	-	24.87	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92492G	41.69	54.00	-12.31	5.18	3	Vertical	149	2.61	-	36.51	31.10	8.33	34.25
AV	7.38788G	47.23	54.00	-6.77	11.59	3	Vertical	201	2.91	-	35.64	36.12	10.05	34.58
PK	4.9252G	54.39	74.00	-19.61	5.18	3	Vertical	149	2.61	-	49.21	31.10	8.33	34.25
PK	7.38666G	61.43	74.00	-12.57	11.60	3	Vertical	201	2.91	-	49.83	36.13	10.05	34.58

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92492G	37.92	54.00	-16.08	5.18	3	Horizontal	153	1.16	-	32.74	31.10	8.33	34.25
AV	7.38722G	42.58	54.00	-11.42	11.60	3	Horizontal	165	1.20	-	30.98	36.13	10.05	34.58
PK	4.92232G	51.83	74.00	-22.17	5.17	3	Horizontal	153	1.16	-	46.66	31.09	8.33	34.25
PK	7.3827G	56.77	74.00	-17.23	11.60	3	Horizontal	165	1.20	-	45.17	36.13	10.05	34.58

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.09	54.00	-3.91	33.57	3	Vertical	194	1.50	-	16.52	27.62	5.95	-
AV	2.414G	107.75	Inf	-Inf	33.52	3	Vertical	194	1.50	-	74.23	27.54	5.98	-
AV	2.4835G	47.44	54.00	-6.56	33.46	3	Vertical	194	1.50	-	13.98	27.40	6.06	-
PK	2.3896G	67.49	74.00	-6.51	33.57	3	Vertical	194	1.50	-	33.92	27.62	5.95	-
PK	2.414G	117.76	Inf	-Inf	33.52	3	Vertical	194	1.50	-	84.24	27.54	5.98	-
PK	2.4835G	61.60	74.00	-12.40	33.46	3	Vertical	194	1.50	-	28.14	27.40	6.06	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.47	54.00	-6.53	33.57	3	Horizontal	96	1.47	-	13.90	27.62	5.95	-
AV	2.4132G	103.01	Inf	-Inf	33.53	3	Horizontal	96	1.47	-	69.48	27.55	5.98	-
AV	2.4835G	45.87	54.00	-8.13	33.46	3	Horizontal	96	1.47	-	12.41	27.40	6.06	-
PK	2.388G	61.96	74.00	-12.04	33.57	3	Horizontal	96	1.47	-	28.39	27.62	5.95	-
PK	2.4136G	113.24	Inf	-Inf	33.53	3	Horizontal	96	1.47	-	79.71	27.55	5.98	-
PK	2.4852G	58.30	74.00	-15.70	33.46	3	Horizontal	96	1.47	-	24.84	27.40	6.06	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82388G	42.48	54.00	-11.52	4.99	3	Vertical	105	1.00	-	37.49	31.00	8.27	34.28
PK	4.82376G	52.13	74.00	-21.87	4.99	3	Vertical	105	1.00	-	47.14	31.00	8.27	34.28

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82382G	38.91	54.00	-15.09	4.99	3	Horizontal	154	1.08	-	33.92	31.00	8.27	34.28
PK	4.82904G	51.72	74.00	-22.28	5.01	3	Horizontal	154	1.08	-	46.71	31.02	8.27	34.28

11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.50	54.00	-3.50	33.57	3	Vertical	352	1.62	-	16.93	27.62	5.95	-
AV	2.4202G	110.86	Inf	-Inf	33.50	3	Vertical	352	1.62	-	77.36	27.52	5.98	-
AV	2.4835G	47.34	54.00	-6.66	33.46	3	Vertical	352	1.62	-	13.88	27.40	6.06	-
PK	2.3886G	66.03	74.00	-7.97	33.57	3	Vertical	352	1.62	-	32.46	27.62	5.95	-
PK	2.4174G	120.60	Inf	-Inf	33.51	3	Vertical	352	1.62	-	87.09	27.53	5.98	-
PK	2.4858G	62.48	74.00	-11.52	33.46	3	Vertical	352	1.62	-	29.02	27.40	6.06	-

11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.26	54.00	-6.74	33.57	3	Horizontal	95	1.49	-	13.69	27.62	5.95	-
AV	2.4186G	104.86	Inf	-Inf	33.51	3	Horizontal	95	1.49	-	71.35	27.53	5.98	-
AV	2.4835G	46.07	54.00	-7.93	33.46	3	Horizontal	95	1.49	-	12.61	27.40	6.06	-
PK	2.3898G	63.51	74.00	-10.49	33.57	3	Horizontal	95	1.49	-	29.94	27.62	5.95	-
PK	2.4182G	114.61	Inf	-Inf	33.51	3	Horizontal	95	1.49	-	81.10	27.53	5.98	-
PK	2.4866G	58.69	74.00	-15.31	33.46	3	Horizontal	95	1.49	-	25.23	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3882G	50.23	54.00	-3.77	33.57	3	Vertical	13	1.16	-	16.66	27.62	5.95	-
AV	2.4354G	111.14	Inf	-Inf	33.46	3	Vertical	13	1.16	-	77.68	27.46	6.00	-
AV	2.4846G	50.62	54.00	-3.38	33.46	3	Vertical	13	1.16	-	17.16	27.40	6.06	-
PK	2.3886G	62.55	74.00	-11.45	33.57	3	Vertical	13	1.16	-	28.98	27.62	5.95	-
PK	2.4402G	120.36	Inf	-Inf	33.45	3	Vertical	13	1.16	-	86.91	27.44	6.01	-
PK	2.4842G	62.68	74.00	-11.32	33.46	3	Vertical	13	1.16	-	29.22	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.43	54.00	-5.57	33.57	3	Horizontal	96	1.26	-	14.86	27.62	5.95	-
AV	2.4346G	105.90	Inf	-Inf	33.46	3	Horizontal	96	1.26	-	72.44	27.46	6.00	-
AV	2.4842G	48.16	54.00	-5.84	33.46	3	Horizontal	96	1.26	-	14.70	27.40	6.06	-
PK	2.3874G	59.36	74.00	-14.64	33.58	3	Horizontal	96	1.26	-	25.78	27.63	5.95	-
PK	2.4354G	115.61	Inf	-Inf	33.46	3	Horizontal	96	1.26	-	82.15	27.46	6.00	-
PK	2.4874G	59.01	74.00	-14.99	33.46	3	Horizontal	96	1.26	-	25.55	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87406G	41.95	54.00	-12.05	5.09	3	Vertical	243	1.49	-	36.86	31.05	8.30	34.26
AV	7.3098G	43.25	54.00	-10.75	11.82	3	Vertical	127	2.63	-	31.43	36.36	10.03	34.57
PK	4.87382G	53.59	74.00	-20.41	5.09	3	Vertical	243	1.49	-	48.50	31.05	8.30	34.26
PK	7.30926G	56.58	74.00	-17.42	11.82	3	Vertical	127	2.63	-	44.76	36.36	10.03	34.57

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	39.25	54.00	-14.75	5.09	3	Horizontal	152	2.63	-	34.16	31.05	8.30	34.26
AV	7.3095G	39.87	54.00	-14.13	11.82	3	Horizontal	192	1.62	-	28.05	36.36	10.03	34.57
PK	4.87712G	52.36	74.00	-21.64	5.09	3	Horizontal	152	2.63	-	47.27	31.05	8.30	34.26
PK	7.30968G	53.43	74.00	-20.57	11.82	3	Horizontal	192	1.62	-	41.61	36.36	10.03	34.57

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	46.34	54.00	-7.66	33.57	3	Vertical	95	1.73	-	12.77	27.62	5.95	-
AV	2.4582G	111.50	Inf	-Inf	33.43	3	Vertical	95	1.73	-	78.07	27.40	6.03	-
AV	2.4835G	50.32	54.00	-3.68	33.46	3	Vertical	95	1.73	-	16.86	27.40	6.06	-
PK	2.3882G	57.88	74.00	-16.12	33.57	3	Vertical	95	1.73	-	24.31	27.62	5.95	-
PK	2.4582G	121.61	Inf	-Inf	33.43	3	Vertical	95	1.73	-	88.18	27.40	6.03	-
PK	2.4835G	67.85	74.00	-6.15	33.46	3	Vertical	95	1.73	-	34.39	27.40	6.06	-

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3594G	45.83	54.00	-8.17	33.61	3	Horizontal	96	1.11	-	12.22	27.68	5.93	-
AV	2.4586G	104.74	Inf	-Inf	33.43	3	Horizontal	96	1.11	-	71.31	27.40	6.03	-
AV	2.4835G	46.99	54.00	-7.01	33.46	3	Horizontal	96	1.11	-	13.53	27.40	6.06	-
PK	2.3894G	57.52	74.00	-16.48	33.57	3	Horizontal	96	1.11	-	23.95	27.62	5.95	-
PK	2.4558G	115.05	Inf	-Inf	33.43	3	Horizontal	96	1.11	-	81.62	27.40	6.03	-
PK	2.4838G	60.96	74.00	-13.04	33.46	3	Horizontal	96	1.11	-	27.50	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.08	54.00	-7.92	33.57	3	Vertical	96	2.16	-	12.51	27.62	5.95	-
AV	2.4632G	112.85	Inf	-Inf	33.44	3	Vertical	96	2.16	-	79.41	27.40	6.04	-
AV	2.4835G	50.91	54.00	-3.09	33.46	3	Vertical	96	2.16	-	17.45	27.40	6.06	-
PK	2.3772G	57.18	74.00	-16.82	33.59	3	Vertical	96	2.16	-	23.59	27.65	5.94	-
PK	2.4644G	123.04	Inf	-Inf	33.44	3	Vertical	96	2.16	-	89.60	27.40	6.04	-
PK	2.484G	62.66	74.00	-11.34	33.46	3	Vertical	96	2.16	-	29.20	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3688G	45.77	54.00	-8.23	33.60	3	Horizontal	97	1.14	-	12.17	27.66	5.94	-
AV	2.4608G	106.11	Inf	-Inf	33.43	3	Horizontal	97	1.14	-	72.68	27.40	6.03	-
AV	2.4835G	46.82	54.00	-7.18	33.46	3	Horizontal	97	1.14	-	13.36	27.40	6.06	-
PK	2.384G	57.04	74.00	-16.96	33.58	3	Horizontal	97	1.14	-	23.46	27.63	5.95	-
PK	2.4648G	116.82	Inf	-Inf	33.44	3	Horizontal	97	1.14	-	83.38	27.40	6.04	-
PK	2.4844G	56.79	74.00	-17.21	33.46	3	Horizontal	97	1.14	-	23.33	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	40.44	54.00	-13.56	5.18	3	Vertical	153	1.50	-	35.26	31.10	8.33	34.25
AV	7.3856G	39.88	54.00	-14.12	11.60	3	Vertical	189	1.80	-	28.28	36.13	10.05	34.58
PK	4.92392G	47.80	74.00	-26.20	5.18	3	Vertical	153	1.50	-	42.62	31.10	8.33	34.25
PK	7.3804G	53.24	74.00	-20.76	11.61	3	Vertical	189	1.80	-	41.63	36.14	10.05	34.58

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92124G	37.47	54.00	-16.53	5.16	3	Horizontal	153	1.03	-	32.31	31.08	8.33	34.25
AV	7.3845G	37.57	54.00	-16.43	11.60	3	Horizontal	193	1.68	-	25.97	36.13	10.05	34.58
PK	4.92106G	51.24	74.00	-22.76	5.16	3	Horizontal	153	1.03	-	46.08	31.08	8.33	34.25
PK	7.3844G	50.25	74.00	-23.75	11.60	3	Horizontal	193	1.68	-	38.65	36.13	10.05	34.58

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.03	54.00	-3.97	33.57	3	Vertical	99	1.20	-	16.46	27.62	5.95	-
AV	2.4192G	104.50	Inf	-Inf	33.50	3	Vertical	99	1.20	-	71.00	27.52	5.98	-
AV	2.4835G	47.22	54.00	-6.78	33.46	3	Vertical	99	1.20	-	13.76	27.40	6.06	-
PK	2.3896G	62.44	74.00	-11.56	33.57	3	Vertical	99	1.20	-	28.87	27.62	5.95	-
PK	2.4192G	113.80	Inf	-Inf	33.50	3	Vertical	99	1.20	-	80.30	27.52	5.98	-
PK	2.4888G	57.96	74.00	-16.04	33.47	3	Vertical	99	1.20	-	24.49	27.40	6.07	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.00	54.00	-6.00	33.57	3	Horizontal	120	1.08	-	14.43	27.62	5.95	-
AV	2.4192G	96.54	Inf	-Inf	33.50	3	Horizontal	120	1.08	-	63.04	27.52	5.98	-
AV	2.4864G	45.87	54.00	-8.13	33.46	3	Horizontal	120	1.08	-	12.41	27.40	6.06	-
PK	2.39G	58.59	74.00	-15.41	33.57	3	Horizontal	120	1.08	-	25.02	27.62	5.95	-
PK	2.4196G	105.75	Inf	-Inf	33.50	3	Horizontal	120	1.08	-	72.25	27.52	5.98	-
PK	2.496G	56.79	74.00	-17.21	33.48	3	Horizontal	120	1.08	-	23.31	27.40	6.08	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	42.36	54.00	-11.64	4.99	3	Vertical	157	1.23	-	37.37	31.00	8.27	34.28
PK	4.8238G	49.13	74.00	-24.87	4.99	3	Vertical	157	1.23	-	44.14	31.00	8.27	34.28

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	34.01	54.00	-19.99	4.99	3	Horizontal	119	1.48	-	29.02	31.00	8.27	34.28
PK	4.82416G	46.71	74.00	-27.29	4.99	3	Horizontal	119	1.48	-	41.72	31.00	8.27	34.28

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.86	54.00	-3.14	33.57	3	Vertical	93	1.19	-	17.29	27.62	5.95	-
AV	2.4198G	107.72	Inf	-Inf	33.50	3	Vertical	93	1.19	-	74.22	27.52	5.98	-
AV	2.4835G	47.71	54.00	-6.29	33.46	3	Vertical	93	1.19	-	14.25	27.40	6.06	-
PK	2.389G	61.08	74.00	-12.92	33.57	3	Vertical	93	1.19	-	27.51	27.62	5.95	-
PK	2.4202G	116.76	Inf	-Inf	33.50	3	Vertical	93	1.19	-	83.26	27.52	5.98	-
PK	2.4835G	58.32	74.00	-15.68	33.46	3	Vertical	93	1.19	-	24.86	27.40	6.06	-

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.31	54.00	-6.69	33.57	3	Horizontal	117	1.49	-	13.74	27.62	5.95	-
AV	2.4198G	98.39	Inf	-Inf	33.50	3	Horizontal	117	1.49	-	64.89	27.52	5.98	-
AV	2.4862G	46.21	54.00	-7.79	33.46	3	Horizontal	117	1.49	-	12.75	27.40	6.06	-
PK	2.3222G	57.56	74.00	-16.44	33.71	3	Horizontal	117	1.49	-	23.85	27.81	5.90	-
PK	2.4194G	107.59	Inf	-Inf	33.50	3	Horizontal	117	1.49	-	74.09	27.52	5.98	-
PK	2.489G	56.51	74.00	-17.49	33.47	3	Horizontal	117	1.49	-	23.04	27.40	6.07	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.90	54.00	-6.10	33.57	3	Vertical	98	1.15	-	14.33	27.62	5.95	-
AV	2.4318G	107.60	Inf	-Inf	33.47	3	Vertical	98	1.15	-	74.13	27.47	6.00	-
AV	2.4835G	50.54	54.00	-3.46	33.46	3	Vertical	98	1.15	-	17.08	27.40	6.06	-
PK	2.3606G	57.73	74.00	-16.27	33.61	3	Vertical	98	1.15	-	24.12	27.68	5.93	-
PK	2.4318G	116.35	Inf	-Inf	33.47	3	Vertical	98	1.15	-	82.88	27.47	6.00	-
PK	2.4835G	60.24	74.00	-13.76	33.46	3	Vertical	98	1.15	-	26.78	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3378G	46.49	54.00	-7.51	33.66	3	Horizontal	295	1.49	-	12.83	27.75	5.91	-
AV	2.4314G	98.38	Inf	-Inf	33.47	3	Horizontal	295	1.49	-	64.91	27.47	6.00	-
AV	2.4846G	46.49	54.00	-7.51	33.46	3	Horizontal	295	1.49	-	13.03	27.40	6.06	-
PK	2.353G	57.18	74.00	-16.82	33.61	3	Horizontal	295	1.49	-	23.57	27.69	5.92	-
PK	2.431G	107.46	Inf	-Inf	33.48	3	Horizontal	295	1.49	-	73.98	27.48	6.00	-
PK	2.4854G	56.40	74.00	-17.60	33.46	3	Horizontal	295	1.49	-	22.94	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87392G	43.37	54.00	-10.63	5.09	3	Vertical	146	1.00	-	38.28	31.05	8.30	34.26
AV	7.31148G	36.21	54.00	-17.79	11.81	3	Vertical	306	2.44	-	24.40	36.35	10.03	34.57
PK	4.87416G	48.78	74.00	-25.22	5.09	3	Vertical	146	1.00	-	43.69	31.05	8.30	34.26
PK	7.31824G	49.03	74.00	-24.97	11.79	3	Vertical	306	2.44	-	37.24	36.33	10.03	34.57

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87404G	34.46	54.00	-19.54	5.09	3	Horizontal	112	1.01	-	29.37	31.05	8.30	34.26
AV	7.30456G	36.24	54.00	-17.76	11.84	3	Horizontal	18	1.76	-	24.40	36.38	10.03	34.57
PK	4.87388G	45.00	74.00	-29.00	5.09	3	Horizontal	112	1.01	-	39.91	31.05	8.30	34.26
PK	7.30728G	49.05	74.00	-24.95	11.83	3	Horizontal	18	1.76	-	37.22	36.37	10.03	34.57

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.78	54.00	-7.22	33.57	3	Vertical	98	1.34	-	13.21	27.62	5.95	-
AV	2.4618G	105.81	Inf	-Inf	33.43	3	Vertical	98	1.34	-	72.38	27.40	6.03	-
AV	2.4835G	50.04	54.00	-3.96	33.46	3	Vertical	98	1.34	-	16.58	27.40	6.06	-
PK	2.3894G	57.22	74.00	-16.78	33.57	3	Vertical	98	1.34	-	23.65	27.62	5.95	-
PK	2.4626G	115.14	Inf	-Inf	33.44	3	Vertical	98	1.34	-	81.70	27.40	6.04	-
PK	2.4846G	61.69	74.00	-12.31	33.46	3	Vertical	98	1.34	-	28.23	27.40	6.06	-

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3602G	46.24	54.00	-7.76	33.61	3	Horizontal	306	1.48	-	12.63	27.68	5.93	-
AV	2.4618G	95.43	Inf	-Inf	33.43	3	Horizontal	306	1.48	-	62.00	27.40	6.03	-
AV	2.4858G	46.50	54.00	-7.50	33.46	3	Horizontal	306	1.48	-	13.04	27.40	6.06	-
PK	2.3686G	57.06	74.00	-16.94	33.60	3	Horizontal	306	1.48	-	23.46	27.66	5.94	-
PK	2.4622G	104.52	Inf	-Inf	33.43	3	Horizontal	306	1.48	-	71.09	27.40	6.03	-
PK	2.4838G	56.71	74.00	-17.29	33.46	3	Horizontal	306	1.48	-	23.25	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.57	54.00	-7.43	33.57	3	Vertical	97	1.30	-	13.00	27.62	5.95	-
AV	2.4596G	105.47	Inf	-Inf	33.43	3	Vertical	97	1.30	-	72.04	27.40	6.03	-
AV	2.4835G	50.68	54.00	-3.32	33.46	3	Vertical	97	1.30	-	17.22	27.40	6.06	-
PK	2.3852G	56.72	74.00	-17.28	33.58	3	Vertical	97	1.30	-	23.14	27.63	5.95	-
PK	2.4648G	115.43	Inf	-Inf	33.44	3	Vertical	97	1.30	-	81.99	27.40	6.04	-
PK	2.4844G	60.61	74.00	-13.39	33.46	3	Vertical	97	1.30	-	27.15	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3624G	46.18	54.00	-7.82	33.61	3	Horizontal	295	1.09	-	12.57	27.68	5.93	-
AV	2.4596G	96.09	Inf	-Inf	33.43	3	Horizontal	295	1.09	-	62.66	27.40	6.03	-
AV	2.4844G	46.77	54.00	-7.23	33.46	3	Horizontal	295	1.09	-	13.31	27.40	6.06	-
PK	2.3812G	57.51	74.00	-16.49	33.59	3	Horizontal	295	1.09	-	23.92	27.64	5.95	-
PK	2.4596G	105.06	Inf	-Inf	33.43	3	Horizontal	295	1.09	-	71.63	27.40	6.03	-
PK	2.49G	56.69	74.00	-17.31	33.47	3	Horizontal	295	1.09	-	23.22	27.40	6.07	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	41.62	54.00	-12.38	5.18	3	Vertical	141	1.27	-	36.44	31.10	8.33	34.25
AV	7.39344G	36.53	54.00	-17.47	11.57	3	Vertical	309	1.04	-	24.96	36.11	10.05	34.59
PK	4.92408G	49.13	74.00	-24.87	5.18	3	Vertical	141	1.27	-	43.95	31.10	8.33	34.25
PK	7.38484G	49.33	74.00	-24.67	11.60	3	Vertical	309	1.04	-	37.73	36.13	10.05	34.58

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92412G	34.32	54.00	-19.68	5.18	3	Horizontal	113	1.00	-	29.14	31.10	8.33	34.25
AV	7.38892G	36.28	54.00	-17.72	11.59	3	Horizontal	221	1.89	-	24.69	36.12	10.05	34.58
PK	4.92348G	45.21	74.00	-28.79	5.17	3	Horizontal	113	1.00	-	40.04	31.09	8.33	34.25
PK	7.38548G	49.06	74.00	-24.94	11.60	3	Horizontal	221	1.89	-	37.46	36.13	10.05	34.58

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.46	54.00	-3.54	33.57	3	Vertical	331	1.60	-	16.89	27.62	5.95	-
AV	2.4132G	113.80	Inf	-Inf	33.53	3	Vertical	331	1.60	-	80.27	27.55	5.98	-
AV	2.484G	47.60	54.00	-6.40	33.46	3	Vertical	331	1.60	-	14.14	27.40	6.06	-
PK	2.3896G	64.01	74.00	-9.99	33.57	3	Vertical	331	1.60	-	30.44	27.62	5.95	-
PK	2.4136G	123.70	Inf	-Inf	33.53	3	Vertical	331	1.60	-	90.17	27.55	5.98	-
PK	2.484G	60.94	74.00	-13.06	33.46	3	Vertical	331	1.60	-	27.48	27.40	6.06	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3892G	46.78	54.00	-7.22	33.57	3	Horizontal	340	2.41	-	13.21	27.62	5.95	-
AV	2.412G	105.67	Inf	-Inf	33.52	3	Horizontal	340	2.41	-	72.15	27.55	5.97	-
AV	2.4835G	45.80	54.00	-8.20	33.46	3	Horizontal	340	2.41	-	12.34	27.40	6.06	-
PK	2.3896G	61.37	74.00	-12.63	33.57	3	Horizontal	340	2.41	-	27.80	27.62	5.95	-
PK	2.4116G	116.83	Inf	-Inf	33.52	3	Horizontal	340	2.41	-	83.31	27.55	5.97	-
PK	2.4948G	57.93	74.00	-16.07	33.47	3	Horizontal	340	2.41	-	24.46	27.40	6.07	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8249G	44.51	54.00	-9.49	4.99	3	Vertical	150	2.23	-	39.52	31.00	8.27	34.28
PK	4.82484G	55.09	74.00	-18.91	4.99	3	Vertical	150	2.23	-	50.10	31.00	8.27	34.28

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8249G	42.13	54.00	-11.87	4.99	3	Horizontal	132	1.00	-	37.14	31.00	8.27	34.28
PK	4.8249G	53.25	74.00	-20.75	4.99	3	Horizontal	132	1.00	-	48.26	31.00	8.27	34.28

11n-5M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.72	54.00	-4.28	33.57	3	Vertical	204	1.76	-	16.15	27.62	5.95	-
AV	2.4166G	113.36	Inf	-Inf	33.51	3	Vertical	204	1.76	-	79.85	27.53	5.98	-
AV	2.4835G	47.78	54.00	-6.22	33.46	3	Vertical	204	1.76	-	14.32	27.40	6.06	-
PK	2.3886G	65.00	74.00	-9.00	33.57	3	Vertical	204	1.76	-	31.43	27.62	5.95	-
PK	2.4166G	122.84	Inf	-Inf	33.51	3	Vertical	204	1.76	-	89.33	27.53	5.98	-
PK	2.4835G	61.77	74.00	-12.23	33.46	3	Vertical	204	1.76	-	28.31	27.40	6.06	-

11n-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.28	54.00	-7.72	33.57	3	Horizontal	341	1.52	-	12.71	27.62	5.95	-
AV	2.417G	105.92	Inf	-Inf	33.51	3	Horizontal	341	1.52	-	72.41	27.53	5.98	-
AV	2.4838G	45.89	54.00	-8.11	33.46	3	Horizontal	341	1.52	-	12.43	27.40	6.06	-
PK	2.3886G	58.93	74.00	-15.07	33.57	3	Horizontal	341	1.52	-	25.36	27.62	5.95	-
PK	2.4174G	116.27	Inf	-Inf	33.51	3	Horizontal	341	1.52	-	82.76	27.53	5.98	-
PK	2.4898G	57.02	74.00	-16.98	33.47	3	Horizontal	341	1.52	-	23.55	27.40	6.07	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.36	54.00	-6.64	33.57	3	Vertical	27	1.47	-	13.79	27.62	5.95	-
AV	2.4366G	114.20	Inf	-Inf	33.45	3	Vertical	27	1.47	-	80.75	27.45	6.00	-
AV	2.4858G	48.46	54.00	-5.54	33.46	3	Vertical	27	1.47	-	15.00	27.40	6.06	-
PK	2.3874G	58.96	74.00	-15.04	33.58	3	Vertical	27	1.47	-	25.38	27.63	5.95	-
PK	2.4366G	124.08	Inf	-Inf	33.45	3	Vertical	27	1.47	-	90.63	27.45	6.00	-
PK	2.4862G	61.42	74.00	-12.58	33.46	3	Vertical	27	1.47	-	27.96	27.40	6.06	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3886G	46.02	54.00	-7.98	33.57	3	Horizontal	298	1.25	-	12.45	27.62	5.95	-
AV	2.4382G	107.86	Inf	-Inf	33.46	3	Horizontal	298	1.25	-	74.40	27.45	6.01	-
AV	2.4835G	46.87	54.00	-7.13	33.46	3	Horizontal	298	1.25	-	13.41	27.40	6.06	-
PK	2.3454G	57.03	74.00	-16.97	33.64	3	Horizontal	298	1.25	-	23.39	27.72	5.92	-
PK	2.4382G	116.85	Inf	-Inf	33.46	3	Horizontal	298	1.25	-	83.39	27.45	6.01	-
PK	2.4874G	57.06	74.00	-16.94	33.46	3	Horizontal	298	1.25	-	23.60	27.40	6.06	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87496G	45.22	54.00	-8.78	5.09	3	Vertical	151	2.05	-	40.13	31.05	8.30	34.26
AV	7.31208G	47.64	54.00	-6.36	11.81	3	Vertical	189	1.78	-	35.83	36.35	10.03	34.57
PK	4.8761G	56.94	74.00	-17.06	5.09	3	Vertical	151	2.05	-	51.85	31.05	8.30	34.26
PK	7.3074G	60.19	74.00	-13.81	11.83	3	Vertical	189	1.78	-	48.36	36.37	10.03	34.57

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8752G	42.61	54.00	-11.39	5.09	3	Horizontal	131	2.47	-	37.52	31.05	8.30	34.26
AV	7.3125G	42.42	54.00	-11.58	11.81	3	Horizontal	195	1.03	-	30.61	36.35	10.03	34.57
PK	4.8752G	54.76	74.00	-19.24	5.09	3	Horizontal	131	2.47	-	49.67	31.05	8.30	34.26
PK	7.31196G	55.47	74.00	-18.53	11.81	3	Horizontal	195	1.03	-	43.66	36.35	10.03	34.57

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.64	54.00	-7.36	33.57	3	Vertical	189	1.17	-	13.07	27.62	5.95	-
AV	2.4586G	113.20	Inf	-Inf	33.43	3	Vertical	189	1.17	-	79.77	27.40	6.03	-
AV	2.4835G	50.80	54.00	-3.20	33.46	3	Vertical	189	1.17	-	17.34	27.40	6.06	-
PK	2.3886G	58.08	74.00	-15.92	33.57	3	Vertical	189	1.17	-	24.51	27.62	5.95	-
PK	2.4582G	124.16	Inf	-Inf	33.43	3	Vertical	189	1.17	-	90.73	27.40	6.03	-
PK	2.4835G	67.09	74.00	-6.91	33.46	3	Vertical	189	1.17	-	33.63	27.40	6.06	-

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3626G	45.89	54.00	-8.11	33.60	3	Horizontal	295	1.03	-	12.29	27.67	5.93	-
AV	2.4558G	105.89	Inf	-Inf	33.43	3	Horizontal	295	1.03	-	72.46	27.40	6.03	-
AV	2.4838G	47.02	54.00	-6.98	33.46	3	Horizontal	295	1.03	-	13.56	27.40	6.06	-
PK	2.3738G	56.74	74.00	-17.26	33.59	3	Horizontal	295	1.03	-	23.15	27.65	5.94	-
PK	2.4566G	115.94	Inf	-Inf	33.43	3	Horizontal	295	1.03	-	82.51	27.40	6.03	-
PK	2.4854G	59.06	74.00	-14.94	33.46	3	Horizontal	295	1.03	-	25.60	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.16	54.00	-7.84	33.57	3	Vertical	98	1.32	-	12.59	27.62	5.95	-
AV	2.462G	116.44	Inf	-Inf	33.43	3	Vertical	98	1.32	-	83.01	27.40	6.03	-
AV	2.4835G	50.61	54.00	-3.39	33.46	3	Vertical	98	1.32	-	17.15	27.40	6.06	-
PK	2.384G	57.40	74.00	-16.60	33.58	3	Vertical	98	1.32	-	23.82	27.63	5.95	-
PK	2.4628G	126.93	Inf	-Inf	33.44	3	Vertical	98	1.32	-	93.49	27.40	6.04	-
PK	2.484G	61.88	74.00	-12.12	33.46	3	Vertical	98	1.32	-	28.42	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3648G	45.96	54.00	-8.04	33.60	3	Horizontal	295	1.00	-	12.36	27.67	5.93	-
AV	2.4632G	109.39	Inf	-Inf	33.44	3	Horizontal	295	1.00	-	75.95	27.40	6.04	-
AV	2.4835G	47.30	54.00	-6.70	33.46	3	Horizontal	295	1.00	-	13.84	27.40	6.06	-
PK	2.3832G	57.59	74.00	-16.41	33.58	3	Horizontal	295	1.00	-	24.01	27.63	5.95	-
PK	2.4612G	119.52	Inf	-Inf	33.43	3	Horizontal	295	1.00	-	86.09	27.40	6.03	-
PK	2.4848G	58.41	74.00	-15.59	33.46	3	Horizontal	295	1.00	-	24.95	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92496G	43.44	54.00	-10.56	5.18	3	Vertical	97	1.16	-	38.26	31.10	8.33	34.25
AV	7.38684G	45.36	54.00	-8.64	11.60	3	Vertical	188	1.85	-	33.76	36.13	10.05	34.58
PK	4.92496G	54.31	74.00	-19.69	5.18	3	Vertical	97	1.16	-	49.13	31.10	8.33	34.25
PK	7.38486G	59.81	74.00	-14.19	11.60	3	Vertical	188	1.85	-	48.21	36.13	10.05	34.58

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92502G	37.87	54.00	-16.13	5.18	3	Horizontal	151	1.00	-	32.69	31.10	8.33	34.25
AV	7.3872G	40.42	54.00	-13.58	11.60	3	Horizontal	193	1.76	-	28.82	36.13	10.05	34.58
PK	4.92676G	50.20	74.00	-23.80	5.20	3	Horizontal	151	1.00	-	45.00	31.11	8.33	34.24
PK	7.38546G	55.31	74.00	-18.69	11.60	3	Horizontal	193	1.76	-	43.71	36.13	10.05	34.58

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.53	54.00	-3.47	33.57	3	Vertical	324	1.13	-	16.96	27.62	5.95	-
AV	2.4136G	108.78	Inf	-Inf	33.53	3	Vertical	324	1.13	-	75.25	27.55	5.98	-
AV	2.484G	47.27	54.00	-6.73	33.46	3	Vertical	324	1.13	-	13.81	27.40	6.06	-
PK	2.3896G	65.00	74.00	-9.00	33.57	3	Vertical	324	1.13	-	31.43	27.62	5.95	-
PK	2.4136G	119.61	Inf	-Inf	33.53	3	Vertical	324	1.13	-	86.08	27.55	5.98	-
PK	2.4835G	59.51	74.00	-14.49	33.46	3	Vertical	324	1.13	-	26.05	27.40	6.06	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.17	54.00	-6.83	33.57	3	Horizontal	341	2.43	-	13.60	27.62	5.95	-
AV	2.4108G	100.88	Inf	-Inf	33.53	3	Horizontal	341	2.43	-	67.35	27.56	5.97	-
AV	2.4835G	45.73	54.00	-8.27	33.46	3	Horizontal	341	2.43	-	12.27	27.40	6.06	-
PK	2.3896G	58.81	74.00	-15.19	33.57	3	Horizontal	341	2.43	-	25.24	27.62	5.95	-
PK	2.4128G	111.76	Inf	-Inf	33.53	3	Horizontal	341	2.43	-	78.23	27.55	5.98	-
PK	2.4944G	57.70	74.00	-16.30	33.47	3	Horizontal	341	2.43	-	24.23	27.40	6.07	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82394G	42.13	54.00	-11.87	4.99	3	Vertical	159	2.26	-	37.14	31.00	8.27	34.28
PK	4.82358G	53.00	74.00	-21.00	4.98	3	Vertical	159	2.26	-	48.02	30.99	8.27	34.28

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8234G	40.74	54.00	-13.26	4.98	3	Horizontal	150	1.11	-	35.76	30.99	8.27	34.28
PK	4.82454G	53.61	74.00	-20.39	4.99	3	Horizontal	150	1.11	-	48.62	31.00	8.27	34.28

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.59	54.00	-4.41	33.57	3	Vertical	101	1.20	-	16.02	27.62	5.95	-
AV	2.4206G	111.70	Inf	-Inf	33.50	3	Vertical	101	1.20	-	78.20	27.52	5.98	-
AV	2.4835G	47.36	54.00	-6.64	33.46	3	Vertical	101	1.20	-	13.90	27.40	6.06	-
PK	2.3878G	67.04	74.00	-6.96	33.57	3	Vertical	101	1.20	-	33.47	27.62	5.95	-
PK	2.4206G	121.50	Inf	-Inf	33.50	3	Vertical	101	1.20	-	88.00	27.52	5.98	-
PK	2.4838G	62.82	74.00	-11.18	33.46	3	Vertical	101	1.20	-	29.36	27.40	6.06	-

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	46.41	54.00	-7.59	33.57	3	Horizontal	342	1.52	-	12.84	27.62	5.95	-
AV	2.4162G	103.36	Inf	-Inf	33.52	3	Horizontal	342	1.52	-	69.84	27.54	5.98	-
AV	2.4835G	45.82	54.00	-8.18	33.46	3	Horizontal	342	1.52	-	12.36	27.40	6.06	-
PK	2.3242G	57.51	74.00	-16.49	33.70	3	Horizontal	342	1.52	-	23.81	27.80	5.90	-
PK	2.4154G	113.68	Inf	-Inf	33.52	3	Horizontal	342	1.52	-	80.16	27.54	5.98	-
PK	2.4874G	56.88	74.00	-17.12	33.46	3	Horizontal	342	1.52	-	23.42	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	48.98	54.00	-5.02	33.57	3	Vertical	27	1.19	-	15.41	27.62	5.95	-
AV	2.4346G	110.97	Inf	-Inf	33.46	3	Vertical	27	1.19	-	77.51	27.46	6.00	-
AV	2.4835G	50.91	54.00	-3.09	33.46	3	Vertical	27	1.19	-	17.45	27.40	6.06	-
PK	2.3898G	60.95	74.00	-13.05	33.57	3	Vertical	27	1.19	-	27.38	27.62	5.95	-
PK	2.4354G	121.31	Inf	-Inf	33.46	3	Vertical	27	1.19	-	87.85	27.46	6.00	-
PK	2.4854G	63.25	74.00	-10.75	33.46	3	Vertical	27	1.19	-	29.79	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.43	54.00	-7.57	33.57	3	Horizontal	297	1.25	-	12.86	27.62	5.95	-
AV	2.4386G	103.87	Inf	-Inf	33.46	3	Horizontal	297	1.25	-	70.41	27.45	6.01	-
AV	2.4846G	47.18	54.00	-6.82	33.46	3	Horizontal	297	1.25	-	13.72	27.40	6.06	-
PK	2.389G	57.00	74.00	-17.00	33.57	3	Horizontal	297	1.25	-	23.43	27.62	5.95	-
PK	2.4402G	114.41	Inf	-Inf	33.45	3	Horizontal	297	1.25	-	80.96	27.44	6.01	-
PK	2.487G	57.77	74.00	-16.23	33.46	3	Horizontal	297	1.25	-	24.31	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87394G	42.28	54.00	-11.72	5.09	3	Vertical	143	1.15	-	37.19	31.05	8.30	34.26
AV	7.31064G	41.60	54.00	-12.40	11.82	3	Vertical	223	2.63	-	29.78	36.36	10.03	34.57
PK	4.87406G	52.21	74.00	-21.79	5.09	3	Vertical	143	1.15	-	47.12	31.05	8.30	34.26
PK	7.3101G	54.63	74.00	-19.37	11.82	3	Vertical	223	2.63	-	42.81	36.36	10.03	34.57

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87406G	38.09	54.00	-15.91	5.09	3	Horizontal	132	1.00	-	33.00	31.05	8.30	34.26
AV	7.3107G	38.84	54.00	-15.16	11.82	3	Horizontal	196	1.85	-	27.02	36.36	10.03	34.57
PK	4.87274G	52.04	74.00	-21.96	5.09	3	Horizontal	132	1.00	-	46.95	31.05	8.30	34.26
PK	7.31154G	51.57	74.00	-22.43	11.81	3	Horizontal	196	1.85	-	39.76	36.35	10.03	34.57

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.50	54.00	-7.50	33.57	3	Vertical	188	1.01	-	12.93	27.62	5.95	-
AV	2.4586G	112.34	Inf	-Inf	33.43	3	Vertical	188	1.01	-	78.91	27.40	6.03	-
AV	2.4835G	50.11	54.00	-3.89	33.46	3	Vertical	188	1.01	-	16.65	27.40	6.06	-
PK	2.3886G	58.89	74.00	-15.11	33.57	3	Vertical	188	1.01	-	25.32	27.62	5.95	-
PK	2.459G	123.23	Inf	-Inf	33.43	3	Vertical	188	1.01	-	89.80	27.40	6.03	-
PK	2.4835G	67.64	74.00	-6.36	33.46	3	Vertical	188	1.01	-	34.18	27.40	6.06	-

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3594G	45.90	54.00	-8.10	33.61	3	Horizontal	296	1.05	-	12.29	27.68	5.93	-
AV	2.459G	104.91	Inf	-Inf	33.43	3	Horizontal	296	1.05	-	71.48	27.40	6.03	-
AV	2.4835G	46.85	54.00	-7.15	33.46	3	Horizontal	296	1.05	-	13.39	27.40	6.06	-
PK	2.385G	56.99	74.00	-17.01	33.58	3	Horizontal	296	1.05	-	23.41	27.63	5.95	-
PK	2.459G	116.22	Inf	-Inf	33.43	3	Horizontal	296	1.05	-	82.79	27.40	6.03	-
PK	2.4842G	58.41	74.00	-15.59	33.46	3	Horizontal	296	1.05	-	24.95	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.25	54.00	-7.75	33.57	3	Vertical	102	1.29	-	12.68	27.62	5.95	-
AV	2.4612G	112.54	Inf	-Inf	33.43	3	Vertical	102	1.29	-	79.11	27.40	6.03	-
AV	2.4835G	50.62	54.00	-3.38	33.46	3	Vertical	102	1.29	-	17.16	27.40	6.06	-
PK	2.3844G	56.96	74.00	-17.04	33.58	3	Vertical	102	1.29	-	23.38	27.63	5.95	-
PK	2.4616G	122.68	Inf	-Inf	33.43	3	Vertical	102	1.29	-	89.25	27.40	6.03	-
PK	2.484G	61.86	74.00	-12.14	33.46	3	Vertical	102	1.29	-	28.40	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3648G	45.86	54.00	-8.14	33.60	3	Horizontal	296	1.05	-	12.26	27.67	5.93	-
AV	2.4592G	105.30	Inf	-Inf	33.43	3	Horizontal	296	1.05	-	71.87	27.40	6.03	-
AV	2.484G	47.02	54.00	-6.98	33.46	3	Horizontal	296	1.05	-	13.56	27.40	6.06	-
PK	2.372G	56.70	74.00	-17.30	33.60	3	Horizontal	296	1.05	-	23.10	27.66	5.94	-
PK	2.4632G	116.37	Inf	-Inf	33.44	3	Horizontal	296	1.05	-	82.93	27.40	6.04	-
PK	2.4835G	58.07	74.00	-15.93	33.46	3	Horizontal	296	1.05	-	24.61	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	41.32	54.00	-12.68	5.18	3	Vertical	144	1.09	-	36.14	31.10	8.33	34.25
AV	7.3854G	39.32	54.00	-14.68	11.60	3	Vertical	190	1.84	-	27.72	36.13	10.05	34.58
PK	4.924G	49.57	74.00	-24.43	5.18	3	Vertical	144	1.09	-	44.39	31.10	8.33	34.25
PK	7.3887G	54.77	74.00	-19.23	11.59	3	Vertical	190	1.84	-	43.18	36.12	10.05	34.58

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92268G	36.70	54.00	-17.30	5.17	3	Horizontal	149	1.01	-	31.53	31.09	8.33	34.25
AV	7.38582G	36.70	54.00	-17.30	11.60	3	Horizontal	193	1.62	-	25.10	36.13	10.05	34.58
PK	4.9225G	49.73	74.00	-24.27	5.17	3	Horizontal	149	1.01	-	44.56	31.09	8.33	34.25
PK	7.3803G	50.05	74.00	-23.95	11.61	3	Horizontal	193	1.62	-	38.44	36.14	10.05	34.58

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.58	54.00	-3.42	33.57	3	Vertical	341	1.05	-	17.01	27.62	5.95	-
AV	2.4164G	103.91	Inf	-Inf	33.51	3	Vertical	341	1.05	-	70.40	27.53	5.98	-
AV	2.4844G	46.54	54.00	-7.46	33.46	3	Vertical	341	1.05	-	13.08	27.40	6.06	-
PK	2.39G	60.67	74.00	-13.33	33.57	3	Vertical	341	1.05	-	27.10	27.62	5.95	-
PK	2.4168G	113.19	Inf	-Inf	33.51	3	Vertical	341	1.05	-	79.68	27.53	5.98	-
PK	2.4976G	56.57	74.00	-17.43	33.48	3	Vertical	341	1.05	-	23.09	27.40	6.08	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.08	54.00	-6.92	33.57	3	Horizontal	123	1.48	-	13.51	27.62	5.95	-
AV	2.4184G	95.59	Inf	-Inf	33.51	3	Horizontal	123	1.48	-	62.08	27.53	5.98	-
AV	2.4992G	46.01	54.00	-7.99	33.48	3	Horizontal	123	1.48	-	12.53	27.40	6.08	-
PK	2.3556G	57.69	74.00	-16.31	33.62	3	Horizontal	123	1.48	-	24.07	27.69	5.93	-
PK	2.4184G	105.10	Inf	-Inf	33.51	3	Horizontal	123	1.48	-	71.59	27.53	5.98	-
PK	2.5G	57.01	74.00	-16.99	33.48	3	Horizontal	123	1.48	-	23.53	27.40	6.08	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82404G	42.20	54.00	-11.80	4.99	3	Vertical	157	1.23	-	37.21	31.00	8.27	34.28
PK	4.82388G	48.69	74.00	-25.31	4.99	3	Vertical	157	1.23	-	43.70	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	34.89	54.00	-19.11	4.99	3	Horizontal	117	1.06	-	29.90	31.00	8.27	34.28
PK	4.82404G	47.31	74.00	-26.69	4.99	3	Horizontal	117	1.06	-	42.32	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3882G	50.78	54.00	-3.22	33.57	3	Vertical	352	1.03	-	17.21	27.62	5.95	-
AV	2.4222G	109.87	Inf	-Inf	33.50	3	Vertical	352	1.03	-	76.37	27.51	5.99	-
AV	2.4835G	46.94	54.00	-7.06	33.46	3	Vertical	352	1.03	-	13.48	27.40	6.06	-
PK	2.389G	62.51	74.00	-11.49	33.57	3	Vertical	352	1.03	-	28.94	27.62	5.95	-
PK	2.4222G	119.67	Inf	-Inf	33.50	3	Vertical	352	1.03	-	86.17	27.51	5.99	-
PK	2.4835G	57.28	74.00	-16.72	33.46	3	Vertical	352	1.03	-	23.82	27.40	6.06	-

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	48.04	54.00	-5.96	33.57	3	Horizontal	124	1.48	-	14.47	27.62	5.95	-
AV	2.4222G	101.04	Inf	-Inf	33.50	3	Horizontal	124	1.48	-	67.54	27.51	5.99	-
AV	2.497G	45.90	54.00	-8.10	33.48	3	Horizontal	124	1.48	-	12.42	27.40	6.08	-
PK	2.3898G	58.16	74.00	-15.84	33.57	3	Horizontal	124	1.48	-	24.59	27.62	5.95	-
PK	2.4214G	110.31	Inf	-Inf	33.50	3	Horizontal	124	1.48	-	76.81	27.51	5.99	-
PK	2.4898G	56.67	74.00	-17.33	33.47	3	Horizontal	124	1.48	-	23.20	27.40	6.07	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.25	54.00	-3.75	33.57	3	Vertical	28	1.49	-	16.68	27.62	5.95	-
AV	2.4314G	110.08	Inf	-Inf	33.47	3	Vertical	28	1.49	-	76.61	27.47	6.00	-
AV	2.4835G	50.87	54.00	-3.13	33.46	3	Vertical	28	1.49	-	17.41	27.40	6.06	-
PK	2.3894G	61.65	74.00	-12.35	33.57	3	Vertical	28	1.49	-	28.08	27.62	5.95	-
PK	2.433G	119.34	Inf	-Inf	33.47	3	Vertical	28	1.49	-	85.87	27.47	6.00	-
PK	2.4842G	61.46	74.00	-12.54	33.46	3	Vertical	28	1.49	-	28.00	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	46.84	54.00	-7.16	33.57	3	Horizontal	124	1.48	-	13.27	27.62	5.95	-
AV	2.431G	100.32	Inf	-Inf	33.48	3	Horizontal	124	1.48	-	66.84	27.48	6.00	-
AV	2.4835G	46.67	54.00	-7.33	33.46	3	Horizontal	124	1.48	-	13.21	27.40	6.06	-
PK	2.3498G	57.39	74.00	-16.61	33.62	3	Horizontal	124	1.48	-	23.77	27.70	5.92	-
PK	2.4302G	108.73	Inf	-Inf	33.48	3	Horizontal	124	1.48	-	75.25	27.48	6.00	-
PK	2.4902G	57.10	74.00	-16.90	33.47	3	Horizontal	124	1.48	-	23.63	27.40	6.07	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87404G	42.38	54.00	-11.62	5.09	3	Vertical	146	1.16	-	37.29	31.05	8.30	34.26
AV	7.30972G	39.44	54.00	-14.56	11.82	3	Vertical	192	1.49	-	27.62	36.36	10.03	34.57
PK	4.87396G	48.45	74.00	-25.55	5.09	3	Vertical	146	1.16	-	43.36	31.05	8.30	34.26
PK	7.31112G	52.07	74.00	-21.93	11.82	3	Vertical	192	1.49	-	40.25	36.36	10.03	34.57

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87436G	34.72	54.00	-19.28	5.09	3	Horizontal	151	1.11	-	29.63	31.05	8.30	34.26
AV	7.30964G	37.58	54.00	-16.42	11.82	3	Horizontal	193	1.39	-	25.76	36.36	10.03	34.57
PK	4.874G	47.57	74.00	-26.43	5.09	3	Horizontal	151	1.11	-	42.48	31.05	8.30	34.26
PK	7.31024G	49.98	74.00	-24.02	11.82	3	Horizontal	193	1.39	-	38.16	36.36	10.03	34.57

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.73	54.00	-7.27	33.57	3	Vertical	104	1.48	-	13.16	27.62	5.95	-
AV	2.4634G	107.50	Inf	-Inf	33.44	3	Vertical	104	1.48	-	74.06	27.40	6.04	-
AV	2.4835G	50.63	54.00	-3.37	33.46	3	Vertical	104	1.48	-	17.17	27.40	6.06	-
PK	2.3814G	56.74	74.00	-17.26	33.59	3	Vertical	104	1.48	-	23.15	27.64	5.95	-
PK	2.4634G	116.22	Inf	-Inf	33.44	3	Vertical	104	1.48	-	82.78	27.40	6.04	-
PK	2.4866G	61.34	74.00	-12.66	33.46	3	Vertical	104	1.48	-	27.88	27.40	6.06	-

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3586G	46.36	54.00	-7.64	33.61	3	Horizontal	296	1.07	-	12.75	27.68	5.93	-
AV	2.4586G	98.78	Inf	-Inf	33.43	3	Horizontal	296	1.07	-	65.35	27.40	6.03	-
AV	2.4835G	47.05	54.00	-6.95	33.46	3	Horizontal	296	1.07	-	13.59	27.40	6.06	-
PK	2.389G	56.66	74.00	-17.34	33.57	3	Horizontal	296	1.07	-	23.09	27.62	5.95	-
PK	2.4586G	107.61	Inf	-Inf	33.43	3	Horizontal	296	1.07	-	74.18	27.40	6.03	-
PK	2.4882G	57.54	74.00	-16.46	33.47	3	Horizontal	296	1.07	-	24.07	27.40	6.07	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	46.47	54.00	-7.53	33.57	3	Vertical	101	1.31	-	12.90	27.62	5.95	-
AV	2.4604G	105.25	Inf	-Inf	33.43	3	Vertical	101	1.31	-	71.82	27.40	6.03	-
AV	2.4835G	50.89	54.00	-3.11	33.46	3	Vertical	101	1.31	-	17.43	27.40	6.06	-
PK	2.3856G	57.01	74.00	-16.99	33.58	3	Vertical	101	1.31	-	23.43	27.63	5.95	-
PK	2.4596G	114.41	Inf	-Inf	33.43	3	Vertical	101	1.31	-	80.98	27.40	6.03	-
PK	2.4835G	60.22	74.00	-13.78	33.46	3	Vertical	101	1.31	-	26.76	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.37G	46.13	54.00	-7.87	33.60	3	Horizontal	119	1.11	-	12.53	27.66	5.94	-
AV	2.46G	95.16	Inf	-Inf	33.43	3	Horizontal	119	1.11	-	61.73	27.40	6.03	-
AV	2.484G	46.77	54.00	-7.23	33.46	3	Horizontal	119	1.11	-	13.31	27.40	6.06	-
PK	2.37G	56.87	74.00	-17.13	33.60	3	Horizontal	119	1.11	-	23.27	27.66	5.94	-
PK	2.464G	104.04	Inf	-Inf	33.44	3	Horizontal	119	1.11	-	70.60	27.40	6.04	-
PK	2.4835G	56.73	74.00	-17.27	33.46	3	Horizontal	119	1.11	-	23.27	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	42.21	54.00	-11.79	5.18	3	Vertical	147	1.00	-	37.03	31.10	8.33	34.25
AV	7.37792G	36.39	54.00	-17.61	11.61	3	Vertical	334	2.43	-	24.78	36.14	10.05	34.58
PK	4.92396G	48.06	74.00	-25.94	5.18	3	Vertical	147	1.00	-	42.88	31.10	8.33	34.25
PK	7.37912G	49.23	74.00	-24.77	11.61	3	Vertical	334	2.43	-	37.62	36.14	10.05	34.58

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92404G	34.33	54.00	-19.67	5.18	3	Horizontal	113	1.20	-	29.15	31.10	8.33	34.25
AV	7.38208G	36.45	54.00	-17.55	11.61	3	Horizontal	312	1.07	-	24.84	36.14	10.05	34.58
PK	4.92404G	45.09	74.00	-28.91	5.18	3	Horizontal	113	1.20	-	39.91	31.10	8.33	34.25
PK	7.3832G	49.23	74.00	-24.77	11.60	3	Horizontal	312	1.07	-	37.63	36.13	10.05	34.58

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.81	54.00	-3.19	33.57	3	Vertical	341	1.05	-	17.24	27.62	5.95	-
AV	2.4248G	98.50	Inf	-Inf	33.49	3	Vertical	341	1.05	-	65.01	27.50	5.99	-
AV	2.4856G	47.44	54.00	-6.56	33.46	3	Vertical	341	1.05	-	13.98	27.40	6.06	-
PK	2.3884G	64.38	74.00	-9.62	33.57	3	Vertical	341	1.05	-	30.81	27.62	5.95	-
PK	2.426G	107.96	Inf	-Inf	33.49	3	Vertical	341	1.05	-	74.47	27.50	5.99	-
PK	2.484G	59.88	74.00	-14.12	33.46	3	Vertical	341	1.05	-	26.42	27.40	6.06	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.46	54.00	-6.54	33.57	3	Horizontal	125	1.49	-	13.89	27.62	5.95	-
AV	2.4268G	88.98	Inf	-Inf	33.48	3	Horizontal	125	1.49	-	55.50	27.49	5.99	-
AV	2.4835G	46.43	54.00	-7.57	33.46	3	Horizontal	125	1.49	-	12.97	27.40	6.06	-
PK	2.3852G	57.59	74.00	-16.41	33.58	3	Horizontal	125	1.49	-	24.01	27.63	5.95	-
PK	2.4256G	97.95	Inf	-Inf	33.49	3	Horizontal	125	1.49	-	64.46	27.50	5.99	-
PK	2.4844G	57.64	74.00	-16.36	33.46	3	Horizontal	125	1.49	-	24.18	27.40	6.06	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.844G	41.72	54.00	-12.28	5.09	3	Vertical	141	2.33	-	36.63	31.08	8.28	34.27
AV	7.2703G	37.33	54.00	-16.67	11.73	3	Vertical	341	1.20	-	25.60	36.28	10.02	34.57
PK	4.84408G	46.75	74.00	-27.25	5.09	3	Vertical	141	2.33	-	41.66	31.08	8.28	34.27
PK	7.26848G	49.00	74.00	-25.00	11.72	3	Vertical	341	1.20	-	37.28	36.27	10.02	34.57

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.844G	36.04	54.00	-17.96	5.09	3	Horizontal	59	2.75	-	30.95	31.08	8.28	34.27
AV	7.26638G	37.09	54.00	-16.91	11.72	3	Horizontal	226	1.98	-	25.37	36.27	10.02	34.57
PK	4.84406G	43.87	74.00	-30.13	5.09	3	Horizontal	59	2.75	-	38.78	31.08	8.28	34.27
PK	7.26112G	49.10	74.00	-24.90	11.69	3	Horizontal	226	1.98	-	37.41	36.24	10.02	34.57

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3886G	50.72	54.00	-3.28	33.57	3	Vertical	360	1.75	-	17.15	27.62	5.95	-
AV	2.4226G	102.50	Inf	-Inf	33.50	3	Vertical	360	1.75	-	69.00	27.51	5.99	-
AV	2.4835G	48.69	54.00	-5.31	33.46	3	Vertical	360	1.75	-	15.23	27.40	6.06	-
PK	2.387G	66.99	74.00	-7.01	33.58	3	Vertical	360	1.75	-	33.41	27.63	5.95	-
PK	2.4222G	111.76	Inf	-Inf	33.50	3	Vertical	360	1.75	-	78.26	27.51	5.99	-
PK	2.4858G	64.88	74.00	-9.12	33.46	3	Vertical	360	1.75	-	31.42	27.40	6.06	-

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.389G	49.52	54.00	-4.48	33.57	3	Horizontal	148	2.29	-	15.95	27.62	5.95	-
AV	2.4254G	95.63	Inf	-Inf	33.49	3	Horizontal	148	2.29	-	62.14	27.50	5.99	-
AV	2.4835G	46.48	54.00	-7.52	33.46	3	Horizontal	148	2.29	-	13.02	27.40	6.06	-
PK	2.389G	61.88	74.00	-12.12	33.57	3	Horizontal	148	2.29	-	28.31	27.62	5.95	-
PK	2.4242G	105.13	Inf	-Inf	33.49	3	Horizontal	148	2.29	-	71.64	27.50	5.99	-
PK	2.4958G	57.21	74.00	-16.79	33.47	3	Horizontal	148	2.29	-	23.74	27.40	6.07	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	47.70	54.00	-6.30	33.57	3	Vertical	100	1.17	-	14.13	27.62	5.95	-
AV	2.4254G	100.66	Inf	-Inf	33.49	3	Vertical	100	1.17	-	67.17	27.50	5.99	-
AV	2.4838G	50.75	54.00	-3.25	33.46	3	Vertical	100	1.17	-	17.29	27.40	6.06	-
PK	2.3898G	58.18	74.00	-15.82	33.57	3	Vertical	100	1.17	-	24.61	27.62	5.95	-
PK	2.4258G	109.82	Inf	-Inf	33.49	3	Vertical	100	1.17	-	76.33	27.50	5.99	-
PK	2.4874G	66.48	74.00	-7.52	33.46	3	Vertical	100	1.17	-	33.02	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3426G	46.76	54.00	-7.24	33.65	3	Horizontal	121	1.48	-	13.11	27.73	5.92	-
AV	2.4262G	90.42	Inf	-Inf	33.49	3	Horizontal	121	1.48	-	56.93	27.50	5.99	-
AV	2.4835G	46.72	54.00	-7.28	33.46	3	Horizontal	121	1.48	-	13.26	27.40	6.06	-
PK	2.3822G	56.94	74.00	-17.06	33.59	3	Horizontal	121	1.48	-	23.35	27.64	5.95	-
PK	2.4246G	99.28	Inf	-Inf	33.49	3	Horizontal	121	1.48	-	65.79	27.50	5.99	-
PK	2.497G	56.60	74.00	-17.40	33.48	3	Horizontal	121	1.48	-	23.12	27.40	6.08	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87394G	41.81	54.00	-12.19	5.09	3	Vertical	141	1.62	-	36.72	31.05	8.30	34.26
AV	7.30848G	36.96	54.00	-17.04	11.83	3	Vertical	134	1.98	-	25.13	36.37	10.03	34.57
PK	4.87402G	46.85	74.00	-27.15	5.09	3	Vertical	141	1.62	-	41.76	31.05	8.30	34.26
PK	7.3097G	49.88	74.00	-24.12	11.82	3	Vertical	134	1.98	-	38.06	36.36	10.03	34.57

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87398G	35.73	54.00	-18.27	5.09	3	Horizontal	61	2.74	-	30.64	31.05	8.30	34.26
AV	7.30748G	36.92	54.00	-17.08	11.83	3	Horizontal	318	1.75	-	25.09	36.37	10.03	34.57
PK	4.87392G	43.80	74.00	-30.20	5.09	3	Horizontal	61	2.74	-	38.71	31.05	8.30	34.26
PK	7.31192G	49.43	74.00	-24.57	11.81	3	Horizontal	318	1.75	-	37.62	36.35	10.03	34.57

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	46.99	54.00	-7.01	33.57	3	Vertical	79	1.49	-	13.42	27.62	5.95	-
AV	2.4652G	98.59	Inf	-Inf	33.44	3	Vertical	79	1.49	-	65.15	27.40	6.04	-
AV	2.4835G	50.68	54.00	-3.32	33.46	3	Vertical	79	1.49	-	17.22	27.40	6.06	-
PK	2.3848G	57.23	74.00	-16.77	33.58	3	Vertical	79	1.49	-	23.65	27.63	5.95	-
PK	2.4624G	107.87	Inf	-Inf	33.43	3	Vertical	79	1.49	-	74.44	27.40	6.03	-
PK	2.4864G	61.65	74.00	-12.35	33.46	3	Vertical	79	1.49	-	28.19	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3556G	46.67	54.00	-7.33	33.62	3	Horizontal	70	1.12	-	13.05	27.69	5.93	-
AV	2.4624G	92.15	Inf	-Inf	33.43	3	Horizontal	70	1.12	-	58.72	27.40	6.03	-
AV	2.4835G	47.71	54.00	-6.29	33.46	3	Horizontal	70	1.12	-	14.25	27.40	6.06	-
PK	2.3776G	56.98	74.00	-17.02	33.58	3	Horizontal	70	1.12	-	23.40	27.64	5.94	-
PK	2.4616G	100.81	Inf	-Inf	33.43	3	Horizontal	70	1.12	-	67.38	27.40	6.03	-
PK	2.4844G	57.53	74.00	-16.47	33.46	3	Horizontal	70	1.12	-	24.07	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90398G	41.81	54.00	-12.19	5.09	3	Vertical	142	1.00	-	36.72	31.02	8.32	34.25
AV	7.35892G	37.01	54.00	-16.99	11.64	3	Vertical	164	2.06	-	25.37	36.18	10.04	34.58
PK	4.904G	48.05	74.00	-25.95	5.09	3	Vertical	142	1.00	-	42.96	31.02	8.32	34.25
PK	7.3573G	49.36	74.00	-24.64	11.65	3	Vertical	164	2.06	-	37.71	36.19	10.04	34.58

802.11n HT40_Nss1_2TX

2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.90394G	35.66	54.00	-18.34	5.09	3	Horizontal	56	2.85	-	30.57	31.02	8.32	34.25
AV	7.35996G	37.14	54.00	-16.86	11.64	3	Horizontal	340	1.21	-	25.50	36.18	10.04	34.58
PK	4.90386G	44.20	74.00	-29.80	5.09	3	Horizontal	56	2.85	-	39.11	31.02	8.32	34.25
PK	7.35388G	49.64	74.00	-24.36	11.65	3	Horizontal	340	1.21	-	37.99	36.19	10.04	34.58



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1_2TX	Pass	PK	891.36M	41.45	46.00	-4.55	3	Horizontal	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	30M	32.41	40.00	-7.59	3	Vertical	0	1.00	-
2437MHz	Pass	PK	37.76M	32.29	40.00	-7.71	3	Vertical	0	1.00	-
2437MHz	Pass	PK	105.66M	27.71	43.50	-15.79	3	Vertical	0	1.00	-
2437MHz	Pass	PK	740.04M	38.09	46.00	-7.91	3	Vertical	0	1.00	-
2437MHz	Pass	PK	745.86M	37.79	46.00	-8.21	3	Vertical	0	1.00	-
2437MHz	Pass	PK	893.3M	39.76	46.00	-6.24	3	Vertical	0	1.00	-
2437MHz	Pass	PK	30M	27.53	40.00	-12.47	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	78.5M	26.29	40.00	-13.71	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	161.92M	27.20	43.50	-16.30	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	654.68M	36.70	46.00	-9.30	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	740.04M	40.88	46.00	-5.12	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	891.36M	41.45	46.00	-4.55	3	Horizontal	360	1.00	-

802.11n HT40_Nss1_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.41	40.00	-7.59	-3.19	3	Vertical	0	1.00	-	35.60	23.32	0.70	27.21
PK	37.76M	32.29	40.00	-7.71	-7.21	3	Vertical	0	1.00	-	39.50	19.08	0.86	27.15
PK	105.66M	27.71	43.50	-15.79	-9.56	3	Vertical	0	1.00	-	37.27	16.73	1.46	27.75
PK	740.04M	38.09	46.00	-7.91	1.07	3	Vertical	0	1.00	-	37.02	24.81	4.28	28.02
PK	745.86M	37.79	46.00	-8.21	1.18	3	Vertical	0	1.00	-	36.61	24.90	4.29	28.01
PK	893.3M	39.76	46.00	-6.24	2.97	3	Vertical	0	1.00	-	36.79	25.63	4.77	27.43

802.11n HT40_Nss1_2TX

2437MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	27.53	40.00	-12.47	-3.19	3	Horizontal	360	1.00	-	30.72	23.32	0.70	27.21
PK	78.5M	26.29	40.00	-13.71	-14.67	3	Horizontal	360	1.00	-	40.96	11.88	1.27	27.82
PK	161.92M	27.20	43.50	-16.30	-10.53	3	Horizontal	360	1.00	-	37.73	15.18	1.82	27.53
PK	654.68M	36.70	46.00	-9.30	-0.09	3	Horizontal	360	1.00	-	36.79	24.15	4.02	28.26
PK	740.04M	40.88	46.00	-5.12	1.07	3	Horizontal	360	1.00	-	39.81	24.81	4.28	28.02
PK	891.36M	41.45	46.00	-4.55	2.95	3	Horizontal	360	1.00	-	38.50	25.62	4.77	27.44

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
11b-5M_Nss1_2TX	Pass	AV	4.83496G	50.98	54.00	-3.02	3	Vertical	231	1.67	-
11b-10M_Nss1_2TX	Pass	AV	4.82495G	50.95	54.00	-3.05	3	Vertical	191	1.87	-
11b-20M_Nss1_2TX	Pass	AV	4.91397G	50.88	54.00	-3.12	3	Vertical	245	2.38	-
11g-5M_Nss1_2TX	Pass	AV	7.31286G	50.83	54.00	-3.17	3	Vertical	193	1.84	-
11g-10M_Nss1_2TX	Pass	AV	2.4835G	50.68	54.00	-3.32	3	Vertical	274	2.00	-
11g-20M_Nss1_2TX	Pass	AV	2.4835G	50.83	54.00	-3.17	3	Vertical	260	1.27	-
11n-5M_Nss1_2TX	Pass	AV	2.4835G	50.82	54.00	-3.18	3	Vertical	254	1.16	-
11n-10M_Nss1_2TX	Pass	AV	2.4835G	50.80	54.00	-3.20	3	Vertical	252	1.20	-
802.11n HT20_Nss1_2TX	Pass	AV	2.4835G	50.98	54.00	-3.02	3	Vertical	269	1.30	-
802.11n HT40_Nss1_2TX	Pass	AV	2.3898G	50.97	54.00	-3.03	3	Vertical	272	1.30	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11b-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3888G	46.96	54.00	-7.04	3	Vertical	254	1.19	-
2412MHz	Pass	AV	2.4128G	111.99	Inf	-Inf	3	Vertical	254	1.19	-
2412MHz	Pass	AV	2.484G	45.87	54.00	-8.13	3	Vertical	254	1.19	-
2412MHz	Pass	PK	2.3584G	57.92	74.00	-16.08	3	Vertical	254	1.19	-
2412MHz	Pass	PK	2.4124G	118.37	Inf	-Inf	3	Vertical	254	1.19	-
2412MHz	Pass	PK	2.4908G	56.60	74.00	-17.40	3	Vertical	254	1.19	-
2412MHz	Pass	AV	2.312G	46.06	54.00	-7.94	3	Horizontal	92	2.20	-
2412MHz	Pass	AV	2.4124G	103.69	Inf	-Inf	3	Horizontal	92	2.20	-
2412MHz	Pass	AV	2.4864G	45.48	54.00	-8.52	3	Horizontal	92	2.20	-
2412MHz	Pass	PK	2.3776G	58.10	74.00	-15.90	3	Horizontal	92	2.20	-
2412MHz	Pass	PK	2.4124G	110.12	Inf	-Inf	3	Horizontal	92	2.20	-
2412MHz	Pass	PK	2.4848G	56.23	74.00	-17.77	3	Horizontal	92	2.20	-
2412MHz	Pass	AV	4.82497G	50.50	54.00	-3.50	3	Vertical	231	1.71	-
2412MHz	Pass	PK	4.82493G	54.65	74.00	-19.35	3	Vertical	231	1.71	-
2412MHz	Pass	AV	4.82495G	47.52	54.00	-6.48	3	Horizontal	152	1.03	-
2412MHz	Pass	PK	4.82499G	52.36	74.00	-21.64	3	Horizontal	152	1.03	-
2417MHz	Pass	AV	2.3898G	46.46	54.00	-7.54	3	Vertical	257	1.19	-
2417MHz	Pass	AV	2.4174G	110.53	Inf	-Inf	3	Vertical	257	1.19	-
2417MHz	Pass	AV	2.4838G	45.89	54.00	-8.11	3	Vertical	257	1.19	-
2417MHz	Pass	PK	2.3494G	57.90	74.00	-16.10	3	Vertical	257	1.19	-
2417MHz	Pass	PK	2.4174G	116.84	Inf	-Inf	3	Vertical	257	1.19	-
2417MHz	Pass	PK	2.491G	56.33	74.00	-17.67	3	Vertical	257	1.19	-
2417MHz	Pass	AV	2.317G	46.00	54.00	-8.00	3	Horizontal	117	1.48	-
2417MHz	Pass	AV	2.4182G	102.78	Inf	-Inf	3	Horizontal	117	1.48	-
2417MHz	Pass	AV	2.4842G	45.54	54.00	-8.46	3	Horizontal	117	1.48	-
2417MHz	Pass	PK	2.3282G	57.37	74.00	-16.63	3	Horizontal	117	1.48	-
2417MHz	Pass	PK	2.4178G	108.07	Inf	-Inf	3	Horizontal	117	1.48	-
2417MHz	Pass	PK	2.489G	56.64	74.00	-17.36	3	Horizontal	117	1.48	-
2417MHz	Pass	AV	4.83496G	50.98	54.00	-3.02	3	Vertical	231	1.67	-
2417MHz	Pass	AV	7.25302G	35.60	54.00	-18.40	3	Vertical	140	1.94	-
2417MHz	Pass	PK	4.83496G	55.15	74.00	-18.85	3	Vertical	231	1.67	-
2417MHz	Pass	PK	7.25352G	49.63	74.00	-24.37	3	Vertical	140	1.94	-
2417MHz	Pass	AV	4.83498G	46.95	54.00	-7.05	3	Horizontal	152	1.03	-
2417MHz	Pass	AV	7.2535G	35.60	54.00	-18.40	3	Horizontal	55	2.41	-
2417MHz	Pass	PK	4.83504G	51.76	74.00	-22.24	3	Horizontal	152	1.03	-
2417MHz	Pass	PK	7.25428G	49.07	74.00	-24.93	3	Horizontal	55	2.41	-
2437MHz	Pass	AV	2.3898G	46.72	54.00	-7.28	3	Vertical	274	2.73	-
2437MHz	Pass	AV	2.437G	119.32	Inf	-Inf	3	Vertical	274	2.73	-
2437MHz	Pass	AV	2.4838G	47.46	54.00	-6.54	3	Vertical	274	2.73	-
2437MHz	Pass	PK	2.3802G	57.93	74.00	-16.07	3	Vertical	274	2.73	-
2437MHz	Pass	PK	2.4374G	125.00	Inf	-Inf	3	Vertical	274	2.73	-
2437MHz	Pass	PK	2.4854G	58.13	74.00	-15.87	3	Vertical	274	2.73	-
2437MHz	Pass	AV	2.337G	46.05	54.00	-7.95	3	Horizontal	148	1.29	-
2437MHz	Pass	AV	2.4366G	115.61	Inf	-Inf	3	Horizontal	148	1.29	-
2437MHz	Pass	AV	2.4835G	46.39	54.00	-7.61	3	Horizontal	148	1.29	-
2437MHz	Pass	PK	2.369G	57.81	74.00	-16.19	3	Horizontal	148	1.29	-
2437MHz	Pass	PK	2.4374G	121.50	Inf	-Inf	3	Horizontal	148	1.29	-
2437MHz	Pass	PK	2.4854G	57.29	74.00	-16.71	3	Horizontal	148	1.29	-
2437MHz	Pass	AV	4.87494G	49.06	54.00	-4.94	3	Vertical	235	1.92	-
2437MHz	Pass	AV	7.31228G	50.63	54.00	-3.37	3	Vertical	188	1.84	-
2437MHz	Pass	PK	4.875G	54.06	74.00	-19.94	3	Vertical	235	1.92	-
2437MHz	Pass	PK	7.31236G	58.60	74.00	-15.40	3	Vertical	188	1.84	-
2437MHz	Pass	AV	4.87492G	45.34	54.00	-8.66	3	Horizontal	157	2.23	-
2437MHz	Pass	AV	7.3122G	45.03	54.00	-8.97	3	Horizontal	168	2.41	-
2437MHz	Pass	PK	4.87492G	51.85	74.00	-22.15	3	Horizontal	157	2.23	-
2437MHz	Pass	PK	7.31238G	54.98	74.00	-19.02	3	Horizontal	168	2.41	-
2457MHz	Pass	AV	2.3898G	46.04	54.00	-7.96	3	Vertical	263	1.26	-
2457MHz	Pass	AV	2.4578G	113.15	Inf	-Inf	3	Vertical	263	1.26	-
2457MHz	Pass	AV	2.4838G	47.32	54.00	-6.68	3	Vertical	263	1.26	-
2457MHz	Pass	PK	2.3678G	57.12	74.00	-16.88	3	Vertical	263	1.26	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.4574G	119.46	Inf	-Inf	3	Vertical	263	1.26	-
2457MHz	Pass	PK	2.4835G	57.91	74.00	-16.09	3	Vertical	263	1.26	-
2457MHz	Pass	AV	2.3662G	45.89	54.00	-8.11	3	Horizontal	146	1.20	-
2457MHz	Pass	AV	2.4574G	109.43	Inf	-Inf	3	Horizontal	146	1.20	-
2457MHz	Pass	AV	2.4835G	46.57	54.00	-7.43	3	Horizontal	146	1.20	-
2457MHz	Pass	PK	2.3714G	56.45	74.00	-17.55	3	Horizontal	146	1.20	-
2457MHz	Pass	PK	2.4574G	115.70	Inf	-Inf	3	Horizontal	146	1.20	-
2457MHz	Pass	PK	2.4838G	58.01	74.00	-15.99	3	Horizontal	146	1.20	-
2457MHz	Pass	AV	4.91496G	50.79	54.00	-3.21	3	Vertical	234	1.68	-
2457MHz	Pass	AV	7.37276G	36.13	54.00	-17.87	3	Vertical	225	1.54	-
2457MHz	Pass	PK	4.91498G	54.84	74.00	-19.16	3	Vertical	234	1.68	-
2457MHz	Pass	PK	7.37302G	49.35	74.00	-24.65	3	Vertical	225	1.54	-
2457MHz	Pass	AV	4.91498G	45.64	54.00	-8.36	3	Horizontal	120	1.09	-
2457MHz	Pass	AV	7.37572G	35.53	54.00	-18.47	3	Horizontal	182	2.14	-
2457MHz	Pass	PK	4.915G	50.94	74.00	-23.06	3	Horizontal	120	1.09	-
2457MHz	Pass	PK	7.3738G	49.14	74.00	-24.86	3	Horizontal	182	2.14	-
2462MHz	Pass	AV	2.39G	46.04	54.00	-7.96	3	Vertical	106	1.28	-
2462MHz	Pass	AV	2.4628G	114.99	Inf	-Inf	3	Vertical	106	1.28	-
2462MHz	Pass	AV	2.484G	47.45	54.00	-6.55	3	Vertical	106	1.28	-
2462MHz	Pass	PK	2.3884G	56.74	74.00	-17.26	3	Vertical	106	1.28	-
2462MHz	Pass	PK	2.4628G	121.11	Inf	-Inf	3	Vertical	106	1.28	-
2462MHz	Pass	PK	2.4852G	58.36	74.00	-15.64	3	Vertical	106	1.28	-
2462MHz	Pass	AV	2.3652G	45.91	54.00	-8.09	3	Horizontal	148	1.00	-
2462MHz	Pass	AV	2.4624G	110.79	Inf	-Inf	3	Horizontal	148	1.00	-
2462MHz	Pass	AV	2.4852G	46.50	54.00	-7.50	3	Horizontal	148	1.00	-
2462MHz	Pass	PK	2.3644G	56.88	74.00	-17.12	3	Horizontal	148	1.00	-
2462MHz	Pass	PK	2.4624G	117.18	Inf	-Inf	3	Horizontal	148	1.00	-
2462MHz	Pass	PK	2.4904G	57.10	74.00	-16.90	3	Horizontal	148	1.00	-
2462MHz	Pass	AV	4.92498G	50.81	54.00	-3.19	3	Vertical	236	2.45	-
2462MHz	Pass	AV	7.38736G	38.37	54.00	-15.63	3	Vertical	191	1.82	-
2462MHz	Pass	PK	4.92496G	54.60	74.00	-19.40	3	Vertical	236	2.45	-
2462MHz	Pass	PK	7.38762G	50.76	74.00	-23.24	3	Vertical	191	1.82	-
2462MHz	Pass	AV	4.92496G	46.33	54.00	-7.67	3	Horizontal	120	1.01	-
2462MHz	Pass	AV	7.38732G	36.11	54.00	-17.89	3	Horizontal	196	1.47	-
2462MHz	Pass	PK	4.925G	51.15	74.00	-22.85	3	Horizontal	120	1.01	-
2462MHz	Pass	PK	7.38294G	49.33	74.00	-24.67	3	Horizontal	196	1.47	-
11b-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	46.56	54.00	-7.44	3	Vertical	260	1.36	-
2412MHz	Pass	AV	2.4116G	110.62	Inf	-Inf	3	Vertical	260	1.36	-
2412MHz	Pass	AV	2.484G	46.04	54.00	-7.96	3	Vertical	260	1.36	-
2412MHz	Pass	PK	2.318G	57.54	74.00	-16.46	3	Vertical	260	1.36	-
2412MHz	Pass	PK	2.4116G	115.58	Inf	-Inf	3	Vertical	260	1.36	-
2412MHz	Pass	PK	2.4868G	56.43	74.00	-17.57	3	Vertical	260	1.36	-
2412MHz	Pass	AV	2.3172G	46.22	54.00	-7.78	3	Horizontal	73	1.17	-
2412MHz	Pass	AV	2.4116G	104.62	Inf	-Inf	3	Horizontal	73	1.17	-
2412MHz	Pass	AV	2.4956G	45.73	54.00	-8.27	3	Horizontal	73	1.17	-
2412MHz	Pass	PK	2.312G	58.35	74.00	-15.65	3	Horizontal	73	1.17	-
2412MHz	Pass	PK	2.4112G	109.87	Inf	-Inf	3	Horizontal	73	1.17	-
2412MHz	Pass	PK	2.4912G	56.33	74.00	-17.67	3	Horizontal	73	1.17	-
2412MHz	Pass	AV	4.82495G	50.95	54.00	-3.05	3	Vertical	191	1.87	-
2412MHz	Pass	PK	4.82498G	54.76	74.00	-19.24	3	Vertical	191	1.87	-
2412MHz	Pass	AV	4.82496G	48.97	54.00	-5.03	3	Horizontal	117	2.67	-
2412MHz	Pass	PK	4.82497G	53.75	74.00	-20.25	3	Horizontal	117	2.67	-
2417MHz	Pass	AV	2.3886G	46.27	54.00	-7.73	3	Vertical	259	1.42	-
2417MHz	Pass	AV	2.4174G	110.06	Inf	-Inf	3	Vertical	259	1.42	-
2417MHz	Pass	AV	2.4835G	46.00	54.00	-8.00	3	Vertical	259	1.42	-
2417MHz	Pass	PK	2.3218G	58.28	74.00	-15.72	3	Vertical	259	1.42	-
2417MHz	Pass	PK	2.4174G	114.98	Inf	-Inf	3	Vertical	259	1.42	-
2417MHz	Pass	PK	2.4886G	57.06	74.00	-16.94	3	Vertical	259	1.42	-
2417MHz	Pass	AV	2.3174G	46.17	54.00	-7.83	3	Horizontal	72	1.17	-
2417MHz	Pass	AV	2.4166G	104.74	Inf	-Inf	3	Horizontal	72	1.17	-
2417MHz	Pass	AV	2.497G	45.69	54.00	-8.31	3	Horizontal	72	1.17	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.3398G	57.24	74.00	-16.76	3	Horizontal	72	1.17	-
2417MHz	Pass	PK	2.4162G	110.01	Inf	-Inf	3	Horizontal	72	1.17	-
2417MHz	Pass	PK	2.489G	57.39	74.00	-16.61	3	Horizontal	72	1.17	-
2417MHz	Pass	AV	4.83396G	50.94	54.00	-3.06	3	Vertical	191	1.87	-
2417MHz	Pass	AV	7.25028G	37.36	54.00	-16.64	3	Vertical	224	1.50	-
2417MHz	Pass	PK	4.83392G	53.85	74.00	-20.15	3	Vertical	191	1.87	-
2417MHz	Pass	PK	7.25084G	50.25	74.00	-23.75	3	Vertical	224	1.50	-
2417MHz	Pass	AV	4.83398G	48.32	54.00	-5.68	3	Horizontal	118	1.50	-
2417MHz	Pass	AV	7.25152G	35.55	54.00	-18.45	3	Horizontal	9	1.62	-
2417MHz	Pass	PK	4.83402G	51.87	74.00	-22.13	3	Horizontal	118	1.50	-
2417MHz	Pass	PK	7.25884G	48.88	74.00	-25.12	3	Horizontal	9	1.62	-
2437MHz	Pass	AV	2.3898G	46.53	54.00	-7.47	3	Vertical	270	2.06	-
2437MHz	Pass	AV	2.4366G	116.66	Inf	-Inf	3	Vertical	270	2.06	-
2437MHz	Pass	AV	2.4835G	47.06	54.00	-6.94	3	Vertical	270	2.06	-
2437MHz	Pass	PK	2.3426G	57.24	74.00	-16.76	3	Vertical	270	2.06	-
2437MHz	Pass	PK	2.4362G	121.62	Inf	-Inf	3	Vertical	270	2.06	-
2437MHz	Pass	PK	2.4858G	58.32	74.00	-15.68	3	Vertical	270	2.06	-
2437MHz	Pass	AV	2.3898G	46.18	54.00	-7.82	3	Horizontal	73	1.14	-
2437MHz	Pass	AV	2.4366G	111.62	Inf	-Inf	3	Horizontal	73	1.14	-
2437MHz	Pass	AV	2.4835G	45.83	54.00	-8.17	3	Horizontal	73	1.14	-
2437MHz	Pass	PK	2.3386G	57.65	74.00	-16.35	3	Horizontal	73	1.14	-
2437MHz	Pass	PK	2.4362G	116.72	Inf	-Inf	3	Horizontal	73	1.14	-
2437MHz	Pass	PK	2.4835G	57.61	74.00	-16.39	3	Horizontal	73	1.14	-
2437MHz	Pass	AV	4.87396G	45.19	54.00	-8.81	3	Vertical	198	1.88	-
2437MHz	Pass	AV	7.31134G	49.94	54.00	-4.06	3	Vertical	193	1.86	-
2437MHz	Pass	PK	4.87428G	49.33	74.00	-24.67	3	Vertical	198	1.88	-
2437MHz	Pass	PK	7.31154G	57.67	74.00	-16.33	3	Vertical	193	1.86	-
2437MHz	Pass	AV	4.87396G	44.18	54.00	-9.82	3	Horizontal	116	2.58	-
2437MHz	Pass	AV	7.31142G	45.46	54.00	-8.54	3	Horizontal	169	1.03	-
2437MHz	Pass	PK	4.87388G	48.49	74.00	-25.51	3	Horizontal	116	2.58	-
2437MHz	Pass	PK	7.31154G	54.11	74.00	-19.89	3	Horizontal	169	1.03	-
2457MHz	Pass	AV	2.3594G	45.90	54.00	-8.10	3	Vertical	275	2.15	-
2457MHz	Pass	AV	2.4566G	110.78	Inf	-Inf	3	Vertical	275	2.15	-
2457MHz	Pass	AV	2.4846G	46.72	54.00	-7.28	3	Vertical	275	2.15	-
2457MHz	Pass	PK	2.3778G	56.96	74.00	-17.04	3	Vertical	275	2.15	-
2457MHz	Pass	PK	2.4566G	115.78	Inf	-Inf	3	Vertical	275	2.15	-
2457MHz	Pass	PK	2.4838G	57.11	74.00	-16.89	3	Vertical	275	2.15	-
2457MHz	Pass	AV	2.3594G	45.84	54.00	-8.16	3	Horizontal	72	1.12	-
2457MHz	Pass	AV	2.4566G	103.89	Inf	-Inf	3	Horizontal	72	1.12	-
2457MHz	Pass	AV	2.4846G	45.82	54.00	-8.18	3	Horizontal	72	1.12	-
2457MHz	Pass	PK	2.383G	56.95	74.00	-17.05	3	Horizontal	72	1.12	-
2457MHz	Pass	PK	2.4566G	108.97	Inf	-Inf	3	Horizontal	72	1.12	-
2457MHz	Pass	PK	2.4838G	56.73	74.00	-17.27	3	Horizontal	72	1.12	-
2457MHz	Pass	AV	4.91397G	50.77	54.00	-3.23	3	Vertical	198	1.91	-
2457MHz	Pass	AV	7.37148G	38.08	54.00	-15.92	3	Vertical	189	2.01	-
2457MHz	Pass	PK	4.9139G	53.94	74.00	-20.06	3	Vertical	198	1.91	-
2457MHz	Pass	PK	7.37148G	49.95	74.00	-24.05	3	Vertical	189	2.01	-
2457MHz	Pass	AV	4.91397G	46.57	54.00	-7.43	3	Horizontal	118	1.49	-
2457MHz	Pass	AV	7.37136G	36.05	54.00	-17.95	3	Horizontal	236	2.91	-
2457MHz	Pass	PK	4.914G	50.98	74.00	-23.02	3	Horizontal	118	1.49	-
2457MHz	Pass	PK	7.35936G	50.14	74.00	-23.86	3	Horizontal	236	2.91	-
2462MHz	Pass	AV	2.39G	46.08	54.00	-7.92	3	Vertical	290	1.13	-
2462MHz	Pass	AV	2.4624G	113.42	Inf	-Inf	3	Vertical	290	1.13	-
2462MHz	Pass	AV	2.484G	47.65	54.00	-6.35	3	Vertical	290	1.13	-
2462MHz	Pass	PK	2.3884G	57.88	74.00	-16.12	3	Vertical	290	1.13	-
2462MHz	Pass	PK	2.4628G	118.49	Inf	-Inf	3	Vertical	290	1.13	-
2462MHz	Pass	PK	2.484G	58.11	74.00	-15.89	3	Vertical	290	1.13	-
2462MHz	Pass	AV	2.364G	45.82	54.00	-8.18	3	Horizontal	64	1.48	-
2462MHz	Pass	AV	2.4624G	105.88	Inf	-Inf	3	Horizontal	64	1.48	-
2462MHz	Pass	AV	2.484G	46.30	54.00	-7.70	3	Horizontal	64	1.48	-
2462MHz	Pass	PK	2.3656G	56.85	74.00	-17.15	3	Horizontal	64	1.48	-
2462MHz	Pass	PK	2.4628G	111.05	Inf	-Inf	3	Horizontal	64	1.48	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.4872G	57.63	74.00	-16.37	3	Horizontal	64	1.48	-
2462MHz	Pass	AV	4.92397G	50.92	54.00	-3.08	3	Vertical	197	2.16	-
2462MHz	Pass	AV	7.38632G	40.45	54.00	-13.55	3	Vertical	187	1.81	-
2462MHz	Pass	PK	4.92402G	54.01	74.00	-19.99	3	Vertical	197	2.16	-
2462MHz	Pass	PK	7.38548G	50.94	74.00	-23.06	3	Vertical	187	1.81	-
2462MHz	Pass	AV	4.92396G	47.35	54.00	-6.65	3	Horizontal	120	1.17	-
2462MHz	Pass	AV	7.38648G	36.24	54.00	-17.76	3	Horizontal	159	2.32	-
2462MHz	Pass	PK	4.92411G	51.36	74.00	-22.64	3	Horizontal	120	1.17	-
2462MHz	Pass	PK	7.37692G	48.95	74.00	-25.05	3	Horizontal	159	2.32	-
11b-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3888G	46.85	54.00	-7.15	3	Vertical	257	1.37	-
2412MHz	Pass	AV	2.4128G	108.99	Inf	-Inf	3	Vertical	257	1.37	-
2412MHz	Pass	AV	2.4856G	45.88	54.00	-8.12	3	Vertical	257	1.37	-
2412MHz	Pass	PK	2.3888G	57.87	74.00	-16.13	3	Vertical	257	1.37	-
2412MHz	Pass	PK	2.4132G	112.95	Inf	-Inf	3	Vertical	257	1.37	-
2412MHz	Pass	PK	2.4835G	57.19	74.00	-16.81	3	Vertical	257	1.37	-
2412MHz	Pass	AV	2.3124G	46.04	54.00	-7.96	3	Horizontal	91	1.15	-
2412MHz	Pass	AV	2.4112G	102.91	Inf	-Inf	3	Horizontal	91	1.15	-
2412MHz	Pass	AV	2.4968G	45.49	54.00	-8.51	3	Horizontal	91	1.15	-
2412MHz	Pass	PK	2.322G	59.44	74.00	-14.56	3	Horizontal	91	1.15	-
2412MHz	Pass	PK	2.4112G	106.87	Inf	-Inf	3	Horizontal	91	1.15	-
2412MHz	Pass	PK	2.4888G	56.47	74.00	-17.53	3	Horizontal	91	1.15	-
2412MHz	Pass	AV	4.82394G	50.74	54.00	-3.26	3	Vertical	233	1.72	-
2412MHz	Pass	PK	4.82394G	53.13	74.00	-20.87	3	Vertical	233	1.72	-
2412MHz	Pass	AV	4.82395G	49.60	54.00	-4.40	3	Horizontal	151	1.02	-
2412MHz	Pass	PK	4.82392G	52.64	74.00	-21.36	3	Horizontal	151	1.02	-
2417MHz	Pass	AV	2.3898G	46.48	54.00	-7.52	3	Vertical	261	1.39	-
2417MHz	Pass	AV	2.4162G	107.56	Inf	-Inf	3	Vertical	261	1.39	-
2417MHz	Pass	AV	2.4835G	46.05	54.00	-7.95	3	Vertical	261	1.39	-
2417MHz	Pass	PK	2.3322G	57.54	74.00	-16.46	3	Vertical	261	1.39	-
2417MHz	Pass	PK	2.4162G	111.30	Inf	-Inf	3	Vertical	261	1.39	-
2417MHz	Pass	PK	2.4846G	57.83	74.00	-16.17	3	Vertical	261	1.39	-
2417MHz	Pass	AV	2.3182G	46.04	54.00	-7.96	3	Horizontal	90	1.48	-
2417MHz	Pass	AV	2.4158G	99.73	Inf	-Inf	3	Horizontal	90	1.48	-
2417MHz	Pass	AV	2.4835G	45.57	54.00	-8.43	3	Horizontal	90	1.48	-
2417MHz	Pass	PK	2.3634G	57.65	74.00	-16.35	3	Horizontal	90	1.48	-
2417MHz	Pass	PK	2.4162G	103.80	Inf	-Inf	3	Horizontal	90	1.48	-
2417MHz	Pass	PK	2.4934G	56.15	74.00	-17.85	3	Horizontal	90	1.48	-
2417MHz	Pass	AV	4.83397G	50.56	54.00	-3.44	3	Vertical	231	1.67	-
2417MHz	Pass	AV	7.25121G	36.04	54.00	-17.96	3	Vertical	80	1.12	-
2417MHz	Pass	PK	4.83403G	53.31	74.00	-20.69	3	Vertical	231	1.67	-
2417MHz	Pass	PK	7.25014G	50.30	74.00	-23.70	3	Vertical	80	1.12	-
2417MHz	Pass	AV	4.83397G	48.15	54.00	-5.85	3	Horizontal	151	1.03	-
2417MHz	Pass	AV	7.25242G	36.06	54.00	-17.94	3	Horizontal	14	1.72	-
2417MHz	Pass	PK	4.83406G	51.71	74.00	-22.29	3	Horizontal	151	1.03	-
2417MHz	Pass	PK	7.25085G	49.96	74.00	-24.04	3	Horizontal	14	1.72	-
2437MHz	Pass	AV	2.389G	46.37	54.00	-7.63	3	Vertical	263	1.16	-
2437MHz	Pass	AV	2.4362G	111.64	Inf	-Inf	3	Vertical	263	1.16	-
2437MHz	Pass	AV	2.4835G	46.94	54.00	-7.06	3	Vertical	263	1.16	-
2437MHz	Pass	PK	2.3826G	58.32	74.00	-15.68	3	Vertical	263	1.16	-
2437MHz	Pass	PK	2.4362G	115.67	Inf	-Inf	3	Vertical	263	1.16	-
2437MHz	Pass	PK	2.4886G	57.69	74.00	-16.31	3	Vertical	263	1.16	-
2437MHz	Pass	AV	2.3406G	45.85	54.00	-8.15	3	Horizontal	91	1.26	-
2437MHz	Pass	AV	2.4362G	105.27	Inf	-Inf	3	Horizontal	91	1.26	-
2437MHz	Pass	AV	2.4842G	45.64	54.00	-8.36	3	Horizontal	91	1.26	-
2437MHz	Pass	PK	2.3422G	57.30	74.00	-16.70	3	Horizontal	91	1.26	-
2437MHz	Pass	PK	2.4362G	109.15	Inf	-Inf	3	Horizontal	91	1.26	-
2437MHz	Pass	PK	2.4934G	57.50	74.00	-16.50	3	Horizontal	91	1.26	-
2437MHz	Pass	AV	4.87388G	50.84	54.00	-3.16	3	Vertical	244	2.24	-
2437MHz	Pass	AV	7.31013G	37.16	54.00	-16.84	3	Vertical	189	2.08	-
2437MHz	Pass	PK	4.874G	53.35	74.00	-20.65	3	Vertical	244	2.24	-
2437MHz	Pass	PK	7.30997G	50.58	74.00	-23.42	3	Vertical	189	2.08	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	4.87396G	44.69	54.00	-9.31	3	Horizontal	150	1.03	-
2437MHz	Pass	AV	7.30992G	36.08	54.00	-17.92	3	Horizontal	212	2.97	-
2437MHz	Pass	PK	4.874G	49.44	74.00	-24.56	3	Horizontal	150	1.03	-
2437MHz	Pass	PK	7.31001G	49.66	74.00	-24.34	3	Horizontal	212	2.97	-
2457MHz	Pass	AV	2.389G	45.91	54.00	-8.09	3	Vertical	272	1.25	-
2457MHz	Pass	AV	2.4578G	107.72	Inf	-Inf	3	Vertical	272	1.25	-
2457MHz	Pass	AV	2.4835G	47.47	54.00	-6.53	3	Vertical	272	1.25	-
2457MHz	Pass	PK	2.3666G	57.51	74.00	-16.49	3	Vertical	272	1.25	-
2457MHz	Pass	PK	2.4582G	111.66	Inf	-Inf	3	Vertical	272	1.25	-
2457MHz	Pass	PK	2.4858G	57.83	74.00	-16.17	3	Vertical	272	1.25	-
2457MHz	Pass	AV	2.3602G	45.73	54.00	-8.27	3	Horizontal	88	1.49	-
2457MHz	Pass	AV	2.4562G	100.97	Inf	-Inf	3	Horizontal	88	1.49	-
2457MHz	Pass	AV	2.4835G	45.90	54.00	-8.10	3	Horizontal	88	1.49	-
2457MHz	Pass	PK	2.3854G	56.97	74.00	-17.03	3	Horizontal	88	1.49	-
2457MHz	Pass	PK	2.4562G	104.84	Inf	-Inf	3	Horizontal	88	1.49	-
2457MHz	Pass	PK	2.4938G	57.60	74.00	-16.40	3	Horizontal	88	1.49	-
2457MHz	Pass	AV	4.91397G	50.88	54.00	-3.12	3	Vertical	245	2.38	-
2457MHz	Pass	AV	7.37146G	35.92	54.00	-18.08	3	Vertical	233	1.76	-
2457MHz	Pass	PK	4.91399G	53.77	74.00	-20.23	3	Vertical	245	2.38	-
2457MHz	Pass	PK	7.36933G	49.97	74.00	-24.03	3	Vertical	233	1.76	-
2457MHz	Pass	AV	4.91396G	43.88	54.00	-10.12	3	Horizontal	150	1.04	-
2457MHz	Pass	AV	7.37322G	35.96	54.00	-18.04	3	Horizontal	149	1.99	-
2457MHz	Pass	PK	4.9139G	49.33	74.00	-24.67	3	Horizontal	150	1.04	-
2457MHz	Pass	PK	7.37334G	49.29	74.00	-24.71	3	Horizontal	149	1.99	-
2462MHz	Pass	AV	2.39G	45.88	54.00	-8.12	3	Vertical	272	1.56	-
2462MHz	Pass	AV	2.4612G	109.30	Inf	-Inf	3	Vertical	272	1.56	-
2462MHz	Pass	AV	2.484G	47.61	54.00	-6.39	3	Vertical	272	1.56	-
2462MHz	Pass	PK	2.3852G	57.03	74.00	-16.97	3	Vertical	272	1.56	-
2462MHz	Pass	PK	2.4632G	113.27	Inf	-Inf	3	Vertical	272	1.56	-
2462MHz	Pass	PK	2.4835G	57.91	74.00	-16.09	3	Vertical	272	1.56	-
2462MHz	Pass	AV	2.362G	45.68	54.00	-8.32	3	Horizontal	121	1.43	-
2462MHz	Pass	AV	2.4628G	102.84	Inf	-Inf	3	Horizontal	121	1.43	-
2462MHz	Pass	AV	2.484G	46.04	54.00	-7.96	3	Horizontal	121	1.43	-
2462MHz	Pass	PK	2.3788G	57.20	74.00	-16.80	3	Horizontal	121	1.43	-
2462MHz	Pass	PK	2.4632G	106.90	Inf	-Inf	3	Horizontal	121	1.43	-
2462MHz	Pass	PK	2.4876G	56.53	74.00	-17.47	3	Horizontal	121	1.43	-
2462MHz	Pass	AV	4.92396G	50.73	54.00	-3.27	3	Vertical	244	2.12	-
2462MHz	Pass	AV	7.38535G	36.52	54.00	-17.48	3	Vertical	187	1.97	-
2462MHz	Pass	PK	4.92388G	53.57	74.00	-20.43	3	Vertical	244	2.12	-
2462MHz	Pass	PK	7.3878G	50.06	74.00	-23.94	3	Vertical	187	1.97	-
2462MHz	Pass	AV	4.92398G	44.68	54.00	-9.32	3	Horizontal	150	1.17	-
2462MHz	Pass	AV	7.38735G	35.95	54.00	-18.05	3	Horizontal	339	1.49	-
2462MHz	Pass	PK	4.92395G	49.80	74.00	-24.20	3	Horizontal	150	1.17	-
2462MHz	Pass	PK	7.38626G	49.99	74.00	-24.01	3	Horizontal	339	1.49	-
11g-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.59	54.00	-4.41	3	Vertical	278	2.25	-
2412MHz	Pass	AV	2.4132G	112.30	Inf	-Inf	3	Vertical	278	2.25	-
2412MHz	Pass	AV	2.4835G	46.92	54.00	-7.08	3	Vertical	278	2.25	-
2412MHz	Pass	PK	2.3896G	65.13	74.00	-8.87	3	Vertical	278	2.25	-
2412MHz	Pass	PK	2.4132G	122.74	Inf	-Inf	3	Vertical	278	2.25	-
2412MHz	Pass	PK	2.486G	58.83	74.00	-15.17	3	Vertical	278	2.25	-
2412MHz	Pass	AV	2.3896G	47.85	54.00	-6.15	3	Horizontal	63	1.49	-
2412MHz	Pass	AV	2.4136G	108.11	Inf	-Inf	3	Horizontal	63	1.49	-
2412MHz	Pass	AV	2.484G	45.83	54.00	-8.17	3	Horizontal	63	1.49	-
2412MHz	Pass	PK	2.3892G	60.95	74.00	-13.05	3	Horizontal	63	1.49	-
2412MHz	Pass	PK	2.4136G	118.39	Inf	-Inf	3	Horizontal	63	1.49	-
2412MHz	Pass	PK	2.4848G	57.04	74.00	-16.96	3	Horizontal	63	1.49	-
2412MHz	Pass	AV	4.82502G	42.84	54.00	-11.16	3	Vertical	199	1.89	-
2412MHz	Pass	PK	4.82502G	53.84	74.00	-20.16	3	Vertical	199	1.89	-
2412MHz	Pass	AV	4.82484G	40.26	54.00	-13.74	3	Horizontal	117	2.68	-
2412MHz	Pass	PK	4.82472G	52.32	74.00	-21.68	3	Horizontal	117	2.68	-
2417MHz	Pass	AV	2.3898G	50.11	54.00	-3.89	3	Vertical	278	2.26	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.4166G	113.14	Inf	-Inf	3	Vertical	278	2.26	-
2417MHz	Pass	AV	2.4835G	47.71	54.00	-6.29	3	Vertical	278	2.26	-
2417MHz	Pass	PK	2.389G	62.67	74.00	-11.33	3	Vertical	278	2.26	-
2417MHz	Pass	PK	2.4166G	123.53	Inf	-Inf	3	Vertical	278	2.26	-
2417MHz	Pass	PK	2.4842G	60.31	74.00	-13.69	3	Vertical	278	2.26	-
2417MHz	Pass	AV	2.3898G	47.49	54.00	-6.51	3	Horizontal	72	1.48	-
2417MHz	Pass	AV	2.4182G	108.91	Inf	-Inf	3	Horizontal	72	1.48	-
2417MHz	Pass	AV	2.4838G	45.86	54.00	-8.14	3	Horizontal	72	1.48	-
2417MHz	Pass	PK	2.3898G	58.10	74.00	-15.90	3	Horizontal	72	1.48	-
2417MHz	Pass	PK	2.4182G	119.12	Inf	-Inf	3	Horizontal	72	1.48	-
2417MHz	Pass	PK	2.4878G	56.56	74.00	-17.44	3	Horizontal	72	1.48	-
2437MHz	Pass	AV	2.3898G	47.64	54.00	-6.36	3	Vertical	275	2.06	-
2437MHz	Pass	AV	2.437G	116.87	Inf	-Inf	3	Vertical	275	2.06	-
2437MHz	Pass	AV	2.4835G	48.67	54.00	-5.33	3	Vertical	275	2.06	-
2437MHz	Pass	PK	2.3898G	58.58	74.00	-15.42	3	Vertical	275	2.06	-
2437MHz	Pass	PK	2.4382G	126.76	Inf	-Inf	3	Vertical	275	2.06	-
2437MHz	Pass	PK	2.4846G	59.93	74.00	-14.07	3	Vertical	275	2.06	-
2437MHz	Pass	AV	2.3898G	46.34	54.00	-7.66	3	Horizontal	72	1.12	-
2437MHz	Pass	AV	2.437G	112.33	Inf	-Inf	3	Horizontal	72	1.12	-
2437MHz	Pass	AV	2.4835G	46.18	54.00	-7.82	3	Horizontal	72	1.12	-
2437MHz	Pass	PK	2.3738G	57.62	74.00	-16.38	3	Horizontal	72	1.12	-
2437MHz	Pass	PK	2.437G	121.88	Inf	-Inf	3	Horizontal	72	1.12	-
2437MHz	Pass	PK	2.4934G	56.48	74.00	-17.52	3	Horizontal	72	1.12	-
2437MHz	Pass	AV	4.87502G	42.61	54.00	-11.39	3	Vertical	202	1.89	-
2437MHz	Pass	AV	7.31286G	50.83	54.00	-3.17	3	Vertical	193	1.84	-
2437MHz	Pass	PK	4.87532G	53.08	74.00	-20.92	3	Vertical	202	1.89	-
2437MHz	Pass	PK	7.30914G	64.40	74.00	-9.60	3	Vertical	193	1.84	-
2437MHz	Pass	AV	4.87466G	40.38	54.00	-13.62	3	Horizontal	119	1.10	-
2437MHz	Pass	AV	7.31166G	44.99	54.00	-9.01	3	Horizontal	169	1.02	-
2437MHz	Pass	PK	4.87472G	52.95	74.00	-21.05	3	Horizontal	119	1.10	-
2437MHz	Pass	PK	7.31184G	58.81	74.00	-15.19	3	Horizontal	169	1.02	-
2457MHz	Pass	AV	2.3898G	46.69	54.00	-7.31	3	Vertical	293	1.53	-
2457MHz	Pass	AV	2.4586G	111.09	Inf	-Inf	3	Vertical	293	1.53	-
2457MHz	Pass	AV	2.4835G	49.97	54.00	-4.03	3	Vertical	293	1.53	-
2457MHz	Pass	PK	2.3882G	57.75	74.00	-16.25	3	Vertical	293	1.53	-
2457MHz	Pass	PK	2.457G	121.76	Inf	-Inf	3	Vertical	293	1.53	-
2457MHz	Pass	PK	2.4842G	65.17	74.00	-8.83	3	Vertical	293	1.53	-
2457MHz	Pass	AV	2.3606G	45.92	54.00	-8.08	3	Horizontal	146	1.12	-
2457MHz	Pass	AV	2.4562G	106.01	Inf	-Inf	3	Horizontal	146	1.12	-
2457MHz	Pass	AV	2.4838G	46.63	54.00	-7.37	3	Horizontal	146	1.12	-
2457MHz	Pass	PK	2.3618G	57.53	74.00	-16.47	3	Horizontal	146	1.12	-
2457MHz	Pass	PK	2.4578G	116.10	Inf	-Inf	3	Horizontal	146	1.12	-
2457MHz	Pass	PK	2.4906G	56.75	74.00	-17.25	3	Horizontal	146	1.12	-
2462MHz	Pass	AV	2.39G	46.55	54.00	-7.45	3	Vertical	250	1.30	-
2462MHz	Pass	AV	2.4616G	112.74	Inf	-Inf	3	Vertical	250	1.30	-
2462MHz	Pass	AV	2.4835G	49.93	54.00	-4.07	3	Vertical	250	1.30	-
2462MHz	Pass	PK	2.39G	58.16	74.00	-15.84	3	Vertical	250	1.30	-
2462MHz	Pass	PK	2.4616G	122.66	Inf	-Inf	3	Vertical	250	1.30	-
2462MHz	Pass	PK	2.4835G	66.78	74.00	-7.22	3	Vertical	250	1.30	-
2462MHz	Pass	AV	2.3892G	46.29	54.00	-7.71	3	Horizontal	65	1.48	-
2462MHz	Pass	AV	2.4636G	106.39	Inf	-Inf	3	Horizontal	65	1.48	-
2462MHz	Pass	AV	2.4835G	49.15	54.00	-4.85	3	Horizontal	65	1.48	-
2462MHz	Pass	PK	2.3876G	58.53	74.00	-15.47	3	Horizontal	65	1.48	-
2462MHz	Pass	PK	2.4616G	117.29	Inf	-Inf	3	Horizontal	65	1.48	-
2462MHz	Pass	PK	2.4835G	65.81	74.00	-8.19	3	Horizontal	65	1.48	-
2462MHz	Pass	AV	4.92492G	42.09	54.00	-11.91	3	Vertical	201	1.55	-
2462MHz	Pass	AV	7.38774G	44.59	54.00	-9.41	3	Vertical	189	2.06	-
2462MHz	Pass	PK	4.92492G	52.62	74.00	-21.38	3	Vertical	201	1.55	-
2462MHz	Pass	PK	7.38816G	58.92	74.00	-15.08	3	Vertical	189	2.06	-
2462MHz	Pass	AV	4.92502G	36.66	54.00	-17.34	3	Horizontal	120	1.25	-
2462MHz	Pass	AV	7.38714G	39.25	54.00	-14.75	3	Horizontal	167	1.40	-
2462MHz	Pass	PK	4.9237G	48.12	74.00	-25.88	3	Horizontal	120	1.25	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	7.38504G	52.96	74.00	-21.04	3	Horizontal	167	1.40	-
11g-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.73	54.00	-4.27	3	Vertical	280	2.26	-
2412MHz	Pass	AV	2.4152G	109.06	Inf	-Inf	3	Vertical	280	2.26	-
2412MHz	Pass	AV	2.4835G	46.78	54.00	-7.22	3	Vertical	280	2.26	-
2412MHz	Pass	PK	2.3884G	63.77	74.00	-10.23	3	Vertical	280	2.26	-
2412MHz	Pass	PK	2.4148G	119.56	Inf	-Inf	3	Vertical	280	2.26	-
2412MHz	Pass	PK	2.4835G	59.79	74.00	-14.21	3	Vertical	280	2.26	-
2412MHz	Pass	AV	2.39G	47.84	54.00	-6.16	3	Horizontal	64	1.06	-
2412MHz	Pass	AV	2.4132G	105.19	Inf	-Inf	3	Horizontal	64	1.06	-
2412MHz	Pass	AV	2.484G	45.81	54.00	-8.19	3	Horizontal	64	1.06	-
2412MHz	Pass	PK	2.39G	59.98	74.00	-14.02	3	Horizontal	64	1.06	-
2412MHz	Pass	PK	2.4108G	115.62	Inf	-Inf	3	Horizontal	64	1.06	-
2412MHz	Pass	PK	2.498G	56.65	74.00	-17.35	3	Horizontal	64	1.06	-
2412MHz	Pass	AV	4.82394G	41.34	54.00	-12.66	3	Vertical	201	1.50	-
2412MHz	Pass	PK	4.824G	52.07	74.00	-21.93	3	Vertical	201	1.50	-
2412MHz	Pass	AV	4.8237G	38.20	54.00	-15.80	3	Horizontal	118	2.71	-
2412MHz	Pass	PK	4.82358G	50.50	74.00	-23.50	3	Horizontal	118	2.71	-
2417MHz	Pass	AV	2.3898G	49.15	54.00	-4.85	3	Vertical	277	1.49	-
2417MHz	Pass	AV	2.4202G	108.41	Inf	-Inf	3	Vertical	277	1.49	-
2417MHz	Pass	AV	2.4835G	47.82	54.00	-6.18	3	Vertical	277	1.49	-
2417MHz	Pass	PK	2.389G	63.56	74.00	-10.44	3	Vertical	277	1.49	-
2417MHz	Pass	PK	2.4178G	118.09	Inf	-Inf	3	Vertical	277	1.49	-
2417MHz	Pass	PK	2.4838G	61.39	74.00	-12.61	3	Vertical	277	1.49	-
2417MHz	Pass	AV	2.3898G	46.62	54.00	-7.38	3	Horizontal	73	1.16	-
2417MHz	Pass	AV	2.4154G	104.51	Inf	-Inf	3	Horizontal	73	1.16	-
2417MHz	Pass	AV	2.4854G	45.68	54.00	-8.32	3	Horizontal	73	1.16	-
2417MHz	Pass	PK	2.3182G	57.37	74.00	-16.63	3	Horizontal	73	1.16	-
2417MHz	Pass	PK	2.4154G	115.05	Inf	-Inf	3	Horizontal	73	1.16	-
2417MHz	Pass	PK	2.4934G	56.45	74.00	-17.55	3	Horizontal	73	1.16	-
2437MHz	Pass	AV	2.3898G	49.10	54.00	-4.90	3	Vertical	274	2.00	-
2437MHz	Pass	AV	2.435G	113.07	Inf	-Inf	3	Vertical	274	2.00	-
2437MHz	Pass	AV	2.4835G	50.68	54.00	-3.32	3	Vertical	274	2.00	-
2437MHz	Pass	PK	2.3894G	60.99	74.00	-13.01	3	Vertical	274	2.00	-
2437MHz	Pass	PK	2.4354G	122.44	Inf	-Inf	3	Vertical	274	2.00	-
2437MHz	Pass	PK	2.4846G	62.09	74.00	-11.91	3	Vertical	274	2.00	-
2437MHz	Pass	AV	2.3898G	46.67	54.00	-7.33	3	Horizontal	73	1.11	-
2437MHz	Pass	AV	2.435G	108.92	Inf	-Inf	3	Horizontal	73	1.11	-
2437MHz	Pass	AV	2.4835G	46.78	54.00	-7.22	3	Horizontal	73	1.11	-
2437MHz	Pass	PK	2.3638G	57.43	74.00	-16.57	3	Horizontal	73	1.11	-
2437MHz	Pass	PK	2.4346G	119.60	Inf	-Inf	3	Horizontal	73	1.11	-
2437MHz	Pass	PK	2.4954G	57.37	74.00	-16.63	3	Horizontal	73	1.11	-
2437MHz	Pass	AV	4.874G	40.42	54.00	-13.58	3	Vertical	197	1.41	-
2437MHz	Pass	AV	7.31058G	44.31	54.00	-9.69	3	Vertical	224	1.58	-
2437MHz	Pass	PK	4.87418G	50.22	74.00	-23.78	3	Vertical	197	1.41	-
2437MHz	Pass	PK	7.31046G	57.89	74.00	-16.11	3	Vertical	224	1.58	-
2437MHz	Pass	AV	4.87316G	36.59	54.00	-17.41	3	Horizontal	120	1.13	-
2437MHz	Pass	AV	7.31034G	41.04	54.00	-12.96	3	Horizontal	167	1.12	-
2437MHz	Pass	PK	4.86998G	49.60	74.00	-24.40	3	Horizontal	120	1.13	-
2437MHz	Pass	PK	7.31232G	54.30	74.00	-19.70	3	Horizontal	167	1.12	-
2457MHz	Pass	AV	2.3898G	46.96	54.00	-7.04	3	Vertical	294	1.15	-
2457MHz	Pass	AV	2.4582G	110.21	Inf	-Inf	3	Vertical	294	1.15	-
2457MHz	Pass	AV	2.4835G	50.16	54.00	-3.84	3	Vertical	294	1.15	-
2457MHz	Pass	PK	2.3874G	59.75	74.00	-14.25	3	Vertical	294	1.15	-
2457MHz	Pass	PK	2.4606G	120.53	Inf	-Inf	3	Vertical	294	1.15	-
2457MHz	Pass	PK	2.4838G	66.45	74.00	-7.55	3	Vertical	294	1.15	-
2457MHz	Pass	AV	2.3626G	45.87	54.00	-8.13	3	Horizontal	145	1.14	-
2457MHz	Pass	AV	2.4558G	105.03	Inf	-Inf	3	Horizontal	145	1.14	-
2457MHz	Pass	AV	2.4835G	46.89	54.00	-7.11	3	Horizontal	145	1.14	-
2457MHz	Pass	PK	2.3686G	58.08	74.00	-15.92	3	Horizontal	145	1.14	-
2457MHz	Pass	PK	2.4578G	115.88	Inf	-Inf	3	Horizontal	145	1.14	-
2457MHz	Pass	PK	2.4878G	56.99	74.00	-17.01	3	Horizontal	145	1.14	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.39G	46.35	54.00	-7.65	3	Vertical	293	1.12	-
2462MHz	Pass	AV	2.4592G	111.56	Inf	-Inf	3	Vertical	293	1.12	-
2462MHz	Pass	AV	2.4835G	50.42	54.00	-3.58	3	Vertical	293	1.12	-
2462MHz	Pass	PK	2.3888G	58.98	74.00	-15.02	3	Vertical	293	1.12	-
2462MHz	Pass	PK	2.4604G	122.61	Inf	-Inf	3	Vertical	293	1.12	-
2462MHz	Pass	PK	2.4864G	68.47	74.00	-5.53	3	Vertical	293	1.12	-
2462MHz	Pass	AV	2.39G	45.91	54.00	-8.09	3	Horizontal	64	1.50	-
2462MHz	Pass	AV	2.464G	104.84	Inf	-Inf	3	Horizontal	64	1.50	-
2462MHz	Pass	AV	2.4835G	47.42	54.00	-6.58	3	Horizontal	64	1.50	-
2462MHz	Pass	PK	2.3668G	57.66	74.00	-16.34	3	Horizontal	64	1.50	-
2462MHz	Pass	PK	2.4644G	115.71	Inf	-Inf	3	Horizontal	64	1.50	-
2462MHz	Pass	PK	2.4848G	67.54	74.00	-6.46	3	Horizontal	64	1.50	-
2462MHz	Pass	AV	4.92394G	41.12	54.00	-12.88	3	Vertical	276	1.15	-
2462MHz	Pass	AV	7.38666G	42.02	54.00	-11.98	3	Vertical	190	3.00	-
2462MHz	Pass	PK	4.92364G	49.62	74.00	-24.38	3	Vertical	276	1.15	-
2462MHz	Pass	PK	7.38444G	57.28	74.00	-16.72	3	Vertical	190	3.00	-
2462MHz	Pass	AV	4.92424G	34.76	54.00	-19.24	3	Horizontal	119	1.48	-
2462MHz	Pass	AV	7.38552G	38.86	54.00	-15.14	3	Horizontal	167	2.37	-
2462MHz	Pass	PK	4.92178G	48.18	74.00	-25.82	3	Horizontal	119	1.48	-
2462MHz	Pass	PK	7.38576G	53.57	74.00	-20.43	3	Horizontal	167	2.37	-
11g-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	50.71	54.00	-3.29	3	Vertical	272	2.52	-
2412MHz	Pass	AV	2.418G	104.23	Inf	-Inf	3	Vertical	272	2.52	-
2412MHz	Pass	AV	2.4852G	46.48	54.00	-7.52	3	Vertical	272	2.52	-
2412MHz	Pass	PK	2.39G	63.75	74.00	-10.25	3	Vertical	272	2.52	-
2412MHz	Pass	PK	2.4176G	113.31	Inf	-Inf	3	Vertical	272	2.52	-
2412MHz	Pass	PK	2.4908G	57.33	74.00	-16.67	3	Vertical	272	2.52	-
2412MHz	Pass	AV	2.39G	47.59	54.00	-6.41	3	Horizontal	76	2.64	-
2412MHz	Pass	AV	2.4084G	97.73	Inf	-Inf	3	Horizontal	76	2.64	-
2412MHz	Pass	AV	2.4932G	45.85	54.00	-8.15	3	Horizontal	76	2.64	-
2412MHz	Pass	PK	2.3896G	59.28	74.00	-14.72	3	Horizontal	76	2.64	-
2412MHz	Pass	PK	2.4184G	106.93	Inf	-Inf	3	Horizontal	76	2.64	-
2412MHz	Pass	PK	2.4936G	56.85	74.00	-17.15	3	Horizontal	76	2.64	-
2412MHz	Pass	AV	4.8239G	41.42	54.00	-12.58	3	Vertical	200	1.47	-
2412MHz	Pass	PK	4.82428G	50.83	74.00	-23.17	3	Vertical	200	1.47	-
2412MHz	Pass	AV	4.82393G	37.41	54.00	-16.59	3	Horizontal	155	2.64	-
2412MHz	Pass	PK	4.82437G	49.34	74.00	-24.66	3	Horizontal	155	2.64	-
2417MHz	Pass	AV	2.3882G	50.58	54.00	-3.42	3	Vertical	270	1.40	-
2417MHz	Pass	AV	2.423G	108.67	Inf	-Inf	3	Vertical	270	1.40	-
2417MHz	Pass	AV	2.4842G	46.78	54.00	-7.22	3	Vertical	270	1.40	-
2417MHz	Pass	PK	2.3878G	62.02	74.00	-11.98	3	Vertical	270	1.40	-
2417MHz	Pass	PK	2.4234G	117.64	Inf	-Inf	3	Vertical	270	1.40	-
2417MHz	Pass	PK	2.4914G	57.49	74.00	-16.51	3	Vertical	270	1.40	-
2417MHz	Pass	AV	2.389G	47.51	54.00	-6.49	3	Horizontal	79	2.66	-
2417MHz	Pass	AV	2.4234G	101.72	Inf	-Inf	3	Horizontal	79	2.66	-
2417MHz	Pass	AV	2.497G	45.80	54.00	-8.20	3	Horizontal	79	2.66	-
2417MHz	Pass	PK	2.389G	58.73	74.00	-15.27	3	Horizontal	79	2.66	-
2417MHz	Pass	PK	2.4234G	110.69	Inf	-Inf	3	Horizontal	79	2.66	-
2417MHz	Pass	PK	2.4922G	56.59	74.00	-17.41	3	Horizontal	79	2.66	-
2437MHz	Pass	AV	2.3894G	49.88	54.00	-4.12	3	Vertical	273	1.33	-
2437MHz	Pass	AV	2.433G	110.54	Inf	-Inf	3	Vertical	273	1.33	-
2437MHz	Pass	AV	2.4835G	50.41	54.00	-3.59	3	Vertical	273	1.33	-
2437MHz	Pass	PK	2.3898G	61.82	74.00	-12.18	3	Vertical	273	1.33	-
2437MHz	Pass	PK	2.4326G	119.92	Inf	-Inf	3	Vertical	273	1.33	-
2437MHz	Pass	PK	2.4854G	61.65	74.00	-12.35	3	Vertical	273	1.33	-
2437MHz	Pass	AV	2.3402G	46.11	54.00	-7.89	3	Horizontal	183	1.29	-
2437MHz	Pass	AV	2.433G	101.79	Inf	-Inf	3	Horizontal	183	1.29	-
2437MHz	Pass	AV	2.4846G	46.65	54.00	-7.35	3	Horizontal	183	1.29	-
2437MHz	Pass	PK	2.3398G	57.03	74.00	-16.97	3	Horizontal	183	1.29	-
2437MHz	Pass	PK	2.4334G	111.20	Inf	-Inf	3	Horizontal	183	1.29	-
2437MHz	Pass	PK	2.4846G	57.05	74.00	-16.95	3	Horizontal	183	1.29	-
2437MHz	Pass	AV	4.87395G	43.71	54.00	-10.29	3	Vertical	245	2.23	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	7.30482G	42.32	54.00	-11.68	3	Vertical	189	1.70	-
2437MHz	Pass	PK	4.87395G	50.98	74.00	-23.02	3	Vertical	245	2.23	-
2437MHz	Pass	PK	7.3044G	56.14	74.00	-17.86	3	Vertical	189	1.70	-
2437MHz	Pass	AV	4.87396G	34.81	54.00	-19.19	3	Horizontal	195	1.15	-
2437MHz	Pass	AV	7.30968G	38.11	54.00	-15.89	3	Horizontal	165	1.05	-
2437MHz	Pass	PK	4.87607G	46.42	74.00	-27.58	3	Horizontal	195	1.15	-
2437MHz	Pass	PK	7.31856G	51.28	74.00	-22.72	3	Horizontal	165	1.05	-
2457MHz	Pass	AV	2.3882G	46.45	54.00	-7.55	3	Vertical	260	1.27	-
2457MHz	Pass	AV	2.4618G	108.35	Inf	-Inf	3	Vertical	260	1.27	-
2457MHz	Pass	AV	2.4835G	50.83	54.00	-3.17	3	Vertical	260	1.27	-
2457MHz	Pass	PK	2.387G	56.88	74.00	-17.12	3	Vertical	260	1.27	-
2457MHz	Pass	PK	2.4586G	117.63	Inf	-Inf	3	Vertical	260	1.27	-
2457MHz	Pass	PK	2.4846G	62.67	74.00	-11.33	3	Vertical	260	1.27	-
2457MHz	Pass	AV	2.3626G	46.05	54.00	-7.95	3	Horizontal	61	0.99	-
2457MHz	Pass	AV	2.4598G	100.17	Inf	-Inf	3	Horizontal	61	0.99	-
2457MHz	Pass	AV	2.4835G	47.54	54.00	-6.46	3	Horizontal	61	0.99	-
2457MHz	Pass	PK	2.3642G	57.16	74.00	-16.84	3	Horizontal	61	0.99	-
2457MHz	Pass	PK	2.4622G	109.84	Inf	-Inf	3	Horizontal	61	0.99	-
2457MHz	Pass	PK	2.4838G	58.87	74.00	-15.13	3	Horizontal	61	0.99	-
2462MHz	Pass	AV	2.39G	46.43	54.00	-7.57	3	Vertical	263	2.69	-
2462MHz	Pass	AV	2.4668G	104.95	Inf	-Inf	3	Vertical	263	2.69	-
2462MHz	Pass	AV	2.4835G	50.82	54.00	-3.18	3	Vertical	263	2.69	-
2462MHz	Pass	PK	2.386G	56.70	74.00	-17.30	3	Vertical	263	2.69	-
2462MHz	Pass	PK	2.464G	114.36	Inf	-Inf	3	Vertical	263	2.69	-
2462MHz	Pass	PK	2.4848G	60.83	74.00	-13.17	3	Vertical	263	2.69	-
2462MHz	Pass	AV	2.3656G	46.03	54.00	-7.97	3	Horizontal	61	1.00	-
2462MHz	Pass	AV	2.4592G	96.83	Inf	-Inf	3	Horizontal	61	1.00	-
2462MHz	Pass	AV	2.4844G	46.66	54.00	-7.34	3	Horizontal	61	1.00	-
2462MHz	Pass	PK	2.37G	57.33	74.00	-16.67	3	Horizontal	61	1.00	-
2462MHz	Pass	PK	2.4572G	106.28	Inf	-Inf	3	Horizontal	61	1.00	-
2462MHz	Pass	PK	2.4835G	57.31	74.00	-16.69	3	Horizontal	61	1.00	-
2462MHz	Pass	AV	4.924G	43.01	54.00	-10.99	3	Vertical	244	2.30	-
2462MHz	Pass	AV	7.38444G	36.72	54.00	-17.28	3	Vertical	15	1.68	-
2462MHz	Pass	PK	4.92418G	49.57	74.00	-24.43	3	Vertical	244	2.30	-
2462MHz	Pass	PK	7.39692G	50.49	74.00	-23.51	3	Vertical	15	1.68	-
2462MHz	Pass	AV	4.92388G	35.07	54.00	-18.93	3	Horizontal	194	1.83	-
2462MHz	Pass	AV	7.39668G	36.81	54.00	-17.19	3	Horizontal	76	1.39	-
2462MHz	Pass	PK	4.91464G	45.98	74.00	-28.02	3	Horizontal	194	1.83	-
2462MHz	Pass	PK	7.38576G	50.32	74.00	-23.68	3	Horizontal	76	1.39	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.17	54.00	-3.83	3	Vertical	272	1.39	-
2412MHz	Pass	AV	2.4136G	113.03	Inf	-Inf	3	Vertical	272	1.39	-
2412MHz	Pass	AV	2.4835G	47.00	54.00	-7.00	3	Vertical	272	1.39	-
2412MHz	Pass	PK	2.39G	65.09	74.00	-8.91	3	Vertical	272	1.39	-
2412MHz	Pass	PK	2.414G	122.08	Inf	-Inf	3	Vertical	272	1.39	-
2412MHz	Pass	PK	2.4848G	59.83	74.00	-14.17	3	Vertical	272	1.39	-
2412MHz	Pass	AV	2.39G	47.42	54.00	-6.58	3	Horizontal	85	1.03	-
2412MHz	Pass	AV	2.4112G	102.40	Inf	-Inf	3	Horizontal	85	1.03	-
2412MHz	Pass	AV	2.486G	45.75	54.00	-8.25	3	Horizontal	85	1.03	-
2412MHz	Pass	PK	2.3892G	60.00	74.00	-14.00	3	Horizontal	85	1.03	-
2412MHz	Pass	PK	2.4108G	111.90	Inf	-Inf	3	Horizontal	85	1.03	-
2412MHz	Pass	PK	2.4956G	56.56	74.00	-17.44	3	Horizontal	85	1.03	-
2412MHz	Pass	AV	4.82504G	40.63	54.00	-13.37	3	Vertical	5	1.80	-
2412MHz	Pass	PK	4.82564G	52.88	74.00	-21.12	3	Vertical	5	1.80	-
2412MHz	Pass	AV	4.82494G	39.64	54.00	-14.36	3	Horizontal	118	1.42	-
2412MHz	Pass	PK	4.82366G	51.55	74.00	-22.45	3	Horizontal	118	1.42	-
2417MHz	Pass	AV	2.3898G	50.17	54.00	-3.83	3	Vertical	273	1.38	-
2417MHz	Pass	AV	2.4186G	113.92	Inf	-Inf	3	Vertical	273	1.38	-
2417MHz	Pass	AV	2.4835G	47.59	54.00	-6.41	3	Vertical	273	1.38	-
2417MHz	Pass	PK	2.3898G	62.83	74.00	-11.17	3	Vertical	273	1.38	-
2417MHz	Pass	PK	2.419G	124.07	Inf	-Inf	3	Vertical	273	1.38	-
2417MHz	Pass	PK	2.4838G	58.96	74.00	-15.04	3	Vertical	273	1.38	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	2.3898G	47.09	54.00	-6.91	3	Horizontal	82	1.04	-
2417MHz	Pass	AV	2.4158G	104.36	Inf	-Inf	3	Horizontal	82	1.04	-
2417MHz	Pass	AV	2.4838G	45.95	54.00	-8.05	3	Horizontal	82	1.04	-
2417MHz	Pass	PK	2.3886G	58.92	74.00	-15.08	3	Horizontal	82	1.04	-
2417MHz	Pass	PK	2.4162G	114.28	Inf	-Inf	3	Horizontal	82	1.04	-
2417MHz	Pass	PK	2.4878G	57.65	74.00	-16.35	3	Horizontal	82	1.04	-
2437MHz	Pass	AV	2.3898G	47.73	54.00	-6.27	3	Vertical	274	1.00	-
2437MHz	Pass	AV	2.4386G	116.74	Inf	-Inf	3	Vertical	274	1.00	-
2437MHz	Pass	AV	2.4835G	48.19	54.00	-5.81	3	Vertical	274	1.00	-
2437MHz	Pass	PK	2.3658G	57.30	74.00	-16.70	3	Vertical	274	1.00	-
2437MHz	Pass	PK	2.4386G	126.59	Inf	-Inf	3	Vertical	274	1.00	-
2437MHz	Pass	PK	2.4838G	60.87	74.00	-13.13	3	Vertical	274	1.00	-
2437MHz	Pass	AV	2.337G	46.02	54.00	-7.98	3	Horizontal	85	1.15	-
2437MHz	Pass	AV	2.4358G	107.75	Inf	-Inf	3	Horizontal	85	1.15	-
2437MHz	Pass	AV	2.4835G	45.94	54.00	-8.06	3	Horizontal	85	1.15	-
2437MHz	Pass	PK	2.3802G	57.11	74.00	-16.89	3	Horizontal	85	1.15	-
2437MHz	Pass	PK	2.4362G	117.41	Inf	-Inf	3	Horizontal	85	1.15	-
2437MHz	Pass	PK	2.4934G	56.69	74.00	-17.31	3	Horizontal	85	1.15	-
2437MHz	Pass	AV	4.87504G	42.69	54.00	-11.31	3	Vertical	246	2.24	-
2437MHz	Pass	AV	7.3119G	47.02	54.00	-6.98	3	Vertical	193	1.84	-
2437MHz	Pass	PK	4.87494G	55.06	74.00	-18.94	3	Vertical	246	2.24	-
2437MHz	Pass	PK	7.31246G	60.14	74.00	-13.86	3	Vertical	193	1.84	-
2437MHz	Pass	AV	4.8749G	39.05	54.00	-14.95	3	Horizontal	118	1.49	-
2437MHz	Pass	AV	7.31214G	40.93	54.00	-13.07	3	Horizontal	195	1.68	-
2437MHz	Pass	PK	4.87486G	51.67	74.00	-22.33	3	Horizontal	118	1.49	-
2437MHz	Pass	PK	7.31062G	53.96	74.00	-20.04	3	Horizontal	195	1.68	-
2457MHz	Pass	AV	2.3898G	46.63	54.00	-7.37	3	Vertical	253	1.14	-
2457MHz	Pass	AV	2.4586G	112.99	Inf	-Inf	3	Vertical	253	1.14	-
2457MHz	Pass	AV	2.4835G	50.57	54.00	-3.43	3	Vertical	253	1.14	-
2457MHz	Pass	PK	2.3894G	57.55	74.00	-16.45	3	Vertical	253	1.14	-
2457MHz	Pass	PK	2.459G	122.52	Inf	-Inf	3	Vertical	253	1.14	-
2457MHz	Pass	PK	2.4842G	66.18	74.00	-7.82	3	Vertical	253	1.14	-
2457MHz	Pass	AV	2.3618G	45.90	54.00	-8.10	3	Horizontal	116	1.45	-
2457MHz	Pass	AV	2.4566G	103.84	Inf	-Inf	3	Horizontal	116	1.45	-
2457MHz	Pass	AV	2.4835G	47.35	54.00	-6.65	3	Horizontal	116	1.45	-
2457MHz	Pass	PK	2.3706G	56.58	74.00	-17.42	3	Horizontal	116	1.45	-
2457MHz	Pass	PK	2.4566G	112.99	Inf	-Inf	3	Horizontal	116	1.45	-
2457MHz	Pass	PK	2.4842G	59.36	74.00	-14.64	3	Horizontal	116	1.45	-
2462MHz	Pass	AV	2.39G	46.78	54.00	-7.22	3	Vertical	254	1.16	-
2462MHz	Pass	AV	2.464G	114.65	Inf	-Inf	3	Vertical	254	1.16	-
2462MHz	Pass	AV	2.4835G	50.82	54.00	-3.18	3	Vertical	254	1.16	-
2462MHz	Pass	PK	2.3884G	59.15	74.00	-14.85	3	Vertical	254	1.16	-
2462MHz	Pass	PK	2.462G	124.80	Inf	-Inf	3	Vertical	254	1.16	-
2462MHz	Pass	PK	2.4856G	68.57	74.00	-5.43	3	Vertical	254	1.16	-
2462MHz	Pass	AV	2.37G	45.86	54.00	-8.14	3	Horizontal	118	1.66	-
2462MHz	Pass	AV	2.462G	105.25	Inf	-Inf	3	Horizontal	118	1.66	-
2462MHz	Pass	AV	2.4835G	47.05	54.00	-6.95	3	Horizontal	118	1.66	-
2462MHz	Pass	PK	2.3744G	57.01	74.00	-16.99	3	Horizontal	118	1.66	-
2462MHz	Pass	PK	2.4624G	115.84	Inf	-Inf	3	Horizontal	118	1.66	-
2462MHz	Pass	PK	2.484G	61.30	74.00	-12.70	3	Horizontal	118	1.66	-
2462MHz	Pass	AV	4.92502G	40.61	54.00	-13.39	3	Vertical	26	1.21	-
2462MHz	Pass	AV	7.38728G	42.92	54.00	-11.08	3	Vertical	194	1.89	-
2462MHz	Pass	PK	4.9249G	52.31	74.00	-21.69	3	Vertical	26	1.21	-
2462MHz	Pass	PK	7.38478G	59.16	74.00	-14.84	3	Vertical	194	1.89	-
2462MHz	Pass	AV	4.92544G	36.10	54.00	-17.90	3	Horizontal	127	2.35	-
2462MHz	Pass	AV	7.38676G	38.95	54.00	-15.05	3	Horizontal	195	1.74	-
2462MHz	Pass	PK	4.92116G	49.17	74.00	-24.83	3	Horizontal	127	2.35	-
2462MHz	Pass	PK	7.38452G	54.46	74.00	-19.54	3	Horizontal	195	1.74	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.66	54.00	-4.34	3	Vertical	271	1.40	-
2412MHz	Pass	AV	2.414G	110.66	Inf	-Inf	3	Vertical	271	1.40	-
2412MHz	Pass	AV	2.4835G	46.88	54.00	-7.12	3	Vertical	271	1.40	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	2.39G	65.50	74.00	-8.50	3	Vertical	271	1.40	-
2412MHz	Pass	PK	2.4136G	120.46	Inf	-Inf	3	Vertical	271	1.40	-
2412MHz	Pass	PK	2.484G	58.99	74.00	-15.01	3	Vertical	271	1.40	-
2412MHz	Pass	AV	2.39G	46.99	54.00	-7.01	3	Horizontal	88	1.01	-
2412MHz	Pass	AV	2.4088G	99.20	Inf	-Inf	3	Horizontal	88	1.01	-
2412MHz	Pass	AV	2.484G	45.76	54.00	-8.24	3	Horizontal	88	1.01	-
2412MHz	Pass	PK	2.39G	59.83	74.00	-14.17	3	Horizontal	88	1.01	-
2412MHz	Pass	PK	2.4084G	110.02	Inf	-Inf	3	Horizontal	88	1.01	-
2412MHz	Pass	PK	2.484G	56.98	74.00	-17.02	3	Horizontal	88	1.01	-
2412MHz	Pass	AV	4.82402G	40.01	54.00	-13.99	3	Vertical	161	2.39	-
2412MHz	Pass	PK	4.82234G	51.70	74.00	-22.30	3	Vertical	161	2.39	-
2412MHz	Pass	AV	4.82378G	37.06	54.00	-16.94	3	Horizontal	119	1.20	-
2412MHz	Pass	PK	4.82252G	50.70	74.00	-23.30	3	Horizontal	119	1.20	-
2417MHz	Pass	AV	2.3898G	49.57	54.00	-4.43	3	Vertical	272	1.36	-
2417MHz	Pass	AV	2.4194G	112.09	Inf	-Inf	3	Vertical	272	1.36	-
2417MHz	Pass	AV	2.4838G	47.02	54.00	-6.98	3	Vertical	272	1.36	-
2417MHz	Pass	PK	2.3898G	64.73	74.00	-9.27	3	Vertical	272	1.36	-
2417MHz	Pass	PK	2.4198G	122.85	Inf	-Inf	3	Vertical	272	1.36	-
2417MHz	Pass	PK	2.4835G	61.15	74.00	-12.85	3	Vertical	272	1.36	-
2417MHz	Pass	AV	2.3898G	46.77	54.00	-7.23	3	Horizontal	85	1.03	-
2417MHz	Pass	AV	2.4142G	100.97	Inf	-Inf	3	Horizontal	85	1.03	-
2417MHz	Pass	AV	2.4835G	45.83	54.00	-8.17	3	Horizontal	85	1.03	-
2417MHz	Pass	PK	2.389G	58.42	74.00	-15.58	3	Horizontal	85	1.03	-
2417MHz	Pass	PK	2.4142G	112.31	Inf	-Inf	3	Horizontal	85	1.03	-
2417MHz	Pass	PK	2.4846G	56.70	74.00	-17.30	3	Horizontal	85	1.03	-
2437MHz	Pass	AV	2.3898G	49.10	54.00	-4.90	3	Vertical	276	1.16	-
2437MHz	Pass	AV	2.4346G	113.89	Inf	-Inf	3	Vertical	276	1.16	-
2437MHz	Pass	AV	2.4835G	50.54	54.00	-3.46	3	Vertical	276	1.16	-
2437MHz	Pass	PK	2.3898G	61.46	74.00	-12.54	3	Vertical	276	1.16	-
2437MHz	Pass	PK	2.4342G	124.04	Inf	-Inf	3	Vertical	276	1.16	-
2437MHz	Pass	PK	2.4835G	62.09	74.00	-11.91	3	Vertical	276	1.16	-
2437MHz	Pass	AV	2.3898G	46.44	54.00	-7.56	3	Horizontal	89	1.00	-
2437MHz	Pass	AV	2.4382G	104.43	Inf	-Inf	3	Horizontal	89	1.00	-
2437MHz	Pass	AV	2.4835G	46.36	54.00	-7.64	3	Horizontal	89	1.00	-
2437MHz	Pass	PK	2.3698G	57.37	74.00	-16.63	3	Horizontal	89	1.00	-
2437MHz	Pass	PK	2.4378G	115.16	Inf	-Inf	3	Horizontal	89	1.00	-
2437MHz	Pass	PK	2.4846G	58.14	74.00	-15.86	3	Horizontal	89	1.00	-
2437MHz	Pass	AV	4.87386G	39.71	54.00	-14.29	3	Vertical	248	2.22	-
2437MHz	Pass	AV	7.31348G	42.82	54.00	-11.18	3	Vertical	192	1.78	-
2437MHz	Pass	PK	4.87432G	52.47	74.00	-21.53	3	Vertical	248	2.22	-
2437MHz	Pass	PK	7.3138G	58.10	74.00	-15.90	3	Vertical	192	1.78	-
2437MHz	Pass	AV	4.874G	36.55	54.00	-17.45	3	Horizontal	118	1.12	-
2437MHz	Pass	AV	7.31006G	38.75	54.00	-15.25	3	Horizontal	197	1.69	-
2437MHz	Pass	PK	4.87188G	49.26	74.00	-24.74	3	Horizontal	118	1.12	-
2437MHz	Pass	PK	7.31086G	52.76	74.00	-21.24	3	Horizontal	197	1.69	-
2457MHz	Pass	AV	2.3898G	46.83	54.00	-7.17	3	Vertical	252	1.20	-
2457MHz	Pass	AV	2.455G	111.44	Inf	-Inf	3	Vertical	252	1.20	-
2457MHz	Pass	AV	2.4835G	50.80	54.00	-3.20	3	Vertical	252	1.20	-
2457MHz	Pass	PK	2.3878G	59.30	74.00	-14.70	3	Vertical	252	1.20	-
2457MHz	Pass	PK	2.4542G	122.06	Inf	-Inf	3	Vertical	252	1.20	-
2457MHz	Pass	PK	2.4854G	68.20	74.00	-5.80	3	Vertical	252	1.20	-
2457MHz	Pass	AV	2.359G	45.94	54.00	-8.06	3	Horizontal	116	1.45	-
2457MHz	Pass	AV	2.4602G	100.86	Inf	-Inf	3	Horizontal	116	1.45	-
2457MHz	Pass	AV	2.4835G	47.06	54.00	-6.94	3	Horizontal	116	1.45	-
2457MHz	Pass	PK	2.3574G	56.62	74.00	-17.38	3	Horizontal	116	1.45	-
2457MHz	Pass	PK	2.4602G	112.04	Inf	-Inf	3	Horizontal	116	1.45	-
2457MHz	Pass	PK	2.4835G	61.82	74.00	-12.18	3	Horizontal	116	1.45	-
2462MHz	Pass	AV	2.3892G	46.19	54.00	-7.81	3	Vertical	273	1.53	-
2462MHz	Pass	AV	2.4632G	111.60	Inf	-Inf	3	Vertical	273	1.53	-
2462MHz	Pass	AV	2.4835G	50.29	54.00	-3.71	3	Vertical	273	1.53	-
2462MHz	Pass	PK	2.388G	57.82	74.00	-16.18	3	Vertical	273	1.53	-
2462MHz	Pass	PK	2.4636G	122.47	Inf	-Inf	3	Vertical	273	1.53	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.484G	66.11	74.00	-7.89	3	Vertical	273	1.53	-
2462MHz	Pass	AV	2.3636G	45.88	54.00	-8.12	3	Horizontal	117	1.47	-
2462MHz	Pass	AV	2.4612G	101.88	Inf	-Inf	3	Horizontal	117	1.47	-
2462MHz	Pass	AV	2.4835G	46.67	54.00	-7.33	3	Horizontal	117	1.47	-
2462MHz	Pass	PK	2.3712G	56.81	74.00	-17.19	3	Horizontal	117	1.47	-
2462MHz	Pass	PK	2.46G	112.43	Inf	-Inf	3	Horizontal	117	1.47	-
2462MHz	Pass	PK	2.4916G	56.86	74.00	-17.14	3	Horizontal	117	1.47	-
2462MHz	Pass	AV	4.924G	39.32	54.00	-14.68	3	Vertical	29	1.83	-
2462MHz	Pass	AV	7.38522G	39.77	54.00	-14.23	3	Vertical	191	1.74	-
2462MHz	Pass	PK	4.92464G	52.16	74.00	-21.84	3	Vertical	29	1.83	-
2462MHz	Pass	PK	7.38492G	55.19	74.00	-18.81	3	Vertical	191	1.74	-
2462MHz	Pass	AV	4.92392G	34.63	54.00	-19.37	3	Horizontal	33	1.10	-
2462MHz	Pass	AV	7.38556G	36.33	54.00	-17.67	3	Horizontal	192	1.49	-
2462MHz	Pass	PK	4.92394G	46.83	74.00	-27.17	3	Horizontal	33	1.10	-
2462MHz	Pass	PK	7.38972G	49.70	74.00	-24.30	3	Horizontal	192	1.49	-
802.11n HT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.90	54.00	-3.10	3	Vertical	268	1.40	-
2412MHz	Pass	AV	2.4168G	105.58	Inf	-Inf	3	Vertical	268	1.40	-
2412MHz	Pass	AV	2.4835G	46.61	54.00	-7.39	3	Vertical	268	1.40	-
2412MHz	Pass	PK	2.39G	61.29	74.00	-12.71	3	Vertical	268	1.40	-
2412MHz	Pass	PK	2.4172G	114.60	Inf	-Inf	3	Vertical	268	1.40	-
2412MHz	Pass	PK	2.486G	57.45	74.00	-16.55	3	Vertical	268	1.40	-
2412MHz	Pass	AV	2.3896G	49.84	54.00	-4.16	3	Horizontal	74	3.00	-
2412MHz	Pass	AV	2.4188G	100.29	Inf	-Inf	3	Horizontal	74	3.00	-
2412MHz	Pass	AV	2.4912G	45.87	54.00	-8.13	3	Horizontal	74	3.00	-
2412MHz	Pass	PK	2.39G	61.23	74.00	-12.77	3	Horizontal	74	3.00	-
2412MHz	Pass	PK	2.4188G	109.90	Inf	-Inf	3	Horizontal	74	3.00	-
2412MHz	Pass	PK	2.4888G	57.08	74.00	-16.92	3	Horizontal	74	3.00	-
2412MHz	Pass	AV	4.824G	41.04	54.00	-12.96	3	Vertical	200	1.49	-
2412MHz	Pass	PK	4.82424G	48.99	74.00	-25.01	3	Vertical	200	1.49	-
2412MHz	Pass	AV	4.82388G	36.63	54.00	-17.37	3	Horizontal	154	2.62	-
2412MHz	Pass	PK	4.82418G	47.86	74.00	-26.14	3	Horizontal	154	2.62	-
2417MHz	Pass	AV	2.387G	50.87	54.00	-3.13	3	Vertical	271	1.38	-
2417MHz	Pass	AV	2.4226G	109.86	Inf	-Inf	3	Vertical	271	1.38	-
2417MHz	Pass	AV	2.4835G	47.90	54.00	-6.10	3	Vertical	271	1.38	-
2417MHz	Pass	PK	2.3898G	68.21	74.00	-5.79	3	Vertical	271	1.38	-
2417MHz	Pass	PK	2.423G	119.74	Inf	-Inf	3	Vertical	271	1.38	-
2417MHz	Pass	PK	2.4842G	63.14	74.00	-10.86	3	Vertical	271	1.38	-
2417MHz	Pass	AV	2.3898G	49.09	54.00	-4.91	3	Horizontal	74	3.00	-
2417MHz	Pass	AV	2.4234G	103.73	Inf	-Inf	3	Horizontal	74	3.00	-
2417MHz	Pass	AV	2.4838G	45.87	54.00	-8.13	3	Horizontal	74	3.00	-
2417MHz	Pass	PK	2.3862G	59.57	74.00	-14.43	3	Horizontal	74	3.00	-
2417MHz	Pass	PK	2.4226G	113.32	Inf	-Inf	3	Horizontal	74	3.00	-
2417MHz	Pass	PK	2.4866G	57.33	74.00	-16.67	3	Horizontal	74	3.00	-
2437MHz	Pass	AV	2.3898G	49.53	54.00	-4.47	3	Vertical	269	1.30	-
2437MHz	Pass	AV	2.4318G	111.79	Inf	-Inf	3	Vertical	269	1.30	-
2437MHz	Pass	AV	2.4835G	50.98	54.00	-3.02	3	Vertical	269	1.30	-
2437MHz	Pass	PK	2.3898G	60.57	74.00	-13.43	3	Vertical	269	1.30	-
2437MHz	Pass	PK	2.4326G	120.57	Inf	-Inf	3	Vertical	269	1.30	-
2437MHz	Pass	PK	2.4842G	61.41	74.00	-12.59	3	Vertical	269	1.30	-
2437MHz	Pass	AV	2.389G	46.44	54.00	-7.56	3	Horizontal	73	2.87	-
2437MHz	Pass	AV	2.431G	103.00	Inf	-Inf	3	Horizontal	73	2.87	-
2437MHz	Pass	AV	2.4835G	47.03	54.00	-6.97	3	Horizontal	73	2.87	-
2437MHz	Pass	PK	2.3414G	57.41	74.00	-16.59	3	Horizontal	73	2.87	-
2437MHz	Pass	PK	2.4306G	112.47	Inf	-Inf	3	Horizontal	73	2.87	-
2437MHz	Pass	PK	2.4842G	58.39	74.00	-15.61	3	Horizontal	73	2.87	-
2437MHz	Pass	AV	4.87394G	43.54	54.00	-10.46	3	Vertical	245	2.27	-
2437MHz	Pass	AV	7.3152G	41.30	54.00	-12.70	3	Vertical	186	1.84	-
2437MHz	Pass	PK	4.874G	50.58	74.00	-23.42	3	Vertical	245	2.27	-
2437MHz	Pass	PK	7.31622G	54.39	74.00	-19.61	3	Vertical	186	1.84	-
2437MHz	Pass	AV	4.87394G	34.85	54.00	-19.15	3	Horizontal	117	2.65	-
2437MHz	Pass	AV	7.30212G	38.18	54.00	-15.82	3	Horizontal	196	1.78	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.8734G	45.38	74.00	-28.62	3	Horizontal	117	2.65	-
2437MHz	Pass	PK	7.31598G	51.01	74.00	-22.99	3	Horizontal	196	1.78	-
2457MHz	Pass	AV	2.389G	46.37	54.00	-7.63	3	Vertical	258	1.27	-
2457MHz	Pass	AV	2.4542G	107.57	Inf	-Inf	3	Vertical	258	1.27	-
2457MHz	Pass	AV	2.4835G	50.38	54.00	-3.62	3	Vertical	258	1.27	-
2457MHz	Pass	PK	2.3866G	57.64	74.00	-16.36	3	Vertical	258	1.27	-
2457MHz	Pass	PK	2.4546G	117.01	Inf	-Inf	3	Vertical	258	1.27	-
2457MHz	Pass	PK	2.4846G	61.75	74.00	-12.25	3	Vertical	258	1.27	-
2457MHz	Pass	AV	2.3666G	45.98	54.00	-8.02	3	Horizontal	39	1.87	-
2457MHz	Pass	AV	2.4518G	97.52	Inf	-Inf	3	Horizontal	39	1.87	-
2457MHz	Pass	AV	2.4846G	46.88	54.00	-7.12	3	Horizontal	39	1.87	-
2457MHz	Pass	PK	2.381G	57.32	74.00	-16.68	3	Horizontal	39	1.87	-
2457MHz	Pass	PK	2.4594G	107.34	Inf	-Inf	3	Horizontal	39	1.87	-
2457MHz	Pass	PK	2.4858G	57.02	74.00	-16.98	3	Horizontal	39	1.87	-
2462MHz	Pass	AV	2.39G	46.30	54.00	-7.70	3	Vertical	256	1.24	-
2462MHz	Pass	AV	2.458G	105.25	Inf	-Inf	3	Vertical	256	1.24	-
2462MHz	Pass	AV	2.4835G	50.78	54.00	-3.22	3	Vertical	256	1.24	-
2462MHz	Pass	PK	2.362G	57.50	74.00	-16.50	3	Vertical	256	1.24	-
2462MHz	Pass	PK	2.4588G	114.98	Inf	-Inf	3	Vertical	256	1.24	-
2462MHz	Pass	PK	2.4852G	61.59	74.00	-12.41	3	Vertical	256	1.24	-
2462MHz	Pass	AV	2.3704G	46.01	54.00	-7.99	3	Horizontal	38	1.10	-
2462MHz	Pass	AV	2.4668G	96.21	Inf	-Inf	3	Horizontal	38	1.10	-
2462MHz	Pass	AV	2.4844G	47.18	54.00	-6.82	3	Horizontal	38	1.10	-
2462MHz	Pass	PK	2.364G	56.59	74.00	-17.41	3	Horizontal	38	1.10	-
2462MHz	Pass	PK	2.466G	105.25	Inf	-Inf	3	Horizontal	38	1.10	-
2462MHz	Pass	PK	2.4848G	57.60	74.00	-16.40	3	Horizontal	38	1.10	-
2462MHz	Pass	AV	4.924G	42.28	54.00	-11.72	3	Vertical	146	1.00	-
2462MHz	Pass	AV	7.39872G	36.97	54.00	-17.03	3	Vertical	253	1.62	-
2462MHz	Pass	PK	4.92412G	48.02	74.00	-25.98	3	Vertical	146	1.00	-
2462MHz	Pass	PK	7.37982G	49.72	74.00	-24.28	3	Vertical	253	1.62	-
2462MHz	Pass	AV	4.924G	34.24	54.00	-19.76	3	Horizontal	193	1.49	-
2462MHz	Pass	AV	7.39428G	36.86	54.00	-17.14	3	Horizontal	24	1.48	-
2462MHz	Pass	PK	4.92262G	45.35	74.00	-28.65	3	Horizontal	193	1.49	-
2462MHz	Pass	PK	7.38378G	49.84	74.00	-24.16	3	Horizontal	24	1.48	-
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	50.90	54.00	-3.10	3	Vertical	283	1.34	-
2422MHz	Pass	AV	2.4304G	100.00	Inf	-Inf	3	Vertical	283	1.34	-
2422MHz	Pass	AV	2.4848G	47.59	54.00	-6.41	3	Vertical	283	1.34	-
2422MHz	Pass	PK	2.39G	61.09	74.00	-12.91	3	Vertical	283	1.34	-
2422MHz	Pass	PK	2.4296G	108.93	Inf	-Inf	3	Vertical	283	1.34	-
2422MHz	Pass	PK	2.4835G	61.54	74.00	-12.46	3	Vertical	283	1.34	-
2422MHz	Pass	AV	2.3236G	46.75	54.00	-7.25	3	Horizontal	184	1.48	-
2422MHz	Pass	AV	2.4336G	91.42	Inf	-Inf	3	Horizontal	184	1.48	-
2422MHz	Pass	AV	2.4856G	46.43	54.00	-7.57	3	Horizontal	184	1.48	-
2422MHz	Pass	PK	2.3428G	57.58	74.00	-16.42	3	Horizontal	184	1.48	-
2422MHz	Pass	PK	2.4344G	99.96	Inf	-Inf	3	Horizontal	184	1.48	-
2422MHz	Pass	PK	2.4888G	56.56	74.00	-17.44	3	Horizontal	184	1.48	-
2422MHz	Pass	AV	4.844G	42.70	54.00	-11.30	3	Vertical	144	1.00	-
2422MHz	Pass	AV	7.25454G	37.49	54.00	-16.51	3	Vertical	260	2.22	-
2422MHz	Pass	PK	4.84394G	47.36	74.00	-26.64	3	Vertical	144	1.00	-
2422MHz	Pass	PK	7.25676G	49.07	74.00	-24.93	3	Vertical	260	2.22	-
2422MHz	Pass	AV	4.84406G	33.78	54.00	-20.22	3	Horizontal	155	1.67	-
2422MHz	Pass	AV	7.2633G	37.37	54.00	-16.63	3	Horizontal	179	1.53	-
2422MHz	Pass	PK	4.84394G	43.61	74.00	-30.39	3	Horizontal	155	1.67	-
2422MHz	Pass	PK	7.25922G	49.68	74.00	-24.32	3	Horizontal	179	1.53	-
2427MHz	Pass	AV	2.3898G	50.97	54.00	-3.03	3	Vertical	272	1.30	-
2427MHz	Pass	AV	2.4318G	101.57	Inf	-Inf	3	Vertical	272	1.30	-
2427MHz	Pass	AV	2.4838G	47.88	54.00	-6.12	3	Vertical	272	1.30	-
2427MHz	Pass	PK	2.3874G	67.50	74.00	-6.50	3	Vertical	272	1.30	-
2427MHz	Pass	PK	2.4302G	110.72	Inf	-Inf	3	Vertical	272	1.30	-
2427MHz	Pass	PK	2.4854G	64.98	74.00	-9.02	3	Vertical	272	1.30	-
2427MHz	Pass	AV	2.3882G	46.89	54.00	-7.11	3	Horizontal	184	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	AV	2.4382G	91.92	Inf	-Inf	3	Horizontal	184	1.50	-
2427MHz	Pass	AV	2.4842G	46.56	54.00	-7.44	3	Horizontal	184	1.50	-
2427MHz	Pass	PK	2.3378G	57.88	74.00	-16.12	3	Horizontal	184	1.50	-
2427MHz	Pass	PK	2.4382G	101.12	Inf	-Inf	3	Horizontal	184	1.50	-
2427MHz	Pass	PK	2.4966G	56.52	74.00	-17.48	3	Horizontal	184	1.50	-
2437MHz	Pass	AV	2.3898G	49.56	54.00	-4.44	3	Vertical	272	1.30	-
2437MHz	Pass	AV	2.4318G	104.60	Inf	-Inf	3	Vertical	272	1.30	-
2437MHz	Pass	AV	2.485G	50.81	54.00	-3.19	3	Vertical	272	1.30	-
2437MHz	Pass	PK	2.3898G	59.61	74.00	-14.39	3	Vertical	272	1.30	-
2437MHz	Pass	PK	2.4326G	113.57	Inf	-Inf	3	Vertical	272	1.30	-
2437MHz	Pass	PK	2.4838G	67.57	74.00	-6.43	3	Vertical	272	1.30	-
2437MHz	Pass	AV	2.3482G	46.76	54.00	-7.24	3	Horizontal	99	2.86	-
2437MHz	Pass	AV	2.4278G	95.38	Inf	-Inf	3	Horizontal	99	2.86	-
2437MHz	Pass	AV	2.4846G	47.10	54.00	-6.90	3	Horizontal	99	2.86	-
2437MHz	Pass	PK	2.3662G	58.14	74.00	-15.86	3	Horizontal	99	2.86	-
2437MHz	Pass	PK	2.4258G	104.71	Inf	-Inf	3	Horizontal	99	2.86	-
2437MHz	Pass	PK	2.4842G	57.62	74.00	-16.38	3	Horizontal	99	2.86	-
2437MHz	Pass	AV	4.87406G	42.44	54.00	-11.56	3	Vertical	201	1.46	-
2437MHz	Pass	AV	7.3245G	37.40	54.00	-16.60	3	Vertical	147	1.20	-
2437MHz	Pass	PK	4.874G	47.97	74.00	-26.03	3	Vertical	201	1.46	-
2437MHz	Pass	PK	7.32516G	50.35	74.00	-23.65	3	Vertical	147	1.20	-
2437MHz	Pass	AV	7.30062G	37.37	54.00	-16.63	3	Horizontal	94	1.52	-
2437MHz	Pass	AV	4.87388G	34.68	54.00	-19.32	3	Horizontal	149	1.13	-
2437MHz	Pass	PK	7.3149G	49.24	74.00	-24.76	3	Horizontal	94	1.52	-
2437MHz	Pass	PK	4.87016G	45.24	74.00	-28.76	3	Horizontal	149	1.13	-
2447MHz	Pass	AV	2.3886G	47.21	54.00	-6.79	3	Vertical	253	1.15	-
2447MHz	Pass	AV	2.435G	101.36	Inf	-Inf	3	Vertical	253	1.15	-
2447MHz	Pass	AV	2.4858G	50.75	54.00	-3.25	3	Vertical	253	1.15	-
2447MHz	Pass	PK	2.3886G	60.95	74.00	-13.05	3	Vertical	253	1.15	-
2447MHz	Pass	PK	2.4358G	110.67	Inf	-Inf	3	Vertical	253	1.15	-
2447MHz	Pass	PK	2.4862G	67.75	74.00	-6.25	3	Vertical	253	1.15	-
2447MHz	Pass	AV	2.3666G	46.54	54.00	-7.46	3	Horizontal	184	1.49	-
2447MHz	Pass	AV	2.4322G	93.14	Inf	-Inf	3	Horizontal	184	1.49	-
2447MHz	Pass	AV	2.4846G	48.38	54.00	-5.62	3	Horizontal	184	1.49	-
2447MHz	Pass	PK	2.3486G	56.94	74.00	-17.06	3	Horizontal	184	1.49	-
2447MHz	Pass	PK	2.4318G	102.24	Inf	-Inf	3	Horizontal	184	1.49	-
2447MHz	Pass	PK	2.4838G	57.83	74.00	-16.17	3	Horizontal	184	1.49	-
2452MHz	Pass	AV	2.3888G	47.26	54.00	-6.74	3	Vertical	263	1.29	-
2452MHz	Pass	AV	2.4612G	100.08	Inf	-Inf	3	Vertical	263	1.29	-
2452MHz	Pass	AV	2.4835G	50.58	54.00	-3.42	3	Vertical	263	1.29	-
2452MHz	Pass	PK	2.39G	62.80	74.00	-11.20	3	Vertical	263	1.29	-
2452MHz	Pass	PK	2.4588G	109.17	Inf	-Inf	3	Vertical	263	1.29	-
2452MHz	Pass	PK	2.484G	63.13	74.00	-10.87	3	Vertical	263	1.29	-
2452MHz	Pass	AV	2.3612G	46.15	54.00	-7.85	3	Horizontal	52	1.00	-
2452MHz	Pass	AV	2.462G	90.38	Inf	-Inf	3	Horizontal	52	1.00	-
2452MHz	Pass	AV	2.4848G	47.46	54.00	-6.54	3	Horizontal	52	1.00	-
2452MHz	Pass	PK	2.3764G	58.45	74.00	-15.55	3	Horizontal	52	1.00	-
2452MHz	Pass	PK	2.4632G	100.60	Inf	-Inf	3	Horizontal	52	1.00	-
2452MHz	Pass	PK	2.4835G	62.05	74.00	-11.95	3	Horizontal	52	1.00	-
2452MHz	Pass	AV	4.904G	42.07	54.00	-11.93	3	Vertical	144	1.31	-
2452MHz	Pass	AV	7.35552G	37.40	54.00	-16.60	3	Vertical	233	2.02	-
2452MHz	Pass	PK	4.90406G	47.37	74.00	-26.63	3	Vertical	144	1.31	-
2452MHz	Pass	PK	7.34556G	49.34	74.00	-24.66	3	Vertical	233	2.02	-
2452MHz	Pass	AV	4.904G	33.60	54.00	-20.40	3	Horizontal	191	1.49	-
2452MHz	Pass	AV	7.35972G	37.45	54.00	-16.55	3	Horizontal	22	1.36	-
2452MHz	Pass	PK	4.90403G	45.00	74.00	-29.00	3	Horizontal	191	1.49	-
2452MHz	Pass	PK	7.3653G	49.42	74.00	-24.58	3	Horizontal	22	1.36	-