


11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.96	54.00	-7.04	33.57	3	Vertical	254	1.19	-	13.39	27.62	5.95	-
AV	2.4128G	111.99	Inf	-Inf	33.53	3	Vertical	254	1.19	-	78.46	27.55	5.98	-
AV	2.484G	45.87	54.00	-8.13	33.46	3	Vertical	254	1.19	-	12.41	27.40	6.06	-
PK	2.3584G	57.92	74.00	-16.08	33.61	3	Vertical	254	1.19	-	24.31	27.68	5.93	-
PK	2.4124G	118.37	Inf	-Inf	33.52	3	Vertical	254	1.19	-	84.85	27.55	5.97	-
PK	2.4908G	56.60	74.00	-17.40	33.47	3	Vertical	254	1.19	-	23.13	27.40	6.07	-

11b-5M_Nss1_2TX

2412MHz_TX




26/01/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.312G	46.06	54.00	-7.94	33.74	3	Horizontal	92	2.20	-	12.32	27.85	5.89	-
AV	2.4124G	103.69	Inf	-Inf	33.52	3	Horizontal	92	2.20	-	70.17	27.55	5.97	-
AV	2.4864G	45.48	54.00	-8.52	33.46	3	Horizontal	92	2.20	-	12.02	27.40	6.06	-
PK	2.3776G	58.10	74.00	-15.90	33.58	3	Horizontal	92	2.20	-	24.52	27.64	5.94	-
PK	2.4124G	110.12	Inf	-Inf	33.52	3	Horizontal	92	2.20	-	76.60	27.55	5.97	-
PK	2.4848G	56.23	74.00	-17.77	33.46	3	Horizontal	92	2.20	-	22.77	27.40	6.06	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82497G	50.50	54.00	-3.50	4.99	3	Vertical	231	1.71	-	45.51	31.00	8.27	34.28
PK	4.82493G	54.65	74.00	-19.35	4.99	3	Vertical	231	1.71	-	49.66	31.00	8.27	34.28

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82495G	47.52	54.00	-6.48	4.99	3	Horizontal	152	1.03	-	42.53	31.00	8.27	34.28
PK	4.82499G	52.36	74.00	-21.64	4.99	3	Horizontal	152	1.03	-	47.37	31.00	8.27	34.28

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.46	54.00	-7.54	33.57	3	Vertical	257	1.19	-	12.89	27.62	5.95	-
AV	2.4174G	110.53	Inf	-Inf	33.51	3	Vertical	257	1.19	-	77.02	27.53	5.98	-
AV	2.4838G	45.89	54.00	-8.11	33.46	3	Vertical	257	1.19	-	12.43	27.40	6.06	-
PK	2.3494G	57.90	74.00	-16.10	33.62	3	Vertical	257	1.19	-	24.28	27.70	5.92	-
PK	2.4174G	116.84	Inf	-Inf	33.51	3	Vertical	257	1.19	-	83.33	27.53	5.98	-
PK	2.491G	56.33	74.00	-17.67	33.47	3	Vertical	257	1.19	-	22.86	27.40	6.07	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.317G	46.00	54.00	-8.00	33.73	3	Horizontal	117	1.48	-	12.27	27.83	5.90	-
AV	2.4182G	102.78	Inf	-Inf	33.51	3	Horizontal	117	1.48	-	69.27	27.53	5.98	-
AV	2.4842G	45.54	54.00	-8.46	33.46	3	Horizontal	117	1.48	-	12.08	27.40	6.06	-
PK	2.3282G	57.37	74.00	-16.63	33.70	3	Horizontal	117	1.48	-	23.67	27.79	5.91	-
PK	2.4178G	108.07	Inf	-Inf	33.51	3	Horizontal	117	1.48	-	74.56	27.53	5.98	-
PK	2.489G	56.64	74.00	-17.36	33.47	3	Horizontal	117	1.48	-	23.17	27.40	6.07	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83496G	50.98	54.00	-3.02	5.03	3	Vertical	231	1.67	-	45.95	31.04	8.27	34.28
AV	7.25302G	35.60	54.00	-18.40	11.66	3	Vertical	140	1.94	-	23.94	36.21	10.02	34.57
PK	4.83496G	55.15	74.00	-18.85	5.03	3	Vertical	231	1.67	-	50.12	31.04	8.27	34.28
PK	7.25352G	49.63	74.00	-24.37	11.66	3	Vertical	140	1.94	-	37.97	36.21	10.02	34.57

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83498G	46.95	54.00	-7.05	5.03	3	Horizontal	152	1.03	-	41.92	31.04	8.27	34.28
AV	7.2535G	35.60	54.00	-18.40	11.66	3	Horizontal	55	2.41	-	23.94	36.21	10.02	34.57
PK	4.83504G	51.76	74.00	-22.24	5.03	3	Horizontal	152	1.03	-	46.73	31.04	8.27	34.28
PK	7.25428G	49.07	74.00	-24.93	11.67	3	Horizontal	55	2.41	-	37.40	36.22	10.02	34.57

11b-5M_Nss1_2TX

2437MHz_TX




26/01/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.72	54.00	-7.28	33.57	3	Vertical	274	2.73	-	13.15	27.62	5.95	-
AV	2.437G	119.32	Inf	-Inf	33.45	3	Vertical	274	2.73	-	85.87	27.45	6.00	-
AV	2.4838G	47.46	54.00	-6.54	33.46	3	Vertical	274	2.73	-	14.00	27.40	6.06	-
PK	2.3802G	57.93	74.00	-16.07	33.59	3	Vertical	274	2.73	-	24.34	27.64	5.95	-
PK	2.4374G	125.00	Inf	-Inf	33.45	3	Vertical	274	2.73	-	91.55	27.45	6.00	-
PK	2.4854G	58.13	74.00	-15.87	33.46	3	Vertical	274	2.73	-	24.67	27.40	6.06	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.337G	46.05	54.00	-7.95	33.66	3	Horizontal	148	1.29	-	12.39	27.75	5.91	-
AV	2.4366G	115.61	Inf	-Inf	33.45	3	Horizontal	148	1.29	-	82.16	27.45	6.00	-
AV	2.4835G	46.39	54.00	-7.61	33.46	3	Horizontal	148	1.29	-	12.93	27.40	6.06	-
PK	2.369G	57.81	74.00	-16.19	33.60	3	Horizontal	148	1.29	-	24.21	27.66	5.94	-
PK	2.4374G	121.50	Inf	-Inf	33.45	3	Horizontal	148	1.29	-	88.05	27.45	6.00	-
PK	2.4854G	57.29	74.00	-16.71	33.46	3	Horizontal	148	1.29	-	23.83	27.40	6.06	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87494G	49.06	54.00	-4.94	5.09	3	Vertical	235	1.92	-	43.97	31.05	8.30	34.26
AV	7.31228G	50.63	54.00	-3.37	11.81	3	Vertical	188	1.84	-	38.82	36.35	10.03	34.57
PK	4.875G	54.06	74.00	-19.94	5.09	3	Vertical	235	1.92	-	48.97	31.05	8.30	34.26
PK	7.31236G	58.60	74.00	-15.40	11.81	3	Vertical	188	1.84	-	46.79	36.35	10.03	34.57

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87492G	45.34	54.00	-8.66	5.09	3	Horizontal	157	2.23	-	40.25	31.05	8.30	34.26
AV	7.3122G	45.03	54.00	-8.97	11.81	3	Horizontal	168	2.41	-	33.22	36.35	10.03	34.57
PK	4.87492G	51.85	74.00	-22.15	5.09	3	Horizontal	157	2.23	-	46.76	31.05	8.30	34.26
PK	7.31238G	54.98	74.00	-19.02	11.81	3	Horizontal	168	2.41	-	43.17	36.35	10.03	34.57

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.04	54.00	-7.96	33.57	3	Vertical	263	1.26	-	12.47	27.62	5.95	-
AV	2.4578G	113.15	Inf	-Inf	33.43	3	Vertical	263	1.26	-	79.72	27.40	6.03	-
AV	2.4838G	47.32	54.00	-6.68	33.46	3	Vertical	263	1.26	-	13.86	27.40	6.06	-
PK	2.3678G	57.12	74.00	-16.88	33.60	3	Vertical	263	1.26	-	23.52	27.66	5.94	-
PK	2.4574G	119.46	Inf	-Inf	33.43	3	Vertical	263	1.26	-	86.03	27.40	6.03	-
PK	2.4835G	57.91	74.00	-16.09	33.46	3	Vertical	263	1.26	-	24.45	27.40	6.06	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3662G	45.89	54.00	-8.11	33.60	3	Horizontal	146	1.20	-	12.29	27.67	5.93	-
AV	2.4574G	109.43	Inf	-Inf	33.43	3	Horizontal	146	1.20	-	76.00	27.40	6.03	-
AV	2.4835G	46.57	54.00	-7.43	33.46	3	Horizontal	146	1.20	-	13.11	27.40	6.06	-
PK	2.3714G	56.45	74.00	-17.55	33.60	3	Horizontal	146	1.20	-	22.85	27.66	5.94	-
PK	2.4574G	115.70	Inf	-Inf	33.43	3	Horizontal	146	1.20	-	82.27	27.40	6.03	-
PK	2.4838G	58.01	74.00	-15.99	33.46	3	Horizontal	146	1.20	-	24.55	27.40	6.06	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91496G	50.79	54.00	-3.21	5.13	3	Vertical	234	1.68	-	45.66	31.06	8.32	34.25
AV	7.37276G	36.13	54.00	-17.87	11.61	3	Vertical	225	1.54	-	24.52	36.15	10.04	34.58
PK	4.91498G	54.84	74.00	-19.16	5.13	3	Vertical	234	1.68	-	49.71	31.06	8.32	34.25
PK	7.37302G	49.35	74.00	-24.65	11.61	3	Vertical	225	1.54	-	37.74	36.15	10.04	34.58

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91498G	45.64	54.00	-8.36	5.13	3	Horizontal	120	1.09	-	40.51	31.06	8.32	34.25
AV	7.37572G	35.53	54.00	-18.47	11.62	3	Horizontal	182	2.14	-	23.91	36.15	10.05	34.58
PK	4.915G	50.94	74.00	-23.06	5.13	3	Horizontal	120	1.09	-	45.81	31.06	8.32	34.25
PK	7.3738G	49.14	74.00	-24.86	11.61	3	Horizontal	182	2.14	-	37.53	36.15	10.04	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.04	54.00	-7.96	33.57	3	Vertical	106	1.28	-	12.47	27.62	5.95	-
AV	2.4628G	114.99	Inf	-Inf	33.44	3	Vertical	106	1.28	-	81.55	27.40	6.04	-
AV	2.484G	47.45	54.00	-6.55	33.46	3	Vertical	106	1.28	-	13.99	27.40	6.06	-
PK	2.3884G	56.74	74.00	-17.26	33.57	3	Vertical	106	1.28	-	23.17	27.62	5.95	-
PK	2.4628G	121.11	Inf	-Inf	33.44	3	Vertical	106	1.28	-	87.67	27.40	6.04	-
PK	2.4852G	58.36	74.00	-15.64	33.46	3	Vertical	106	1.28	-	24.90	27.40	6.06	-

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3652G	45.91	54.00	-8.09	33.60	3	Horizontal	148	1.00	-	12.31	27.67	5.93	-
AV	2.4624G	110.79	Inf	-Inf	33.43	3	Horizontal	148	1.00	-	77.36	27.40	6.03	-
AV	2.4852G	46.50	54.00	-7.50	33.46	3	Horizontal	148	1.00	-	13.04	27.40	6.06	-
PK	2.3644G	56.88	74.00	-17.12	33.60	3	Horizontal	148	1.00	-	23.28	27.67	5.93	-
PK	2.4624G	117.18	Inf	-Inf	33.43	3	Horizontal	148	1.00	-	83.75	27.40	6.03	-
PK	2.4904G	57.10	74.00	-16.90	33.47	3	Horizontal	148	1.00	-	23.63	27.40	6.07	-

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92498G	50.81	54.00	-3.19	5.18	3	Vertical	236	2.45	-	45.63	31.10	8.33	34.25
AV	7.38736G	38.37	54.00	-15.63	11.60	3	Vertical	191	1.82	-	26.77	36.13	10.05	34.58
PK	4.92496G	54.60	74.00	-19.40	5.18	3	Vertical	236	2.45	-	49.42	31.10	8.33	34.25
PK	7.38762G	50.76	74.00	-23.24	11.59	3	Vertical	191	1.82	-	39.17	36.12	10.05	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92496G	46.33	54.00	-7.67	5.18	3	Horizontal	120	1.01	-	41.15	31.10	8.33	34.25
AV	7.38732G	36.11	54.00	-17.89	11.60	3	Horizontal	196	1.47	-	24.51	36.13	10.05	34.58
PK	4.925G	51.15	74.00	-22.85	5.18	3	Horizontal	120	1.01	-	45.97	31.10	8.33	34.25
PK	7.38294G	49.33	74.00	-24.67	11.60	3	Horizontal	196	1.47	-	37.73	36.13	10.05	34.58

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.56	54.00	-7.44	33.57	3	Vertical	260	1.36	-	12.99	27.62	5.95	-
AV	2.4116G	110.62	Inf	-Inf	33.52	3	Vertical	260	1.36	-	77.10	27.55	5.97	-
AV	2.484G	46.04	54.00	-7.96	33.46	3	Vertical	260	1.36	-	12.58	27.40	6.06	-
PK	2.318G	57.54	74.00	-16.46	33.73	3	Vertical	260	1.36	-	23.81	27.83	5.90	-
PK	2.4116G	115.58	Inf	-Inf	33.52	3	Vertical	260	1.36	-	82.06	27.55	5.97	-
PK	2.4868G	56.43	74.00	-17.57	33.46	3	Vertical	260	1.36	-	22.97	27.40	6.06	-

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3172G	46.22	54.00	-7.78	33.73	3	Horizontal	73	1.17	-	12.49	27.83	5.90	-
AV	2.4116G	104.62	Inf	-Inf	33.52	3	Horizontal	73	1.17	-	71.10	27.55	5.97	-
AV	2.4956G	45.73	54.00	-8.27	33.47	3	Horizontal	73	1.17	-	12.26	27.40	6.07	-
PK	2.312G	58.35	74.00	-15.65	33.74	3	Horizontal	73	1.17	-	24.61	27.85	5.89	-
PK	2.4112G	109.87	Inf	-Inf	33.53	3	Horizontal	73	1.17	-	76.34	27.56	5.97	-
PK	2.4912G	56.33	74.00	-17.67	33.47	3	Horizontal	73	1.17	-	22.86	27.40	6.07	-

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82495G	50.95	54.00	-3.05	4.99	3	Vertical	191	1.87	-	45.96	31.00	8.27	34.28
PK	4.82498G	54.76	74.00	-19.24	4.99	3	Vertical	191	1.87	-	49.77	31.00	8.27	34.28

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82496G	48.97	54.00	-5.03	4.99	3	Horizontal	117	2.67	-	43.98	31.00	8.27	34.28
PK	4.82497G	53.75	74.00	-20.25	4.99	3	Horizontal	117	2.67	-	48.76	31.00	8.27	34.28

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.27	54.00	-7.73	33.57	3	Vertical	259	1.42	-	12.70	27.62	5.95	-
AV	2.4174G	110.06	Inf	-Inf	33.51	3	Vertical	259	1.42	-	76.55	27.53	5.98	-
AV	2.4835G	46.00	54.00	-8.00	33.46	3	Vertical	259	1.42	-	12.54	27.40	6.06	-
PK	2.3218G	58.28	74.00	-15.72	33.71	3	Vertical	259	1.42	-	24.57	27.81	5.90	-
PK	2.4174G	114.98	Inf	-Inf	33.51	3	Vertical	259	1.42	-	81.47	27.53	5.98	-
PK	2.4886G	57.06	74.00	-16.94	33.47	3	Vertical	259	1.42	-	23.59	27.40	6.07	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3174G	46.17	54.00	-7.83	33.73	3	Horizontal	72	1.17	-	12.44	27.83	5.90	-
AV	2.4166G	104.74	Inf	-Inf	33.51	3	Horizontal	72	1.17	-	71.23	27.53	5.98	-
AV	2.497G	45.69	54.00	-8.31	33.48	3	Horizontal	72	1.17	-	12.21	27.40	6.08	-
PK	2.3398G	57.24	74.00	-16.76	33.65	3	Horizontal	72	1.17	-	23.59	27.74	5.91	-
PK	2.4162G	110.01	Inf	-Inf	33.52	3	Horizontal	72	1.17	-	76.49	27.54	5.98	-
PK	2.489G	57.39	74.00	-16.61	33.47	3	Horizontal	72	1.17	-	23.92	27.40	6.07	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	50.94	54.00	-3.06	5.03	3	Vertical	191	1.87	-	45.91	31.04	8.27	34.28
AV	7.25028G	37.36	54.00	-16.64	11.65	3	Vertical	224	1.50	-	25.71	36.20	10.02	34.57
PK	4.83392G	53.85	74.00	-20.15	5.03	3	Vertical	191	1.87	-	48.82	31.04	8.27	34.28
PK	7.25084G	50.25	74.00	-23.75	11.65	3	Vertical	224	1.50	-	38.60	36.20	10.02	34.57

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83398G	48.32	54.00	-5.68	5.03	3	Horizontal	118	1.50	-	43.29	31.04	8.27	34.28
AV	7.25152G	35.55	54.00	-18.45	11.66	3	Horizontal	9	1.62	-	23.89	36.21	10.02	34.57
PK	4.83402G	51.87	74.00	-22.13	5.03	3	Horizontal	118	1.50	-	46.84	31.04	8.27	34.28
PK	7.25884G	48.88	74.00	-25.12	11.69	3	Horizontal	9	1.62	-	37.19	36.24	10.02	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.53	54.00	-7.47	33.57	3	Vertical	270	2.06	-	12.96	27.62	5.95	-
AV	2.4366G	116.66	Inf	-Inf	33.45	3	Vertical	270	2.06	-	83.21	27.45	6.00	-
AV	2.4835G	47.06	54.00	-6.94	33.46	3	Vertical	270	2.06	-	13.60	27.40	6.06	-
PK	2.3426G	57.24	74.00	-16.76	33.65	3	Vertical	270	2.06	-	23.59	27.73	5.92	-
PK	2.4362G	121.62	Inf	-Inf	33.46	3	Vertical	270	2.06	-	88.16	27.46	6.00	-
PK	2.4858G	58.32	74.00	-15.68	33.46	3	Vertical	270	2.06	-	24.86	27.40	6.06	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.18	54.00	-7.82	33.57	3	Horizontal	73	1.14	-	12.61	27.62	5.95	-
AV	2.4366G	111.62	Inf	-Inf	33.45	3	Horizontal	73	1.14	-	78.17	27.45	6.00	-
AV	2.4835G	45.83	54.00	-8.17	33.46	3	Horizontal	73	1.14	-	12.37	27.40	6.06	-
PK	2.3386G	57.65	74.00	-16.35	33.66	3	Horizontal	73	1.14	-	23.99	27.75	5.91	-
PK	2.4362G	116.72	Inf	-Inf	33.46	3	Horizontal	73	1.14	-	83.26	27.46	6.00	-
PK	2.4835G	57.61	74.00	-16.39	33.46	3	Horizontal	73	1.14	-	24.15	27.40	6.06	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	45.19	54.00	-8.81	5.09	3	Vertical	198	1.88	-	40.10	31.05	8.30	34.26
AV	7.31134G	49.94	54.00	-4.06	11.81	3	Vertical	193	1.86	-	38.13	36.35	10.03	34.57
PK	4.87428G	49.33	74.00	-24.67	5.09	3	Vertical	198	1.88	-	44.24	31.05	8.30	34.26
PK	7.31154G	57.67	74.00	-16.33	11.81	3	Vertical	193	1.86	-	45.86	36.35	10.03	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	44.18	54.00	-9.82	5.09	3	Horizontal	116	2.58	-	39.09	31.05	8.30	34.26
AV	7.31142G	45.46	54.00	-8.54	11.81	3	Horizontal	169	1.03	-	33.65	36.35	10.03	34.57
PK	4.87388G	48.49	74.00	-25.51	5.09	3	Horizontal	116	2.58	-	43.40	31.05	8.30	34.26
PK	7.31154G	54.11	74.00	-19.89	11.81	3	Horizontal	169	1.03	-	42.30	36.35	10.03	34.57

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3594G	45.90	54.00	-8.10	33.61	3	Vertical	275	2.15	-	12.29	27.68	5.93	-
AV	2.4566G	115.78	Inf	-Inf	33.43	3	Vertical	275	2.15	-	77.35	27.40	6.03	-
AV	2.4846G	46.72	54.00	-7.28	33.46	3	Vertical	275	2.15	-	13.26	27.40	6.06	-
PK	2.3778G	56.96	74.00	-17.04	33.58	3	Vertical	275	2.15	-	23.38	27.64	5.94	-
PK	2.4566G	115.78	Inf	-Inf	33.43	3	Vertical	275	2.15	-	82.35	27.40	6.03	-
PK	2.4838G	57.11	74.00	-16.89	33.46	3	Vertical	275	2.15	-	23.65	27.40	6.06	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3594G	45.84	54.00	-8.16	33.61	3	Horizontal	72	1.12	-	12.23	27.68	5.93	-
AV	2.4566G	103.89	Inf	-Inf	33.43	3	Horizontal	72	1.12	-	70.46	27.40	6.03	-
AV	2.4846G	45.82	54.00	-8.18	33.46	3	Horizontal	72	1.12	-	12.36	27.40	6.06	-
PK	2.383G	56.95	74.00	-17.05	33.58	3	Horizontal	72	1.12	-	23.37	27.63	5.95	-
PK	2.4566G	108.97	Inf	-Inf	33.43	3	Horizontal	72	1.12	-	75.54	27.40	6.03	-
PK	2.4838G	56.73	74.00	-17.27	33.46	3	Horizontal	72	1.12	-	23.27	27.40	6.06	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91397G	50.77	54.00	-3.23	5.13	3	Vertical	198	1.91	-	45.64	31.06	8.32	34.25
AV	7.37148G	38.08	54.00	-15.92	11.62	3	Vertical	189	2.01	-	26.46	36.16	10.04	34.58
PK	4.9139G	53.94	74.00	-20.06	5.13	3	Vertical	198	1.91	-	48.81	31.06	8.32	34.25
PK	7.37148G	49.95	74.00	-24.05	11.62	3	Vertical	189	2.01	-	38.33	36.16	10.04	34.58

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91397G	46.57	54.00	-7.43	5.13	3	Horizontal	118	1.49	-	41.44	31.06	8.32	34.25
AV	7.37136G	36.05	54.00	-17.95	11.62	3	Horizontal	236	2.91	-	24.43	36.16	10.04	34.58
PK	4.914G	50.98	74.00	-23.02	5.13	3	Horizontal	118	1.49	-	45.85	31.06	8.32	34.25
PK	7.35936G	50.14	74.00	-23.86	11.64	3	Horizontal	236	2.91	-	38.50	36.18	10.04	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.08	54.00	-7.92	33.57	3	Vertical	290	1.13	-	12.51	27.62	5.95	-
AV	2.4624G	113.42	Inf	-Inf	33.43	3	Vertical	290	1.13	-	79.99	27.40	6.03	-
AV	2.484G	47.65	54.00	-6.35	33.46	3	Vertical	290	1.13	-	14.19	27.40	6.06	-
PK	2.3884G	57.88	74.00	-16.12	33.57	3	Vertical	290	1.13	-	24.31	27.62	5.95	-
PK	2.4628G	118.49	Inf	-Inf	33.44	3	Vertical	290	1.13	-	85.05	27.40	6.04	-
PK	2.484G	58.11	74.00	-15.89	33.46	3	Vertical	290	1.13	-	24.65	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.364G	45.82	54.00	-8.18	33.60	3	Horizontal	64	1.48	-	12.22	27.67	5.93	-
AV	2.4624G	105.88	Inf	-Inf	33.43	3	Horizontal	64	1.48	-	72.45	27.40	6.03	-
AV	2.484G	46.30	54.00	-7.70	33.46	3	Horizontal	64	1.48	-	12.84	27.40	6.06	-
PK	2.3656G	56.85	74.00	-17.15	33.60	3	Horizontal	64	1.48	-	23.25	27.67	5.93	-
PK	2.4628G	111.05	Inf	-Inf	33.44	3	Horizontal	64	1.48	-	77.61	27.40	6.04	-
PK	2.4872G	57.63	74.00	-16.37	33.46	3	Horizontal	64	1.48	-	24.17	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92397G	50.92	54.00	-3.08	5.18	3	Vertical	197	2.16	-	45.74	31.10	8.33	34.25
AV	7.38632G	40.45	54.00	-13.55	11.60	3	Vertical	187	1.81	-	28.85	36.13	10.05	34.58
PK	4.92402G	54.01	74.00	-19.99	5.18	3	Vertical	197	2.16	-	48.83	31.10	8.33	34.25
PK	7.38548G	50.94	74.00	-23.06	11.60	3	Vertical	187	1.81	-	39.34	36.13	10.05	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	47.35	54.00	-6.65	5.18	3	Horizontal	120	1.17	-	42.17	31.10	8.33	34.25
AV	7.38648G	36.24	54.00	-17.76	11.60	3	Horizontal	159	2.32	-	24.64	36.13	10.05	34.58
PK	4.92411G	51.36	74.00	-22.64	5.18	3	Horizontal	120	1.17	-	46.18	31.10	8.33	34.25
PK	7.37692G	48.95	74.00	-25.05	11.62	3	Horizontal	159	2.32	-	37.33	36.15	10.05	34.58

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.85	54.00	-7.15	33.57	3	Vertical	257	1.37	-	13.28	27.62	5.95	-
AV	2.4128G	108.99	Inf	-Inf	33.53	3	Vertical	257	1.37	-	75.46	27.55	5.98	-
AV	2.4856G	45.88	54.00	-8.12	33.46	3	Vertical	257	1.37	-	12.42	27.40	6.06	-
PK	2.3888G	57.87	74.00	-16.13	33.57	3	Vertical	257	1.37	-	24.30	27.62	5.95	-
PK	2.4132G	112.95	Inf	-Inf	33.53	3	Vertical	257	1.37	-	79.42	27.55	5.98	-
PK	2.4835G	57.19	74.00	-16.81	33.46	3	Vertical	257	1.37	-	23.73	27.40	6.06	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3124G	46.04	54.00	-7.96	33.74	3	Horizontal	91	1.15	-	12.30	27.85	5.89	-
AV	2.4112G	102.91	Inf	-Inf	33.53	3	Horizontal	91	1.15	-	69.38	27.56	5.97	-
AV	2.4968G	45.49	54.00	-8.51	33.48	3	Horizontal	91	1.15	-	12.01	27.40	6.08	-
PK	2.322G	59.44	74.00	-14.56	33.71	3	Horizontal	91	1.15	-	25.73	27.81	5.90	-
PK	2.4112G	106.87	Inf	-Inf	33.53	3	Horizontal	91	1.15	-	73.34	27.56	5.97	-
PK	2.4888G	56.47	74.00	-17.53	33.47	3	Horizontal	91	1.15	-	23.00	27.40	6.07	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	50.74	54.00	-3.26	4.99	3	Vertical	233	1.72	-	45.75	31.00	8.27	34.28
PK	4.82394G	53.13	74.00	-20.87	4.99	3	Vertical	233	1.72	-	48.14	31.00	8.27	34.28

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82395G	49.60	54.00	-4.40	4.99	3	Horizontal	151	1.02	-	44.61	31.00	8.27	34.28
PK	4.82392G	52.64	74.00	-21.36	4.99	3	Horizontal	151	1.02	-	47.65	31.00	8.27	34.28

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.48	54.00	-7.52	33.57	3	Vertical	261	1.39	-	12.91	27.62	5.95	-
AV	2.4162G	107.56	Inf	-Inf	33.52	3	Vertical	261	1.39	-	74.04	27.54	5.98	-
AV	2.4835G	46.05	54.00	-7.95	33.46	3	Vertical	261	1.39	-	12.59	27.40	6.06	-
PK	2.3322G	57.54	74.00	-16.46	33.68	3	Vertical	261	1.39	-	23.86	27.77	5.91	-
PK	2.4162G	111.30	Inf	-Inf	33.52	3	Vertical	261	1.39	-	77.78	27.54	5.98	-
PK	2.4846G	57.83	74.00	-16.17	33.46	3	Vertical	261	1.39	-	24.37	27.40	6.06	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3182G	46.04	54.00	-7.96	33.73	3	Horizontal	90	1.48	-	12.31	27.83	5.90	-
AV	2.4158G	99.73	Inf	-Inf	33.52	3	Horizontal	90	1.48	-	66.21	27.54	5.98	-
AV	2.4835G	45.57	54.00	-8.43	33.46	3	Horizontal	90	1.48	-	12.11	27.40	6.06	-
PK	2.3634G	57.65	74.00	-16.35	33.60	3	Horizontal	90	1.48	-	24.05	27.67	5.93	-
PK	2.4162G	103.80	Inf	-Inf	33.52	3	Horizontal	90	1.48	-	70.28	27.54	5.98	-
PK	2.4934G	56.15	74.00	-17.85	33.47	3	Horizontal	90	1.48	-	22.68	27.40	6.07	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83397G	50.56	54.00	-3.44	5.03	3	Vertical	231	1.67	-	45.53	31.04	8.27	34.28
AV	7.25121G	36.04	54.00	-17.96	11.65	3	Vertical	80	1.12	-	24.39	36.20	10.02	34.57
PK	4.83403G	53.31	74.00	-20.69	5.03	3	Vertical	231	1.67	-	48.28	31.04	8.27	34.28
PK	7.25014G	50.30	74.00	-23.70	11.65	3	Vertical	80	1.12	-	38.65	36.20	10.02	34.57

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83397G	48.15	54.00	-5.85	5.03	3	Horizontal	151	1.03	-	43.12	31.04	8.27	34.28
AV	7.25242G	36.06	54.00	-17.94	11.66	3	Horizontal	14	1.72	-	24.40	36.21	10.02	34.57
PK	4.83406G	51.71	74.00	-22.29	5.03	3	Horizontal	151	1.03	-	46.68	31.04	8.27	34.28
PK	7.25085G	49.96	74.00	-24.04	11.65	3	Horizontal	14	1.72	-	38.31	36.20	10.02	34.57

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.37	54.00	-7.63	33.57	3	Vertical	263	1.16	-	12.80	27.62	5.95	-
AV	2.4362G	111.64	Inf	-Inf	33.46	3	Vertical	263	1.16	-	78.18	27.46	6.00	-
AV	2.4835G	46.94	54.00	-7.06	33.46	3	Vertical	263	1.16	-	13.48	27.40	6.06	-
PK	2.3826G	58.32	74.00	-15.68	33.58	3	Vertical	263	1.16	-	24.74	27.63	5.95	-
PK	2.4362G	115.67	Inf	-Inf	33.46	3	Vertical	263	1.16	-	82.21	27.46	6.00	-
PK	2.4886G	57.69	74.00	-16.31	33.47	3	Vertical	263	1.16	-	24.22	27.40	6.07	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3406G	45.85	54.00	-8.15	33.66	3	Horizontal	91	1.26	-	12.19	27.74	5.92	-
AV	2.4362G	105.27	Inf	-Inf	33.46	3	Horizontal	91	1.26	-	71.81	27.46	6.00	-
AV	2.4842G	45.64	54.00	-8.36	33.46	3	Horizontal	91	1.26	-	12.18	27.40	6.06	-
PK	2.3422G	57.30	74.00	-16.70	33.65	3	Horizontal	91	1.26	-	23.65	27.73	5.92	-
PK	2.4362G	109.15	Inf	-Inf	33.46	3	Horizontal	91	1.26	-	75.69	27.46	6.00	-
PK	2.4934G	57.50	74.00	-16.50	33.47	3	Horizontal	91	1.26	-	24.03	27.40	6.07	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	50.84	54.00	-3.16	5.09	3	Vertical	244	2.24	-	45.75	31.05	8.30	34.26
AV	7.31013G	37.16	54.00	-16.84	11.82	3	Vertical	189	2.08	-	25.34	36.36	10.03	34.57
PK	4.874G	53.35	74.00	-20.65	5.09	3	Vertical	244	2.24	-	48.26	31.05	8.30	34.26
PK	7.30997G	50.58	74.00	-23.42	11.82	3	Vertical	189	2.08	-	38.76	36.36	10.03	34.57

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	44.69	54.00	-9.31	5.09	3	Horizontal	150	1.03	-	39.60	31.05	8.30	34.26
AV	7.30992G	36.08	54.00	-17.92	11.82	3	Horizontal	212	2.97	-	24.26	36.36	10.03	34.57
PK	4.874G	49.44	74.00	-24.56	5.09	3	Horizontal	150	1.03	-	44.35	31.05	8.30	34.26
PK	7.31001G	49.66	74.00	-24.34	11.82	3	Horizontal	212	2.97	-	37.84	36.36	10.03	34.57

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	45.91	54.00	-8.09	33.57	3	Vertical	272	1.25	-	12.34	27.62	5.95	-
AV	2.4578G	107.72	Inf	-Inf	33.43	3	Vertical	272	1.25	-	74.29	27.40	6.03	-
AV	2.4835G	47.47	54.00	-6.53	33.46	3	Vertical	272	1.25	-	14.01	27.40	6.06	-
PK	2.3666G	57.51	74.00	-16.49	33.60	3	Vertical	272	1.25	-	23.91	27.67	5.93	-
PK	2.4582G	111.66	Inf	-Inf	33.43	3	Vertical	272	1.25	-	78.23	27.40	6.03	-
PK	2.4858G	57.83	74.00	-16.17	33.46	3	Vertical	272	1.25	-	24.37	27.40	6.06	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3602G	45.73	54.00	-8.27	33.61	3	Horizontal	88	1.49	-	12.12	27.68	5.93	-
AV	2.4562G	100.97	Inf	-Inf	33.43	3	Horizontal	88	1.49	-	67.54	27.40	6.03	-
AV	2.4835G	45.90	54.00	-8.10	33.46	3	Horizontal	88	1.49	-	12.44	27.40	6.06	-
PK	2.3854G	56.97	74.00	-17.03	33.58	3	Horizontal	88	1.49	-	23.39	27.63	5.95	-
PK	2.4562G	104.84	Inf	-Inf	33.43	3	Horizontal	88	1.49	-	71.41	27.40	6.03	-
PK	2.4938G	57.60	74.00	-16.40	33.47	3	Horizontal	88	1.49	-	24.13	27.40	6.07	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91397G	50.88	54.00	-3.12	5.13	3	Vertical	245	2.38	-	45.75	31.06	8.32	34.25
AV	7.37146G	35.92	54.00	-18.08	11.62	3	Vertical	233	1.76	-	24.30	36.16	10.04	34.58
PK	4.91399G	53.77	74.00	-20.23	5.13	3	Vertical	245	2.38	-	48.64	31.06	8.32	34.25
PK	7.36933G	49.97	74.00	-24.03	11.62	3	Vertical	233	1.76	-	38.35	36.16	10.04	34.58

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	43.88	54.00	-10.12	5.13	3	Horizontal	150	1.04	-	38.75	31.06	8.32	34.25
AV	7.37322G	35.96	54.00	-18.04	11.61	3	Horizontal	149	1.99	-	24.35	36.15	10.04	34.58
PK	4.9139G	49.33	74.00	-24.67	5.13	3	Horizontal	150	1.04	-	44.20	31.06	8.32	34.25
PK	7.37334G	49.29	74.00	-24.71	11.61	3	Horizontal	149	1.99	-	37.68	36.15	10.04	34.58

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.88	54.00	-8.12	33.57	3	Vertical	272	1.56	-	12.31	27.62	5.95	-
AV	2.4612G	109.30	Inf	-Inf	33.43	3	Vertical	272	1.56	-	75.87	27.40	6.03	-
AV	2.484G	47.61	54.00	-6.39	33.46	3	Vertical	272	1.56	-	14.15	27.40	6.06	-
PK	2.3852G	57.03	74.00	-16.97	33.58	3	Vertical	272	1.56	-	23.45	27.63	5.95	-
PK	2.4632G	113.27	Inf	-Inf	33.44	3	Vertical	272	1.56	-	79.83	27.40	6.04	-
PK	2.4835G	57.91	74.00	-16.09	33.46	3	Vertical	272	1.56	-	24.45	27.40	6.06	-

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	45.68	54.00	-8.32	33.61	3	Horizontal	121	1.43	-	12.07	27.68	5.93	-
AV	2.4628G	102.84	Inf	-Inf	33.44	3	Horizontal	121	1.43	-	69.40	27.40	6.04	-
AV	2.484G	46.04	54.00	-7.96	33.46	3	Horizontal	121	1.43	-	12.58	27.40	6.06	-
PK	2.3788G	57.20	74.00	-16.80	33.58	3	Horizontal	121	1.43	-	23.62	27.64	5.94	-
PK	2.4632G	106.90	Inf	-Inf	33.44	3	Horizontal	121	1.43	-	73.46	27.40	6.04	-
PK	2.4876G	56.53	74.00	-17.47	33.47	3	Horizontal	121	1.43	-	23.06	27.40	6.07	-

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	50.73	54.00	-3.27	5.18	3	Vertical	244	2.12	-	45.55	31.10	8.33	34.25
AV	7.38535G	36.52	54.00	-17.48	11.60	3	Vertical	187	1.97	-	24.92	36.13	10.05	34.58
PK	4.92388G	53.57	74.00	-20.43	5.18	3	Vertical	244	2.12	-	48.39	31.10	8.33	34.25
PK	7.3878G	50.06	74.00	-23.94	11.59	3	Vertical	187	1.97	-	38.47	36.12	10.05	34.58

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92398G	44.68	54.00	-9.32	5.18	3	Horizontal	150	1.17	-	39.50	31.10	8.33	34.25
AV	7.38735G	35.95	54.00	-18.05	11.60	3	Horizontal	339	1.49	-	24.35	36.13	10.05	34.58
PK	4.92395G	49.80	74.00	-24.20	5.18	3	Horizontal	150	1.17	-	44.62	31.10	8.33	34.25
PK	7.38626G	49.99	74.00	-24.01	11.60	3	Horizontal	339	1.49	-	38.39	36.13	10.05	34.58

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.59	54.00	-4.41	33.57	3	Vertical	278	2.25	-	16.02	27.62	5.95	-
AV	2.4132G	112.30	Inf	-Inf	33.53	3	Vertical	278	2.25	-	78.77	27.55	5.98	-
AV	2.4835G	46.92	54.00	-7.08	33.46	3	Vertical	278	2.25	-	13.46	27.40	6.06	-
PK	2.3896G	65.13	74.00	-8.87	33.57	3	Vertical	278	2.25	-	31.56	27.62	5.95	-
PK	2.4132G	122.74	Inf	-Inf	33.53	3	Vertical	278	2.25	-	89.21	27.55	5.98	-
PK	2.486G	58.83	74.00	-15.17	33.46	3	Vertical	278	2.25	-	25.37	27.40	6.06	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.85	54.00	-6.15	33.57	3	Horizontal	63	1.49	-	14.28	27.62	5.95	-
AV	2.4136G	108.11	Inf	-Inf	33.53	3	Horizontal	63	1.49	-	74.58	27.55	5.98	-
AV	2.484G	45.83	54.00	-8.17	33.46	3	Horizontal	63	1.49	-	12.37	27.40	6.06	-
PK	2.3892G	60.95	74.00	-13.05	33.57	3	Horizontal	63	1.49	-	27.38	27.62	5.95	-
PK	2.4136G	118.39	Inf	-Inf	33.53	3	Horizontal	63	1.49	-	84.86	27.55	5.98	-
PK	2.4848G	57.04	74.00	-16.96	33.46	3	Horizontal	63	1.49	-	23.58	27.40	6.06	-

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82502G	42.84	54.00	-11.16	4.99	3	Vertical	199	1.89	-	37.85	31.00	8.27	34.28
PK	4.82502G	53.84	74.00	-20.16	4.99	3	Vertical	199	1.89	-	48.85	31.00	8.27	34.28

11g-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82484G	40.26	54.00	-13.74	4.99	3	Horizontal	117	2.68	-	35.27	31.00	8.27	34.28
PK	4.82472G	52.32	74.00	-21.68	4.99	3	Horizontal	117	2.68	-	47.33	31.00	8.27	34.28

11g-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.11	54.00	-3.89	33.57	3	Vertical	278	2.26	-	16.54	27.62	5.95	-
AV	2.4166G	113.14	Inf	-Inf	33.51	3	Vertical	278	2.26	-	79.63	27.53	5.98	-
AV	2.4835G	47.71	54.00	-6.29	33.46	3	Vertical	278	2.26	-	14.25	27.40	6.06	-
PK	2.389G	62.67	74.00	-11.33	33.57	3	Vertical	278	2.26	-	29.10	27.62	5.95	-
PK	2.4166G	123.53	Inf	-Inf	33.51	3	Vertical	278	2.26	-	90.02	27.53	5.98	-
PK	2.4842G	60.31	74.00	-13.69	33.46	3	Vertical	278	2.26	-	26.85	27.40	6.06	-

11g-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.49	54.00	-6.51	33.57	3	Horizontal	72	1.48	-	13.92	27.62	5.95	-
AV	2.4182G	108.91	Inf	-Inf	33.51	3	Horizontal	72	1.48	-	75.40	27.53	5.98	-
AV	2.4838G	45.86	54.00	-8.14	33.46	3	Horizontal	72	1.48	-	12.40	27.40	6.06	-
PK	2.3898G	58.10	74.00	-15.90	33.57	3	Horizontal	72	1.48	-	24.53	27.62	5.95	-
PK	2.4182G	119.12	Inf	-Inf	33.51	3	Horizontal	72	1.48	-	85.61	27.53	5.98	-
PK	2.4878G	56.56	74.00	-17.44	33.47	3	Horizontal	72	1.48	-	23.09	27.40	6.07	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.64	54.00	-6.36	33.57	3	Vertical	275	2.06	-	14.07	27.62	5.95	-
AV	2.437G	116.87	Inf	-Inf	33.45	3	Vertical	275	2.06	-	83.42	27.45	6.00	-
AV	2.4835G	48.67	54.00	-5.33	33.46	3	Vertical	275	2.06	-	15.21	27.40	6.06	-
PK	2.3898G	58.58	74.00	-15.42	33.57	3	Vertical	275	2.06	-	25.01	27.62	5.95	-
PK	2.4382G	126.76	Inf	-Inf	33.46	3	Vertical	275	2.06	-	93.30	27.45	6.01	-
PK	2.4846G	59.93	74.00	-14.07	33.46	3	Vertical	275	2.06	-	26.47	27.40	6.06	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.34	54.00	-7.66	33.57	3	Horizontal	72	1.12	-	12.77	27.62	5.95	-
AV	2.437G	112.33	Inf	-Inf	33.45	3	Horizontal	72	1.12	-	78.88	27.45	6.00	-
AV	2.4835G	46.18	54.00	-7.82	33.46	3	Horizontal	72	1.12	-	12.72	27.40	6.06	-
PK	2.3738G	57.62	74.00	-16.38	33.59	3	Horizontal	72	1.12	-	24.03	27.65	5.94	-
PK	2.437G	121.88	Inf	-Inf	33.45	3	Horizontal	72	1.12	-	88.43	27.45	6.00	-
PK	2.4934G	56.48	74.00	-17.52	33.47	3	Horizontal	72	1.12	-	23.01	27.40	6.07	-

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87502G	42.61	54.00	-11.39	5.09	3	Vertical	202	1.89	-	37.52	31.05	8.30	34.26
AV	7.31286G	50.83	54.00	-3.17	11.81	3	Vertical	193	1.84	-	39.02	36.35	10.03	34.57
PK	4.87532G	53.08	74.00	-20.92	5.09	3	Vertical	202	1.89	-	47.99	31.05	8.30	34.26
PK	7.30914G	64.40	74.00	-9.60	11.82	3	Vertical	193	1.84	-	52.58	36.36	10.03	34.57

11g-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87466G	40.38	54.00	-13.62	5.09	3	Horizontal	119	1.10	-	35.29	31.05	8.30	34.26
AV	7.31166G	44.99	54.00	-9.01	11.81	3	Horizontal	169	1.02	-	33.18	36.35	10.03	34.57
PK	4.87472G	52.95	74.00	-21.05	5.09	3	Horizontal	119	1.10	-	47.86	31.05	8.30	34.26
PK	7.31184G	58.81	74.00	-15.19	11.81	3	Horizontal	169	1.02	-	47.00	36.35	10.03	34.57

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.69	54.00	-7.31	33.57	3	Vertical	293	1.53	-	13.12	27.62	5.95	-
AV	2.4586G	111.09	Inf	-Inf	33.43	3	Vertical	293	1.53	-	77.66	27.40	6.03	-
AV	2.4835G	49.97	54.00	-4.03	33.46	3	Vertical	293	1.53	-	16.51	27.40	6.06	-
PK	2.3882G	57.75	74.00	-16.25	33.57	3	Vertical	293	1.53	-	24.18	27.62	5.95	-
PK	2.457G	121.76	Inf	-Inf	33.43	3	Vertical	293	1.53	-	88.33	27.40	6.03	-
PK	2.4842G	65.17	74.00	-8.83	33.46	3	Vertical	293	1.53	-	31.71	27.40	6.06	-

11g-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3606G	45.92	54.00	-8.08	33.61	3	Horizontal	146	1.12	-	12.31	27.68	5.93	-
AV	2.4562G	106.01	Inf	-Inf	33.43	3	Horizontal	146	1.12	-	72.58	27.40	6.03	-
AV	2.4838G	46.63	54.00	-7.37	33.46	3	Horizontal	146	1.12	-	13.17	27.40	6.06	-
PK	2.3618G	57.53	74.00	-16.47	33.61	3	Horizontal	146	1.12	-	23.92	27.68	5.93	-
PK	2.4578G	116.10	Inf	-Inf	33.43	3	Horizontal	146	1.12	-	82.67	27.40	6.03	-
PK	2.4906G	56.75	74.00	-17.25	33.47	3	Horizontal	146	1.12	-	23.28	27.40	6.07	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.55	54.00	-7.45	33.57	3	Vertical	250	1.30	-	12.98	27.62	5.95	-
AV	2.4616G	112.74	Inf	-Inf	33.43	3	Vertical	250	1.30	-	79.31	27.40	6.03	-
AV	2.4835G	49.93	54.00	-4.07	33.46	3	Vertical	250	1.30	-	16.47	27.40	6.06	-
PK	2.39G	58.16	74.00	-15.84	33.57	3	Vertical	250	1.30	-	24.59	27.62	5.95	-
PK	2.4616G	122.66	Inf	-Inf	33.43	3	Vertical	250	1.30	-	89.23	27.40	6.03	-
PK	2.4835G	66.78	74.00	-7.22	33.46	3	Vertical	250	1.30	-	33.32	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.29	54.00	-7.71	33.57	3	Horizontal	65	1.48	-	12.72	27.62	5.95	-
AV	2.4636G	106.39	Inf	-Inf	33.44	3	Horizontal	65	1.48	-	72.95	27.40	6.04	-
AV	2.4835G	49.15	54.00	-4.85	33.46	3	Horizontal	65	1.48	-	15.69	27.40	6.06	-
PK	2.3876G	58.53	74.00	-15.47	33.57	3	Horizontal	65	1.48	-	24.96	27.62	5.95	-
PK	2.4616G	117.29	Inf	-Inf	33.43	3	Horizontal	65	1.48	-	83.86	27.40	6.03	-
PK	2.4835G	65.81	74.00	-8.19	33.46	3	Horizontal	65	1.48	-	32.35	27.40	6.06	-

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92492G	42.09	54.00	-11.91	5.18	3	Vertical	201	1.55	-	36.91	31.10	8.33	34.25
AV	7.38774G	44.59	54.00	-9.41	11.59	3	Vertical	189	2.06	-	33.00	36.12	10.05	34.58
PK	4.92492G	52.62	74.00	-21.38	5.18	3	Vertical	201	1.55	-	47.44	31.10	8.33	34.25
PK	7.38816G	58.92	74.00	-15.08	11.59	3	Vertical	189	2.06	-	47.33	36.12	10.05	34.58

11g-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92502G	36.66	54.00	-17.34	5.18	3	Horizontal	120	1.25	-	31.48	31.10	8.33	34.25
AV	7.38714G	39.25	54.00	-14.75	11.60	3	Horizontal	167	1.40	-	27.65	36.13	10.05	34.58
PK	4.9237G	48.12	74.00	-25.88	5.17	3	Horizontal	120	1.25	-	42.95	31.09	8.33	34.25
PK	7.38504G	52.96	74.00	-21.04	11.60	3	Horizontal	167	1.40	-	41.36	36.13	10.05	34.58

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.73	54.00	-4.27	33.57	3	Vertical	280	2.26	-	16.16	27.62	5.95	-
AV	2.4152G	109.06	Inf	-Inf	33.52	3	Vertical	280	2.26	-	75.54	27.54	5.98	-
AV	2.4835G	46.78	54.00	-7.22	33.46	3	Vertical	280	2.26	-	13.32	27.40	6.06	-
PK	2.3884G	63.77	74.00	-10.23	33.57	3	Vertical	280	2.26	-	30.20	27.62	5.95	-
PK	2.4148G	119.56	Inf	-Inf	33.52	3	Vertical	280	2.26	-	86.04	27.54	5.98	-
PK	2.4835G	59.79	74.00	-14.21	33.46	3	Vertical	280	2.26	-	26.33	27.40	6.06	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.84	54.00	-6.16	33.57	3	Horizontal	64	1.06	-	14.27	27.62	5.95	-
AV	2.4132G	105.19	Inf	-Inf	33.53	3	Horizontal	64	1.06	-	71.66	27.55	5.98	-
AV	2.484G	45.81	54.00	-8.19	33.46	3	Horizontal	64	1.06	-	12.35	27.40	6.06	-
PK	2.39G	59.98	74.00	-14.02	33.57	3	Horizontal	64	1.06	-	26.41	27.62	5.95	-
PK	2.4108G	115.62	Inf	-Inf	33.53	3	Horizontal	64	1.06	-	82.09	27.56	5.97	-
PK	2.498G	56.65	74.00	-17.35	33.48	3	Horizontal	64	1.06	-	23.17	27.40	6.08	-

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	41.34	54.00	-12.66	4.99	3	Vertical	201	1.50	-	36.35	31.00	8.27	34.28
PK	4.824G	52.07	74.00	-21.93	4.99	3	Vertical	201	1.50	-	47.08	31.00	8.27	34.28

11g-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8237G	38.20	54.00	-15.80	4.98	3	Horizontal	118	2.71	-	33.22	30.99	8.27	34.28
PK	4.82358G	50.50	74.00	-23.50	4.98	3	Horizontal	118	2.71	-	45.52	30.99	8.27	34.28

11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.15	54.00	-4.85	33.57	3	Vertical	277	1.49	-	15.58	27.62	5.95	-
AV	2.4202G	108.41	Inf	-Inf	33.50	3	Vertical	277	1.49	-	74.91	27.52	5.98	-
AV	2.4835G	47.82	54.00	-6.18	33.46	3	Vertical	277	1.49	-	14.36	27.40	6.06	-
PK	2.389G	63.56	74.00	-10.44	33.57	3	Vertical	277	1.49	-	29.99	27.62	5.95	-
PK	2.4178G	118.09	Inf	-Inf	33.51	3	Vertical	277	1.49	-	84.58	27.53	5.98	-
PK	2.4838G	61.39	74.00	-12.61	33.46	3	Vertical	277	1.49	-	27.93	27.40	6.06	-

11g-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.62	54.00	-7.38	33.57	3	Horizontal	73	1.16	-	13.05	27.62	5.95	-
AV	2.4154G	104.51	Inf	-Inf	33.52	3	Horizontal	73	1.16	-	70.99	27.54	5.98	-
AV	2.4854G	45.68	54.00	-8.32	33.46	3	Horizontal	73	1.16	-	12.22	27.40	6.06	-
PK	2.3182G	57.37	74.00	-16.63	33.73	3	Horizontal	73	1.16	-	23.64	27.83	5.90	-
PK	2.4154G	115.05	Inf	-Inf	33.52	3	Horizontal	73	1.16	-	81.53	27.54	5.98	-
PK	2.4934G	56.45	74.00	-17.55	33.47	3	Horizontal	73	1.16	-	22.98	27.40	6.07	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.10	54.00	-4.90	33.57	3	Vertical	274	2.00	-	15.53	27.62	5.95	-
AV	2.435G	113.07	Inf	-Inf	33.46	3	Vertical	274	2.00	-	79.61	27.46	6.00	-
AV	2.4835G	50.68	54.00	-3.32	33.46	3	Vertical	274	2.00	-	17.22	27.40	6.06	-
PK	2.3894G	60.99	74.00	-13.01	33.57	3	Vertical	274	2.00	-	27.42	27.62	5.95	-
PK	2.4354G	122.44	Inf	-Inf	33.46	3	Vertical	274	2.00	-	88.98	27.46	6.00	-
PK	2.4846G	62.09	74.00	-11.91	33.46	3	Vertical	274	2.00	-	28.63	27.40	6.06	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.67	54.00	-7.33	33.57	3	Horizontal	73	1.11	-	13.10	27.62	5.95	-
AV	2.435G	108.92	Inf	-Inf	33.46	3	Horizontal	73	1.11	-	75.46	27.46	6.00	-
AV	2.4835G	46.78	54.00	-7.22	33.46	3	Horizontal	73	1.11	-	13.32	27.40	6.06	-
PK	2.3638G	57.43	74.00	-16.57	33.60	3	Horizontal	73	1.11	-	23.83	27.67	5.93	-
PK	2.4346G	119.60	Inf	-Inf	33.46	3	Horizontal	73	1.11	-	86.14	27.46	6.00	-
PK	2.4954G	57.37	74.00	-16.63	33.47	3	Horizontal	73	1.11	-	23.90	27.40	6.07	-

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	40.42	54.00	-13.58	5.09	3	Vertical	197	1.41	-	35.33	31.05	8.30	34.26
AV	7.31058G	44.31	54.00	-9.69	11.82	3	Vertical	224	1.58	-	32.49	36.36	10.03	34.57
PK	4.87418G	50.22	74.00	-23.78	5.09	3	Vertical	197	1.41	-	45.13	31.05	8.30	34.26
PK	7.31046G	57.89	74.00	-16.11	11.82	3	Vertical	224	1.58	-	46.07	36.36	10.03	34.57

11g-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87316G	36.59	54.00	-17.41	5.09	3	Horizontal	120	1.13	-	31.50	31.05	8.30	34.26
AV	7.31034G	41.04	54.00	-12.96	11.82	3	Horizontal	167	1.12	-	29.22	36.36	10.03	34.57
PK	4.86998G	49.60	74.00	-24.40	5.10	3	Horizontal	120	1.13	-	44.50	31.06	8.30	34.26
PK	7.31232G	54.30	74.00	-19.70	11.81	3	Horizontal	167	1.12	-	42.49	36.35	10.03	34.57

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.96	54.00	-7.04	33.57	3	Vertical	294	1.15	-	13.39	27.62	5.95	-
AV	2.4582G	110.21	Inf	-Inf	33.43	3	Vertical	294	1.15	-	76.78	27.40	6.03	-
AV	2.4835G	50.16	54.00	-3.84	33.46	3	Vertical	294	1.15	-	16.70	27.40	6.06	-
PK	2.3874G	59.75	74.00	-14.25	33.58	3	Vertical	294	1.15	-	26.17	27.63	5.95	-
PK	2.4606G	120.53	Inf	-Inf	33.43	3	Vertical	294	1.15	-	87.10	27.40	6.03	-
PK	2.4838G	66.45	74.00	-7.55	33.46	3	Vertical	294	1.15	-	32.99	27.40	6.06	-

11g-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3626G	45.87	54.00	-8.13	33.60	3	Horizontal	145	1.14	-	12.27	27.67	5.93	-
AV	2.4558G	105.03	Inf	-Inf	33.43	3	Horizontal	145	1.14	-	71.60	27.40	6.03	-
AV	2.4835G	46.89	54.00	-7.11	33.46	3	Horizontal	145	1.14	-	13.43	27.40	6.06	-
PK	2.3686G	58.08	74.00	-15.92	33.60	3	Horizontal	145	1.14	-	24.48	27.66	5.94	-
PK	2.4578G	115.88	Inf	-Inf	33.43	3	Horizontal	145	1.14	-	82.45	27.40	6.03	-
PK	2.4878G	56.99	74.00	-17.01	33.47	3	Horizontal	145	1.14	-	23.52	27.40	6.07	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.35	54.00	-7.65	33.57	3	Vertical	293	1.12	-	12.78	27.62	5.95	-
AV	2.4592G	111.56	Inf	-Inf	33.43	3	Vertical	293	1.12	-	78.13	27.40	6.03	-
AV	2.4835G	50.42	54.00	-3.58	33.46	3	Vertical	293	1.12	-	16.96	27.40	6.06	-
PK	2.3888G	58.98	74.00	-15.02	33.57	3	Vertical	293	1.12	-	25.41	27.62	5.95	-
PK	2.4604G	122.61	Inf	-Inf	33.43	3	Vertical	293	1.12	-	89.18	27.40	6.03	-
PK	2.4864G	68.47	74.00	-5.53	33.46	3	Vertical	293	1.12	-	35.01	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	45.91	54.00	-8.09	33.57	3	Horizontal	64	1.50	-	12.34	27.62	5.95	-
AV	2.464G	104.84	Inf	-Inf	33.44	3	Horizontal	64	1.50	-	71.40	27.40	6.04	-
AV	2.4835G	47.42	54.00	-6.58	33.46	3	Horizontal	64	1.50	-	13.96	27.40	6.06	-
PK	2.3668G	57.66	74.00	-16.34	33.61	3	Horizontal	64	1.50	-	24.05	27.67	5.94	-
PK	2.4644G	115.71	Inf	-Inf	33.44	3	Horizontal	64	1.50	-	82.27	27.40	6.04	-
PK	2.4848G	67.54	74.00	-6.46	33.46	3	Horizontal	64	1.50	-	34.08	27.40	6.06	-

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92394G	41.12	54.00	-12.88	5.18	3	Vertical	276	1.15	-	35.94	31.10	8.33	34.25
AV	7.38666G	42.02	54.00	-11.98	11.60	3	Vertical	190	3.00	-	30.42	36.13	10.05	34.58
PK	4.92364G	49.62	74.00	-24.38	5.17	3	Vertical	276	1.15	-	44.45	31.09	8.33	34.25
PK	7.38444G	57.28	74.00	-16.72	11.60	3	Vertical	190	3.00	-	45.68	36.13	10.05	34.58

11g-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92424G	34.76	54.00	-19.24	5.18	3	Horizontal	119	1.48	-	29.58	31.10	8.33	34.25
AV	7.38552G	38.86	54.00	-15.14	11.60	3	Horizontal	167	2.37	-	27.26	36.13	10.05	34.58
PK	4.92178G	48.18	74.00	-25.82	5.17	3	Horizontal	119	1.48	-	43.01	31.09	8.33	34.25
PK	7.38576G	53.57	74.00	-20.43	11.60	3	Horizontal	167	2.37	-	41.97	36.13	10.05	34.58

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	50.71	54.00	-3.29	33.57	3	Vertical	272	2.52	-	17.14	27.62	5.95	-
AV	2.418G	104.23	Inf	-Inf	33.51	3	Vertical	272	2.52	-	70.72	27.53	5.98	-
AV	2.4852G	46.48	54.00	-7.52	33.46	3	Vertical	272	2.52	-	13.02	27.40	6.06	-
PK	2.39G	63.75	74.00	-10.25	33.57	3	Vertical	272	2.52	-	30.18	27.62	5.95	-
PK	2.4176G	113.31	Inf	-Inf	33.51	3	Vertical	272	2.52	-	79.80	27.53	5.98	-
PK	2.4908G	57.33	74.00	-16.67	33.47	3	Vertical	272	2.52	-	23.86	27.40	6.07	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.59	54.00	-6.41	33.57	3	Horizontal	76	2.64	-	14.02	27.62	5.95	-
AV	2.4084G	97.73	Inf	-Inf	33.54	3	Horizontal	76	2.64	-	64.19	27.57	5.97	-
AV	2.4932G	45.85	54.00	-8.15	33.47	3	Horizontal	76	2.64	-	12.38	27.40	6.07	-
PK	2.3896G	59.28	74.00	-14.72	33.57	3	Horizontal	76	2.64	-	25.71	27.62	5.95	-
PK	2.4184G	106.93	Inf	-Inf	33.51	3	Horizontal	76	2.64	-	73.42	27.53	5.98	-
PK	2.4936G	56.85	74.00	-17.15	33.47	3	Horizontal	76	2.64	-	23.38	27.40	6.07	-

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8239G	41.42	54.00	-12.58	4.99	3	Vertical	200	1.47	-	36.43	31.00	8.27	34.28
PK	4.82428G	50.83	74.00	-23.17	4.99	3	Vertical	200	1.47	-	45.84	31.00	8.27	34.28

11g-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82393G	37.41	54.00	-16.59	4.99	3	Horizontal	155	2.64	-	32.42	31.00	8.27	34.28
PK	4.82437G	49.34	74.00	-24.66	4.99	3	Horizontal	155	2.64	-	44.35	31.00	8.27	34.28

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	50.58	54.00	-3.42	33.57	3	Vertical	270	1.40	-	17.01	27.62	5.95	-
AV	2.423G	108.67	Inf	-Inf	33.50	3	Vertical	270	1.40	-	75.17	27.51	5.99	-
AV	2.4842G	46.78	54.00	-7.22	33.46	3	Vertical	270	1.40	-	13.32	27.40	6.06	-
PK	2.3878G	62.02	74.00	-11.98	33.57	3	Vertical	270	1.40	-	28.45	27.62	5.95	-
PK	2.4234G	117.64	Inf	-Inf	33.50	3	Vertical	270	1.40	-	84.14	27.51	5.99	-
PK	2.4914G	57.49	74.00	-16.51	33.47	3	Vertical	270	1.40	-	24.02	27.40	6.07	-

11g-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.51	54.00	-6.49	33.57	3	Horizontal	79	2.66	-	13.94	27.62	5.95	-
AV	2.4234G	101.72	Inf	-Inf	33.50	3	Horizontal	79	2.66	-	68.22	27.51	5.99	-
AV	2.497G	45.80	54.00	-8.20	33.48	3	Horizontal	79	2.66	-	12.32	27.40	6.08	-
PK	2.389G	58.73	74.00	-15.27	33.57	3	Horizontal	79	2.66	-	25.16	27.62	5.95	-
PK	2.4234G	110.69	Inf	-Inf	33.50	3	Horizontal	79	2.66	-	77.19	27.51	5.99	-
PK	2.4922G	56.59	74.00	-17.41	33.47	3	Horizontal	79	2.66	-	23.12	27.40	6.07	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.88	54.00	-4.12	33.57	3	Vertical	273	1.33	-	16.31	27.62	5.95	-
AV	2.433G	110.54	Inf	-Inf	33.47	3	Vertical	273	1.33	-	77.07	27.47	6.00	-
AV	2.4835G	50.41	54.00	-3.59	33.46	3	Vertical	273	1.33	-	16.95	27.40	6.06	-
PK	2.3898G	61.82	74.00	-12.18	33.57	3	Vertical	273	1.33	-	28.25	27.62	5.95	-
PK	2.4326G	119.92	Inf	-Inf	33.47	3	Vertical	273	1.33	-	86.45	27.47	6.00	-
PK	2.4854G	61.65	74.00	-12.35	33.46	3	Vertical	273	1.33	-	28.19	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3402G	46.11	54.00	-7.89	33.66	3	Horizontal	183	1.29	-	12.45	27.74	5.92	-
AV	2.433G	101.79	Inf	-Inf	33.47	3	Horizontal	183	1.29	-	68.32	27.47	6.00	-
AV	2.4846G	46.65	54.00	-7.35	33.46	3	Horizontal	183	1.29	-	13.19	27.40	6.06	-
PK	2.3398G	57.03	74.00	-16.97	33.65	3	Horizontal	183	1.29	-	23.38	27.74	5.91	-
PK	2.4334G	111.20	Inf	-Inf	33.47	3	Horizontal	183	1.29	-	77.73	27.47	6.00	-
PK	2.4846G	57.05	74.00	-16.95	33.46	3	Horizontal	183	1.29	-	23.59	27.40	6.06	-

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87395G	43.71	54.00	-10.29	5.09	3	Vertical	245	2.23	-	38.62	31.05	8.30	34.26
AV	7.30482G	42.32	54.00	-11.68	11.84	3	Vertical	189	1.70	-	30.48	36.38	10.03	34.57
PK	4.87395G	50.98	74.00	-23.02	5.09	3	Vertical	245	2.23	-	45.89	31.05	8.30	34.26
PK	7.3044G	56.14	74.00	-17.86	11.84	3	Vertical	189	1.70	-	44.30	36.38	10.03	34.57

11g-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	34.81	54.00	-19.19	5.09	3	Horizontal	195	1.15	-	29.72	31.05	8.30	34.26
AV	7.30968G	38.11	54.00	-15.89	11.82	3	Horizontal	165	1.05	-	26.29	36.36	10.03	34.57
PK	4.87607G	46.42	74.00	-27.58	5.09	3	Horizontal	195	1.15	-	41.33	31.05	8.30	34.26
PK	7.31856G	51.28	74.00	-22.72	11.79	3	Horizontal	165	1.05	-	39.49	36.33	10.03	34.57

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	46.45	54.00	-7.55	33.57	3	Vertical	260	1.27	-	12.88	27.62	5.95	-
AV	2.4618G	108.35	Inf	-Inf	33.43	3	Vertical	260	1.27	-	74.92	27.40	6.03	-
AV	2.4835G	50.83	54.00	-3.17	33.46	3	Vertical	260	1.27	-	17.37	27.40	6.06	-
PK	2.387G	56.88	74.00	-17.12	33.58	3	Vertical	260	1.27	-	23.30	27.63	5.95	-
PK	2.4586G	117.63	Inf	-Inf	33.43	3	Vertical	260	1.27	-	84.20	27.40	6.03	-
PK	2.4846G	62.67	74.00	-11.33	33.46	3	Vertical	260	1.27	-	29.21	27.40	6.06	-

11g-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3626G	46.05	54.00	-7.95	33.60	3	Horizontal	61	0.99	-	12.45	27.67	5.93	-
AV	2.4598G	100.17	Inf	-Inf	33.43	3	Horizontal	61	0.99	-	66.74	27.40	6.03	-
AV	2.4835G	47.54	54.00	-6.46	33.46	3	Horizontal	61	0.99	-	14.08	27.40	6.06	-
PK	2.3642G	57.16	74.00	-16.84	33.60	3	Horizontal	61	0.99	-	23.56	27.67	5.93	-
PK	2.4622G	109.84	Inf	-Inf	33.43	3	Horizontal	61	0.99	-	76.41	27.40	6.03	-
PK	2.4838G	58.87	74.00	-15.13	33.46	3	Horizontal	61	0.99	-	25.41	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.43	54.00	-7.57	33.57	3	Vertical	263	2.69	-	12.86	27.62	5.95	-
AV	2.4668G	104.95	Inf	-Inf	33.44	3	Vertical	263	2.69	-	71.51	27.40	6.04	-
AV	2.4835G	50.82	54.00	-3.18	33.46	3	Vertical	263	2.69	-	17.36	27.40	6.06	-
PK	2.386G	56.70	74.00	-17.30	33.58	3	Vertical	263	2.69	-	23.12	27.63	5.95	-
PK	2.464G	114.36	Inf	-Inf	33.44	3	Vertical	263	2.69	-	80.92	27.40	6.04	-
PK	2.4848G	60.83	74.00	-13.17	33.46	3	Vertical	263	2.69	-	27.37	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3656G	46.03	54.00	-7.97	33.60	3	Horizontal	61	1.00	-	12.43	27.67	5.93	-
AV	2.4592G	96.83	Inf	-Inf	33.43	3	Horizontal	61	1.00	-	63.40	27.40	6.03	-
AV	2.4844G	46.66	54.00	-7.34	33.46	3	Horizontal	61	1.00	-	13.20	27.40	6.06	-
PK	2.37G	57.33	74.00	-16.67	33.60	3	Horizontal	61	1.00	-	23.73	27.66	5.94	-
PK	2.4572G	106.28	Inf	-Inf	33.43	3	Horizontal	61	1.00	-	72.85	27.40	6.03	-
PK	2.4835G	57.31	74.00	-16.69	33.46	3	Horizontal	61	1.00	-	23.85	27.40	6.06	-

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	43.01	54.00	-10.99	5.18	3	Vertical	244	2.30	-	37.83	31.10	8.33	34.25
AV	7.38444G	36.72	54.00	-17.28	11.60	3	Vertical	15	1.68	-	25.12	36.13	10.05	34.58
PK	4.92418G	49.57	74.00	-24.43	5.18	3	Vertical	244	2.30	-	44.39	31.10	8.33	34.25
PK	7.39692G	50.49	74.00	-23.51	11.57	3	Vertical	15	1.68	-	38.92	36.11	10.05	34.59

11g-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	35.07	54.00	-18.93	5.18	3	Horizontal	194	1.83	-	29.89	31.10	8.33	34.25
AV	7.39668G	36.81	54.00	-17.19	11.57	3	Horizontal	76	1.39	-	25.24	36.11	10.05	34.59
PK	4.91464G	45.98	74.00	-28.02	5.13	3	Horizontal	194	1.83	-	40.85	31.06	8.32	34.25
PK	7.38576G	50.32	74.00	-23.68	11.60	3	Horizontal	76	1.39	-	38.72	36.13	10.05	34.58

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.17	54.00	-3.83	33.57	3	Vertical	272	1.39	-	16.60	27.62	5.95	-
AV	2.4136G	113.03	Inf	-Inf	33.53	3	Vertical	272	1.39	-	79.50	27.55	5.98	-
AV	2.4835G	47.00	54.00	-7.00	33.46	3	Vertical	272	1.39	-	13.54	27.40	6.06	-
PK	2.39G	65.09	74.00	-8.91	33.57	3	Vertical	272	1.39	-	31.52	27.62	5.95	-
PK	2.414G	122.08	Inf	-Inf	33.52	3	Vertical	272	1.39	-	88.56	27.54	5.98	-
PK	2.4848G	59.83	74.00	-14.17	33.46	3	Vertical	272	1.39	-	26.37	27.40	6.06	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.42	54.00	-6.58	33.57	3	Horizontal	85	1.03	-	13.85	27.62	5.95	-
AV	2.4112G	102.40	Inf	-Inf	33.53	3	Horizontal	85	1.03	-	68.87	27.56	5.97	-
AV	2.486G	45.75	54.00	-8.25	33.46	3	Horizontal	85	1.03	-	12.29	27.40	6.06	-
PK	2.3892G	60.00	74.00	-14.00	33.57	3	Horizontal	85	1.03	-	26.43	27.62	5.95	-
PK	2.4108G	111.90	Inf	-Inf	33.53	3	Horizontal	85	1.03	-	78.37	27.56	5.97	-
PK	2.4956G	56.56	74.00	-17.44	33.47	3	Horizontal	85	1.03	-	23.09	27.40	6.07	-

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82504G	40.63	54.00	-13.37	4.99	3	Vertical	5	1.80	-	35.64	31.00	8.27	34.28
PK	4.82564G	52.88	74.00	-21.12	4.99	3	Vertical	5	1.80	-	47.89	31.00	8.27	34.28

11n-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82494G	39.64	54.00	-14.36	4.99	3	Horizontal	118	1.42	-	34.65	31.00	8.27	34.28
PK	4.82366G	51.55	74.00	-22.45	4.98	3	Horizontal	118	1.42	-	46.57	30.99	8.27	34.28

11n-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.17	54.00	-3.83	33.57	3	Vertical	273	1.38	-	16.60	27.62	5.95	-
AV	2.4186G	113.92	Inf	-Inf	33.51	3	Vertical	273	1.38	-	80.41	27.53	5.98	-
AV	2.4835G	47.59	54.00	-6.41	33.46	3	Vertical	273	1.38	-	14.13	27.40	6.06	-
PK	2.3898G	62.83	74.00	-11.17	33.57	3	Vertical	273	1.38	-	29.26	27.62	5.95	-
PK	2.419G	124.07	Inf	-Inf	33.50	3	Vertical	273	1.38	-	90.57	27.52	5.98	-
PK	2.4838G	58.96	74.00	-15.04	33.46	3	Vertical	273	1.38	-	25.50	27.40	6.06	-

11n-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.09	54.00	-6.91	33.57	3	Horizontal	82	1.04	-	13.52	27.62	5.95	-
AV	2.4158G	104.36	Inf	-Inf	33.52	3	Horizontal	82	1.04	-	70.84	27.54	5.98	-
AV	2.4838G	45.95	54.00	-8.05	33.46	3	Horizontal	82	1.04	-	12.49	27.40	6.06	-
PK	2.3886G	58.92	74.00	-15.08	33.57	3	Horizontal	82	1.04	-	25.35	27.62	5.95	-
PK	2.4162G	114.28	Inf	-Inf	33.52	3	Horizontal	82	1.04	-	80.76	27.54	5.98	-
PK	2.4878G	57.65	74.00	-16.35	33.47	3	Horizontal	82	1.04	-	24.18	27.40	6.07	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.73	54.00	-6.27	33.57	3	Vertical	274	1.00	-	14.16	27.62	5.95	-
AV	2.4386G	116.74	Inf	-Inf	33.46	3	Vertical	274	1.00	-	83.28	27.45	6.01	-
AV	2.4835G	48.19	54.00	-5.81	33.46	3	Vertical	274	1.00	-	14.73	27.40	6.06	-
PK	2.3658G	57.30	74.00	-16.70	33.60	3	Vertical	274	1.00	-	23.70	27.67	5.93	-
PK	2.4386G	126.59	Inf	-Inf	33.46	3	Vertical	274	1.00	-	93.13	27.45	6.01	-
PK	2.4838G	60.87	74.00	-13.13	33.46	3	Vertical	274	1.00	-	27.41	27.40	6.06	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.337G	46.02	54.00	-7.98	33.66	3	Horizontal	85	1.15	-	12.36	27.75	5.91	-
AV	2.4358G	107.75	Inf	-Inf	33.46	3	Horizontal	85	1.15	-	74.29	27.46	6.00	-
AV	2.4835G	45.94	54.00	-8.06	33.46	3	Horizontal	85	1.15	-	12.48	27.40	6.06	-
PK	2.3802G	57.11	74.00	-16.89	33.59	3	Horizontal	85	1.15	-	23.52	27.64	5.95	-
PK	2.4362G	117.41	Inf	-Inf	33.46	3	Horizontal	85	1.15	-	83.95	27.46	6.00	-
PK	2.4934G	56.69	74.00	-17.31	33.47	3	Horizontal	85	1.15	-	23.22	27.40	6.07	-

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87504G	42.69	54.00	-11.31	5.09	3	Vertical	246	2.24	-	37.60	31.05	8.30	34.26
AV	7.3119G	47.02	54.00	-6.98	11.81	3	Vertical	193	1.84	-	35.21	36.35	10.03	34.57
PK	4.87494G	55.06	74.00	-18.94	5.09	3	Vertical	246	2.24	-	49.97	31.05	8.30	34.26
PK	7.31246G	60.14	74.00	-13.86	11.81	3	Vertical	193	1.84	-	48.33	36.35	10.03	34.57

11n-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8749G	39.05	54.00	-14.95	5.09	3	Horizontal	118	1.49	-	33.96	31.05	8.30	34.26
AV	7.31214G	40.93	54.00	-13.07	11.81	3	Horizontal	195	1.68	-	29.12	36.35	10.03	34.57
PK	4.87486G	51.67	74.00	-22.33	5.09	3	Horizontal	118	1.49	-	46.58	31.05	8.30	34.26
PK	7.31062G	53.96	74.00	-20.04	11.82	3	Horizontal	195	1.68	-	42.14	36.36	10.03	34.57

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.63	54.00	-7.37	33.57	3	Vertical	253	1.14	-	13.06	27.62	5.95	-
AV	2.4586G	112.99	Inf	-Inf	33.43	3	Vertical	253	1.14	-	79.56	27.40	6.03	-
AV	2.4835G	50.57	54.00	-3.43	33.46	3	Vertical	253	1.14	-	17.11	27.40	6.06	-
PK	2.3894G	57.55	74.00	-16.45	33.57	3	Vertical	253	1.14	-	23.98	27.62	5.95	-
PK	2.459G	122.52	Inf	-Inf	33.43	3	Vertical	253	1.14	-	89.09	27.40	6.03	-
PK	2.4842G	66.18	74.00	-7.82	33.46	3	Vertical	253	1.14	-	32.72	27.40	6.06	-

11n-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3618G	45.90	54.00	-8.10	33.61	3	Horizontal	116	1.45	-	12.29	27.68	5.93	-
AV	2.4566G	103.84	Inf	-Inf	33.43	3	Horizontal	116	1.45	-	70.41	27.40	6.03	-
AV	2.4835G	47.35	54.00	-6.65	33.46	3	Horizontal	116	1.45	-	13.89	27.40	6.06	-
PK	2.3706G	56.58	74.00	-17.42	33.60	3	Horizontal	116	1.45	-	22.98	27.66	5.94	-
PK	2.4566G	112.99	Inf	-Inf	33.43	3	Horizontal	116	1.45	-	79.56	27.40	6.03	-
PK	2.4842G	59.36	74.00	-14.64	33.46	3	Horizontal	116	1.45	-	25.90	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.78	54.00	-7.22	33.57	3	Vertical	254	1.16	-	13.21	27.62	5.95	-
AV	2.464G	114.65	Inf	-Inf	33.44	3	Vertical	254	1.16	-	81.21	27.40	6.04	-
AV	2.4835G	50.82	54.00	-3.18	33.46	3	Vertical	254	1.16	-	17.36	27.40	6.06	-
PK	2.3884G	59.15	74.00	-14.85	33.57	3	Vertical	254	1.16	-	25.58	27.62	5.95	-
PK	2.462G	124.80	Inf	-Inf	33.43	3	Vertical	254	1.16	-	91.37	27.40	6.03	-
PK	2.4856G	68.57	74.00	-5.43	33.46	3	Vertical	254	1.16	-	35.11	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.37G	45.86	54.00	-8.14	33.60	3	Horizontal	118	1.66	-	12.26	27.66	5.94	-
AV	2.462G	105.25	Inf	-Inf	33.43	3	Horizontal	118	1.66	-	71.82	27.40	6.03	-
AV	2.4835G	47.05	54.00	-6.95	33.46	3	Horizontal	118	1.66	-	13.59	27.40	6.06	-
PK	2.3744G	57.01	74.00	-16.99	33.59	3	Horizontal	118	1.66	-	23.42	27.65	5.94	-
PK	2.4624G	115.84	Inf	-Inf	33.43	3	Horizontal	118	1.66	-	82.41	27.40	6.03	-
PK	2.484G	61.30	74.00	-12.70	33.46	3	Horizontal	118	1.66	-	27.84	27.40	6.06	-

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92502G	40.61	54.00	-13.39	5.18	3	Vertical	26	1.21	-	35.43	31.10	8.33	34.25
AV	7.38728G	42.92	54.00	-11.08	11.60	3	Vertical	194	1.89	-	31.32	36.13	10.05	34.58
PK	4.9249G	52.31	74.00	-21.69	5.18	3	Vertical	26	1.21	-	47.13	31.10	8.33	34.25
PK	7.38478G	59.16	74.00	-14.84	11.60	3	Vertical	194	1.89	-	47.56	36.13	10.05	34.58

11n-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92544G	36.10	54.00	-17.90	5.18	3	Horizontal	127	2.35	-	30.92	31.10	8.33	34.25
AV	7.38676G	38.95	54.00	-15.05	11.60	3	Horizontal	195	1.74	-	27.35	36.13	10.05	34.58
PK	4.92116G	49.17	74.00	-24.83	5.16	3	Horizontal	127	2.35	-	44.01	31.08	8.33	34.25
PK	7.38452G	54.46	74.00	-19.54	11.60	3	Horizontal	195	1.74	-	42.86	36.13	10.05	34.58

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.66	54.00	-4.34	33.57	3	Vertical	271	1.40	-	16.09	27.62	5.95	-
AV	2.414G	110.66	Inf	-Inf	33.52	3	Vertical	271	1.40	-	77.14	27.54	5.98	-
AV	2.4835G	46.88	54.00	-7.12	33.46	3	Vertical	271	1.40	-	13.42	27.40	6.06	-
PK	2.39G	65.50	74.00	-8.50	33.57	3	Vertical	271	1.40	-	31.93	27.62	5.95	-
PK	2.4136G	120.46	Inf	-Inf	33.53	3	Vertical	271	1.40	-	86.93	27.55	5.98	-
PK	2.484G	58.99	74.00	-15.01	33.46	3	Vertical	271	1.40	-	25.53	27.40	6.06	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.99	54.00	-7.01	33.57	3	Horizontal	88	1.01	-	13.42	27.62	5.95	-
AV	2.4088G	99.20	Inf	-Inf	33.53	3	Horizontal	88	1.01	-	65.67	27.56	5.97	-
AV	2.484G	45.76	54.00	-8.24	33.46	3	Horizontal	88	1.01	-	12.30	27.40	6.06	-
PK	2.39G	59.83	74.00	-14.17	33.57	3	Horizontal	88	1.01	-	26.26	27.62	5.95	-
PK	2.4084G	110.02	Inf	-Inf	33.54	3	Horizontal	88	1.01	-	76.48	27.57	5.97	-
PK	2.484G	56.98	74.00	-17.02	33.46	3	Horizontal	88	1.01	-	23.52	27.40	6.06	-

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82402G	40.01	54.00	-13.99	4.99	3	Vertical	161	2.39	-	35.02	31.00	8.27	34.28
PK	4.82234G	51.70	74.00	-22.30	4.97	3	Vertical	161	2.39	-	46.73	30.99	8.26	34.28

11n-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82378G	37.06	54.00	-16.94	4.99	3	Horizontal	119	1.20	-	32.07	31.00	8.27	34.28
PK	4.82252G	50.70	74.00	-23.30	4.97	3	Horizontal	119	1.20	-	45.73	30.99	8.26	34.28

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.57	54.00	-4.43	33.57	3	Vertical	272	1.36	-	16.00	27.62	5.95	-
AV	2.4194G	112.09	Inf	-Inf	33.50	3	Vertical	272	1.36	-	78.59	27.52	5.98	-
AV	2.4838G	47.02	54.00	-6.98	33.46	3	Vertical	272	1.36	-	13.56	27.40	6.06	-
PK	2.3898G	64.73	74.00	-9.27	33.57	3	Vertical	272	1.36	-	31.16	27.62	5.95	-
PK	2.4198G	122.85	Inf	-Inf	33.50	3	Vertical	272	1.36	-	89.35	27.52	5.98	-
PK	2.4835G	61.15	74.00	-12.85	33.46	3	Vertical	272	1.36	-	27.69	27.40	6.06	-

11n-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.77	54.00	-7.23	33.57	3	Horizontal	85	1.03	-	13.20	27.62	5.95	-
AV	2.4142G	100.97	Inf	-Inf	33.52	3	Horizontal	85	1.03	-	67.45	27.54	5.98	-
AV	2.4835G	45.83	54.00	-8.17	33.46	3	Horizontal	85	1.03	-	12.37	27.40	6.06	-
PK	2.389G	58.42	74.00	-15.58	33.57	3	Horizontal	85	1.03	-	24.85	27.62	5.95	-
PK	2.4142G	112.31	Inf	-Inf	33.52	3	Horizontal	85	1.03	-	78.79	27.54	5.98	-
PK	2.4846G	56.70	74.00	-17.30	33.46	3	Horizontal	85	1.03	-	23.24	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.10	54.00	-4.90	33.57	3	Vertical	276	1.16	-	15.53	27.62	5.95	-
AV	2.4346G	113.89	Inf	-Inf	33.46	3	Vertical	276	1.16	-	80.43	27.46	6.00	-
AV	2.4835G	50.54	54.00	-3.46	33.46	3	Vertical	276	1.16	-	17.08	27.40	6.06	-
PK	2.3898G	61.46	74.00	-12.54	33.57	3	Vertical	276	1.16	-	27.89	27.62	5.95	-
PK	2.4342G	124.04	Inf	-Inf	33.46	3	Vertical	276	1.16	-	90.58	27.46	6.00	-
PK	2.4835G	62.09	74.00	-11.91	33.46	3	Vertical	276	1.16	-	28.63	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.44	54.00	-7.56	33.57	3	Horizontal	89	1.00	-	12.87	27.62	5.95	-
AV	2.4382G	104.43	Inf	-Inf	33.46	3	Horizontal	89	1.00	-	70.97	27.45	6.01	-
AV	2.4835G	46.36	54.00	-7.64	33.46	3	Horizontal	89	1.00	-	12.90	27.40	6.06	-
PK	2.3698G	57.37	74.00	-16.63	33.60	3	Horizontal	89	1.00	-	23.77	27.66	5.94	-
PK	2.4378G	115.16	Inf	-Inf	33.46	3	Horizontal	89	1.00	-	81.70	27.45	6.01	-
PK	2.4846G	58.14	74.00	-15.86	33.46	3	Horizontal	89	1.00	-	24.68	27.40	6.06	-

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87386G	39.71	54.00	-14.29	5.09	3	Vertical	248	2.22	-	34.62	31.05	8.30	34.26
AV	7.31348G	42.82	54.00	-11.18	11.81	3	Vertical	192	1.78	-	31.01	36.35	10.03	34.57
PK	4.87432G	52.47	74.00	-21.53	5.09	3	Vertical	248	2.22	-	47.38	31.05	8.30	34.26
PK	7.3138G	58.10	74.00	-15.90	11.80	3	Vertical	192	1.78	-	46.30	36.34	10.03	34.57

11n-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	36.55	54.00	-17.45	5.09	3	Horizontal	118	1.12	-	31.46	31.05	8.30	34.26
AV	7.31006G	38.75	54.00	-15.25	11.82	3	Horizontal	197	1.69	-	26.93	36.36	10.03	34.57
PK	4.87188G	49.26	74.00	-24.74	5.10	3	Horizontal	118	1.12	-	44.16	31.06	8.30	34.26
PK	7.31086G	52.76	74.00	-21.24	11.82	3	Horizontal	197	1.69	-	40.94	36.36	10.03	34.57

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.83	54.00	-7.17	33.57	3	Vertical	252	1.20	-	13.26	27.62	5.95	-
AV	2.455G	111.44	Inf	-Inf	33.43	3	Vertical	252	1.20	-	78.01	27.40	6.03	-
AV	2.4835G	50.80	54.00	-3.20	33.46	3	Vertical	252	1.20	-	17.34	27.40	6.06	-
PK	2.3878G	59.30	74.00	-14.70	33.57	3	Vertical	252	1.20	-	25.73	27.62	5.95	-
PK	2.4542G	122.06	Inf	-Inf	33.43	3	Vertical	252	1.20	-	88.63	27.40	6.03	-
PK	2.4854G	68.20	74.00	-5.80	33.46	3	Vertical	252	1.20	-	34.74	27.40	6.06	-

11n-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.359G	45.94	54.00	-8.06	33.61	3	Horizontal	116	1.45	-	12.33	27.68	5.93	-
AV	2.4602G	100.86	Inf	-Inf	33.43	3	Horizontal	116	1.45	-	67.43	27.40	6.03	-
AV	2.4835G	47.06	54.00	-6.94	33.46	3	Horizontal	116	1.45	-	13.60	27.40	6.06	-
PK	2.3574G	56.62	74.00	-17.38	33.62	3	Horizontal	116	1.45	-	23.00	27.69	5.93	-
PK	2.4602G	112.04	Inf	-Inf	33.43	3	Horizontal	116	1.45	-	78.61	27.40	6.03	-
PK	2.4835G	61.82	74.00	-12.18	33.46	3	Horizontal	116	1.45	-	28.36	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.19	54.00	-7.81	33.57	3	Vertical	273	1.53	-	12.62	27.62	5.95	-
AV	2.4632G	111.60	Inf	-Inf	33.44	3	Vertical	273	1.53	-	78.16	27.40	6.04	-
AV	2.4835G	50.29	54.00	-3.71	33.46	3	Vertical	273	1.53	-	16.83	27.40	6.06	-
PK	2.388G	57.82	74.00	-16.18	33.57	3	Vertical	273	1.53	-	24.25	27.62	5.95	-
PK	2.4636G	122.47	Inf	-Inf	33.44	3	Vertical	273	1.53	-	89.03	27.40	6.04	-
PK	2.484G	66.11	74.00	-7.89	33.46	3	Vertical	273	1.53	-	32.65	27.40	6.06	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3636G	45.88	54.00	-8.12	33.60	3	Horizontal	117	1.47	-	12.28	27.67	5.93	-
AV	2.4612G	101.88	Inf	-Inf	33.43	3	Horizontal	117	1.47	-	68.45	27.40	6.03	-
AV	2.4835G	46.67	54.00	-7.33	33.46	3	Horizontal	117	1.47	-	13.21	27.40	6.06	-
PK	2.3712G	56.81	74.00	-17.19	33.60	3	Horizontal	117	1.47	-	23.21	27.66	5.94	-
PK	2.46G	112.43	Inf	-Inf	33.43	3	Horizontal	117	1.47	-	79.00	27.40	6.03	-
PK	2.4916G	56.86	74.00	-17.14	33.47	3	Horizontal	117	1.47	-	23.39	27.40	6.07	-

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	39.32	54.00	-14.68	5.18	3	Vertical	29	1.83	-	34.14	31.10	8.33	34.25
AV	7.38522G	39.77	54.00	-14.23	11.60	3	Vertical	191	1.74	-	28.17	36.13	10.05	34.58
PK	4.92464G	52.16	74.00	-21.84	5.18	3	Vertical	29	1.83	-	46.98	31.10	8.33	34.25
PK	7.38492G	55.19	74.00	-18.81	11.60	3	Vertical	191	1.74	-	43.59	36.13	10.05	34.58

11n-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	34.63	54.00	-19.37	5.18	3	Horizontal	33	1.10	-	29.45	31.10	8.33	34.25
AV	7.38556G	36.33	54.00	-17.67	11.60	3	Horizontal	192	1.49	-	24.73	36.13	10.05	34.58
PK	4.92394G	46.83	74.00	-27.17	5.18	3	Horizontal	33	1.10	-	41.65	31.10	8.33	34.25
PK	7.38972G	49.70	74.00	-24.30	11.59	3	Horizontal	192	1.49	-	38.11	36.12	10.05	34.58

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.90	54.00	-3.10	33.57	3	Vertical	268	1.40	-	17.33	27.62	5.95	-
AV	2.4168G	105.58	Inf	-Inf	33.51	3	Vertical	268	1.40	-	72.07	27.53	5.98	-
AV	2.4835G	46.61	54.00	-7.39	33.46	3	Vertical	268	1.40	-	13.15	27.40	6.06	-
PK	2.39G	61.29	74.00	-12.71	33.57	3	Vertical	268	1.40	-	27.72	27.62	5.95	-
PK	2.4172G	114.60	Inf	-Inf	33.51	3	Vertical	268	1.40	-	81.09	27.53	5.98	-
PK	2.486G	57.45	74.00	-16.55	33.46	3	Vertical	268	1.40	-	23.99	27.40	6.06	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	49.84	54.00	-4.16	33.57	3	Horizontal	74	3.00	-	16.27	27.62	5.95	-
AV	2.4188G	100.29	Inf	-Inf	33.50	3	Horizontal	74	3.00	-	66.79	27.52	5.98	-
AV	2.4912G	45.87	54.00	-8.13	33.47	3	Horizontal	74	3.00	-	12.40	27.40	6.07	-
PK	2.39G	61.23	74.00	-12.77	33.57	3	Horizontal	74	3.00	-	27.66	27.62	5.95	-
PK	2.4188G	109.90	Inf	-Inf	33.50	3	Horizontal	74	3.00	-	76.40	27.52	5.98	-
PK	2.4888G	57.08	74.00	-16.92	33.47	3	Horizontal	74	3.00	-	23.61	27.40	6.07	-

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	41.04	54.00	-12.96	4.99	3	Vertical	200	1.49	-	36.05	31.00	8.27	34.28
PK	4.82424G	48.99	74.00	-25.01	4.99	3	Vertical	200	1.49	-	44.00	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82388G	36.63	54.00	-17.37	4.99	3	Horizontal	154	2.62	-	31.64	31.00	8.27	34.28
PK	4.82418G	47.86	74.00	-26.14	4.99	3	Horizontal	154	2.62	-	42.87	31.00	8.27	34.28

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	50.87	54.00	-3.13	33.58	3	Vertical	271	1.38	-	17.29	27.63	5.95	-
AV	2.4226G	109.86	Inf	-Inf	33.50	3	Vertical	271	1.38	-	76.36	27.51	5.99	-
AV	2.4835G	47.90	54.00	-6.10	33.46	3	Vertical	271	1.38	-	14.44	27.40	6.06	-
PK	2.3898G	68.21	74.00	-5.79	33.57	3	Vertical	271	1.38	-	34.64	27.62	5.95	-
PK	2.423G	119.74	Inf	-Inf	33.50	3	Vertical	271	1.38	-	86.24	27.51	5.99	-
PK	2.4842G	63.14	74.00	-10.86	33.46	3	Vertical	271	1.38	-	29.68	27.40	6.06	-

802.11n HT20_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.09	54.00	-4.91	33.57	3	Horizontal	74	3.00	-	15.52	27.62	5.95	-
AV	2.4234G	103.73	Inf	-Inf	33.50	3	Horizontal	74	3.00	-	70.23	27.51	5.99	-
AV	2.4838G	45.87	54.00	-8.13	33.46	3	Horizontal	74	3.00	-	12.41	27.40	6.06	-
PK	2.3862G	59.57	74.00	-14.43	33.58	3	Horizontal	74	3.00	-	25.99	27.63	5.95	-
PK	2.4226G	113.32	Inf	-Inf	33.50	3	Horizontal	74	3.00	-	79.82	27.51	5.99	-
PK	2.4866G	57.33	74.00	-16.67	33.46	3	Horizontal	74	3.00	-	23.87	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.53	54.00	-4.47	33.57	3	Vertical	269	1.30	-	15.96	27.62	5.95	-
AV	2.4318G	111.79	Inf	-Inf	33.47	3	Vertical	269	1.30	-	78.32	27.47	6.00	-
AV	2.4835G	50.98	54.00	-3.02	33.46	3	Vertical	269	1.30	-	17.52	27.40	6.06	-
PK	2.3898G	60.57	74.00	-13.43	33.57	3	Vertical	269	1.30	-	27.00	27.62	5.95	-
PK	2.4326G	120.57	Inf	-Inf	33.47	3	Vertical	269	1.30	-	87.10	27.47	6.00	-
PK	2.4842G	61.41	74.00	-12.59	33.46	3	Vertical	269	1.30	-	27.95	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.44	54.00	-7.56	33.57	3	Horizontal	73	2.87	-	12.87	27.62	5.95	-
AV	2.431G	103.00	Inf	-Inf	33.48	3	Horizontal	73	2.87	-	69.52	27.48	6.00	-
AV	2.4835G	47.03	54.00	-6.97	33.46	3	Horizontal	73	2.87	-	13.57	27.40	6.06	-
PK	2.3414G	57.41	74.00	-16.59	33.65	3	Horizontal	73	2.87	-	23.76	27.73	5.92	-
PK	2.4306G	112.47	Inf	-Inf	33.48	3	Horizontal	73	2.87	-	78.99	27.48	6.00	-
PK	2.4842G	58.39	74.00	-15.61	33.46	3	Horizontal	73	2.87	-	24.93	27.40	6.06	-

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	43.54	54.00	-10.46	5.09	3	Vertical	245	2.27	-	38.45	31.05	8.30	34.26
AV	7.3152G	41.30	54.00	-12.70	11.80	3	Vertical	186	1.84	-	29.50	36.34	10.03	34.57
PK	4.874G	50.58	74.00	-23.42	5.09	3	Vertical	245	2.27	-	45.49	31.05	8.30	34.26
PK	7.31622G	54.39	74.00	-19.61	11.80	3	Vertical	186	1.84	-	42.59	36.34	10.03	34.57

802.11n HT20_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87394G	34.85	54.00	-19.15	5.09	3	Horizontal	117	2.65	-	29.76	31.05	8.30	34.26
AV	7.30212G	38.18	54.00	-15.82	11.85	3	Horizontal	196	1.78	-	26.33	36.39	10.03	34.57
PK	4.8734G	45.38	74.00	-28.62	5.09	3	Horizontal	117	2.65	-	40.29	31.05	8.30	34.26
PK	7.31598G	51.01	74.00	-22.99	11.80	3	Horizontal	196	1.78	-	39.21	36.34	10.03	34.57

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.37	54.00	-7.63	33.57	3	Vertical	258	1.27	-	12.80	27.62	5.95	-
AV	2.4542G	107.57	Inf	-Inf	33.43	3	Vertical	258	1.27	-	74.14	27.40	6.03	-
AV	2.4835G	50.38	54.00	-3.62	33.46	3	Vertical	258	1.27	-	16.92	27.40	6.06	-
PK	2.3866G	57.64	74.00	-16.36	33.58	3	Vertical	258	1.27	-	24.06	27.63	5.95	-
PK	2.4546G	117.01	Inf	-Inf	33.43	3	Vertical	258	1.27	-	83.58	27.40	6.03	-
PK	2.4846G	61.75	74.00	-12.25	33.46	3	Vertical	258	1.27	-	28.29	27.40	6.06	-

802.11n HT20_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3666G	45.98	54.00	-8.02	33.60	3	Horizontal	39	1.87	-	12.38	27.67	5.93	-
AV	2.4518G	97.52	Inf	-Inf	33.42	3	Horizontal	39	1.87	-	64.10	27.40	6.02	-
AV	2.4846G	46.88	54.00	-7.12	33.46	3	Horizontal	39	1.87	-	13.42	27.40	6.06	-
PK	2.381G	57.32	74.00	-16.68	33.59	3	Horizontal	39	1.87	-	23.73	27.64	5.95	-
PK	2.4594G	107.34	Inf	-Inf	33.43	3	Horizontal	39	1.87	-	73.91	27.40	6.03	-
PK	2.4858G	57.02	74.00	-16.98	33.46	3	Horizontal	39	1.87	-	23.56	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.30	54.00	-7.70	33.57	3	Vertical	256	1.24	-	12.73	27.62	5.95	-
AV	2.458G	105.25	Inf	-Inf	33.43	3	Vertical	256	1.24	-	71.82	27.40	6.03	-
AV	2.4835G	50.78	54.00	-3.22	33.46	3	Vertical	256	1.24	-	17.32	27.40	6.06	-
PK	2.362G	57.50	74.00	-16.50	33.61	3	Vertical	256	1.24	-	23.89	27.68	5.93	-
PK	2.4588G	114.98	Inf	-Inf	33.43	3	Vertical	256	1.24	-	81.55	27.40	6.03	-
PK	2.4852G	61.59	74.00	-12.41	33.46	3	Vertical	256	1.24	-	28.13	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3704G	46.01	54.00	-7.99	33.60	3	Horizontal	38	1.10	-	12.41	27.66	5.94	-
AV	2.4668G	96.21	Inf	-Inf	33.44	3	Horizontal	38	1.10	-	62.77	27.40	6.04	-
AV	2.4844G	47.18	54.00	-6.82	33.46	3	Horizontal	38	1.10	-	13.72	27.40	6.06	-
PK	2.364G	56.59	74.00	-17.41	33.60	3	Horizontal	38	1.10	-	22.99	27.67	5.93	-
PK	2.466G	105.25	Inf	-Inf	33.44	3	Horizontal	38	1.10	-	71.81	27.40	6.04	-
PK	2.4848G	57.60	74.00	-16.40	33.46	3	Horizontal	38	1.10	-	24.14	27.40	6.06	-

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	42.28	54.00	-11.72	5.18	3	Vertical	146	1.00	-	37.10	31.10	8.33	34.25
AV	7.39872G	36.97	54.00	-17.03	11.56	3	Vertical	253	1.62	-	25.41	36.10	10.05	34.59
PK	4.92412G	48.02	74.00	-25.98	5.18	3	Vertical	146	1.00	-	42.84	31.10	8.33	34.25
PK	7.37982G	49.72	74.00	-24.28	11.61	3	Vertical	253	1.62	-	38.11	36.14	10.05	34.58

802.11n HT20_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	34.24	54.00	-19.76	5.18	3	Horizontal	193	1.49	-	29.06	31.10	8.33	34.25
AV	7.39428G	36.86	54.00	-17.14	11.57	3	Horizontal	24	1.48	-	25.29	36.11	10.05	34.59
PK	4.92262G	45.35	74.00	-28.65	5.17	3	Horizontal	193	1.49	-	40.18	31.09	8.33	34.25
PK	7.38378G	49.84	74.00	-24.16	11.60	3	Horizontal	24	1.48	-	38.24	36.13	10.05	34.58

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.90	54.00	-3.10	33.57	3	Vertical	283	1.34	-	17.33	27.62	5.95	-
AV	2.4304G	100.00	Inf	-Inf	33.48	3	Vertical	283	1.34	-	66.52	27.48	6.00	-
AV	2.4848G	47.59	54.00	-6.41	33.46	3	Vertical	283	1.34	-	14.13	27.40	6.06	-
PK	2.39G	61.09	74.00	-12.91	33.57	3	Vertical	283	1.34	-	27.52	27.62	5.95	-
PK	2.4296G	108.93	Inf	-Inf	33.48	3	Vertical	283	1.34	-	75.45	27.48	6.00	-
PK	2.4835G	61.54	74.00	-12.46	33.46	3	Vertical	283	1.34	-	28.08	27.40	6.06	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3236G	46.75	54.00	-7.25	33.71	3	Horizontal	184	1.48	-	13.04	27.81	5.90	-
AV	2.4336G	91.42	Inf	-Inf	33.47	3	Horizontal	184	1.48	-	57.95	27.47	6.00	-
AV	2.4856G	46.43	54.00	-7.57	33.46	3	Horizontal	184	1.48	-	12.97	27.40	6.06	-
PK	2.3428G	57.58	74.00	-16.42	33.65	3	Horizontal	184	1.48	-	23.93	27.73	5.92	-
PK	2.4344G	99.96	Inf	-Inf	33.46	3	Horizontal	184	1.48	-	66.50	27.46	6.00	-
PK	2.4888G	56.56	74.00	-17.44	33.47	3	Horizontal	184	1.48	-	23.09	27.40	6.07	-

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.844G	42.70	54.00	-11.30	5.09	3	Vertical	144	1.00	-	37.61	31.08	8.28	34.27
AV	7.25454G	37.49	54.00	-16.51	11.67	3	Vertical	260	2.22	-	25.82	36.22	10.02	34.57
PK	4.84394G	47.36	74.00	-26.64	5.09	3	Vertical	144	1.00	-	42.27	31.08	8.28	34.27
PK	7.25676G	49.07	74.00	-24.93	11.68	3	Vertical	260	2.22	-	37.39	36.23	10.02	34.57

802.11n HT40_Nss1_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84406G	33.78	54.00	-20.22	5.09	3	Horizontal	155	1.67	-	28.69	31.08	8.28	34.27
AV	7.2633G	37.37	54.00	-16.63	11.70	3	Horizontal	179	1.53	-	25.67	36.25	10.02	34.57
PK	4.84394G	43.61	74.00	-30.39	5.09	3	Horizontal	155	1.67	-	38.52	31.08	8.28	34.27
PK	7.25922G	49.68	74.00	-24.32	11.69	3	Horizontal	179	1.53	-	37.99	36.24	10.02	34.57

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.97	54.00	-3.03	33.57	3	Vertical	272	1.30	-	17.40	27.62	5.95	-
AV	2.4318G	101.57	Inf	-Inf	33.47	3	Vertical	272	1.30	-	68.10	27.47	6.00	-
AV	2.4838G	47.88	54.00	-6.12	33.46	3	Vertical	272	1.30	-	14.42	27.40	6.06	-
PK	2.3874G	67.50	74.00	-6.50	33.58	3	Vertical	272	1.30	-	33.92	27.63	5.95	-
PK	2.4302G	110.72	Inf	-Inf	33.48	3	Vertical	272	1.30	-	77.24	27.48	6.00	-
PK	2.4854G	64.98	74.00	-9.02	33.46	3	Vertical	272	1.30	-	31.52	27.40	6.06	-

802.11n HT40_Nss1_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	46.89	54.00	-7.11	33.57	3	Horizontal	184	1.50	-	13.32	27.62	5.95	-
AV	2.4382G	91.92	Inf	-Inf	33.46	3	Horizontal	184	1.50	-	58.46	27.45	6.01	-
AV	2.4842G	46.56	54.00	-7.44	33.46	3	Horizontal	184	1.50	-	13.10	27.40	6.06	-
PK	2.3378G	57.88	74.00	-16.12	33.66	3	Horizontal	184	1.50	-	24.22	27.75	5.91	-
PK	2.4382G	101.12	Inf	-Inf	33.46	3	Horizontal	184	1.50	-	67.66	27.45	6.01	-
PK	2.4966G	56.52	74.00	-17.48	33.48	3	Horizontal	184	1.50	-	23.04	27.40	6.08	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.56	54.00	-4.44	33.57	3	Vertical	272	1.30	-	15.99	27.62	5.95	-
AV	2.4318G	104.60	Inf	-Inf	33.47	3	Vertical	272	1.30	-	71.13	27.47	6.00	-
AV	2.485G	50.81	54.00	-3.19	33.46	3	Vertical	272	1.30	-	17.35	27.40	6.06	-
PK	2.3898G	59.61	74.00	-14.39	33.57	3	Vertical	272	1.30	-	26.04	27.62	5.95	-
PK	2.4326G	113.57	Inf	-Inf	33.47	3	Vertical	272	1.30	-	80.10	27.47	6.00	-
PK	2.4838G	67.57	74.00	-6.43	33.46	3	Vertical	272	1.30	-	34.11	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3482G	46.76	54.00	-7.24	33.63	3	Horizontal	99	2.86	-	13.13	27.71	5.92	-
AV	2.4278G	95.38	Inf	-Inf	33.48	3	Horizontal	99	2.86	-	61.90	27.49	5.99	-
AV	2.4846G	47.10	54.00	-6.90	33.46	3	Horizontal	99	2.86	-	13.64	27.40	6.06	-
PK	2.3662G	58.14	74.00	-15.86	33.60	3	Horizontal	99	2.86	-	24.54	27.67	5.93	-
PK	2.4258G	104.71	Inf	-Inf	33.49	3	Horizontal	99	2.86	-	71.22	27.50	5.99	-
PK	2.4842G	57.62	74.00	-16.38	33.46	3	Horizontal	99	2.86	-	24.16	27.40	6.06	-

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87406G	42.44	54.00	-11.56	5.09	3	Vertical	201	1.46	-	37.35	31.05	8.30	34.26
AV	7.3245G	37.40	54.00	-16.60	11.75	3	Vertical	147	1.20	-	25.65	36.30	10.03	34.58
PK	4.874G	47.97	74.00	-26.03	5.09	3	Vertical	201	1.46	-	42.88	31.05	8.30	34.26
PK	7.32516G	50.35	74.00	-23.65	11.76	3	Vertical	147	1.20	-	38.59	36.30	10.04	34.58

802.11n HT40_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.30062G	37.37	54.00	-16.63	11.86	3	Horizontal	94	1.52	-	25.51	36.40	10.03	34.57
AV	4.87388G	34.68	54.00	-19.32	5.09	3	Horizontal	149	1.13	-	29.59	31.05	8.30	34.26
PK	7.3149G	49.24	74.00	-24.76	11.80	3	Horizontal	94	1.52	-	37.44	36.34	10.03	34.57
PK	4.87016G	45.24	74.00	-28.76	5.10	3	Horizontal	149	1.13	-	40.14	31.06	8.30	34.26

802.11n HT40_Nss1_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	47.21	54.00	-6.79	33.57	3	Vertical	253	1.15	-	13.64	27.62	5.95	-
AV	2.435G	101.36	Inf	-Inf	33.46	3	Vertical	253	1.15	-	67.90	27.46	6.00	-
AV	2.4858G	50.75	54.00	-3.25	33.46	3	Vertical	253	1.15	-	17.29	27.40	6.06	-
PK	2.3886G	60.95	74.00	-13.05	33.57	3	Vertical	253	1.15	-	27.38	27.62	5.95	-
PK	2.4358G	110.67	Inf	-Inf	33.46	3	Vertical	253	1.15	-	77.21	27.46	6.00	-
PK	2.4862G	67.75	74.00	-6.25	33.46	3	Vertical	253	1.15	-	34.29	27.40	6.06	-

802.11n HT40_Nss1_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3666G	46.54	54.00	-7.46	33.60	3	Horizontal	184	1.49	-	12.94	27.67	5.93	-
AV	2.4322G	93.14	Inf	-Inf	33.47	3	Horizontal	184	1.49	-	59.67	27.47	6.00	-
AV	2.4846G	48.38	54.00	-5.62	33.46	3	Horizontal	184	1.49	-	14.92	27.40	6.06	-
PK	2.3486G	56.94	74.00	-17.06	33.63	3	Horizontal	184	1.49	-	23.31	27.71	5.92	-
PK	2.4318G	102.24	Inf	-Inf	33.47	3	Horizontal	184	1.49	-	68.77	27.47	6.00	-
PK	2.4838G	57.83	74.00	-16.17	33.46	3	Horizontal	184	1.49	-	24.37	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	47.26	54.00	-6.74	33.57	3	Vertical	263	1.29	-	13.69	27.62	5.95	-
AV	2.4612G	100.08	Inf	-Inf	33.43	3	Vertical	263	1.29	-	66.65	27.40	6.03	-
AV	2.4835G	50.58	54.00	-3.42	33.46	3	Vertical	263	1.29	-	17.12	27.40	6.06	-
PK	2.39G	62.80	74.00	-11.20	33.57	3	Vertical	263	1.29	-	29.23	27.62	5.95	-
PK	2.4588G	109.17	Inf	-Inf	33.43	3	Vertical	263	1.29	-	75.74	27.40	6.03	-
PK	2.484G	63.13	74.00	-10.87	33.46	3	Vertical	263	1.29	-	29.67	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3612G	46.15	54.00	-7.85	33.61	3	Horizontal	52	1.00	-	12.54	27.68	5.93	-
AV	2.462G	90.38	Inf	-Inf	33.43	3	Horizontal	52	1.00	-	56.95	27.40	6.03	-
AV	2.4848G	47.46	54.00	-6.54	33.46	3	Horizontal	52	1.00	-	14.00	27.40	6.06	-
PK	2.3764G	58.45	74.00	-15.55	33.59	3	Horizontal	52	1.00	-	24.86	27.65	5.94	-
PK	2.4632G	100.60	Inf	-Inf	33.44	3	Horizontal	52	1.00	-	67.16	27.40	6.04	-
PK	2.4835G	62.05	74.00	-11.95	33.46	3	Horizontal	52	1.00	-	28.59	27.40	6.06	-

802.11n HT40_Nss1_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.904G	42.07	54.00	-11.93	5.09	3	Vertical	144	1.31	-	36.98	31.02	8.32	34.25
AV	7.35552G	37.40	54.00	-16.60	11.65	3	Vertical	233	2.02	-	25.75	36.19	10.04	34.58
PK	4.90406G	47.37	74.00	-26.63	5.09	3	Vertical	144	1.31	-	42.28	31.02	8.32	34.25
PK	7.34556G	49.34	74.00	-24.66	11.68	3	Vertical	233	2.02	-	37.66	36.22	10.04	34.58

802.11n HT40_Nss1_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.904G	33.60	54.00	-20.40	5.09	3	Horizontal	191	1.49	-	28.51	31.02	8.32	34.25
AV	7.35972G	37.45	54.00	-16.55	11.64	3	Horizontal	22	1.36	-	25.81	36.18	10.04	34.58
PK	4.90403G	45.00	74.00	-29.00	5.09	3	Horizontal	191	1.49	-	39.91	31.02	8.32	34.25
PK	7.3653G	49.42	74.00	-24.58	11.63	3	Horizontal	22	1.36	-	37.79	36.17	10.04	34.58



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1_2TX	Pass	PK	33.88M	35.08	40.00	-4.92	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	33.88M	35.08	40.00	-4.92	3	Vertical	360	1.00	-
2437MHz	Pass	PK	97.9M	27.52	43.50	-15.98	3	Vertical	360	1.00	-
2437MHz	Pass	PK	105.66M	29.15	43.50	-14.35	3	Vertical	360	1.00	-
2437MHz	Pass	PK	656.62M	33.58	46.00	-12.42	3	Vertical	360	1.00	-
2437MHz	Pass	PK	889.42M	37.65	46.00	-8.35	3	Vertical	360	1.00	-
2437MHz	Pass	PK	932.1M	36.88	46.00	-9.12	3	Vertical	360	1.00	-
2437MHz	Pass	PK	30M	27.00	40.00	-13.00	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	33.88M	26.05	40.00	-13.95	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	243.4M	27.17	46.00	-18.83	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	445.16M	33.59	46.00	-12.41	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	730.34M	38.16	46.00	-7.84	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	800.18M	37.88	46.00	-8.12	3	Horizontal	0	1.00	-

802.11n HT40_Nss1_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	35.08	40.00	-4.92	-4.92	3	Vertical	360	1.00	-	40.00	21.26	0.78	26.96
PK	97.9M	27.52	43.50	-15.98	-10.68	3	Vertical	360	1.00	-	38.20	15.70	1.40	27.78
PK	105.66M	29.15	43.50	-14.35	-9.56	3	Vertical	360	1.00	-	38.71	16.73	1.46	27.75
PK	656.62M	33.58	46.00	-12.42	-0.10	3	Vertical	360	1.00	-	33.68	24.13	4.03	28.26
PK	889.42M	37.65	46.00	-8.35	2.93	3	Vertical	360	1.00	-	34.72	25.61	4.76	27.44
PK	932.1M	36.88	46.00	-9.12	3.39	3	Vertical	360	1.00	-	33.49	25.83	4.86	27.30

802.11n HT40_Nss1_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	27.00	40.00	-13.00	-3.19	3	Horizontal	0	1.00	-	30.19	23.32	0.70	27.21
PK	33.88M	26.05	40.00	-13.95	-4.92	3	Horizontal	0	1.00	-	30.97	21.26	0.78	26.96
PK	243.4M	27.17	46.00	-18.83	-7.89	3	Horizontal	0	1.00	-	35.06	16.83	2.36	27.08
PK	445.16M	33.59	46.00	-12.41	-2.89	3	Horizontal	0	1.00	-	36.48	21.97	3.18	28.04
PK	730.34M	38.16	46.00	-7.84	0.88	3	Horizontal	0	1.00	-	37.28	24.66	4.26	28.04
PK	800.18M	37.88	46.00	-8.12	1.73	3	Horizontal	0	1.00	-	36.15	25.01	4.50	27.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
11b-5M_Nss1_2TX	Pass	AV	4.82496G	50.74	54.00	-3.26	3	Vertical	102	1.49	-
11b-10M_Nss1_2TX	Pass	AV	4.92394G	50.70	54.00	-3.30	3	Vertical	83	1.07	-
11b-20M_Nss1_2TX	Pass	AV	2.4838G	50.84	54.00	-3.16	3	Horizontal	295	3.00	-
11g-5M_Nss1_2TX	Pass	AV	2.4838G	50.92	54.00	-3.08	3	Vertical	296	1.56	-
11g-10M_Nss1_2TX	Pass	AV	2.4835G	50.83	54.00	-3.17	3	Vertical	286	1.58	-
11g-20M_Nss1_2TX	Pass	AV	2.3898G	50.70	54.00	-3.30	3	Vertical	322	1.40	-
11n-5M_Nss1_2TX	Pass	AV	2.4835G	50.88	54.00	-3.12	3	Vertical	298	1.29	-
11n-10M_Nss1_2TX	Pass	AV	2.3898G	50.65	54.00	-3.35	3	Vertical	308	1.52	-
802.11n HT20_Nss1_2TX	Pass	AV	2.3894G	50.84	54.00	-3.16	3	Vertical	323	1.41	-
802.11n HT40_Nss1_2TX	Pass	AV	2.4835G	50.79	54.00	-3.21	3	Horizontal	294	2.91	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11b-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	47.09	54.00	-6.91	3	Vertical	79	1.21	-
2412MHz	Pass	AV	2.4128G	113.62	Inf	-Inf	3	Vertical	79	1.21	-
2412MHz	Pass	AV	2.4835G	46.16	54.00	-7.84	3	Vertical	79	1.21	-
2412MHz	Pass	PK	2.3876G	58.11	74.00	-15.89	3	Vertical	79	1.21	-
2412MHz	Pass	PK	2.4124G	120.01	Inf	-Inf	3	Vertical	79	1.21	-
2412MHz	Pass	PK	2.4952G	56.37	74.00	-17.63	3	Vertical	79	1.21	-
2412MHz	Pass	AV	2.3136G	46.32	54.00	-7.68	3	Horizontal	340	1.04	-
2412MHz	Pass	AV	2.4124G	104.93	Inf	-Inf	3	Horizontal	340	1.04	-
2412MHz	Pass	AV	2.498G	45.70	54.00	-8.30	3	Horizontal	340	1.04	-
2412MHz	Pass	PK	2.3464G	57.83	74.00	-16.17	3	Horizontal	340	1.04	-
2412MHz	Pass	PK	2.4124G	111.34	Inf	-Inf	3	Horizontal	340	1.04	-
2412MHz	Pass	PK	2.4968G	56.46	74.00	-17.54	3	Horizontal	340	1.04	-
2412MHz	Pass	AV	4.82496G	50.74	54.00	-3.26	3	Vertical	102	1.49	-
2412MHz	Pass	PK	4.82502G	54.59	74.00	-19.41	3	Vertical	102	1.49	-
2412MHz	Pass	AV	4.82496G	48.07	54.00	-5.93	3	Horizontal	28	1.01	-
2412MHz	Pass	PK	4.8249G	51.95	74.00	-22.05	3	Horizontal	28	1.01	-
2417MHz	Pass	AV	2.317G	46.26	54.00	-7.74	3	Vertical	80	1.21	-
2417MHz	Pass	AV	2.4174G	110.95	Inf	-Inf	3	Vertical	80	1.21	-
2417MHz	Pass	AV	2.4842G	45.99	54.00	-8.01	3	Vertical	80	1.21	-
2417MHz	Pass	PK	2.347G	58.02	74.00	-15.98	3	Vertical	80	1.21	-
2417MHz	Pass	PK	2.4174G	117.26	Inf	-Inf	3	Vertical	80	1.21	-
2417MHz	Pass	PK	2.4914G	57.13	74.00	-16.87	3	Vertical	80	1.21	-
2417MHz	Pass	AV	2.3174G	46.24	54.00	-7.76	3	Horizontal	62	1.61	-
2417MHz	Pass	AV	2.4174G	102.89	Inf	-Inf	3	Horizontal	62	1.61	-
2417MHz	Pass	AV	2.485G	45.78	54.00	-8.22	3	Horizontal	62	1.61	-
2417MHz	Pass	PK	2.3294G	58.47	74.00	-15.53	3	Horizontal	62	1.61	-
2417MHz	Pass	PK	2.4174G	109.05	Inf	-Inf	3	Horizontal	62	1.61	-
2417MHz	Pass	PK	2.4854G	56.65	74.00	-17.35	3	Horizontal	62	1.61	-
2417MHz	Pass	AV	4.83496G	50.41	54.00	-3.59	3	Vertical	156	2.23	-
2417MHz	Pass	AV	7.25214G	40.30	54.00	-13.70	3	Vertical	186	2.93	-
2417MHz	Pass	PK	4.83496G	54.87	74.00	-19.13	3	Vertical	156	2.23	-
2417MHz	Pass	PK	7.25238G	51.34	74.00	-22.66	3	Vertical	186	2.93	-
2417MHz	Pass	AV	4.83496G	47.06	54.00	-6.94	3	Horizontal	148	1.00	-
2417MHz	Pass	AV	7.25226G	38.05	54.00	-15.95	3	Horizontal	55	1.04	-
2417MHz	Pass	PK	4.83502G	52.43	74.00	-21.57	3	Horizontal	148	1.00	-
2417MHz	Pass	PK	7.25196G	50.02	74.00	-23.98	3	Horizontal	55	1.04	-
2437MHz	Pass	AV	2.3894G	46.52	54.00	-7.48	3	Vertical	266	1.47	-
2437MHz	Pass	AV	2.4374G	118.09	Inf	-Inf	3	Vertical	266	1.47	-
2437MHz	Pass	AV	2.4838G	47.18	54.00	-6.82	3	Vertical	266	1.47	-
2437MHz	Pass	PK	2.363G	57.31	74.00	-16.69	3	Vertical	266	1.47	-
2437MHz	Pass	PK	2.4374G	124.15	Inf	-Inf	3	Vertical	266	1.47	-
2437MHz	Pass	PK	2.4954G	57.48	74.00	-16.52	3	Vertical	266	1.47	-
2437MHz	Pass	AV	2.3374G	46.11	54.00	-7.89	3	Horizontal	84	1.00	-
2437MHz	Pass	AV	2.4374G	110.73	Inf	-Inf	3	Horizontal	84	1.00	-
2437MHz	Pass	AV	2.4835G	45.99	54.00	-8.01	3	Horizontal	84	1.00	-
2437MHz	Pass	PK	2.3898G	57.92	74.00	-16.08	3	Horizontal	84	1.00	-
2437MHz	Pass	PK	2.4374G	117.02	Inf	-Inf	3	Horizontal	84	1.00	-
2437MHz	Pass	PK	2.4934G	56.64	74.00	-17.36	3	Horizontal	84	1.00	-
2437MHz	Pass	AV	4.87568G	40.26	54.00	-13.74	3	Vertical	156	3.00	-
2437MHz	Pass	AV	7.31262G	50.17	54.00	-3.83	3	Vertical	191	2.25	-
2437MHz	Pass	PK	4.87478G	48.18	74.00	-25.82	3	Vertical	156	3.00	-
2437MHz	Pass	PK	7.31262G	58.40	74.00	-15.60	3	Vertical	191	2.25	-
2437MHz	Pass	AV	4.87496G	44.68	54.00	-9.32	3	Horizontal	29	1.01	-
2437MHz	Pass	AV	7.31262G	46.81	54.00	-7.19	3	Horizontal	149	1.04	-
2437MHz	Pass	PK	4.8749G	49.35	74.00	-24.65	3	Horizontal	29	1.01	-
2437MHz	Pass	PK	7.31274G	56.30	74.00	-17.70	3	Horizontal	149	1.04	-
2457MHz	Pass	AV	2.3894G	45.97	54.00	-8.03	3	Vertical	317	1.92	-
2457MHz	Pass	AV	2.4578G	114.31	Inf	-Inf	3	Vertical	317	1.92	-
2457MHz	Pass	AV	2.4838G	47.44	54.00	-6.56	3	Vertical	317	1.92	-
2457MHz	Pass	PK	2.3642G	57.39	74.00	-16.61	3	Vertical	317	1.92	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.4574G	120.59	Inf	-Inf	3	Vertical	317	1.92	-
2457MHz	Pass	PK	2.4846G	58.11	74.00	-15.89	3	Vertical	317	1.92	-
2457MHz	Pass	AV	2.3574G	45.99	54.00	-8.01	3	Horizontal	69	1.00	-
2457MHz	Pass	AV	2.4566G	106.96	Inf	-Inf	3	Horizontal	69	1.00	-
2457MHz	Pass	AV	2.4835G	46.38	54.00	-7.62	3	Horizontal	69	1.00	-
2457MHz	Pass	PK	2.3674G	56.90	74.00	-17.10	3	Horizontal	69	1.00	-
2457MHz	Pass	PK	2.4574G	112.35	Inf	-Inf	3	Horizontal	69	1.00	-
2457MHz	Pass	PK	2.4874G	56.88	74.00	-17.12	3	Horizontal	69	1.00	-
2457MHz	Pass	AV	4.91496G	50.44	54.00	-3.56	3	Vertical	100	1.07	-
2457MHz	Pass	AV	7.37214G	38.96	54.00	-15.04	3	Vertical	189	2.40	-
2457MHz	Pass	PK	4.91502G	54.64	74.00	-19.36	3	Vertical	100	1.07	-
2457MHz	Pass	PK	7.37238G	51.21	74.00	-22.79	3	Vertical	189	2.40	-
2457MHz	Pass	AV	4.91496G	46.03	54.00	-7.97	3	Horizontal	148	1.38	-
2457MHz	Pass	AV	7.37244G	37.50	54.00	-16.50	3	Horizontal	62	0.99	-
2457MHz	Pass	PK	4.91496G	51.00	74.00	-23.00	3	Horizontal	148	1.38	-
2457MHz	Pass	PK	7.37274G	50.36	74.00	-23.64	3	Horizontal	62	0.99	-
2462MHz	Pass	AV	2.3876G	46.02	54.00	-7.98	3	Vertical	284	1.54	-
2462MHz	Pass	AV	2.4628G	116.62	Inf	-Inf	3	Vertical	284	1.54	-
2462MHz	Pass	AV	2.4844G	47.52	54.00	-6.48	3	Vertical	284	1.54	-
2462MHz	Pass	PK	2.3632G	58.41	74.00	-15.59	3	Vertical	284	1.54	-
2462MHz	Pass	PK	2.4628G	122.78	Inf	-Inf	3	Vertical	284	1.54	-
2462MHz	Pass	PK	2.486G	58.81	74.00	-15.19	3	Vertical	284	1.54	-
2462MHz	Pass	AV	2.3632G	45.94	54.00	-8.06	3	Horizontal	193	1.00	-
2462MHz	Pass	AV	2.4628G	109.63	Inf	-Inf	3	Horizontal	193	1.00	-
2462MHz	Pass	AV	2.484G	46.44	54.00	-7.56	3	Horizontal	193	1.00	-
2462MHz	Pass	PK	2.362G	56.78	74.00	-17.22	3	Horizontal	193	1.00	-
2462MHz	Pass	PK	2.4624G	116.04	Inf	-Inf	3	Horizontal	193	1.00	-
2462MHz	Pass	PK	2.4864G	57.28	74.00	-16.72	3	Horizontal	193	1.00	-
2462MHz	Pass	AV	4.92496G	50.60	54.00	-3.40	3	Vertical	101	1.09	-
2462MHz	Pass	AV	7.38732G	37.39	54.00	-16.61	3	Vertical	47	1.00	-
2462MHz	Pass	PK	4.92502G	54.78	74.00	-19.22	3	Vertical	101	1.09	-
2462MHz	Pass	PK	7.38228G	49.34	74.00	-24.66	3	Vertical	47	1.00	-
2462MHz	Pass	AV	4.92496G	46.25	54.00	-7.75	3	Horizontal	148	1.06	-
2462MHz	Pass	AV	7.38726G	36.57	54.00	-17.43	3	Horizontal	69	2.89	-
2462MHz	Pass	PK	4.92496G	51.33	74.00	-22.67	3	Horizontal	148	1.06	-
2462MHz	Pass	PK	7.39752G	49.44	74.00	-24.56	3	Horizontal	69	2.89	-
11b-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.98	54.00	-7.02	3	Vertical	260	1.22	-
2412MHz	Pass	AV	2.4116G	110.87	Inf	-Inf	3	Vertical	260	1.22	-
2412MHz	Pass	AV	2.484G	46.32	54.00	-7.68	3	Vertical	260	1.22	-
2412MHz	Pass	PK	2.3892G	57.23	74.00	-16.77	3	Vertical	260	1.22	-
2412MHz	Pass	PK	2.4116G	115.82	Inf	-Inf	3	Vertical	260	1.22	-
2412MHz	Pass	PK	2.4856G	56.52	74.00	-17.48	3	Vertical	260	1.22	-
2412MHz	Pass	AV	2.3864G	46.60	54.00	-7.40	3	Horizontal	92	1.02	-
2412MHz	Pass	AV	2.4116G	107.23	Inf	-Inf	3	Horizontal	92	1.02	-
2412MHz	Pass	AV	2.4848G	45.76	54.00	-8.24	3	Horizontal	92	1.02	-
2412MHz	Pass	PK	2.3368G	57.81	74.00	-16.19	3	Horizontal	92	1.02	-
2412MHz	Pass	PK	2.4112G	112.14	Inf	-Inf	3	Horizontal	92	1.02	-
2412MHz	Pass	PK	2.4864G	55.73	74.00	-18.27	3	Horizontal	92	1.02	-
2412MHz	Pass	AV	4.82396G	50.57	54.00	-3.43	3	Vertical	124	2.58	-
2412MHz	Pass	PK	4.82392G	53.80	74.00	-20.20	3	Vertical	124	2.58	-
2412MHz	Pass	AV	4.82396G	47.81	54.00	-6.19	3	Horizontal	189	1.89	-
2412MHz	Pass	PK	4.82396G	51.27	74.00	-22.73	3	Horizontal	189	1.89	-
2417MHz	Pass	AV	2.3886G	46.53	54.00	-7.47	3	Vertical	257	1.61	-
2417MHz	Pass	AV	2.4174G	110.95	Inf	-Inf	3	Vertical	257	1.61	-
2417MHz	Pass	AV	2.4838G	46.08	54.00	-7.92	3	Vertical	257	1.61	-
2417MHz	Pass	PK	2.3882G	57.28	74.00	-16.72	3	Vertical	257	1.61	-
2417MHz	Pass	PK	2.4174G	115.98	Inf	-Inf	3	Vertical	257	1.61	-
2417MHz	Pass	PK	2.4842G	56.85	74.00	-17.15	3	Vertical	257	1.61	-
2417MHz	Pass	AV	2.3894G	46.34	54.00	-7.66	3	Horizontal	91	1.06	-
2417MHz	Pass	AV	2.4166G	107.82	Inf	-Inf	3	Horizontal	91	1.06	-
2417MHz	Pass	AV	2.4838G	45.86	54.00	-8.14	3	Horizontal	91	1.06	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.3182G	57.80	74.00	-16.20	3	Horizontal	91	1.06	-
2417MHz	Pass	PK	2.4166G	112.71	Inf	-Inf	3	Horizontal	91	1.06	-
2417MHz	Pass	PK	2.4846G	58.31	74.00	-15.69	3	Horizontal	91	1.06	-
2417MHz	Pass	AV	4.83396G	50.29	54.00	-3.71	3	Vertical	149	2.84	-
2417MHz	Pass	AV	7.2505G	40.83	54.00	-13.17	3	Vertical	225	1.51	-
2417MHz	Pass	PK	4.8339G	53.50	74.00	-20.50	3	Vertical	149	2.84	-
2417MHz	Pass	PK	7.25068G	52.22	74.00	-21.78	3	Vertical	225	1.51	-
2417MHz	Pass	AV	4.83396G	49.19	54.00	-4.81	3	Horizontal	192	2.90	-
2417MHz	Pass	AV	7.2504G	36.82	54.00	-17.18	3	Horizontal	161	2.90	-
2417MHz	Pass	PK	4.83394G	52.51	74.00	-21.49	3	Horizontal	192	2.90	-
2417MHz	Pass	PK	7.2501G	50.29	74.00	-23.71	3	Horizontal	161	2.90	-
2437MHz	Pass	AV	2.389G	46.41	54.00	-7.59	3	Vertical	258	1.16	-
2437MHz	Pass	AV	2.4366G	116.83	Inf	-Inf	3	Vertical	258	1.16	-
2437MHz	Pass	AV	2.4835G	47.42	54.00	-6.58	3	Vertical	258	1.16	-
2437MHz	Pass	PK	2.3866G	57.49	74.00	-16.51	3	Vertical	258	1.16	-
2437MHz	Pass	PK	2.4366G	121.72	Inf	-Inf	3	Vertical	258	1.16	-
2437MHz	Pass	PK	2.4842G	58.91	74.00	-15.09	3	Vertical	258	1.16	-
2437MHz	Pass	AV	2.339G	46.04	54.00	-7.96	3	Horizontal	183	1.40	-
2437MHz	Pass	AV	2.4366G	112.23	Inf	-Inf	3	Horizontal	183	1.40	-
2437MHz	Pass	AV	2.4846G	46.59	54.00	-7.41	3	Horizontal	183	1.40	-
2437MHz	Pass	PK	2.345G	57.24	74.00	-16.76	3	Horizontal	183	1.40	-
2437MHz	Pass	PK	2.4362G	117.41	Inf	-Inf	3	Horizontal	183	1.40	-
2437MHz	Pass	PK	2.4938G	57.33	74.00	-16.67	3	Horizontal	183	1.40	-
2437MHz	Pass	AV	4.87398G	44.64	54.00	-9.36	3	Vertical	125	2.41	-
2437MHz	Pass	AV	7.31134G	50.61	54.00	-3.39	3	Vertical	189	1.84	-
2437MHz	Pass	PK	4.87394G	49.50	74.00	-24.50	3	Vertical	125	2.41	-
2437MHz	Pass	PK	7.31156G	57.92	74.00	-16.08	3	Vertical	189	1.84	-
2437MHz	Pass	AV	4.87396G	42.99	54.00	-11.01	3	Horizontal	200	1.91	-
2437MHz	Pass	AV	7.31132G	44.17	54.00	-9.83	3	Horizontal	65	1.17	-
2437MHz	Pass	PK	4.87404G	47.74	74.00	-26.26	3	Horizontal	200	1.91	-
2437MHz	Pass	PK	7.31128G	53.58	74.00	-20.42	3	Horizontal	65	1.17	-
2457MHz	Pass	AV	2.3894G	46.01	54.00	-7.99	3	Vertical	247	1.62	-
2457MHz	Pass	AV	2.4574G	117.05	Inf	-Inf	3	Vertical	247	1.62	-
2457MHz	Pass	AV	2.4835G	48.18	54.00	-5.82	3	Vertical	247	1.62	-
2457MHz	Pass	PK	2.3878G	57.24	74.00	-16.76	3	Vertical	247	1.62	-
2457MHz	Pass	PK	2.4578G	122.02	Inf	-Inf	3	Vertical	247	1.62	-
2457MHz	Pass	PK	2.4835G	58.75	74.00	-15.25	3	Vertical	247	1.62	-
2457MHz	Pass	AV	2.3598G	45.88	54.00	-8.12	3	Horizontal	180	1.39	-
2457MHz	Pass	AV	2.4566G	113.27	Inf	-Inf	3	Horizontal	180	1.39	-
2457MHz	Pass	AV	2.4835G	47.45	54.00	-6.55	3	Horizontal	180	1.39	-
2457MHz	Pass	PK	2.3842G	56.77	74.00	-17.23	3	Horizontal	180	1.39	-
2457MHz	Pass	PK	2.4566G	118.19	Inf	-Inf	3	Horizontal	180	1.39	-
2457MHz	Pass	PK	2.4846G	57.82	74.00	-16.18	3	Horizontal	180	1.39	-
2457MHz	Pass	AV	4.91396G	48.80	54.00	-5.20	3	Vertical	124	2.37	-
2457MHz	Pass	AV	7.37134G	49.30	54.00	-4.70	3	Vertical	188	1.79	-
2457MHz	Pass	PK	4.91388G	51.70	74.00	-22.30	3	Vertical	124	2.37	-
2457MHz	Pass	PK	7.37028G	57.16	74.00	-16.84	3	Vertical	188	1.79	-
2457MHz	Pass	AV	4.91394G	48.92	54.00	-5.08	3	Horizontal	178	3.00	-
2457MHz	Pass	AV	7.3713G	42.56	54.00	-11.44	3	Horizontal	65	1.06	-
2457MHz	Pass	PK	4.91404G	51.73	74.00	-22.27	3	Horizontal	178	3.00	-
2457MHz	Pass	PK	7.3703G	53.19	74.00	-20.81	3	Horizontal	65	1.06	-
2462MHz	Pass	AV	2.3652G	45.91	54.00	-8.09	3	Vertical	253	1.59	-
2462MHz	Pass	AV	2.4616G	115.73	Inf	-Inf	3	Vertical	253	1.59	-
2462MHz	Pass	AV	2.4835G	47.94	54.00	-6.06	3	Vertical	253	1.59	-
2462MHz	Pass	PK	2.3824G	56.80	74.00	-17.20	3	Vertical	253	1.59	-
2462MHz	Pass	PK	2.4616G	120.64	Inf	-Inf	3	Vertical	253	1.59	-
2462MHz	Pass	PK	2.484G	59.75	74.00	-14.25	3	Vertical	253	1.59	-
2462MHz	Pass	AV	2.364G	45.90	54.00	-8.10	3	Horizontal	180	1.37	-
2462MHz	Pass	AV	2.4624G	111.47	Inf	-Inf	3	Horizontal	180	1.37	-
2462MHz	Pass	AV	2.484G	47.17	54.00	-6.83	3	Horizontal	180	1.37	-
2462MHz	Pass	PK	2.3704G	56.45	74.00	-17.55	3	Horizontal	180	1.37	-
2462MHz	Pass	PK	2.4628G	116.40	Inf	-Inf	3	Horizontal	180	1.37	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.484G	57.02	74.00	-16.98	3	Horizontal	180	1.37	-
2462MHz	Pass	AV	4.92394G	50.70	54.00	-3.30	3	Vertical	83	1.07	-
2462MHz	Pass	AV	7.3855G	42.35	54.00	-11.65	3	Vertical	191	1.67	-
2462MHz	Pass	PK	4.92394G	53.80	74.00	-20.20	3	Vertical	83	1.07	-
2462MHz	Pass	PK	7.3856G	52.49	74.00	-21.51	3	Vertical	191	1.67	-
2462MHz	Pass	AV	4.92394G	48.88	54.00	-5.12	3	Horizontal	150	1.11	-
2462MHz	Pass	AV	7.38652G	36.77	54.00	-17.23	3	Horizontal	190	1.85	-
2462MHz	Pass	PK	4.92398G	52.47	74.00	-21.53	3	Horizontal	150	1.11	-
2462MHz	Pass	PK	7.38524G	50.62	74.00	-23.38	3	Horizontal	190	1.85	-
11b-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3868G	46.19	54.00	-7.81	3	Vertical	322	2.60	-
2412MHz	Pass	AV	2.4128G	106.76	Inf	-Inf	3	Vertical	322	2.60	-
2412MHz	Pass	AV	2.4844G	45.47	54.00	-8.53	3	Vertical	322	2.60	-
2412MHz	Pass	PK	2.3188G	57.72	74.00	-16.28	3	Vertical	322	2.60	-
2412MHz	Pass	PK	2.4128G	110.85	Inf	-Inf	3	Vertical	322	2.60	-
2412MHz	Pass	PK	2.5G	56.53	74.00	-17.47	3	Vertical	322	2.60	-
2412MHz	Pass	AV	2.312G	45.78	54.00	-8.22	3	Horizontal	296	3.00	-
2412MHz	Pass	AV	2.4128G	101.73	Inf	-Inf	3	Horizontal	296	3.00	-
2412MHz	Pass	AV	2.496G	45.42	54.00	-8.58	3	Horizontal	296	3.00	-
2412MHz	Pass	PK	2.33G	56.79	74.00	-17.21	3	Horizontal	296	3.00	-
2412MHz	Pass	PK	2.4132G	105.69	Inf	-Inf	3	Horizontal	296	3.00	-
2412MHz	Pass	PK	2.4972G	56.87	74.00	-17.13	3	Horizontal	296	3.00	-
2412MHz	Pass	AV	4.82394G	50.35	54.00	-3.65	3	Vertical	242	2.34	-
2412MHz	Pass	PK	4.82398G	53.08	74.00	-20.92	3	Vertical	242	2.34	-
2412MHz	Pass	AV	4.82396G	50.71	54.00	-3.29	3	Horizontal	124	1.04	-
2412MHz	Pass	PK	4.82402G	53.37	74.00	-20.63	3	Horizontal	124	1.04	-
2417MHz	Pass	AV	2.3898G	46.15	54.00	-7.85	3	Vertical	324	2.14	-
2417MHz	Pass	AV	2.4178G	107.19	Inf	-Inf	3	Vertical	324	2.14	-
2417MHz	Pass	AV	2.4835G	45.51	54.00	-8.49	3	Vertical	324	2.14	-
2417MHz	Pass	PK	2.3594G	57.16	74.00	-16.84	3	Vertical	324	2.14	-
2417MHz	Pass	PK	2.4178G	111.25	Inf	-Inf	3	Vertical	324	2.14	-
2417MHz	Pass	PK	2.4946G	57.36	74.00	-16.64	3	Vertical	324	2.14	-
2417MHz	Pass	AV	2.3182G	45.80	54.00	-8.20	3	Horizontal	297	2.93	-
2417MHz	Pass	AV	2.4178G	101.85	Inf	-Inf	3	Horizontal	297	2.93	-
2417MHz	Pass	AV	2.4986G	45.48	54.00	-8.52	3	Horizontal	297	2.93	-
2417MHz	Pass	PK	2.3194G	57.97	74.00	-16.03	3	Horizontal	297	2.93	-
2417MHz	Pass	PK	2.4178G	105.83	Inf	-Inf	3	Horizontal	297	2.93	-
2417MHz	Pass	PK	2.493G	56.62	74.00	-17.38	3	Horizontal	297	2.93	-
2417MHz	Pass	AV	4.83396G	50.63	54.00	-3.37	3	Vertical	241	2.33	-
2417MHz	Pass	PK	4.83389G	53.19	74.00	-20.81	3	Vertical	241	2.33	-
2417MHz	Pass	AV	4.83395G	50.06	54.00	-3.94	3	Horizontal	126	1.00	-
2417MHz	Pass	PK	4.83401G	52.69	74.00	-21.31	3	Horizontal	126	1.00	-
2437MHz	Pass	AV	2.3898G	49.20	54.00	-4.80	3	Vertical	269	1.18	-
2437MHz	Pass	AV	2.4354G	110.39	Inf	-Inf	3	Vertical	269	1.18	-
2437MHz	Pass	AV	2.4838G	49.74	54.00	-4.26	3	Vertical	269	1.18	-
2437MHz	Pass	PK	2.387G	57.32	74.00	-16.68	3	Vertical	269	1.18	-
2437MHz	Pass	PK	2.4362G	114.10	Inf	-Inf	3	Vertical	269	1.18	-
2437MHz	Pass	PK	2.4842G	59.17	74.00	-14.83	3	Vertical	269	1.18	-
2437MHz	Pass	AV	2.3866G	46.92	54.00	-7.08	3	Horizontal	295	3.00	-
2437MHz	Pass	AV	2.4362G	107.93	Inf	-Inf	3	Horizontal	295	3.00	-
2437MHz	Pass	AV	2.4838G	50.84	54.00	-3.16	3	Horizontal	295	3.00	-
2437MHz	Pass	PK	2.3866G	57.62	74.00	-16.38	3	Horizontal	295	3.00	-
2437MHz	Pass	PK	2.4362G	111.74	Inf	-Inf	3	Horizontal	295	3.00	-
2437MHz	Pass	PK	2.4835G	59.45	74.00	-14.55	3	Horizontal	295	3.00	-
2437MHz	Pass	AV	4.87396G	50.34	54.00	-3.66	3	Vertical	235	1.91	-
2437MHz	Pass	AV	7.31166G	50.56	54.00	-3.44	3	Vertical	193	1.71	-
2437MHz	Pass	PK	4.87399G	54.12	74.00	-19.88	3	Vertical	235	1.91	-
2437MHz	Pass	PK	7.31208G	56.36	74.00	-17.64	3	Vertical	193	1.71	-
2437MHz	Pass	AV	4.87396G	48.91	54.00	-5.09	3	Horizontal	144	1.00	-
2437MHz	Pass	AV	7.31166G	47.03	54.00	-6.97	3	Horizontal	166	2.30	-
2437MHz	Pass	PK	4.87391G	52.73	74.00	-21.27	3	Horizontal	144	1.00	-
2437MHz	Pass	PK	7.31154G	54.07	74.00	-19.93	3	Horizontal	166	2.30	-



RSE TX above 1GHz_Case 3

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	2.3594G	45.58	54.00	-8.42	3	Vertical	250	1.17	-
2457MHz	Pass	AV	2.4578G	110.08	Inf	-Inf	3	Vertical	250	1.17	-
2457MHz	Pass	AV	2.4838G	46.75	54.00	-7.25	3	Vertical	250	1.17	-
2457MHz	Pass	PK	2.3634G	57.46	74.00	-16.54	3	Vertical	250	1.17	-
2457MHz	Pass	PK	2.4582G	114.15	Inf	-Inf	3	Vertical	250	1.17	-
2457MHz	Pass	PK	2.4974G	57.37	74.00	-16.63	3	Vertical	250	1.17	-
2457MHz	Pass	AV	2.3574G	45.60	54.00	-8.40	3	Horizontal	293	2.64	-
2457MHz	Pass	AV	2.4562G	105.37	Inf	-Inf	3	Horizontal	293	2.64	-
2457MHz	Pass	AV	2.4838G	46.55	54.00	-7.45	3	Horizontal	293	2.64	-
2457MHz	Pass	PK	2.3874G	56.72	74.00	-17.28	3	Horizontal	293	2.64	-
2457MHz	Pass	PK	2.4562G	109.04	Inf	-Inf	3	Horizontal	293	2.64	-
2457MHz	Pass	PK	2.4835G	56.75	74.00	-17.25	3	Horizontal	293	2.64	-
2457MHz	Pass	AV	4.91394G	50.79	54.00	-3.21	3	Vertical	92	1.24	-
2457MHz	Pass	AV	7.37172G	37.54	54.00	-16.46	3	Vertical	191	1.49	-
2457MHz	Pass	PK	4.91394G	53.05	74.00	-20.95	3	Vertical	92	1.24	-
2457MHz	Pass	PK	7.37232G	49.39	74.00	-24.61	3	Vertical	191	1.49	-
2457MHz	Pass	AV	4.91394G	47.67	54.00	-6.33	3	Horizontal	154	1.49	-
2457MHz	Pass	AV	7.37172G	36.45	54.00	-17.55	3	Horizontal	68	2.37	-
2457MHz	Pass	PK	4.91394G	50.33	74.00	-23.67	3	Horizontal	154	1.49	-
2457MHz	Pass	PK	7.36524G	48.58	74.00	-25.42	3	Horizontal	68	2.37	-
2462MHz	Pass	AV	2.3864G	45.58	54.00	-8.42	3	Vertical	287	1.60	-
2462MHz	Pass	AV	2.4612G	112.10	Inf	-Inf	3	Vertical	287	1.60	-
2462MHz	Pass	AV	2.484G	47.35	54.00	-6.65	3	Vertical	287	1.60	-
2462MHz	Pass	PK	2.374G	57.49	74.00	-16.51	3	Vertical	287	1.60	-
2462MHz	Pass	PK	2.4612G	115.91	Inf	-Inf	3	Vertical	287	1.60	-
2462MHz	Pass	PK	2.4848G	58.50	74.00	-15.50	3	Vertical	287	1.60	-
2462MHz	Pass	AV	2.3628G	45.56	54.00	-8.44	3	Horizontal	294	3.00	-
2462MHz	Pass	AV	2.4612G	107.71	Inf	-Inf	3	Horizontal	294	3.00	-
2462MHz	Pass	AV	2.4835G	46.65	54.00	-7.35	3	Horizontal	294	3.00	-
2462MHz	Pass	PK	2.374G	57.13	74.00	-16.87	3	Horizontal	294	3.00	-
2462MHz	Pass	PK	2.4612G	111.42	Inf	-Inf	3	Horizontal	294	3.00	-
2462MHz	Pass	PK	2.4844G	57.48	74.00	-16.52	3	Horizontal	294	3.00	-
2462MHz	Pass	AV	4.92394G	50.79	54.00	-3.21	3	Vertical	93	1.50	-
2462MHz	Pass	AV	7.38486G	38.15	54.00	-15.85	3	Vertical	190	1.50	-
2462MHz	Pass	PK	4.92394G	52.94	74.00	-21.06	3	Vertical	93	1.50	-
2462MHz	Pass	PK	7.38552G	49.64	74.00	-24.36	3	Vertical	190	1.50	-
2462MHz	Pass	AV	4.92394G	47.51	54.00	-6.49	3	Horizontal	152	1.48	-
2462MHz	Pass	AV	7.3851G	36.58	54.00	-17.42	3	Horizontal	153	2.52	-
2462MHz	Pass	PK	4.924G	50.37	74.00	-23.63	3	Horizontal	152	1.48	-
2462MHz	Pass	PK	7.39218G	50.37	74.00	-23.63	3	Horizontal	153	2.52	-
11g-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.41	54.00	-3.59	3	Vertical	242	1.78	-
2412MHz	Pass	AV	2.4136G	111.67	Inf	-Inf	3	Vertical	242	1.78	-
2412MHz	Pass	AV	2.4835G	47.66	54.00	-6.34	3	Vertical	242	1.78	-
2412MHz	Pass	PK	2.3872G	66.32	74.00	-7.68	3	Vertical	242	1.78	-
2412MHz	Pass	PK	2.4112G	122.39	Inf	-Inf	3	Vertical	242	1.78	-
2412MHz	Pass	PK	2.4844G	61.06	74.00	-12.94	3	Vertical	242	1.78	-
2412MHz	Pass	AV	2.39G	50.26	54.00	-3.74	3	Horizontal	92	1.05	-
2412MHz	Pass	AV	2.4136G	108.45	Inf	-Inf	3	Horizontal	92	1.05	-
2412MHz	Pass	AV	2.4848G	47.21	54.00	-6.79	3	Horizontal	92	1.05	-
2412MHz	Pass	PK	2.3892G	66.56	74.00	-7.44	3	Horizontal	92	1.05	-
2412MHz	Pass	PK	2.414G	119.05	Inf	-Inf	3	Horizontal	92	1.05	-
2412MHz	Pass	PK	2.4835G	59.71	74.00	-14.29	3	Horizontal	92	1.05	-
2412MHz	Pass	AV	4.82466G	42.79	54.00	-11.21	3	Vertical	124	2.58	-
2412MHz	Pass	PK	4.82836G	55.50	74.00	-18.50	3	Vertical	124	2.58	-
2412MHz	Pass	AV	4.82472G	39.82	54.00	-14.18	3	Horizontal	139	1.19	-
2412MHz	Pass	PK	4.8259G	52.10	74.00	-21.90	3	Horizontal	139	1.19	-
2417MHz	Pass	AV	2.3898G	49.24	54.00	-4.76	3	Vertical	286	1.49	-
2417MHz	Pass	AV	2.419G	112.10	Inf	-Inf	3	Vertical	286	1.49	-
2417MHz	Pass	AV	2.4835G	47.30	54.00	-6.70	3	Vertical	286	1.49	-
2417MHz	Pass	PK	2.389G	66.33	74.00	-7.67	3	Vertical	286	1.49	-
2417MHz	Pass	PK	2.419G	122.77	Inf	-Inf	3	Vertical	286	1.49	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.4842G	62.05	74.00	-11.95	3	Vertical	286	1.49	-
2417MHz	Pass	AV	2.3186G	46.38	54.00	-7.62	3	Horizontal	62	1.61	-
2417MHz	Pass	AV	2.419G	104.12	Inf	-Inf	3	Horizontal	62	1.61	-
2417MHz	Pass	AV	2.4838G	46.05	54.00	-7.95	3	Horizontal	62	1.61	-
2417MHz	Pass	PK	2.3882G	57.97	74.00	-16.03	3	Horizontal	62	1.61	-
2417MHz	Pass	PK	2.4166G	114.49	Inf	-Inf	3	Horizontal	62	1.61	-
2417MHz	Pass	PK	2.4858G	57.81	74.00	-16.19	3	Horizontal	62	1.61	-
2437MHz	Pass	AV	2.3894G	46.58	54.00	-7.42	3	Vertical	249	1.39	-
2437MHz	Pass	AV	2.4386G	112.01	Inf	-Inf	3	Vertical	249	1.39	-
2437MHz	Pass	AV	2.4835G	48.11	54.00	-5.89	3	Vertical	249	1.39	-
2437MHz	Pass	PK	2.3634G	57.47	74.00	-16.53	3	Vertical	249	1.39	-
2437MHz	Pass	PK	2.4374G	122.82	Inf	-Inf	3	Vertical	249	1.39	-
2437MHz	Pass	PK	2.4846G	59.22	74.00	-14.78	3	Vertical	249	1.39	-
2437MHz	Pass	AV	2.389G	46.03	54.00	-7.97	3	Horizontal	182	1.50	-
2437MHz	Pass	AV	2.4366G	110.87	Inf	-Inf	3	Horizontal	182	1.50	-
2437MHz	Pass	AV	2.4835G	47.24	54.00	-6.76	3	Horizontal	182	1.50	-
2437MHz	Pass	PK	2.3418G	57.17	74.00	-16.83	3	Horizontal	182	1.50	-
2437MHz	Pass	PK	2.4366G	121.14	Inf	-Inf	3	Horizontal	182	1.50	-
2437MHz	Pass	PK	2.4838G	59.64	74.00	-14.36	3	Horizontal	182	1.50	-
2437MHz	Pass	AV	4.87494G	41.70	54.00	-12.30	3	Vertical	140	1.96	-
2437MHz	Pass	AV	7.3122G	49.62	54.00	-4.38	3	Vertical	191	1.72	-
2437MHz	Pass	PK	4.87724G	55.51	74.00	-18.49	3	Vertical	140	1.96	-
2437MHz	Pass	PK	7.31232G	63.10	74.00	-10.90	3	Vertical	191	1.72	-
2437MHz	Pass	AV	4.8749G	42.13	54.00	-11.87	3	Horizontal	173	1.00	-
2437MHz	Pass	AV	7.3123G	44.50	54.00	-9.50	3	Horizontal	64	1.17	-
2437MHz	Pass	PK	4.87472G	55.29	74.00	-18.71	3	Horizontal	173	1.00	-
2437MHz	Pass	PK	7.3148G	57.58	74.00	-16.42	3	Horizontal	64	1.17	-
2457MHz	Pass	AV	2.3898G	46.59	54.00	-7.41	3	Vertical	296	1.56	-
2457MHz	Pass	AV	2.459G	115.46	Inf	-Inf	3	Vertical	296	1.56	-
2457MHz	Pass	AV	2.4838G	50.92	54.00	-3.08	3	Vertical	296	1.56	-
2457MHz	Pass	PK	2.3894G	58.00	74.00	-16.00	3	Vertical	296	1.56	-
2457MHz	Pass	PK	2.4558G	127.11	Inf	-Inf	3	Vertical	296	1.56	-
2457MHz	Pass	PK	2.4842G	65.77	74.00	-8.23	3	Vertical	296	1.56	-
2457MHz	Pass	AV	2.3894G	46.13	54.00	-7.87	3	Horizontal	191	1.00	-
2457MHz	Pass	AV	2.4582G	108.76	Inf	-Inf	3	Horizontal	191	1.00	-
2457MHz	Pass	AV	2.4835G	48.17	54.00	-5.83	3	Horizontal	191	1.00	-
2457MHz	Pass	PK	2.379G	57.59	74.00	-16.41	3	Horizontal	191	1.00	-
2457MHz	Pass	PK	2.4582G	118.19	Inf	-Inf	3	Horizontal	191	1.00	-
2457MHz	Pass	PK	2.4842G	61.34	74.00	-12.66	3	Horizontal	191	1.00	-
2462MHz	Pass	AV	2.39G	46.37	54.00	-7.63	3	Vertical	284	1.60	-
2462MHz	Pass	AV	2.462G	114.81	Inf	-Inf	3	Vertical	284	1.60	-
2462MHz	Pass	AV	2.4835G	49.66	54.00	-4.34	3	Vertical	284	1.60	-
2462MHz	Pass	PK	2.3888G	57.74	74.00	-16.26	3	Vertical	284	1.60	-
2462MHz	Pass	PK	2.4636G	127.13	Inf	-Inf	3	Vertical	284	1.60	-
2462MHz	Pass	PK	2.4835G	67.14	74.00	-6.86	3	Vertical	284	1.60	-
2462MHz	Pass	AV	2.362G	45.94	54.00	-8.06	3	Horizontal	192	1.00	-
2462MHz	Pass	AV	2.4612G	108.13	Inf	-Inf	3	Horizontal	192	1.00	-
2462MHz	Pass	AV	2.4835G	47.81	54.00	-6.19	3	Horizontal	192	1.00	-
2462MHz	Pass	PK	2.3796G	56.55	74.00	-17.45	3	Horizontal	192	1.00	-
2462MHz	Pass	PK	2.4628G	118.70	Inf	-Inf	3	Horizontal	192	1.00	-
2462MHz	Pass	PK	2.486G	63.21	74.00	-10.79	3	Horizontal	192	1.00	-
2462MHz	Pass	AV	4.92478G	42.39	54.00	-11.61	3	Vertical	102	1.16	-
2462MHz	Pass	AV	7.3872G	42.02	54.00	-11.98	3	Vertical	190	2.94	-
2462MHz	Pass	PK	4.92604G	54.01	74.00	-19.99	3	Vertical	102	1.16	-
2462MHz	Pass	PK	7.38864G	57.00	74.00	-17.00	3	Vertical	190	2.94	-
2462MHz	Pass	AV	4.92478G	39.23	54.00	-14.77	3	Horizontal	149	1.50	-
2462MHz	Pass	AV	7.38798G	39.43	54.00	-14.57	3	Horizontal	154	1.02	-
2462MHz	Pass	PK	4.92502G	51.04	74.00	-22.96	3	Horizontal	149	1.50	-
2462MHz	Pass	PK	7.38492G	54.23	74.00	-19.77	3	Horizontal	154	1.02	-
11g-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.68	54.00	-3.32	3	Vertical	283	1.38	-
2412MHz	Pass	AV	2.4152G	110.00	Inf	-Inf	3	Vertical	283	1.38	-



RSE TX above 1GHz_Case 3

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	AV	2.4835G	46.93	54.00	-7.07	3	Vertical	283	1.38	-
2412MHz	Pass	PK	2.3896G	69.60	74.00	-4.40	3	Vertical	283	1.38	-
2412MHz	Pass	PK	2.4152G	120.61	Inf	-Inf	3	Vertical	283	1.38	-
2412MHz	Pass	PK	2.4852G	61.55	74.00	-12.45	3	Vertical	283	1.38	-
2412MHz	Pass	AV	2.39G	47.05	54.00	-6.95	3	Horizontal	62	1.19	-
2412MHz	Pass	AV	2.4148G	101.95	Inf	-Inf	3	Horizontal	62	1.19	-
2412MHz	Pass	AV	2.4835G	45.98	54.00	-8.02	3	Horizontal	62	1.19	-
2412MHz	Pass	PK	2.3896G	61.67	74.00	-12.33	3	Horizontal	62	1.19	-
2412MHz	Pass	PK	2.4152G	111.96	Inf	-Inf	3	Horizontal	62	1.19	-
2412MHz	Pass	PK	2.4852G	57.17	74.00	-16.83	3	Horizontal	62	1.19	-
2412MHz	Pass	AV	4.82604G	38.88	54.00	-15.12	3	Vertical	100	1.18	-
2412MHz	Pass	PK	4.82585G	51.75	74.00	-22.25	3	Vertical	100	1.18	-
2412MHz	Pass	AV	4.82392G	39.02	54.00	-14.98	3	Horizontal	164	1.15	-
2412MHz	Pass	PK	4.82384G	49.85	74.00	-24.15	3	Horizontal	164	1.15	-
2417MHz	Pass	AV	2.3898G	50.57	54.00	-3.43	3	Vertical	285	1.37	-
2417MHz	Pass	AV	2.4202G	111.50	Inf	-Inf	3	Vertical	285	1.37	-
2417MHz	Pass	AV	2.4835G	47.74	54.00	-6.26	3	Vertical	285	1.37	-
2417MHz	Pass	PK	2.3898G	68.56	74.00	-5.44	3	Vertical	285	1.37	-
2417MHz	Pass	PK	2.4178G	121.81	Inf	-Inf	3	Vertical	285	1.37	-
2417MHz	Pass	PK	2.4835G	62.63	74.00	-11.37	3	Vertical	285	1.37	-
2417MHz	Pass	AV	2.3898G	47.07	54.00	-6.93	3	Horizontal	62	1.19	-
2417MHz	Pass	AV	2.4198G	103.43	Inf	-Inf	3	Horizontal	62	1.19	-
2417MHz	Pass	AV	2.4835G	46.24	54.00	-7.76	3	Horizontal	62	1.19	-
2417MHz	Pass	PK	2.3894G	61.27	74.00	-12.73	3	Horizontal	62	1.19	-
2417MHz	Pass	PK	2.4198G	112.56	Inf	-Inf	3	Horizontal	62	1.19	-
2417MHz	Pass	PK	2.4846G	59.53	74.00	-14.47	3	Horizontal	62	1.19	-
2437MHz	Pass	AV	2.3898G	47.76	54.00	-6.24	3	Vertical	286	1.50	-
2437MHz	Pass	AV	2.4354G	113.22	Inf	-Inf	3	Vertical	286	1.50	-
2437MHz	Pass	AV	2.4838G	50.25	54.00	-3.75	3	Vertical	286	1.50	-
2437MHz	Pass	PK	2.3898G	59.26	74.00	-14.74	3	Vertical	286	1.50	-
2437MHz	Pass	PK	2.4358G	123.71	Inf	-Inf	3	Vertical	286	1.50	-
2437MHz	Pass	PK	2.4838G	62.03	74.00	-11.97	3	Vertical	286	1.50	-
2437MHz	Pass	AV	2.3878G	46.08	54.00	-7.92	3	Horizontal	191	1.00	-
2437MHz	Pass	AV	2.4354G	105.94	Inf	-Inf	3	Horizontal	191	1.00	-
2437MHz	Pass	AV	2.4838G	47.11	54.00	-6.89	3	Horizontal	191	1.00	-
2437MHz	Pass	PK	2.3394G	57.55	74.00	-16.45	3	Horizontal	191	1.00	-
2437MHz	Pass	PK	2.4358G	116.80	Inf	-Inf	3	Horizontal	191	1.00	-
2437MHz	Pass	PK	2.4842G	58.38	74.00	-15.62	3	Horizontal	191	1.00	-
2437MHz	Pass	AV	4.874G	38.24	54.00	-15.76	3	Vertical	157	2.43	-
2437MHz	Pass	AV	7.31046G	43.52	54.00	-10.48	3	Vertical	187	3.00	-
2437MHz	Pass	PK	4.8719G	52.53	74.00	-21.47	3	Vertical	157	2.43	-
2437MHz	Pass	PK	7.31034G	56.83	74.00	-17.17	3	Vertical	187	3.00	-
2437MHz	Pass	AV	4.87394G	40.52	54.00	-13.48	3	Horizontal	165	1.10	-
2437MHz	Pass	AV	7.3107G	40.28	54.00	-13.72	3	Horizontal	149	1.16	-
2437MHz	Pass	PK	4.87398G	48.85	74.00	-25.15	3	Horizontal	165	1.10	-
2437MHz	Pass	PK	7.31058G	54.58	74.00	-19.42	3	Horizontal	149	1.16	-
2457MHz	Pass	AV	2.3898G	46.37	54.00	-7.63	3	Vertical	284	1.54	-
2457MHz	Pass	AV	2.4594G	113.20	Inf	-Inf	3	Vertical	284	1.54	-
2457MHz	Pass	AV	2.4835G	50.55	54.00	-3.45	3	Vertical	284	1.54	-
2457MHz	Pass	PK	2.3894G	59.65	74.00	-14.35	3	Vertical	284	1.54	-
2457MHz	Pass	PK	2.4586G	124.10	Inf	-Inf	3	Vertical	284	1.54	-
2457MHz	Pass	PK	2.4838G	66.92	74.00	-7.08	3	Vertical	284	1.54	-
2457MHz	Pass	AV	2.3586G	45.94	54.00	-8.06	3	Horizontal	191	1.00	-
2457MHz	Pass	AV	2.4598G	105.93	Inf	-Inf	3	Horizontal	191	1.00	-
2457MHz	Pass	AV	2.4835G	47.27	54.00	-6.73	3	Horizontal	191	1.00	-
2457MHz	Pass	PK	2.3742G	56.56	74.00	-17.44	3	Horizontal	191	1.00	-
2457MHz	Pass	PK	2.4594G	116.38	Inf	-Inf	3	Horizontal	191	1.00	-
2457MHz	Pass	PK	2.4854G	60.52	74.00	-13.48	3	Horizontal	191	1.00	-
2462MHz	Pass	AV	2.39G	46.34	54.00	-7.66	3	Vertical	286	1.58	-
2462MHz	Pass	AV	2.4632G	113.48	Inf	-Inf	3	Vertical	286	1.58	-
2462MHz	Pass	AV	2.4835G	50.83	54.00	-3.17	3	Vertical	286	1.58	-
2462MHz	Pass	PK	2.3892G	57.37	74.00	-16.63	3	Vertical	286	1.58	-



RSE TX above 1GHz_Case 3

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.4608G	123.98	Inf	-Inf	3	Vertical	286	1.58	-
2462MHz	Pass	PK	2.4835G	66.29	74.00	-7.71	3	Vertical	286	1.58	-
2462MHz	Pass	AV	2.362G	45.99	54.00	-8.01	3	Horizontal	191	1.00	-
2462MHz	Pass	AV	2.4632G	106.16	Inf	-Inf	3	Horizontal	191	1.00	-
2462MHz	Pass	AV	2.4835G	47.84	54.00	-6.16	3	Horizontal	191	1.00	-
2462MHz	Pass	PK	2.388G	57.30	74.00	-16.70	3	Horizontal	191	1.00	-
2462MHz	Pass	PK	2.4596G	116.70	Inf	-Inf	3	Horizontal	191	1.00	-
2462MHz	Pass	PK	2.486G	62.25	74.00	-11.75	3	Horizontal	191	1.00	-
2462MHz	Pass	AV	4.92388G	41.09	54.00	-12.91	3	Vertical	101	2.15	-
2462MHz	Pass	AV	7.38528G	40.59	54.00	-13.41	3	Vertical	184	2.94	-
2462MHz	Pass	PK	4.92401G	53.83	74.00	-20.17	3	Vertical	101	2.15	-
2462MHz	Pass	PK	7.38354G	54.80	74.00	-19.20	3	Vertical	184	2.94	-
2462MHz	Pass	AV	4.92397G	38.30	54.00	-15.70	3	Horizontal	166	1.48	-
2462MHz	Pass	AV	7.38438G	38.40	54.00	-15.60	3	Horizontal	150	1.00	-
2462MHz	Pass	PK	4.92396G	46.17	74.00	-27.83	3	Horizontal	166	1.48	-
2462MHz	Pass	PK	7.38462G	52.09	74.00	-21.91	3	Horizontal	150	1.00	-
11g-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.69	54.00	-3.31	3	Vertical	322	1.53	-
2412MHz	Pass	AV	2.4164G	102.98	Inf	-Inf	3	Vertical	322	1.53	-
2412MHz	Pass	AV	2.4856G	46.20	54.00	-7.80	3	Vertical	322	1.53	-
2412MHz	Pass	PK	2.39G	63.15	74.00	-10.85	3	Vertical	322	1.53	-
2412MHz	Pass	PK	2.4168G	111.56	Inf	-Inf	3	Vertical	322	1.53	-
2412MHz	Pass	PK	2.486G	57.24	74.00	-16.76	3	Vertical	322	1.53	-
2412MHz	Pass	AV	2.39G	47.46	54.00	-6.54	3	Horizontal	346	1.50	-
2412MHz	Pass	AV	2.418G	95.57	Inf	-Inf	3	Horizontal	346	1.50	-
2412MHz	Pass	AV	2.4852G	45.78	54.00	-8.22	3	Horizontal	346	1.50	-
2412MHz	Pass	PK	2.3236G	58.20	74.00	-15.80	3	Horizontal	346	1.50	-
2412MHz	Pass	PK	2.4176G	105.34	Inf	-Inf	3	Horizontal	346	1.50	-
2412MHz	Pass	PK	2.496G	57.11	74.00	-16.89	3	Horizontal	346	1.50	-
2412MHz	Pass	AV	4.82404G	35.63	54.00	-18.37	3	Vertical	337	1.34	-
2412MHz	Pass	PK	4.82372G	44.65	74.00	-29.35	3	Vertical	337	1.34	-
2412MHz	Pass	AV	4.824G	37.40	54.00	-16.60	3	Horizontal	177	2.01	-
2412MHz	Pass	PK	4.82404G	44.52	74.00	-29.48	3	Horizontal	177	2.01	-
2417MHz	Pass	AV	2.3898G	50.70	54.00	-3.30	3	Vertical	322	1.40	-
2417MHz	Pass	AV	2.421G	107.58	Inf	-Inf	3	Vertical	322	1.40	-
2417MHz	Pass	AV	2.4835G	46.27	54.00	-7.73	3	Vertical	322	1.40	-
2417MHz	Pass	PK	2.3898G	60.73	74.00	-13.27	3	Vertical	322	1.40	-
2417MHz	Pass	PK	2.4214G	116.73	Inf	-Inf	3	Vertical	322	1.40	-
2417MHz	Pass	PK	2.4862G	57.02	74.00	-16.98	3	Vertical	322	1.40	-
2417MHz	Pass	AV	2.3898G	47.59	54.00	-6.41	3	Horizontal	345	1.48	-
2417MHz	Pass	AV	2.4226G	99.79	Inf	-Inf	3	Horizontal	345	1.48	-
2417MHz	Pass	AV	2.4835G	45.76	54.00	-8.24	3	Horizontal	345	1.48	-
2417MHz	Pass	PK	2.3878G	57.99	74.00	-16.01	3	Horizontal	345	1.48	-
2417MHz	Pass	PK	2.4178G	108.54	Inf	-Inf	3	Horizontal	345	1.48	-
2417MHz	Pass	PK	2.4974G	56.02	74.00	-17.98	3	Horizontal	345	1.48	-
2437MHz	Pass	AV	2.3898G	48.34	54.00	-5.66	3	Vertical	95	1.45	-
2437MHz	Pass	AV	2.4302G	108.89	Inf	-Inf	3	Vertical	95	1.45	-
2437MHz	Pass	AV	2.485G	50.00	54.00	-4.00	3	Vertical	95	1.45	-
2437MHz	Pass	PK	2.3894G	59.01	74.00	-14.99	3	Vertical	95	1.45	-
2437MHz	Pass	PK	2.4346G	117.65	Inf	-Inf	3	Vertical	95	1.45	-
2437MHz	Pass	PK	2.4835G	61.06	74.00	-12.94	3	Vertical	95	1.45	-
2437MHz	Pass	AV	2.3898G	46.26	54.00	-7.74	3	Horizontal	296	3.00	-
2437MHz	Pass	AV	2.4318G	104.89	Inf	-Inf	3	Horizontal	296	3.00	-
2437MHz	Pass	AV	2.4835G	48.09	54.00	-5.91	3	Horizontal	296	3.00	-
2437MHz	Pass	PK	2.3878G	56.88	74.00	-17.12	3	Horizontal	296	3.00	-
2437MHz	Pass	PK	2.4318G	113.45	Inf	-Inf	3	Horizontal	296	3.00	-
2437MHz	Pass	PK	2.4838G	58.22	74.00	-15.78	3	Horizontal	296	3.00	-
2437MHz	Pass	AV	4.87404G	37.97	54.00	-16.03	3	Vertical	297	2.14	-
2437MHz	Pass	AV	7.312G	39.40	54.00	-14.60	3	Vertical	194	1.48	-
2437MHz	Pass	PK	4.87396G	45.80	74.00	-28.20	3	Vertical	297	2.14	-
2437MHz	Pass	PK	7.31308G	52.34	74.00	-21.66	3	Vertical	194	1.48	-
2437MHz	Pass	AV	4.874G	40.22	54.00	-13.78	3	Horizontal	34	2.53	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	7.31212G	37.95	54.00	-16.05	3	Horizontal	67	2.25	-
2437MHz	Pass	PK	4.874G	46.68	74.00	-27.32	3	Horizontal	34	2.53	-
2437MHz	Pass	PK	7.31204G	50.41	74.00	-23.59	3	Horizontal	67	2.25	-
2457MHz	Pass	AV	2.387G	46.21	54.00	-7.79	3	Vertical	302	1.00	-
2457MHz	Pass	AV	2.463G	107.47	Inf	-Inf	3	Vertical	302	1.00	-
2457MHz	Pass	AV	2.4835G	50.38	54.00	-3.62	3	Vertical	302	1.00	-
2457MHz	Pass	PK	2.389G	57.03	74.00	-16.97	3	Vertical	302	1.00	-
2457MHz	Pass	PK	2.4626G	116.30	Inf	-Inf	3	Vertical	302	1.00	-
2457MHz	Pass	PK	2.4835G	60.96	74.00	-13.04	3	Vertical	302	1.00	-
2457MHz	Pass	AV	2.357G	45.96	54.00	-8.04	3	Horizontal	293	2.95	-
2457MHz	Pass	AV	2.4626G	103.01	Inf	-Inf	3	Horizontal	293	2.95	-
2457MHz	Pass	AV	2.4846G	47.91	54.00	-6.09	3	Horizontal	293	2.95	-
2457MHz	Pass	PK	2.3706G	56.59	74.00	-17.41	3	Horizontal	293	2.95	-
2457MHz	Pass	PK	2.463G	112.60	Inf	-Inf	3	Horizontal	293	2.95	-
2457MHz	Pass	PK	2.485G	59.99	74.00	-14.01	3	Horizontal	293	2.95	-
2462MHz	Pass	AV	2.3628G	46.04	54.00	-7.96	3	Vertical	280	1.58	-
2462MHz	Pass	AV	2.4664G	104.95	Inf	-Inf	3	Vertical	280	1.58	-
2462MHz	Pass	AV	2.4835G	50.28	54.00	-3.72	3	Vertical	280	1.58	-
2462MHz	Pass	PK	2.3756G	56.69	74.00	-17.31	3	Vertical	280	1.58	-
2462MHz	Pass	PK	2.4672G	114.15	Inf	-Inf	3	Vertical	280	1.58	-
2462MHz	Pass	PK	2.4848G	61.07	74.00	-12.93	3	Vertical	280	1.58	-
2462MHz	Pass	AV	2.3664G	45.86	54.00	-8.14	3	Horizontal	304	2.69	-
2462MHz	Pass	AV	2.4656G	101.03	Inf	-Inf	3	Horizontal	304	2.69	-
2462MHz	Pass	AV	2.4835G	48.62	54.00	-5.38	3	Horizontal	304	2.69	-
2462MHz	Pass	PK	2.3624G	57.20	74.00	-16.80	3	Horizontal	304	2.69	-
2462MHz	Pass	PK	2.4632G	110.43	Inf	-Inf	3	Horizontal	304	2.69	-
2462MHz	Pass	PK	2.4835G	58.31	74.00	-15.69	3	Horizontal	304	2.69	-
2462MHz	Pass	AV	4.92392G	40.12	54.00	-13.88	3	Vertical	296	2.21	-
2462MHz	Pass	AV	7.38712G	36.18	54.00	-17.82	3	Vertical	190	1.48	-
2462MHz	Pass	PK	4.92404G	47.45	74.00	-26.55	3	Vertical	296	2.21	-
2462MHz	Pass	PK	7.389G	49.22	74.00	-24.78	3	Vertical	190	1.48	-
2462MHz	Pass	AV	4.92396G	40.67	54.00	-13.33	3	Horizontal	37	2.30	-
2462MHz	Pass	AV	7.38008G	36.01	54.00	-17.99	3	Horizontal	25	1.49	-
2462MHz	Pass	PK	4.924G	46.81	74.00	-27.19	3	Horizontal	37	2.30	-
2462MHz	Pass	PK	7.37912G	48.96	74.00	-25.04	3	Horizontal	25	1.49	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.76	54.00	-4.24	3	Vertical	307	1.55	-
2412MHz	Pass	AV	2.4136G	111.84	Inf	-Inf	3	Vertical	307	1.55	-
2412MHz	Pass	AV	2.4835G	47.34	54.00	-6.66	3	Vertical	307	1.55	-
2412MHz	Pass	PK	2.3896G	65.43	74.00	-8.57	3	Vertical	307	1.55	-
2412MHz	Pass	PK	2.4136G	121.80	Inf	-Inf	3	Vertical	307	1.55	-
2412MHz	Pass	PK	2.4844G	59.42	74.00	-14.58	3	Vertical	307	1.55	-
2412MHz	Pass	AV	2.39G	47.28	54.00	-6.72	3	Horizontal	190	1.15	-
2412MHz	Pass	AV	2.4116G	104.56	Inf	-Inf	3	Horizontal	190	1.15	-
2412MHz	Pass	AV	2.4835G	46.03	54.00	-7.97	3	Horizontal	190	1.15	-
2412MHz	Pass	PK	2.39G	59.86	74.00	-14.14	3	Horizontal	190	1.15	-
2412MHz	Pass	PK	2.4128G	114.44	Inf	-Inf	3	Horizontal	190	1.15	-
2412MHz	Pass	PK	2.4844G	57.50	74.00	-16.50	3	Horizontal	190	1.15	-
2412MHz	Pass	AV	4.82484G	42.28	54.00	-11.72	3	Vertical	236	2.33	-
2412MHz	Pass	PK	4.82496G	54.70	74.00	-19.30	3	Vertical	236	2.33	-
2412MHz	Pass	AV	4.82496G	40.35	54.00	-13.65	3	Horizontal	146	1.00	-
2412MHz	Pass	PK	4.82682G	52.76	74.00	-21.24	3	Horizontal	146	1.00	-
2417MHz	Pass	AV	2.3898G	50.59	54.00	-3.41	3	Vertical	306	1.56	-
2417MHz	Pass	AV	2.4182G	113.19	Inf	-Inf	3	Vertical	306	1.56	-
2417MHz	Pass	AV	2.4835G	48.95	54.00	-5.05	3	Vertical	306	1.56	-
2417MHz	Pass	PK	2.3898G	66.55	74.00	-7.45	3	Vertical	306	1.56	-
2417MHz	Pass	PK	2.4186G	123.29	Inf	-Inf	3	Vertical	306	1.56	-
2417MHz	Pass	PK	2.4842G	63.02	74.00	-10.98	3	Vertical	306	1.56	-
2417MHz	Pass	AV	2.3898G	47.50	54.00	-6.50	3	Horizontal	61	1.20	-
2417MHz	Pass	AV	2.4166G	105.37	Inf	-Inf	3	Horizontal	61	1.20	-
2417MHz	Pass	AV	2.4835G	46.94	54.00	-7.06	3	Horizontal	61	1.20	-
2417MHz	Pass	PK	2.3898G	60.42	74.00	-13.58	3	Horizontal	61	1.20	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	PK	2.4166G	115.63	Inf	-Inf	3	Horizontal	61	1.20	-
2417MHz	Pass	PK	2.4846G	59.56	74.00	-14.44	3	Horizontal	61	1.20	-
2437MHz	Pass	AV	2.3882G	47.78	54.00	-6.22	3	Vertical	276	1.64	-
2437MHz	Pass	AV	2.4386G	116.81	Inf	-Inf	3	Vertical	276	1.64	-
2437MHz	Pass	AV	2.485G	49.17	54.00	-4.83	3	Vertical	276	1.64	-
2437MHz	Pass	PK	2.3886G	60.32	74.00	-13.68	3	Vertical	276	1.64	-
2437MHz	Pass	PK	2.4386G	126.33	Inf	-Inf	3	Vertical	276	1.64	-
2437MHz	Pass	PK	2.485G	61.64	74.00	-12.36	3	Vertical	276	1.64	-
2437MHz	Pass	AV	2.3414G	46.08	54.00	-7.92	3	Horizontal	66	1.00	-
2437MHz	Pass	AV	2.4386G	108.92	Inf	-Inf	3	Horizontal	66	1.00	-
2437MHz	Pass	AV	2.485G	46.97	54.00	-7.03	3	Horizontal	66	1.00	-
2437MHz	Pass	PK	2.3434G	57.31	74.00	-16.69	3	Horizontal	66	1.00	-
2437MHz	Pass	PK	2.439G	119.34	Inf	-Inf	3	Horizontal	66	1.00	-
2437MHz	Pass	PK	2.4846G	57.69	74.00	-16.31	3	Horizontal	66	1.00	-
2437MHz	Pass	AV	4.8749G	45.47	54.00	-8.53	3	Vertical	156	2.87	-
2437MHz	Pass	AV	7.31346G	49.15	54.00	-4.85	3	Vertical	186	3.00	-
2437MHz	Pass	PK	4.8746G	58.27	74.00	-15.73	3	Vertical	156	2.87	-
2437MHz	Pass	PK	7.30968G	61.97	74.00	-12.03	3	Vertical	186	3.00	-
2437MHz	Pass	AV	4.8749G	41.96	54.00	-12.04	3	Horizontal	149	1.00	-
2437MHz	Pass	AV	7.31364G	44.27	54.00	-9.73	3	Horizontal	150	2.96	-
2437MHz	Pass	PK	4.87526G	53.75	74.00	-20.25	3	Horizontal	149	1.00	-
2437MHz	Pass	PK	7.31418G	57.60	74.00	-16.40	3	Horizontal	150	2.96	-
2457MHz	Pass	AV	2.3866G	46.52	54.00	-7.48	3	Vertical	298	1.29	-
2457MHz	Pass	AV	2.4582G	117.43	Inf	-Inf	3	Vertical	298	1.29	-
2457MHz	Pass	AV	2.4835G	50.88	54.00	-3.12	3	Vertical	298	1.29	-
2457MHz	Pass	PK	2.3898G	58.73	74.00	-15.27	3	Vertical	298	1.29	-
2457MHz	Pass	PK	2.4582G	126.81	Inf	-Inf	3	Vertical	298	1.29	-
2457MHz	Pass	PK	2.4846G	67.45	74.00	-6.55	3	Vertical	298	1.29	-
2457MHz	Pass	AV	2.3582G	46.02	54.00	-7.98	3	Horizontal	66	1.15	-
2457MHz	Pass	AV	2.459G	109.40	Inf	-Inf	3	Horizontal	66	1.15	-
2457MHz	Pass	AV	2.4838G	48.01	54.00	-5.99	3	Horizontal	66	1.15	-
2457MHz	Pass	PK	2.3714G	57.13	74.00	-16.87	3	Horizontal	66	1.15	-
2457MHz	Pass	PK	2.4562G	118.81	Inf	-Inf	3	Horizontal	66	1.15	-
2457MHz	Pass	PK	2.4842G	62.61	74.00	-11.39	3	Horizontal	66	1.15	-
2462MHz	Pass	AV	2.3888G	46.27	54.00	-7.73	3	Vertical	297	1.27	-
2462MHz	Pass	AV	2.4632G	116.44	Inf	-Inf	3	Vertical	297	1.27	-
2462MHz	Pass	AV	2.4835G	50.37	54.00	-3.63	3	Vertical	297	1.27	-
2462MHz	Pass	PK	2.3872G	56.95	74.00	-17.05	3	Vertical	297	1.27	-
2462MHz	Pass	PK	2.4628G	125.97	Inf	-Inf	3	Vertical	297	1.27	-
2462MHz	Pass	PK	2.4844G	67.25	74.00	-6.75	3	Vertical	297	1.27	-
2462MHz	Pass	AV	2.366G	45.95	54.00	-8.05	3	Horizontal	67	1.17	-
2462MHz	Pass	AV	2.4616G	108.73	Inf	-Inf	3	Horizontal	67	1.17	-
2462MHz	Pass	AV	2.4835G	47.21	54.00	-6.79	3	Horizontal	67	1.17	-
2462MHz	Pass	PK	2.3872G	58.46	74.00	-15.54	3	Horizontal	67	1.17	-
2462MHz	Pass	PK	2.4616G	119.10	Inf	-Inf	3	Horizontal	67	1.17	-
2462MHz	Pass	PK	2.4835G	62.59	74.00	-11.41	3	Horizontal	67	1.17	-
2462MHz	Pass	AV	4.92484G	43.09	54.00	-10.91	3	Vertical	96	2.15	-
2462MHz	Pass	AV	7.3866G	41.14	54.00	-12.86	3	Vertical	192	2.92	-
2462MHz	Pass	PK	4.9248G	54.69	74.00	-19.31	3	Vertical	96	2.15	-
2462MHz	Pass	PK	7.38624G	56.14	74.00	-17.86	3	Vertical	192	2.92	-
2462MHz	Pass	AV	4.92484G	39.50	54.00	-14.50	3	Horizontal	149	1.04	-
2462MHz	Pass	AV	7.38702G	40.05	54.00	-13.95	3	Horizontal	151	1.00	-
2462MHz	Pass	PK	4.92394G	51.30	74.00	-22.70	3	Horizontal	149	1.04	-
2462MHz	Pass	PK	7.38906G	55.16	74.00	-18.84	3	Horizontal	151	1.00	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.29	54.00	-3.71	3	Vertical	306	1.54	-
2412MHz	Pass	AV	2.4136G	108.30	Inf	-Inf	3	Vertical	306	1.54	-
2412MHz	Pass	AV	2.4835G	47.58	54.00	-6.42	3	Vertical	306	1.54	-
2412MHz	Pass	PK	2.3896G	66.33	74.00	-7.67	3	Vertical	306	1.54	-
2412MHz	Pass	PK	2.4128G	118.88	Inf	-Inf	3	Vertical	306	1.54	-
2412MHz	Pass	PK	2.4864G	60.54	74.00	-13.46	3	Vertical	306	1.54	-
2412MHz	Pass	AV	2.39G	48.11	54.00	-5.89	3	Horizontal	189	1.12	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	AV	2.4108G	101.43	Inf	-Inf	3	Horizontal	189	1.12	-
2412MHz	Pass	AV	2.4835G	46.14	54.00	-7.86	3	Horizontal	189	1.12	-
2412MHz	Pass	PK	2.39G	61.43	74.00	-12.57	3	Horizontal	189	1.12	-
2412MHz	Pass	PK	2.4112G	112.65	Inf	-Inf	3	Horizontal	189	1.12	-
2412MHz	Pass	PK	2.4844G	57.28	74.00	-16.72	3	Horizontal	189	1.12	-
2412MHz	Pass	AV	4.8249G	42.79	54.00	-11.21	3	Vertical	156	2.60	-
2412MHz	Pass	PK	4.82622G	56.83	74.00	-17.17	3	Vertical	156	2.60	-
2412MHz	Pass	AV	4.82388G	38.87	54.00	-15.13	3	Horizontal	192	1.47	-
2412MHz	Pass	PK	4.82694G	51.68	74.00	-22.32	3	Horizontal	192	1.47	-
2417MHz	Pass	AV	2.3898G	50.65	54.00	-3.35	3	Vertical	308	1.52	-
2417MHz	Pass	AV	2.4182G	110.92	Inf	-Inf	3	Vertical	308	1.52	-
2417MHz	Pass	AV	2.4835G	48.59	54.00	-5.41	3	Vertical	308	1.52	-
2417MHz	Pass	PK	2.389G	66.55	74.00	-7.45	3	Vertical	308	1.52	-
2417MHz	Pass	PK	2.4194G	121.91	Inf	-Inf	3	Vertical	308	1.52	-
2417MHz	Pass	PK	2.485G	64.20	74.00	-9.80	3	Vertical	308	1.52	-
2417MHz	Pass	AV	2.3898G	47.84	54.00	-6.16	3	Horizontal	190	1.14	-
2417MHz	Pass	AV	2.4162G	103.29	Inf	-Inf	3	Horizontal	190	1.14	-
2417MHz	Pass	AV	2.4838G	46.65	54.00	-7.35	3	Horizontal	190	1.14	-
2417MHz	Pass	PK	2.3898G	60.65	74.00	-13.35	3	Horizontal	190	1.14	-
2417MHz	Pass	PK	2.4162G	114.24	Inf	-Inf	3	Horizontal	190	1.14	-
2417MHz	Pass	PK	2.485G	59.25	74.00	-14.75	3	Horizontal	190	1.14	-
2437MHz	Pass	AV	2.3898G	48.62	54.00	-5.38	3	Vertical	307	1.76	-
2437MHz	Pass	AV	2.4342G	112.97	Inf	-Inf	3	Vertical	307	1.76	-
2437MHz	Pass	AV	2.4846G	50.17	54.00	-3.83	3	Vertical	307	1.76	-
2437MHz	Pass	PK	2.3894G	58.53	74.00	-15.47	3	Vertical	307	1.76	-
2437MHz	Pass	PK	2.4342G	123.73	Inf	-Inf	3	Vertical	307	1.76	-
2437MHz	Pass	PK	2.4862G	62.02	74.00	-11.98	3	Vertical	307	1.76	-
2437MHz	Pass	AV	2.389G	46.36	54.00	-7.64	3	Horizontal	67	1.00	-
2437MHz	Pass	AV	2.4382G	105.08	Inf	-Inf	3	Horizontal	67	1.00	-
2437MHz	Pass	AV	2.4835G	48.94	54.00	-5.06	3	Horizontal	67	1.00	-
2437MHz	Pass	PK	2.3874G	57.93	74.00	-16.07	3	Horizontal	67	1.00	-
2437MHz	Pass	PK	2.439G	115.81	Inf	-Inf	3	Horizontal	67	1.00	-
2437MHz	Pass	PK	2.4835G	60.18	74.00	-13.82	3	Horizontal	67	1.00	-
2437MHz	Pass	AV	4.87412G	42.14	54.00	-11.86	3	Vertical	158	2.61	-
2437MHz	Pass	AV	7.3098G	46.32	54.00	-7.68	3	Vertical	190	2.44	-
2437MHz	Pass	PK	4.87382G	55.50	74.00	-18.50	3	Vertical	158	2.61	-
2437MHz	Pass	PK	7.30902G	59.92	74.00	-14.08	3	Vertical	190	2.44	-
2437MHz	Pass	AV	4.87394G	40.50	54.00	-13.50	3	Horizontal	172	2.29	-
2437MHz	Pass	AV	7.31022G	41.79	54.00	-12.21	3	Horizontal	161	1.02	-
2437MHz	Pass	PK	4.87382G	48.86	74.00	-25.14	3	Horizontal	172	2.29	-
2437MHz	Pass	PK	7.30764G	54.76	74.00	-19.24	3	Horizontal	161	1.02	-
2457MHz	Pass	AV	2.3894G	46.50	54.00	-7.50	3	Vertical	299	1.02	-
2457MHz	Pass	AV	2.4586G	114.24	Inf	-Inf	3	Vertical	299	1.02	-
2457MHz	Pass	AV	2.4835G	50.17	54.00	-3.83	3	Vertical	299	1.02	-
2457MHz	Pass	PK	2.3894G	60.22	74.00	-13.78	3	Vertical	299	1.02	-
2457MHz	Pass	PK	2.4578G	124.88	Inf	-Inf	3	Vertical	299	1.02	-
2457MHz	Pass	PK	2.4835G	64.95	74.00	-9.05	3	Vertical	299	1.02	-
2457MHz	Pass	AV	2.3602G	45.98	54.00	-8.02	3	Horizontal	69	1.00	-
2457MHz	Pass	AV	2.4594G	105.93	Inf	-Inf	3	Horizontal	69	1.00	-
2457MHz	Pass	AV	2.4835G	47.36	54.00	-6.64	3	Horizontal	69	1.00	-
2457MHz	Pass	PK	2.3826G	56.81	74.00	-17.19	3	Horizontal	69	1.00	-
2457MHz	Pass	PK	2.459G	116.25	Inf	-Inf	3	Horizontal	69	1.00	-
2457MHz	Pass	PK	2.4838G	61.68	74.00	-12.32	3	Horizontal	69	1.00	-
2462MHz	Pass	AV	2.39G	46.13	54.00	-7.87	3	Vertical	297	1.23	-
2462MHz	Pass	AV	2.4628G	112.91	Inf	-Inf	3	Vertical	297	1.23	-
2462MHz	Pass	AV	2.4835G	50.65	54.00	-3.35	3	Vertical	297	1.23	-
2462MHz	Pass	PK	2.3812G	57.36	74.00	-16.64	3	Vertical	297	1.23	-
2462MHz	Pass	PK	2.464G	123.05	Inf	-Inf	3	Vertical	297	1.23	-
2462MHz	Pass	PK	2.484G	63.15	74.00	-10.85	3	Vertical	297	1.23	-
2462MHz	Pass	AV	2.3668G	45.93	54.00	-8.07	3	Horizontal	68	1.00	-
2462MHz	Pass	AV	2.4644G	105.40	Inf	-Inf	3	Horizontal	68	1.00	-
2462MHz	Pass	AV	2.4835G	47.39	54.00	-6.61	3	Horizontal	68	1.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	2.3808G	57.23	74.00	-16.77	3	Horizontal	68	1.00	-
2462MHz	Pass	PK	2.4636G	114.98	Inf	-Inf	3	Horizontal	68	1.00	-
2462MHz	Pass	PK	2.4835G	62.51	74.00	-11.49	3	Horizontal	68	1.00	-
2462MHz	Pass	AV	4.924A	40.08	54.00	-13.92	3	Vertical	305	1.49	-
2462MHz	Pass	AV	7.3845G	46.98	54.00	-7.02	3	Vertical	185	2.94	-
2462MHz	Pass	PK	4.92358G	51.08	74.00	-22.92	3	Vertical	305	1.49	-
2462MHz	Pass	PK	7.38966G	60.62	74.00	-13.38	3	Vertical	185	2.94	-
2462MHz	Pass	AV	4.92394G	37.80	54.00	-16.20	3	Horizontal	165	1.49	-
2462MHz	Pass	AV	7.38552G	44.51	54.00	-9.49	3	Horizontal	151	1.00	-
2462MHz	Pass	PK	4.92394G	46.14	74.00	-27.86	3	Horizontal	165	1.49	-
2462MHz	Pass	PK	7.39554G	58.90	74.00	-15.10	3	Horizontal	151	1.00	-
802.11n HT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.62	54.00	-3.38	3	Vertical	323	1.43	-
2412MHz	Pass	AV	2.4176G	101.40	Inf	-Inf	3	Vertical	323	1.43	-
2412MHz	Pass	AV	2.4844G	46.07	54.00	-7.93	3	Vertical	323	1.43	-
2412MHz	Pass	PK	2.39G	61.21	74.00	-12.79	3	Vertical	323	1.43	-
2412MHz	Pass	PK	2.4196G	110.66	Inf	-Inf	3	Vertical	323	1.43	-
2412MHz	Pass	PK	2.4884G	57.33	74.00	-16.67	3	Vertical	323	1.43	-
2412MHz	Pass	AV	2.3896G	46.89	54.00	-7.11	3	Horizontal	343	1.07	-
2412MHz	Pass	AV	2.406G	93.66	Inf	-Inf	3	Horizontal	343	1.07	-
2412MHz	Pass	AV	2.4992G	45.75	54.00	-8.25	3	Horizontal	343	1.07	-
2412MHz	Pass	PK	2.3804G	57.54	74.00	-16.46	3	Horizontal	343	1.07	-
2412MHz	Pass	PK	2.4072G	103.02	Inf	-Inf	3	Horizontal	343	1.07	-
2412MHz	Pass	PK	2.486G	56.28	74.00	-17.72	3	Horizontal	343	1.07	-
2412MHz	Pass	AV	4.824G	35.22	54.00	-18.78	3	Vertical	335	1.08	-
2412MHz	Pass	PK	4.8242G	43.90	74.00	-30.10	3	Vertical	335	1.08	-
2412MHz	Pass	AV	4.824G	37.34	54.00	-16.66	3	Horizontal	177	1.99	-
2412MHz	Pass	PK	4.82392G	44.31	74.00	-29.69	3	Horizontal	177	1.99	-
2417MHz	Pass	AV	2.3894G	50.84	54.00	-3.16	3	Vertical	323	1.41	-
2417MHz	Pass	AV	2.4222G	107.50	Inf	-Inf	3	Vertical	323	1.41	-
2417MHz	Pass	AV	2.4835G	46.52	54.00	-7.48	3	Vertical	323	1.41	-
2417MHz	Pass	PK	2.3874G	61.91	74.00	-12.09	3	Vertical	323	1.41	-
2417MHz	Pass	PK	2.4202G	117.17	Inf	-Inf	3	Vertical	323	1.41	-
2417MHz	Pass	PK	2.4862G	57.66	74.00	-16.34	3	Vertical	323	1.41	-
2417MHz	Pass	AV	2.3894G	47.71	54.00	-6.29	3	Horizontal	296	3.00	-
2417MHz	Pass	AV	2.4242G	101.00	Inf	-Inf	3	Horizontal	296	3.00	-
2417MHz	Pass	AV	2.4835G	46.14	54.00	-7.86	3	Horizontal	296	3.00	-
2417MHz	Pass	PK	2.3894G	58.73	74.00	-15.27	3	Horizontal	296	3.00	-
2417MHz	Pass	PK	2.4242G	109.98	Inf	-Inf	3	Horizontal	296	3.00	-
2417MHz	Pass	PK	2.4862G	56.35	74.00	-17.65	3	Horizontal	296	3.00	-
2437MHz	Pass	AV	2.3898G	49.07	54.00	-4.93	3	Vertical	92	1.35	-
2437MHz	Pass	AV	2.431G	109.05	Inf	-Inf	3	Vertical	92	1.35	-
2437MHz	Pass	AV	2.4835G	49.59	54.00	-4.41	3	Vertical	92	1.35	-
2437MHz	Pass	PK	2.3894G	60.57	74.00	-13.43	3	Vertical	92	1.35	-
2437MHz	Pass	PK	2.4294G	118.43	Inf	-Inf	3	Vertical	92	1.35	-
2437MHz	Pass	PK	2.4835G	61.10	74.00	-12.90	3	Vertical	92	1.35	-
2437MHz	Pass	AV	2.389G	46.70	54.00	-7.30	3	Horizontal	294	3.00	-
2437MHz	Pass	AV	2.4354G	103.78	Inf	-Inf	3	Horizontal	294	3.00	-
2437MHz	Pass	AV	2.4835G	48.85	54.00	-5.15	3	Horizontal	294	3.00	-
2437MHz	Pass	PK	2.355G	57.12	74.00	-16.88	3	Horizontal	294	3.00	-
2437MHz	Pass	PK	2.4338G	112.73	Inf	-Inf	3	Horizontal	294	3.00	-
2437MHz	Pass	PK	2.4842G	58.30	74.00	-15.70	3	Horizontal	294	3.00	-
2437MHz	Pass	AV	4.87396G	37.30	54.00	-16.70	3	Vertical	302	2.34	-
2437MHz	Pass	AV	7.31424G	40.52	54.00	-13.48	3	Vertical	191	1.48	-
2437MHz	Pass	PK	4.8738G	45.16	74.00	-28.84	3	Vertical	302	2.34	-
2437MHz	Pass	PK	7.31552G	54.59	74.00	-19.41	3	Vertical	191	1.48	-
2437MHz	Pass	AV	4.87404G	40.30	54.00	-13.70	3	Horizontal	35	2.30	-
2437MHz	Pass	AV	7.31468G	38.20	54.00	-15.80	3	Horizontal	68	2.30	-
2437MHz	Pass	PK	4.87392G	46.24	74.00	-27.76	3	Horizontal	35	2.30	-
2437MHz	Pass	PK	7.31876G	51.59	74.00	-22.41	3	Horizontal	68	2.30	-
2457MHz	Pass	AV	2.3898G	46.27	54.00	-7.73	3	Vertical	303	1.00	-
2457MHz	Pass	AV	2.4622G	107.71	Inf	-Inf	3	Vertical	303	1.00	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	2.4835G	50.81	54.00	-3.19	3	Vertical	303	1.00	-
2457MHz	Pass	PK	2.3682G	57.38	74.00	-16.62	3	Vertical	303	1.00	-
2457MHz	Pass	PK	2.4598G	116.86	Inf	-Inf	3	Vertical	303	1.00	-
2457MHz	Pass	PK	2.485G	60.67	74.00	-13.33	3	Vertical	303	1.00	-
2457MHz	Pass	AV	2.3614G	46.06	54.00	-7.94	3	Horizontal	306	2.69	-
2457MHz	Pass	AV	2.4618G	102.81	Inf	-Inf	3	Horizontal	306	2.69	-
2457MHz	Pass	AV	2.4835G	49.05	54.00	-4.95	3	Horizontal	306	2.69	-
2457MHz	Pass	PK	2.3574G	56.47	74.00	-17.53	3	Horizontal	306	2.69	-
2457MHz	Pass	PK	2.4614G	111.47	Inf	-Inf	3	Horizontal	306	2.69	-
2457MHz	Pass	PK	2.4835G	60.26	74.00	-13.74	3	Horizontal	306	2.69	-
2462MHz	Pass	AV	2.366G	46.01	54.00	-7.99	3	Vertical	286	1.56	-
2462MHz	Pass	AV	2.464G	104.58	Inf	-Inf	3	Vertical	286	1.56	-
2462MHz	Pass	AV	2.4835G	50.46	54.00	-3.54	3	Vertical	286	1.56	-
2462MHz	Pass	PK	2.3688G	56.55	74.00	-17.45	3	Vertical	286	1.56	-
2462MHz	Pass	PK	2.4648G	114.04	Inf	-Inf	3	Vertical	286	1.56	-
2462MHz	Pass	PK	2.4835G	61.49	74.00	-12.51	3	Vertical	286	1.56	-
2462MHz	Pass	AV	2.378G	45.93	54.00	-8.07	3	Horizontal	294	2.95	-
2462MHz	Pass	AV	2.4632G	100.43	Inf	-Inf	3	Horizontal	294	2.95	-
2462MHz	Pass	AV	2.4835G	48.76	54.00	-5.24	3	Horizontal	294	2.95	-
2462MHz	Pass	PK	2.3748G	56.83	74.00	-17.17	3	Horizontal	294	2.95	-
2462MHz	Pass	PK	2.4656G	109.51	Inf	-Inf	3	Horizontal	294	2.95	-
2462MHz	Pass	PK	2.484G	58.54	74.00	-15.46	3	Horizontal	294	2.95	-
2462MHz	Pass	AV	4.924G	40.46	54.00	-13.54	3	Vertical	297	2.20	-
2462MHz	Pass	AV	7.37884G	36.33	54.00	-17.67	3	Vertical	189	1.55	-
2462MHz	Pass	PK	4.92412G	47.29	74.00	-26.71	3	Vertical	297	2.20	-
2462MHz	Pass	PK	7.38136G	49.88	74.00	-24.12	3	Vertical	189	1.55	-
2462MHz	Pass	AV	4.924G	40.61	54.00	-13.39	3	Horizontal	37	2.29	-
2462MHz	Pass	AV	7.3804G	36.08	54.00	-17.92	3	Horizontal	229	2.92	-
2462MHz	Pass	PK	4.9238G	46.75	74.00	-27.25	3	Horizontal	37	2.29	-
2462MHz	Pass	PK	7.38324G	49.27	74.00	-24.73	3	Horizontal	229	2.92	-
802.11n HT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	50.65	54.00	-3.35	3	Vertical	292	2.08	-
2422MHz	Pass	AV	2.4316G	97.44	Inf	-Inf	3	Vertical	292	2.08	-
2422MHz	Pass	AV	2.4835G	47.01	54.00	-6.99	3	Vertical	292	2.08	-
2422MHz	Pass	PK	2.3896G	60.83	74.00	-13.17	3	Vertical	292	2.08	-
2422MHz	Pass	PK	2.4312G	106.16	Inf	-Inf	3	Vertical	292	2.08	-
2422MHz	Pass	PK	2.4835G	57.57	74.00	-16.43	3	Vertical	292	2.08	-
2422MHz	Pass	AV	2.3888G	46.99	54.00	-7.01	3	Horizontal	56	1.50	-
2422MHz	Pass	AV	2.4308G	89.99	Inf	-Inf	3	Horizontal	56	1.50	-
2422MHz	Pass	AV	2.4896G	46.20	54.00	-7.80	3	Horizontal	56	1.50	-
2422MHz	Pass	PK	2.3232G	57.15	74.00	-16.85	3	Horizontal	56	1.50	-
2422MHz	Pass	PK	2.4308G	98.91	Inf	-Inf	3	Horizontal	56	1.50	-
2422MHz	Pass	PK	2.4976G	56.73	74.00	-17.27	3	Horizontal	56	1.50	-
2422MHz	Pass	AV	4.84392G	36.13	54.00	-17.87	3	Vertical	6	1.47	-
2422MHz	Pass	AV	7.25128G	37.09	54.00	-16.91	3	Vertical	91	2.28	-
2422MHz	Pass	PK	4.84392G	44.23	74.00	-29.77	3	Vertical	6	1.47	-
2422MHz	Pass	PK	7.26208G	49.47	74.00	-24.53	3	Vertical	91	2.28	-
2422MHz	Pass	AV	4.84408G	39.18	54.00	-14.82	3	Horizontal	36	2.63	-
2422MHz	Pass	AV	7.26632G	37.30	54.00	-16.70	3	Horizontal	238	1.49	-
2422MHz	Pass	PK	4.84392G	45.15	74.00	-28.85	3	Horizontal	36	2.63	-
2422MHz	Pass	PK	7.28256G	48.70	74.00	-25.30	3	Horizontal	238	1.49	-
2427MHz	Pass	AV	2.3894G	50.23	54.00	-3.77	3	Vertical	276	1.56	-
2427MHz	Pass	AV	2.4326G	99.16	Inf	-Inf	3	Vertical	276	1.56	-
2427MHz	Pass	AV	2.4835G	47.50	54.00	-6.50	3	Vertical	276	1.56	-
2427MHz	Pass	PK	2.389G	62.67	74.00	-11.33	3	Vertical	276	1.56	-
2427MHz	Pass	PK	2.431G	108.01	Inf	-Inf	3	Vertical	276	1.56	-
2427MHz	Pass	PK	2.4838G	59.45	74.00	-14.55	3	Vertical	276	1.56	-
2427MHz	Pass	AV	2.3878G	47.73	54.00	-6.27	3	Horizontal	297	2.50	-
2427MHz	Pass	AV	2.4286G	93.49	Inf	-Inf	3	Horizontal	297	2.50	-
2427MHz	Pass	AV	2.4842G	46.49	54.00	-7.51	3	Horizontal	297	2.50	-
2427MHz	Pass	PK	2.387G	57.29	74.00	-16.71	3	Horizontal	297	2.50	-
2427MHz	Pass	PK	2.4294G	102.44	Inf	-Inf	3	Horizontal	297	2.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	PK	2.4886G	56.93	74.00	-17.07	3	Horizontal	297	2.50	-
2437MHz	Pass	AV	2.3898G	50.36	54.00	-3.64	3	Vertical	276	1.60	-
2437MHz	Pass	AV	2.431G	102.97	Inf	-Inf	3	Vertical	276	1.60	-
2437MHz	Pass	AV	2.4835G	50.54	54.00	-3.46	3	Vertical	276	1.60	-
2437MHz	Pass	PK	2.389G	60.55	74.00	-13.45	3	Vertical	276	1.60	-
2437MHz	Pass	PK	2.431G	112.31	Inf	-Inf	3	Vertical	276	1.60	-
2437MHz	Pass	PK	2.4835G	60.43	74.00	-13.57	3	Vertical	276	1.60	-
2437MHz	Pass	AV	2.389G	47.62	54.00	-6.38	3	Horizontal	293	2.50	-
2437MHz	Pass	AV	2.4278G	97.98	Inf	-Inf	3	Horizontal	293	2.50	-
2437MHz	Pass	AV	2.4846G	49.29	54.00	-4.71	3	Horizontal	293	2.50	-
2437MHz	Pass	PK	2.3662G	57.70	74.00	-16.30	3	Horizontal	293	2.50	-
2437MHz	Pass	PK	2.4266G	107.22	Inf	-Inf	3	Horizontal	293	2.50	-
2437MHz	Pass	PK	2.4835G	62.61	74.00	-11.39	3	Horizontal	293	2.50	-
2437MHz	Pass	AV	4.874G	37.61	54.00	-16.39	3	Vertical	299	2.12	-
2437MHz	Pass	AV	7.30676G	37.25	54.00	-16.75	3	Vertical	83	2.17	-
2437MHz	Pass	PK	4.87392G	44.39	74.00	-29.61	3	Vertical	299	2.12	-
2437MHz	Pass	PK	7.30044G	48.81	74.00	-25.19	3	Vertical	83	2.17	-
2437MHz	Pass	AV	4.87392G	40.86	54.00	-13.14	3	Horizontal	34	2.58	-
2437MHz	Pass	AV	7.30708G	36.85	54.00	-17.15	3	Horizontal	1	1.06	-
2437MHz	Pass	PK	4.874G	46.78	74.00	-27.22	3	Horizontal	34	2.58	-
2437MHz	Pass	PK	7.30876G	49.37	74.00	-24.63	3	Horizontal	1	1.06	-
2447MHz	Pass	AV	2.3898G	46.94	54.00	-7.06	3	Vertical	95	1.34	-
2447MHz	Pass	AV	2.4318G	99.43	Inf	-Inf	3	Vertical	95	1.34	-
2447MHz	Pass	AV	2.4835G	49.76	54.00	-4.24	3	Vertical	95	1.34	-
2447MHz	Pass	PK	2.3898G	58.93	74.00	-15.07	3	Vertical	95	1.34	-
2447MHz	Pass	PK	2.4314G	108.59	Inf	-Inf	3	Vertical	95	1.34	-
2447MHz	Pass	PK	2.4835G	65.89	74.00	-8.11	3	Vertical	95	1.34	-
2447MHz	Pass	AV	2.367G	46.55	54.00	-7.45	3	Horizontal	294	2.91	-
2447MHz	Pass	AV	2.459G	96.29	Inf	-Inf	3	Horizontal	294	2.91	-
2447MHz	Pass	AV	2.4835G	50.79	54.00	-3.21	3	Horizontal	294	2.91	-
2447MHz	Pass	PK	2.3818G	57.16	74.00	-16.84	3	Horizontal	294	2.91	-
2447MHz	Pass	PK	2.4578G	105.51	Inf	-Inf	3	Horizontal	294	2.91	-
2447MHz	Pass	PK	2.4835G	61.00	74.00	-13.00	3	Horizontal	294	2.91	-
2452MHz	Pass	AV	2.3892G	46.69	54.00	-7.31	3	Vertical	286	1.56	-
2452MHz	Pass	AV	2.4636G	99.81	Inf	-Inf	3	Vertical	286	1.56	-
2452MHz	Pass	AV	2.484G	50.68	54.00	-3.32	3	Vertical	286	1.56	-
2452MHz	Pass	PK	2.3888G	59.46	74.00	-14.54	3	Vertical	286	1.56	-
2452MHz	Pass	PK	2.4632G	109.23	Inf	-Inf	3	Vertical	286	1.56	-
2452MHz	Pass	PK	2.484G	61.06	74.00	-12.94	3	Vertical	286	1.56	-
2452MHz	Pass	AV	2.3828G	46.78	54.00	-7.22	3	Horizontal	294	2.95	-
2452MHz	Pass	AV	2.4624G	95.88	Inf	-Inf	3	Horizontal	294	2.95	-
2452MHz	Pass	AV	2.4844G	49.50	54.00	-4.50	3	Horizontal	294	2.95	-
2452MHz	Pass	PK	2.3716G	57.06	74.00	-16.94	3	Horizontal	294	2.95	-
2452MHz	Pass	PK	2.4636G	104.69	Inf	-Inf	3	Horizontal	294	2.95	-
2452MHz	Pass	PK	2.4835G	59.14	74.00	-14.86	3	Horizontal	294	2.95	-
2452MHz	Pass	AV	4.904G	39.03	54.00	-14.97	3	Vertical	303	2.33	-
2452MHz	Pass	AV	7.37088G	36.83	54.00	-17.17	3	Vertical	172	1.50	-
2452MHz	Pass	PK	4.904G	45.43	74.00	-28.57	3	Vertical	303	2.33	-
2452MHz	Pass	PK	7.35192G	48.94	74.00	-25.06	3	Vertical	172	1.50	-
2452MHz	Pass	AV	4.90392G	40.74	54.00	-13.26	3	Horizontal	35	2.40	-
2452MHz	Pass	AV	7.35544G	36.75	54.00	-17.25	3	Horizontal	22	2.05	-
2452MHz	Pass	PK	4.904G	45.96	74.00	-28.04	3	Horizontal	35	2.40	-
2452MHz	Pass	PK	7.3756G	49.65	74.00	-24.35	3	Horizontal	22	2.05	-

11b-5M_Nss1_2TX

2412MHz_TX




29/01/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.09	54.00	-6.91	33.57	3	Vertical	79	1.21	-	13.52	27.62	5.95	-
AV	2.4128G	113.62	Inf	-Inf	33.53	3	Vertical	79	1.21	-	80.09	27.55	5.98	-
AV	2.4835G	46.16	54.00	-7.84	33.46	3	Vertical	79	1.21	-	12.70	27.40	6.06	-
PK	2.3876G	58.11	74.00	-15.89	33.57	3	Vertical	79	1.21	-	24.54	27.62	5.95	-
PK	2.4124G	120.01	Inf	-Inf	33.52	3	Vertical	79	1.21	-	86.49	27.55	5.97	-
PK	2.4952G	56.37	74.00	-17.63	33.47	3	Vertical	79	1.21	-	22.90	27.40	6.07	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3136G	46.32	54.00	-7.68	33.75	3	Horizontal	340	1.04	-	12.57	27.85	5.90	-
AV	2.4124G	104.93	Inf	-Inf	33.52	3	Horizontal	340	1.04	-	71.41	27.55	5.97	-
AV	2.498G	45.70	54.00	-8.30	33.48	3	Horizontal	340	1.04	-	12.22	27.40	6.08	-
PK	2.3464G	57.83	74.00	-16.17	33.63	3	Horizontal	340	1.04	-	24.20	27.71	5.92	-
PK	2.4124G	111.34	Inf	-Inf	33.52	3	Horizontal	340	1.04	-	77.82	27.55	5.97	-
PK	2.4968G	56.46	74.00	-17.54	33.48	3	Horizontal	340	1.04	-	22.98	27.40	6.08	-

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82496G	50.74	54.00	-3.26	4.99	3	Vertical	102	1.49	-	45.75	31.00	8.27	34.28
PK	4.82502G	54.59	74.00	-19.41	4.99	3	Vertical	102	1.49	-	49.60	31.00	8.27	34.28

11b-5M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82496G	48.07	54.00	-5.93	4.99	3	Horizontal	28	1.01	-	43.08	31.00	8.27	34.28
PK	4.8249G	51.95	74.00	-22.05	4.99	3	Horizontal	28	1.01	-	46.96	31.00	8.27	34.28

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.317G	46.26	54.00	-7.74	33.73	3	Vertical	80	1.21	-	12.53	27.83	5.90	-
AV	2.4174G	117.95	Inf	-Inf	33.51	3	Vertical	80	1.21	-	77.44	27.53	5.98	-
AV	2.4842G	45.99	54.00	-8.01	33.46	3	Vertical	80	1.21	-	12.53	27.40	6.06	-
PK	2.347G	58.02	74.00	-15.98	33.63	3	Vertical	80	1.21	-	24.39	27.71	5.92	-
PK	2.4174G	117.26	Inf	-Inf	33.51	3	Vertical	80	1.21	-	83.75	27.53	5.98	-
PK	2.4914G	57.13	74.00	-16.87	33.47	3	Vertical	80	1.21	-	23.66	27.40	6.07	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3174G	46.24	54.00	-7.76	33.73	3	Horizontal	62	1.61	-	12.51	27.83	5.90	-
AV	2.4174G	102.89	Inf	-Inf	33.51	3	Horizontal	62	1.61	-	69.38	27.53	5.98	-
AV	2.485G	45.78	54.00	-8.22	33.46	3	Horizontal	62	1.61	-	12.32	27.40	6.06	-
PK	2.3294G	58.47	74.00	-15.53	33.69	3	Horizontal	62	1.61	-	24.78	27.78	5.91	-
PK	2.4174G	109.05	Inf	-Inf	33.51	3	Horizontal	62	1.61	-	75.54	27.53	5.98	-
PK	2.4854G	56.65	74.00	-17.35	33.46	3	Horizontal	62	1.61	-	23.19	27.40	6.06	-

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83496G	50.41	54.00	-3.59	5.03	3	Vertical	156	2.23	-	45.38	31.04	8.27	34.28
AV	7.25214G	40.30	54.00	-13.70	11.66	3	Vertical	186	2.93	-	28.64	36.21	10.02	34.57
PK	4.83496G	54.87	74.00	-19.13	5.03	3	Vertical	156	2.23	-	49.84	31.04	8.27	34.28
PK	7.25238G	51.34	74.00	-22.66	11.66	3	Vertical	186	2.93	-	39.68	36.21	10.02	34.57

11b-5M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83496G	47.06	54.00	-6.94	5.03	3	Horizontal	148	1.00	-	42.03	31.04	8.27	34.28
AV	7.25226G	38.05	54.00	-15.95	11.66	3	Horizontal	55	1.04	-	26.39	36.21	10.02	34.57
PK	4.83502G	52.43	74.00	-21.57	5.03	3	Horizontal	148	1.00	-	47.40	31.04	8.27	34.28
PK	7.25196G	50.02	74.00	-23.98	11.66	3	Horizontal	55	1.04	-	38.36	36.21	10.02	34.57

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.52	54.00	-7.48	33.57	3	Vertical	266	1.47	-	12.95	27.62	5.95	-
AV	2.4374G	118.09	Inf	-Inf	33.45	3	Vertical	266	1.47	-	84.64	27.45	6.00	-
AV	2.4838G	47.18	54.00	-6.82	33.46	3	Vertical	266	1.47	-	13.72	27.40	6.06	-
PK	2.363G	57.31	74.00	-16.69	33.60	3	Vertical	266	1.47	-	23.71	27.67	5.93	-
PK	2.4374G	124.15	Inf	-Inf	33.45	3	Vertical	266	1.47	-	90.70	27.45	6.00	-
PK	2.4954G	57.48	74.00	-16.52	33.47	3	Vertical	266	1.47	-	24.01	27.40	6.07	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3374G	46.11	54.00	-7.89	33.66	3	Horizontal	84	1.00	-	12.45	27.75	5.91	-
AV	2.4374G	110.73	Inf	-Inf	33.45	3	Horizontal	84	1.00	-	77.28	27.45	6.00	-
AV	2.4835G	45.99	54.00	-8.01	33.46	3	Horizontal	84	1.00	-	12.53	27.40	6.06	-
PK	2.3898G	57.92	74.00	-16.08	33.57	3	Horizontal	84	1.00	-	24.35	27.62	5.95	-
PK	2.4374G	117.02	Inf	-Inf	33.45	3	Horizontal	84	1.00	-	83.57	27.45	6.00	-
PK	2.4934G	56.64	74.00	-17.36	33.47	3	Horizontal	84	1.00	-	23.17	27.40	6.07	-

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87568G	40.26	54.00	-13.74	5.09	3	Vertical	156	3.00	-	35.17	31.05	8.30	34.26
AV	7.31262G	50.17	54.00	-3.83	11.81	3	Vertical	191	2.25	-	38.36	36.35	10.03	34.57
PK	4.87478G	48.18	74.00	-25.82	5.09	3	Vertical	156	3.00	-	43.09	31.05	8.30	34.26
PK	7.31262G	58.40	74.00	-15.60	11.81	3	Vertical	191	2.25	-	46.59	36.35	10.03	34.57

11b-5M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87496G	44.68	54.00	-9.32	5.09	3	Horizontal	29	1.01	-	39.59	31.05	8.30	34.26
AV	7.31262G	46.81	54.00	-7.19	11.81	3	Horizontal	149	1.04	-	35.00	36.35	10.03	34.57
PK	4.8749G	49.35	74.00	-24.65	5.09	3	Horizontal	29	1.01	-	44.26	31.05	8.30	34.26
PK	7.31274G	56.30	74.00	-17.70	11.81	3	Horizontal	149	1.04	-	44.49	36.35	10.03	34.57

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	45.97	54.00	-8.03	33.57	3	Vertical	317	1.92	-	12.40	27.62	5.95	-
AV	2.4578G	114.31	Inf	-Inf	33.43	3	Vertical	317	1.92	-	80.88	27.40	6.03	-
AV	2.4838G	47.44	54.00	-6.56	33.46	3	Vertical	317	1.92	-	13.98	27.40	6.06	-
PK	2.3642G	57.39	74.00	-16.61	33.60	3	Vertical	317	1.92	-	23.79	27.67	5.93	-
PK	2.4574G	120.59	Inf	-Inf	33.43	3	Vertical	317	1.92	-	87.16	27.40	6.03	-
PK	2.4846G	58.11	74.00	-15.89	33.46	3	Vertical	317	1.92	-	24.65	27.40	6.06	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3574G	45.99	54.00	-8.01	33.62	3	Horizontal	69	1.00	-	12.37	27.69	5.93	-
AV	2.4566G	106.96	Inf	-Inf	33.43	3	Horizontal	69	1.00	-	73.53	27.40	6.03	-
AV	2.4835G	46.38	54.00	-7.62	33.46	3	Horizontal	69	1.00	-	12.92	27.40	6.06	-
PK	2.3674G	56.90	74.00	-17.10	33.61	3	Horizontal	69	1.00	-	23.29	27.67	5.94	-
PK	2.4574G	112.35	Inf	-Inf	33.43	3	Horizontal	69	1.00	-	78.92	27.40	6.03	-
PK	2.4874G	56.88	74.00	-17.12	33.46	3	Horizontal	69	1.00	-	23.42	27.40	6.06	-

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91496G	50.44	54.00	-3.56	5.13	3	Vertical	100	1.07	-	45.31	31.06	8.32	34.25
AV	7.37214G	38.96	54.00	-15.04	11.62	3	Vertical	189	2.40	-	27.34	36.16	10.04	34.58
PK	4.91502G	54.64	74.00	-19.36	5.13	3	Vertical	100	1.07	-	49.51	31.06	8.32	34.25
PK	7.37238G	51.21	74.00	-22.79	11.62	3	Vertical	189	2.40	-	39.59	36.16	10.04	34.58

11b-5M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91496G	46.03	54.00	-7.97	5.13	3	Horizontal	148	1.38	-	40.90	31.06	8.32	34.25
AV	7.37244G	37.50	54.00	-16.50	11.62	3	Horizontal	62	0.99	-	25.88	36.16	10.04	34.58
PK	4.91496G	51.00	74.00	-23.00	5.13	3	Horizontal	148	1.38	-	45.87	31.06	8.32	34.25
PK	7.37274G	50.36	74.00	-23.64	11.61	3	Horizontal	62	0.99	-	38.75	36.15	10.04	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	46.02	54.00	-7.98	33.57	3	Vertical	284	1.54	-	12.45	27.62	5.95	-
AV	2.4628G	116.62	Inf	-Inf	33.44	3	Vertical	284	1.54	-	83.18	27.40	6.04	-
AV	2.4844G	47.52	54.00	-6.48	33.46	3	Vertical	284	1.54	-	14.06	27.40	6.06	-
PK	2.3632G	58.41	74.00	-15.59	33.60	3	Vertical	284	1.54	-	24.81	27.67	5.93	-
PK	2.4628G	122.78	Inf	-Inf	33.44	3	Vertical	284	1.54	-	89.34	27.40	6.04	-
PK	2.486G	58.81	74.00	-15.19	33.46	3	Vertical	284	1.54	-	25.35	27.40	6.06	-

11b-5M_Nss1_2TX

2462MHz_TX




29/01/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3632G	45.94	54.00	-8.06	33.60	3	Horizontal	193	1.00	-	12.34	27.67	5.93	-
AV	2.4628G	109.63	Inf	-Inf	33.44	3	Horizontal	193	1.00	-	76.19	27.40	6.04	-
AV	2.484G	46.44	54.00	-7.56	33.46	3	Horizontal	193	1.00	-	12.98	27.40	6.06	-
PK	2.362G	56.78	74.00	-17.22	33.61	3	Horizontal	193	1.00	-	23.17	27.68	5.93	-
PK	2.4624G	116.04	Inf	-Inf	33.43	3	Horizontal	193	1.00	-	82.61	27.40	6.03	-
PK	2.4864G	57.28	74.00	-16.72	33.46	3	Horizontal	193	1.00	-	23.82	27.40	6.06	-

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92496G	50.60	54.00	-3.40	5.18	3	Vertical	101	1.09	-	45.42	31.10	8.33	34.25
AV	7.38732G	37.39	54.00	-16.61	11.60	3	Vertical	47	1.00	-	25.79	36.13	10.05	34.58
PK	4.92502G	54.78	74.00	-19.22	5.18	3	Vertical	101	1.09	-	49.60	31.10	8.33	34.25
PK	7.38228G	49.34	74.00	-24.66	11.61	3	Vertical	47	1.00	-	37.73	36.14	10.05	34.58

11b-5M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92496G	46.25	54.00	-7.75	5.18	3	Horizontal	148	1.06	-	41.07	31.10	8.33	34.25
AV	7.38726G	36.57	54.00	-17.43	11.60	3	Horizontal	69	2.89	-	24.97	36.13	10.05	34.58
PK	4.92496G	51.33	74.00	-22.67	5.18	3	Horizontal	148	1.06	-	46.15	31.10	8.33	34.25
PK	7.39752G	49.44	74.00	-24.56	11.56	3	Horizontal	69	2.89	-	37.88	36.10	10.05	34.59

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.98	54.00	-7.02	33.57	3	Vertical	260	1.22	-	13.41	27.62	5.95	-
AV	2.4116G	110.87	Inf	-Inf	33.52	3	Vertical	260	1.22	-	77.35	27.55	5.97	-
AV	2.484G	46.32	54.00	-7.68	33.46	3	Vertical	260	1.22	-	12.86	27.40	6.06	-
PK	2.3892G	57.23	74.00	-16.77	33.57	3	Vertical	260	1.22	-	23.66	27.62	5.95	-
PK	2.4116G	115.82	Inf	-Inf	33.52	3	Vertical	260	1.22	-	82.30	27.55	5.97	-
PK	2.4856G	56.52	74.00	-17.48	33.46	3	Vertical	260	1.22	-	23.06	27.40	6.06	-

11b-10M_Nss1_2TX

2412MHz_TX




27/01/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3864G	46.60	54.00	-7.40	33.58	3	Horizontal	92	1.02	-	13.02	27.63	5.95	-
AV	2.4116G	107.23	Inf	-Inf	33.52	3	Horizontal	92	1.02	-	73.71	27.55	5.97	-
AV	2.4848G	45.76	54.00	-8.24	33.46	3	Horizontal	92	1.02	-	12.30	27.40	6.06	-
PK	2.3368G	57.81	74.00	-16.19	33.66	3	Horizontal	92	1.02	-	24.15	27.75	5.91	-
PK	2.4112G	112.14	Inf	-Inf	33.53	3	Horizontal	92	1.02	-	78.61	27.56	5.97	-
PK	2.4864G	55.73	74.00	-18.27	33.46	3	Horizontal	92	1.02	-	22.27	27.40	6.06	-

11b-10M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	50.57	54.00	-3.43	4.99	3	Vertical	124	2.58	-	45.58	31.00	8.27	34.28
PK	4.82392G	53.80	74.00	-20.20	4.99	3	Vertical	124	2.58	-	48.81	31.00	8.27	34.28

11b-10M_Nss1_2TX

2412MHz_TX




27/01/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	47.81	54.00	-6.19	4.99	3	Horizontal	189	1.89	-	42.82	31.00	8.27	34.28
PK	4.82396G	51.27	74.00	-22.73	4.99	3	Horizontal	189	1.89	-	46.28	31.00	8.27	34.28

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	46.53	54.00	-7.47	33.57	3	Vertical	257	1.61	-	12.96	27.62	5.95	-
AV	2.4174G	110.95	Inf	-Inf	33.51	3	Vertical	257	1.61	-	77.44	27.53	5.98	-
AV	2.4838G	46.08	54.00	-7.92	33.46	3	Vertical	257	1.61	-	12.62	27.40	6.06	-
PK	2.3882G	57.28	74.00	-16.72	33.57	3	Vertical	257	1.61	-	23.71	27.62	5.95	-
PK	2.4174G	115.98	Inf	-Inf	33.51	3	Vertical	257	1.61	-	82.47	27.53	5.98	-
PK	2.4842G	56.85	74.00	-17.15	33.46	3	Vertical	257	1.61	-	23.39	27.40	6.06	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.34	54.00	-7.66	33.57	3	Horizontal	91	1.06	-	12.77	27.62	5.95	-
AV	2.4166G	107.82	Inf	-Inf	33.51	3	Horizontal	91	1.06	-	74.31	27.53	5.98	-
AV	2.4838G	45.86	54.00	-8.14	33.46	3	Horizontal	91	1.06	-	12.40	27.40	6.06	-
PK	2.3182G	57.80	74.00	-16.20	33.73	3	Horizontal	91	1.06	-	24.07	27.83	5.90	-
PK	2.4166G	112.71	Inf	-Inf	33.51	3	Horizontal	91	1.06	-	79.20	27.53	5.98	-
PK	2.4846G	58.31	74.00	-15.69	33.46	3	Horizontal	91	1.06	-	24.85	27.40	6.06	-

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	50.29	54.00	-3.71	5.03	3	Vertical	149	2.84	-	45.26	31.04	8.27	34.28
AV	7.2505G	40.83	54.00	-13.17	11.65	3	Vertical	225	1.51	-	29.18	36.20	10.02	34.57
PK	4.8339G	53.50	74.00	-20.50	5.03	3	Vertical	149	2.84	-	48.47	31.04	8.27	34.28
PK	7.25068G	52.22	74.00	-21.78	11.65	3	Vertical	225	1.51	-	40.57	36.20	10.02	34.57

11b-10M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	49.19	54.00	-4.81	5.03	3	Horizontal	192	2.90	-	44.16	31.04	8.27	34.28
AV	7.2504G	36.82	54.00	-17.18	11.65	3	Horizontal	161	2.90	-	25.17	36.20	10.02	34.57
PK	4.83394G	52.51	74.00	-21.49	5.03	3	Horizontal	192	2.90	-	47.48	31.04	8.27	34.28
PK	7.2501G	50.29	74.00	-23.71	11.65	3	Horizontal	161	2.90	-	38.64	36.20	10.02	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.41	54.00	-7.59	33.57	3	Vertical	258	1.16	-	12.84	27.62	5.95	-
AV	2.4366G	116.83	Inf	-Inf	33.45	3	Vertical	258	1.16	-	83.38	27.45	6.00	-
AV	2.4835G	47.42	54.00	-6.58	33.46	3	Vertical	258	1.16	-	13.96	27.40	6.06	-
PK	2.3866G	57.49	74.00	-16.51	33.58	3	Vertical	258	1.16	-	23.91	27.63	5.95	-
PK	2.4366G	121.72	Inf	-Inf	33.45	3	Vertical	258	1.16	-	88.27	27.45	6.00	-
PK	2.4842G	58.91	74.00	-15.09	33.46	3	Vertical	258	1.16	-	25.45	27.40	6.06	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.339G	46.04	54.00	-7.96	33.65	3	Horizontal	183	1.40	-	12.39	27.74	5.91	-
AV	2.4366G	112.23	Inf	-Inf	33.45	3	Horizontal	183	1.40	-	78.78	27.45	6.00	-
AV	2.4846G	46.59	54.00	-7.41	33.46	3	Horizontal	183	1.40	-	13.13	27.40	6.06	-
PK	2.345G	57.24	74.00	-16.76	33.64	3	Horizontal	183	1.40	-	23.60	27.72	5.92	-
PK	2.4362G	117.41	Inf	-Inf	33.46	3	Horizontal	183	1.40	-	83.95	27.46	6.00	-
PK	2.4938G	57.33	74.00	-16.67	33.47	3	Horizontal	183	1.40	-	23.86	27.40	6.07	-

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87398G	44.64	54.00	-9.36	5.09	3	Vertical	125	2.41	-	39.55	31.05	8.30	34.26
AV	7.31134G	50.61	54.00	-3.39	11.81	3	Vertical	189	1.84	-	38.80	36.35	10.03	34.57
PK	4.87394G	49.50	74.00	-24.50	5.09	3	Vertical	125	2.41	-	44.41	31.05	8.30	34.26
PK	7.31156G	57.92	74.00	-16.08	11.81	3	Vertical	189	1.84	-	46.11	36.35	10.03	34.57

11b-10M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	42.99	54.00	-11.01	5.09	3	Horizontal	200	1.91	-	37.90	31.05	8.30	34.26
AV	7.31132G	44.17	54.00	-9.83	11.81	3	Horizontal	65	1.17	-	32.36	36.35	10.03	34.57
PK	4.87404G	47.74	74.00	-26.26	5.09	3	Horizontal	200	1.91	-	42.65	31.05	8.30	34.26
PK	7.31128G	53.58	74.00	-20.42	11.81	3	Horizontal	65	1.17	-	41.77	36.35	10.03	34.57

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.01	54.00	-7.99	33.57	3	Vertical	247	1.62	-	12.44	27.62	5.95	-
AV	2.4574G	117.05	Inf	-Inf	33.43	3	Vertical	247	1.62	-	83.62	27.40	6.03	-
AV	2.4835G	48.18	54.00	-5.82	33.46	3	Vertical	247	1.62	-	14.72	27.40	6.06	-
PK	2.3878G	57.24	74.00	-16.76	33.57	3	Vertical	247	1.62	-	23.67	27.62	5.95	-
PK	2.4578G	122.02	Inf	-Inf	33.43	3	Vertical	247	1.62	-	88.59	27.40	6.03	-
PK	2.4835G	58.75	74.00	-15.25	33.46	3	Vertical	247	1.62	-	25.29	27.40	6.06	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3598G	45.88	54.00	-8.12	33.61	3	Horizontal	180	1.39	-	12.27	27.68	5.93	-
AV	2.4566G	113.27	Inf	-Inf	33.43	3	Horizontal	180	1.39	-	79.84	27.40	6.03	-
AV	2.4835G	47.45	54.00	-6.55	33.46	3	Horizontal	180	1.39	-	13.99	27.40	6.06	-
PK	2.3842G	56.77	74.00	-17.23	33.58	3	Horizontal	180	1.39	-	23.19	27.63	5.95	-
PK	2.4566G	118.19	Inf	-Inf	33.43	3	Horizontal	180	1.39	-	84.76	27.40	6.03	-
PK	2.4846G	57.82	74.00	-16.18	33.46	3	Horizontal	180	1.39	-	24.36	27.40	6.06	-

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	48.80	54.00	-5.20	5.13	3	Vertical	124	2.37	-	43.67	31.06	8.32	34.25
AV	7.37134G	49.30	54.00	-4.70	11.62	3	Vertical	188	1.79	-	37.68	36.16	10.04	34.58
PK	4.91388G	51.70	74.00	-22.30	5.13	3	Vertical	124	2.37	-	46.57	31.06	8.32	34.25
PK	7.37028G	57.16	74.00	-16.84	11.62	3	Vertical	188	1.79	-	45.54	36.16	10.04	34.58

11b-10M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91394G	48.92	54.00	-5.08	5.13	3	Horizontal	178	3.00	-	43.79	31.06	8.32	34.25
AV	7.3713G	42.56	54.00	-11.44	11.62	3	Horizontal	65	1.06	-	30.94	36.16	10.04	34.58
PK	4.91404G	51.73	74.00	-22.27	5.13	3	Horizontal	178	3.00	-	46.60	31.06	8.32	34.25
PK	7.3703G	53.19	74.00	-20.81	11.62	3	Horizontal	65	1.06	-	41.57	36.16	10.04	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3652G	45.91	54.00	-8.09	33.60	3	Vertical	253	1.59	-	12.31	27.67	5.93	-
AV	2.4616G	115.73	Inf	-Inf	33.43	3	Vertical	253	1.59	-	82.30	27.40	6.03	-
AV	2.4835G	47.94	54.00	-6.06	33.46	3	Vertical	253	1.59	-	14.48	27.40	6.06	-
PK	2.3824G	56.80	74.00	-17.20	33.59	3	Vertical	253	1.59	-	23.21	27.64	5.95	-
PK	2.4616G	120.64	Inf	-Inf	33.43	3	Vertical	253	1.59	-	87.21	27.40	6.03	-
PK	2.484G	59.75	74.00	-14.25	33.46	3	Vertical	253	1.59	-	26.29	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.364G	45.90	54.00	-8.10	33.60	3	Horizontal	180	1.37	-	12.30	27.67	5.93	-
AV	2.4624G	111.47	Inf	-Inf	33.43	3	Horizontal	180	1.37	-	78.04	27.40	6.03	-
AV	2.484G	47.17	54.00	-6.83	33.46	3	Horizontal	180	1.37	-	13.71	27.40	6.06	-
PK	2.3704G	56.45	74.00	-17.55	33.60	3	Horizontal	180	1.37	-	22.85	27.66	5.94	-
PK	2.4628G	116.40	Inf	-Inf	33.44	3	Horizontal	180	1.37	-	82.96	27.40	6.04	-
PK	2.484G	57.02	74.00	-16.98	33.46	3	Horizontal	180	1.37	-	23.56	27.40	6.06	-

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92394G	50.70	54.00	-3.30	5.18	3	Vertical	83	1.07	-	45.52	31.10	8.33	34.25
AV	7.3855G	42.35	54.00	-11.65	11.60	3	Vertical	191	1.67	-	30.75	36.13	10.05	34.58
PK	4.92394G	53.80	74.00	-20.20	5.18	3	Vertical	83	1.07	-	48.62	31.10	8.33	34.25
PK	7.3856G	52.49	74.00	-21.51	11.60	3	Vertical	191	1.67	-	40.89	36.13	10.05	34.58

11b-10M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92394G	48.88	54.00	-5.12	5.18	3	Horizontal	150	1.11	-	43.70	31.10	8.33	34.25
AV	7.38652G	36.77	54.00	-17.23	11.60	3	Horizontal	190	1.85	-	25.17	36.13	10.05	34.58
PK	4.92398G	52.47	74.00	-21.53	5.18	3	Horizontal	150	1.11	-	47.29	31.10	8.33	34.25
PK	7.38524G	50.62	74.00	-23.38	11.60	3	Horizontal	190	1.85	-	39.02	36.13	10.05	34.58

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3868G	46.19	54.00	-7.81	33.58	3	Vertical	322	2.60	-	12.61	27.63	5.95	-
AV	2.4128G	106.76	Inf	-Inf	33.53	3	Vertical	322	2.60	-	73.23	27.55	5.98	-
AV	2.4844G	45.47	54.00	-8.53	33.46	3	Vertical	322	2.60	-	12.01	27.40	6.06	-
PK	2.3188G	57.72	74.00	-16.28	33.72	3	Vertical	322	2.60	-	24.00	27.82	5.90	-
PK	2.4128G	110.85	Inf	-Inf	33.53	3	Vertical	322	2.60	-	77.32	27.55	5.98	-
PK	2.5G	56.53	74.00	-17.47	33.48	3	Vertical	322	2.60	-	23.05	27.40	6.08	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.312G	45.78	54.00	-8.22	33.74	3	Horizontal	296	3.00	-	12.04	27.85	5.89	-
AV	2.4128G	101.73	Inf	-Inf	33.53	3	Horizontal	296	3.00	-	68.20	27.55	5.98	-
AV	2.496G	45.42	54.00	-8.58	33.48	3	Horizontal	296	3.00	-	11.94	27.40	6.08	-
PK	2.33G	56.79	74.00	-17.21	33.69	3	Horizontal	296	3.00	-	23.10	27.78	5.91	-
PK	2.4132G	105.69	Inf	-Inf	33.53	3	Horizontal	296	3.00	-	72.16	27.55	5.98	-
PK	2.4972G	56.87	74.00	-17.13	33.48	3	Horizontal	296	3.00	-	23.39	27.40	6.08	-

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82394G	50.35	54.00	-3.65	4.99	3	Vertical	242	2.34	-	45.36	31.00	8.27	34.28
PK	4.82398G	53.08	74.00	-20.92	4.99	3	Vertical	242	2.34	-	48.09	31.00	8.27	34.28

11b-20M_Nss1_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	50.71	54.00	-3.29	4.99	3	Horizontal	124	1.04	-	45.72	31.00	8.27	34.28
PK	4.82402G	53.37	74.00	-20.63	4.99	3	Horizontal	124	1.04	-	48.38	31.00	8.27	34.28

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.15	54.00	-7.85	33.57	3	Vertical	324	2.14	-	12.58	27.62	5.95	-
AV	2.4178G	107.19	Inf	-Inf	33.51	3	Vertical	324	2.14	-	73.68	27.53	5.98	-
AV	2.4835G	45.51	54.00	-8.49	33.46	3	Vertical	324	2.14	-	12.05	27.40	6.06	-
PK	2.3594G	57.16	74.00	-16.84	33.61	3	Vertical	324	2.14	-	23.55	27.68	5.93	-
PK	2.4178G	111.25	Inf	-Inf	33.51	3	Vertical	324	2.14	-	77.74	27.53	5.98	-
PK	2.4946G	57.36	74.00	-16.64	33.47	3	Vertical	324	2.14	-	23.89	27.40	6.07	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3182G	45.80	54.00	-8.20	33.73	3	Horizontal	297	2.93	-	12.07	27.83	5.90	-
AV	2.4178G	101.85	Inf	-Inf	33.51	3	Horizontal	297	2.93	-	68.34	27.53	5.98	-
AV	2.4986G	45.48	54.00	-8.52	33.48	3	Horizontal	297	2.93	-	12.00	27.40	6.08	-
PK	2.3194G	57.97	74.00	-16.03	33.72	3	Horizontal	297	2.93	-	24.25	27.82	5.90	-
PK	2.4178G	105.83	Inf	-Inf	33.51	3	Horizontal	297	2.93	-	72.32	27.53	5.98	-
PK	2.493G	56.62	74.00	-17.38	33.47	3	Horizontal	297	2.93	-	23.15	27.40	6.07	-

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	50.63	54.00	-3.37	5.03	3	Vertical	241	2.33	-	45.60	31.04	8.27	34.28
PK	4.83389G	53.19	74.00	-20.81	5.03	3	Vertical	241	2.33	-	48.16	31.04	8.27	34.28

11b-20M_Nss1_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83395G	50.06	54.00	-3.94	5.03	3	Horizontal	126	1.00	-	45.03	31.04	8.27	34.28
PK	4.83401G	52.69	74.00	-21.31	5.03	3	Horizontal	126	1.00	-	47.66	31.04	8.27	34.28

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.20	54.00	-4.80	33.57	3	Vertical	269	1.18	-	15.63	27.62	5.95	-
AV	2.4354G	110.39	Inf	-Inf	33.46	3	Vertical	269	1.18	-	76.93	27.46	6.00	-
AV	2.4838G	49.74	54.00	-4.26	33.46	3	Vertical	269	1.18	-	16.28	27.40	6.06	-
PK	2.387G	57.32	74.00	-16.68	33.58	3	Vertical	269	1.18	-	23.74	27.63	5.95	-
PK	2.4362G	114.10	Inf	-Inf	33.46	3	Vertical	269	1.18	-	80.64	27.46	6.00	-
PK	2.4842G	59.17	74.00	-14.83	33.46	3	Vertical	269	1.18	-	25.71	27.40	6.06	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	46.92	54.00	-7.08	33.58	3	Horizontal	295	3.00	-	13.34	27.63	5.95	-
AV	2.4362G	107.93	Inf	-Inf	33.46	3	Horizontal	295	3.00	-	74.47	27.46	6.00	-
AV	2.4838G	50.84	54.00	-3.16	33.46	3	Horizontal	295	3.00	-	17.38	27.40	6.06	-
PK	2.3866G	57.62	74.00	-16.38	33.58	3	Horizontal	295	3.00	-	24.04	27.63	5.95	-
PK	2.4362G	111.74	Inf	-Inf	33.46	3	Horizontal	295	3.00	-	78.28	27.46	6.00	-
PK	2.4835G	59.45	74.00	-14.55	33.46	3	Horizontal	295	3.00	-	25.99	27.40	6.06	-

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	50.34	54.00	-3.66	5.09	3	Vertical	235	1.91	-	45.25	31.05	8.30	34.26
AV	7.31166G	50.56	54.00	-3.44	11.81	3	Vertical	193	1.71	-	38.75	36.35	10.03	34.57
PK	4.87399G	54.12	74.00	-19.88	5.09	3	Vertical	235	1.91	-	49.03	31.05	8.30	34.26
PK	7.31208G	56.36	74.00	-17.64	11.81	3	Vertical	193	1.71	-	44.55	36.35	10.03	34.57

11b-20M_Nss1_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	48.91	54.00	-5.09	5.09	3	Horizontal	144	1.00	-	43.82	31.05	8.30	34.26
AV	7.31166G	47.03	54.00	-6.97	11.81	3	Horizontal	166	2.30	-	35.22	36.35	10.03	34.57
PK	4.87391G	52.73	74.00	-21.27	5.09	3	Horizontal	144	1.00	-	47.64	31.05	8.30	34.26
PK	7.31154G	54.07	74.00	-19.93	11.81	3	Horizontal	166	2.30	-	42.26	36.35	10.03	34.57

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3594G	45.58	54.00	-8.42	33.61	3	Vertical	250	1.17	-	11.97	27.68	5.93	-
AV	2.4578G	110.08	Inf	-Inf	33.43	3	Vertical	250	1.17	-	76.65	27.40	6.03	-
AV	2.4838G	46.75	54.00	-7.25	33.46	3	Vertical	250	1.17	-	13.29	27.40	6.06	-
PK	2.3634G	57.46	74.00	-16.54	33.60	3	Vertical	250	1.17	-	23.86	27.67	5.93	-
PK	2.4582G	114.15	Inf	-Inf	33.43	3	Vertical	250	1.17	-	80.72	27.40	6.03	-
PK	2.4974G	57.37	74.00	-16.63	33.48	3	Vertical	250	1.17	-	23.89	27.40	6.08	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3574G	45.60	54.00	-8.40	33.62	3	Horizontal	293	2.64	-	11.98	27.69	5.93	-
AV	2.4562G	105.37	Inf	-Inf	33.43	3	Horizontal	293	2.64	-	71.94	27.40	6.03	-
AV	2.4838G	46.55	54.00	-7.45	33.46	3	Horizontal	293	2.64	-	13.09	27.40	6.06	-
PK	2.3874G	56.72	74.00	-17.28	33.58	3	Horizontal	293	2.64	-	23.14	27.63	5.95	-
PK	2.4562G	109.04	Inf	-Inf	33.43	3	Horizontal	293	2.64	-	75.61	27.40	6.03	-
PK	2.4835G	56.75	74.00	-17.25	33.46	3	Horizontal	293	2.64	-	23.29	27.40	6.06	-

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91394G	50.79	54.00	-3.21	5.13	3	Vertical	92	1.24	-	45.66	31.06	8.32	34.25
AV	7.37172G	37.54	54.00	-16.46	11.62	3	Vertical	191	1.49	-	25.92	36.16	10.04	34.58
PK	4.91394G	53.05	74.00	-20.95	5.13	3	Vertical	92	1.24	-	47.92	31.06	8.32	34.25
PK	7.37232G	49.39	74.00	-24.61	11.62	3	Vertical	191	1.49	-	37.77	36.16	10.04	34.58

11b-20M_Nss1_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91394G	47.67	54.00	-6.33	5.13	3	Horizontal	154	1.49	-	42.54	31.06	8.32	34.25
AV	7.37172G	36.45	54.00	-17.55	11.62	3	Horizontal	68	2.37	-	24.83	36.16	10.04	34.58
PK	4.91394G	50.33	74.00	-23.67	5.13	3	Horizontal	154	1.49	-	45.20	31.06	8.32	34.25
PK	7.36524G	48.58	74.00	-25.42	11.63	3	Horizontal	68	2.37	-	36.95	36.17	10.04	34.58

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3864G	45.58	54.00	-8.42	33.58	3	Vertical	287	1.60	-	12.00	27.63	5.95	-
AV	2.4612G	112.10	Inf	-Inf	33.43	3	Vertical	287	1.60	-	78.67	27.40	6.03	-
AV	2.484G	47.35	54.00	-6.65	33.46	3	Vertical	287	1.60	-	13.89	27.40	6.06	-
PK	2.374G	57.49	74.00	-16.51	33.59	3	Vertical	287	1.60	-	23.90	27.65	5.94	-
PK	2.4612G	115.91	Inf	-Inf	33.43	3	Vertical	287	1.60	-	82.48	27.40	6.03	-
PK	2.4848G	58.50	74.00	-15.50	33.46	3	Vertical	287	1.60	-	25.04	27.40	6.06	-

11b-20M_Nss1_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3628G	45.56	54.00	-8.44	33.60	3	Horizontal	294	3.00	-	11.96	27.67	5.93	-
AV	2.4612G	107.71	Inf	-Inf	33.43	3	Horizontal	294	3.00	-	74.28	27.40	6.03	-
AV	2.4835G	46.65	54.00	-7.35	33.46	3	Horizontal	294	3.00	-	13.19	27.40	6.06	-
PK	2.374G	57.13	74.00	-16.87	33.59	3	Horizontal	294	3.00	-	23.54	27.65	5.94	-
PK	2.4612G	111.42	Inf	-Inf	33.43	3	Horizontal	294	3.00	-	77.99	27.40	6.03	-
PK	2.4844G	57.48	74.00	-16.52	33.46	3	Horizontal	294	3.00	-	24.02	27.40	6.06	-

11b-20M_Nss1_2TX

2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92394G	50.79	54.00	-3.21	5.18	3	Vertical	93	1.50	-	45.61	31.10	8.33	34.25
AV	7.38486G	38.15	54.00	-15.85	11.60	3	Vertical	190	1.50	-	26.55	36.13	10.05	34.58
PK	4.92394G	52.94	74.00	-21.06	5.18	3	Vertical	93	1.50	-	47.76	31.10	8.33	34.25
PK	7.38552G	49.64	74.00	-24.36	11.60	3	Vertical	190	1.50	-	38.04	36.13	10.05	34.58