



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	AV	15.54174G	50.34	54.00	-3.66	3	Vertical	276	2.92	-
11a-10M_Nss1_2TX	Pass	AV	15.72048G	50.33	54.00	-3.67	3	Horizontal	178	0.99	-
11a-20M_Nss1_2TX	Pass	AV	5.1484G	50.76	54.00	-3.24	3	Vertical	245	2.15	-
11n-5M_Nss1_2TX	Pass	AV	15.7203G	50.68	54.00	-3.32	3	Vertical	288	2.72	-
11n-10M_Nss1_2TX	Pass	AV	15.6004G	50.92	54.00	-3.08	3	Vertical	279	2.84	-
802.11ac VHT20_Nss1_2TX	Pass	AV	5.1494G	50.98	54.00	-3.02	3	Vertical	245	1.20	-
802.11ac VHT40_Nss1_2TX	Pass	AV	5.1496G	50.61	54.00	-3.39	3	Vertical	237	1.49	-
802.11ac VHT80_Nss1_2TX	Pass	AV	5.144G	51.00	54.00	-3.00	3	Vertical	259	2.32	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	AV	11.49084G	50.95	54.00	-3.05	3	Vertical	83	1.94	-
11a-10M_Nss1_2TX	Pass	AV	11.48892G	50.98	54.00	-3.02	3	Vertical	15	1.92	-
11a-20M_Nss1_2TX	Pass	AV	11.48872G	50.92	54.00	-3.08	3	Vertical	15	3.00	-
11n-5M_Nss1_2TX	Pass	PK	17.23474G	64.94	68.20	-3.26	3	Horizontal	126	2.76	-
11n-10M_Nss1_2TX	Pass	PK	17.35615G	65.18	68.20	-3.02	3	Horizontal	128	2.07	-
802.11ac VHT20_Nss1_2TX	Pass	AV	11.48656G	50.86	54.00	-3.14	3	Vertical	238	2.14	-
802.11ac VHT40_Nss1_2TX	Pass	PK	17.38284G	63.71	68.20	-4.49	3	Vertical	326	3.00	-
802.11ac VHT80_Nss1_2TX	Pass	PK	5.649G	63.68	68.20	-4.52	3	Vertical	244	1.36	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11a-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1478G	49.20	54.00	-4.80	3	Vertical	248	2.17	-
5180MHz	Pass	AV	5.1802G	112.44	Inf	-Inf	3	Vertical	248	2.17	-
5180MHz	Pass	PK	5.1472G	61.80	74.00	-12.20	3	Vertical	248	2.17	-
5180MHz	Pass	PK	5.1802G	124.13	Inf	-Inf	3	Vertical	248	2.17	-
5180MHz	Pass	AV	5.1486G	45.45	54.00	-8.55	3	Horizontal	296	3.00	-
5180MHz	Pass	AV	5.1804G	103.26	Inf	-Inf	3	Horizontal	296	3.00	-
5180MHz	Pass	PK	5.1462G	58.76	74.00	-15.24	3	Horizontal	296	3.00	-
5180MHz	Pass	PK	5.18G	115.23	Inf	-Inf	3	Horizontal	296	3.00	-
5180MHz	Pass	AV	15.54174G	50.34	54.00	-3.66	3	Vertical	276	2.92	-
5180MHz	Pass	PK	10.35938G	56.50	68.20	-11.70	3	Vertical	166	2.95	-
5180MHz	Pass	PK	15.54172G	67.79	74.00	-6.21	3	Vertical	276	2.92	-
5180MHz	Pass	AV	15.54158G	43.02	54.00	-10.98	3	Horizontal	168	2.04	-
5180MHz	Pass	PK	10.36064G	53.02	68.20	-15.18	3	Horizontal	235	3.00	-
5180MHz	Pass	PK	15.53998G	58.09	74.00	-15.91	3	Horizontal	168	2.04	-
5200MHz	Pass	AV	5.15G	46.18	54.00	-7.82	3	Vertical	247	2.15	-
5200MHz	Pass	AV	5.2G	111.67	Inf	-Inf	3	Vertical	247	2.15	-
5200MHz	Pass	PK	5.1464G	58.74	74.00	-15.26	3	Vertical	247	2.15	-
5200MHz	Pass	PK	5.2016G	122.78	Inf	-Inf	3	Vertical	247	2.15	-
5200MHz	Pass	AV	5.1488G	43.63	54.00	-10.37	3	Horizontal	83	1.09	-
5200MHz	Pass	AV	5.2012G	96.00	Inf	-Inf	3	Horizontal	83	1.09	-
5200MHz	Pass	PK	5.1436G	56.24	74.00	-17.76	3	Horizontal	83	1.09	-
5200MHz	Pass	PK	5.202G	107.72	Inf	-Inf	3	Horizontal	83	1.09	-
5200MHz	Pass	AV	15.60132G	46.27	54.00	-7.73	3	Vertical	258	2.56	-
5200MHz	Pass	PK	10.40094G	58.52	68.20	-9.68	3	Vertical	338	3.00	-
5200MHz	Pass	PK	15.60184G	63.27	74.00	-10.73	3	Vertical	258	2.56	-
5200MHz	Pass	AV	15.60124G	43.09	54.00	-10.91	3	Horizontal	177	0.99	-
5200MHz	Pass	PK	10.40038G	54.48	68.20	-13.72	3	Horizontal	235	3.00	-
5200MHz	Pass	PK	15.60194G	60.87	74.00	-13.13	3	Horizontal	177	0.99	-
5240MHz	Pass	AV	5.1446G	46.71	54.00	-7.29	3	Vertical	247	1.26	-
5240MHz	Pass	AV	5.24G	111.71	Inf	-Inf	3	Vertical	247	1.26	-
5240MHz	Pass	AV	5.35G	43.45	54.00	-10.55	3	Vertical	247	1.26	-
5240MHz	Pass	PK	5.144G	57.27	74.00	-16.73	3	Vertical	247	1.26	-
5240MHz	Pass	PK	5.24G	123.25	Inf	-Inf	3	Vertical	247	1.26	-
5240MHz	Pass	PK	5.3774G	57.95	74.00	-16.05	3	Vertical	247	1.26	-
5240MHz	Pass	AV	5.1446G	43.88	54.00	-10.12	3	Horizontal	170	2.36	-
5240MHz	Pass	AV	5.2406G	100.48	Inf	-Inf	3	Horizontal	170	2.36	-
5240MHz	Pass	AV	5.3648G	43.29	54.00	-10.71	3	Horizontal	170	2.36	-
5240MHz	Pass	PK	5.1164G	56.97	74.00	-17.03	3	Horizontal	170	2.36	-
5240MHz	Pass	PK	5.24G	112.33	Inf	-Inf	3	Horizontal	170	2.36	-
5240MHz	Pass	PK	5.3588G	55.75	74.00	-18.25	3	Horizontal	170	2.36	-
5240MHz	Pass	AV	15.72092G	50.17	54.00	-3.83	3	Vertical	267	2.75	-
5240MHz	Pass	PK	10.48178G	55.99	68.20	-12.21	3	Vertical	356	2.41	-
5240MHz	Pass	PK	15.7236G	67.39	74.00	-6.61	3	Vertical	267	2.75	-
5240MHz	Pass	AV	15.72122G	46.22	54.00	-7.78	3	Horizontal	179	0.99	-
5240MHz	Pass	PK	10.47916G	52.70	68.20	-15.50	3	Horizontal	234	2.86	-
5240MHz	Pass	PK	15.7219G	63.78	74.00	-10.22	3	Horizontal	179	0.99	-
5745MHz	Pass	AV	5.7462G	100.79	Inf	-Inf	3	Vertical	248	1.40	-
5745MHz	Pass	PK	5.6046G	55.83	68.20	-12.37	3	Vertical	248	1.40	-
5745MHz	Pass	PK	5.7462G	112.87	Inf	-Inf	3	Vertical	248	1.40	-
5745MHz	Pass	PK	5.9646G	57.22	68.20	-10.98	3	Vertical	248	1.40	-
5745MHz	Pass	AV	5.745G	100.94	Inf	-Inf	3	Horizontal	141	1.00	-
5745MHz	Pass	PK	5.6394G	55.75	68.20	-12.45	3	Horizontal	141	1.00	-
5745MHz	Pass	PK	5.7462G	112.31	Inf	-Inf	3	Horizontal	141	1.00	-
5745MHz	Pass	PK	5.9826G	57.03	68.20	-11.17	3	Horizontal	141	1.00	-
5745MHz	Pass	AV	11.49084G	50.95	54.00	-3.05	3	Vertical	83	1.94	-
5745MHz	Pass	PK	11.4918G	65.17	74.00	-8.83	3	Vertical	83	1.94	-
5745MHz	Pass	PK	17.23554G	56.81	68.20	-11.39	3	Vertical	323	2.32	-
5745MHz	Pass	AV	11.4906G	45.82	54.00	-8.18	3	Horizontal	89	1.00	-
5745MHz	Pass	PK	11.48928G	58.86	74.00	-15.14	3	Horizontal	89	1.00	-
5745MHz	Pass	PK	17.2365G	53.63	68.20	-14.57	3	Horizontal	169	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.785G	110.43	Inf	-Inf	3	Vertical	248	1.47	-
5785MHz	Pass	PK	5.593G	55.88	68.20	-12.32	3	Vertical	248	1.47	-
5785MHz	Pass	PK	5.785G	122.32	Inf	-Inf	3	Vertical	248	1.47	-
5785MHz	Pass	PK	5.9362G	57.20	68.20	-11.00	3	Vertical	248	1.47	-
5785MHz	Pass	AV	5.7862G	110.10	Inf	-Inf	3	Horizontal	141	1.00	-
5785MHz	Pass	PK	5.6482G	55.81	68.20	-12.39	3	Horizontal	141	1.00	-
5785MHz	Pass	PK	5.7862G	120.01	Inf	-Inf	3	Horizontal	141	1.00	-
5785MHz	Pass	PK	5.9626G	57.04	68.20	-11.16	3	Horizontal	141	1.00	-
5785MHz	Pass	AV	11.57086G	50.86	54.00	-3.14	3	Vertical	242	2.31	-
5785MHz	Pass	PK	11.56958G	65.52	74.00	-8.48	3	Vertical	242	2.31	-
5785MHz	Pass	PK	17.3565G	59.55	68.20	-8.65	3	Vertical	320	2.67	-
5785MHz	Pass	AV	11.57174G	47.47	54.00	-6.53	3	Horizontal	176	3.00	-
5785MHz	Pass	PK	11.57168G	60.84	74.00	-13.16	3	Horizontal	176	3.00	-
5785MHz	Pass	PK	17.3619G	54.85	68.20	-13.35	3	Horizontal	236	1.49	-
5825MHz	Pass	AV	5.825G	106.58	Inf	-Inf	3	Vertical	242	1.43	-
5825MHz	Pass	PK	5.5478G	56.01	68.20	-12.19	3	Vertical	242	1.43	-
5825MHz	Pass	PK	5.8262G	117.22	Inf	-Inf	3	Vertical	242	1.43	-
5825MHz	Pass	PK	5.951G	57.07	68.20	-11.13	3	Vertical	242	1.43	-
5825MHz	Pass	AV	5.825G	106.11	Inf	-Inf	3	Horizontal	142	1.00	-
5825MHz	Pass	PK	5.6486G	55.71	68.20	-12.49	3	Horizontal	142	1.00	-
5825MHz	Pass	PK	5.825G	116.50	Inf	-Inf	3	Horizontal	142	1.00	-
5825MHz	Pass	PK	5.9762G	57.21	68.20	-10.99	3	Horizontal	142	1.00	-
5825MHz	Pass	AV	11.65054G	50.93	54.00	-3.07	3	Vertical	163	2.21	-
5825MHz	Pass	PK	11.6518G	63.94	74.00	-10.06	3	Vertical	163	2.21	-
5825MHz	Pass	PK	17.475G	63.19	68.20	-5.01	3	Vertical	325	2.54	-
5825MHz	Pass	AV	11.65168G	40.94	54.00	-13.06	3	Horizontal	38	1.00	-
5825MHz	Pass	PK	11.65078G	54.30	74.00	-19.70	3	Horizontal	38	1.00	-
5825MHz	Pass	PK	17.47782G	57.67	68.20	-10.53	3	Horizontal	177	1.99	-
11a-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.08	54.00	-4.92	3	Vertical	249	2.15	-
5180MHz	Pass	AV	5.1796G	111.87	Inf	-Inf	3	Vertical	249	2.15	-
5180MHz	Pass	PK	5.1494G	63.20	74.00	-10.80	3	Vertical	249	2.15	-
5180MHz	Pass	PK	5.1794G	122.80	Inf	-Inf	3	Vertical	249	2.15	-
5180MHz	Pass	AV	5.1496G	44.49	54.00	-9.51	3	Horizontal	305	2.20	-
5180MHz	Pass	AV	5.1812G	101.63	Inf	-Inf	3	Horizontal	305	2.20	-
5180MHz	Pass	PK	5.149G	57.13	74.00	-16.87	3	Horizontal	305	2.20	-
5180MHz	Pass	PK	5.1788G	112.61	Inf	-Inf	3	Horizontal	305	2.20	-
5180MHz	Pass	AV	15.54096G	49.70	54.00	-4.30	3	Vertical	261	2.99	-
5180MHz	Pass	PK	10.36136G	53.39	68.20	-14.81	3	Vertical	261	2.99	-
5180MHz	Pass	PK	15.53856G	65.55	74.00	-8.45	3	Vertical	261	2.99	-
5180MHz	Pass	AV	15.53946G	44.89	54.00	-9.11	3	Horizontal	180	0.99	-
5180MHz	Pass	PK	10.354G	52.05	68.20	-16.15	3	Horizontal	145	2.16	-
5180MHz	Pass	PK	15.53652G	60.24	74.00	-13.76	3	Horizontal	180	0.99	-
5200MHz	Pass	AV	5.1496G	45.48	54.00	-8.52	3	Vertical	240	1.49	-
5200MHz	Pass	AV	5.1992G	110.30	Inf	-Inf	3	Vertical	240	1.49	-
5200MHz	Pass	PK	5.146G	57.74	74.00	-16.26	3	Vertical	240	1.49	-
5200MHz	Pass	PK	5.1992G	121.58	Inf	-Inf	3	Vertical	240	1.49	-
5200MHz	Pass	AV	5.15G	43.79	54.00	-10.21	3	Horizontal	70	1.48	-
5200MHz	Pass	AV	5.1996G	100.02	Inf	-Inf	3	Horizontal	70	1.48	-
5200MHz	Pass	PK	5.1412G	56.89	74.00	-17.11	3	Horizontal	70	1.48	-
5200MHz	Pass	PK	5.1984G	111.07	Inf	-Inf	3	Horizontal	70	1.48	-
5200MHz	Pass	AV	15.59964G	49.68	54.00	-4.32	3	Vertical	258	2.95	-
5200MHz	Pass	PK	10.39982G	56.41	68.20	-11.79	3	Vertical	181	2.14	-
5200MHz	Pass	PK	15.60222G	66.62	74.00	-7.38	3	Vertical	258	2.95	-
5200MHz	Pass	AV	15.59802G	46.86	54.00	-7.14	3	Horizontal	178	0.99	-
5200MHz	Pass	PK	10.40144G	52.60	68.20	-15.60	3	Horizontal	235	3.00	-
5200MHz	Pass	PK	15.59802G	64.16	74.00	-9.84	3	Horizontal	178	0.99	-
5240MHz	Pass	AV	5.144G	44.81	54.00	-9.19	3	Vertical	254	2.11	-
5240MHz	Pass	AV	5.2388G	111.43	Inf	-Inf	3	Vertical	254	2.11	-
5240MHz	Pass	AV	5.3738G	43.30	54.00	-10.70	3	Vertical	254	2.11	-
5240MHz	Pass	PK	5.1434G	58.00	74.00	-16.00	3	Vertical	254	2.11	-
5240MHz	Pass	PK	5.2388G	122.67	Inf	-Inf	3	Vertical	254	2.11	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.375G	55.91	74.00	-18.09	3	Vertical	254	2.11	-
5240MHz	Pass	AV	5.1458G	43.65	54.00	-10.35	3	Horizontal	175	2.59	-
5240MHz	Pass	AV	5.2412G	100.79	Inf	-Inf	3	Horizontal	175	2.59	-
5240MHz	Pass	AV	5.3726G	43.08	54.00	-10.92	3	Horizontal	175	2.59	-
5240MHz	Pass	PK	5.144G	57.01	74.00	-16.99	3	Horizontal	175	2.59	-
5240MHz	Pass	PK	5.2394G	111.53	Inf	-Inf	3	Horizontal	175	2.59	-
5240MHz	Pass	PK	5.3606G	56.03	74.00	-17.97	3	Horizontal	175	2.59	-
5240MHz	Pass	AV	15.7194G	50.31	54.00	-3.69	3	Vertical	308	2.81	-
5240MHz	Pass	PK	10.48006G	56.22	68.20	-11.98	3	Vertical	176	1.99	-
5240MHz	Pass	PK	15.72048G	66.90	74.00	-7.10	3	Vertical	308	2.81	-
5240MHz	Pass	AV	15.72048G	50.33	54.00	-3.67	3	Horizontal	178	0.99	-
5240MHz	Pass	PK	10.47238G	51.38	68.20	-16.82	3	Horizontal	46	1.21	-
5240MHz	Pass	PK	15.72042G	66.27	74.00	-7.73	3	Horizontal	178	0.99	-
5745MHz	Pass	AV	5.7438G	107.82	Inf	-Inf	3	Vertical	261	2.13	-
5745MHz	Pass	PK	5.643G	55.92	68.20	-12.28	3	Vertical	261	2.13	-
5745MHz	Pass	PK	5.7438G	118.92	Inf	-Inf	3	Vertical	261	2.13	-
5745MHz	Pass	PK	5.9262G	57.79	68.20	-10.41	3	Vertical	261	2.13	-
5745MHz	Pass	AV	5.745G	102.68	Inf	-Inf	3	Horizontal	171	2.41	-
5745MHz	Pass	PK	5.5638G	56.02	68.20	-12.18	3	Horizontal	171	2.41	-
5745MHz	Pass	PK	5.7438G	113.38	Inf	-Inf	3	Horizontal	171	2.41	-
5745MHz	Pass	PK	5.9898G	57.66	68.20	-10.54	3	Horizontal	171	2.41	-
5745MHz	Pass	AV	11.48892G	50.98	54.00	-3.02	3	Vertical	15	1.92	-
5745MHz	Pass	PK	11.4888G	64.93	74.00	-9.07	3	Vertical	15	1.92	-
5745MHz	Pass	PK	17.23554G	63.92	68.20	-4.28	3	Vertical	29	2.95	-
5745MHz	Pass	AV	11.48944G	45.22	54.00	-8.78	3	Horizontal	183	2.08	-
5745MHz	Pass	PK	11.48928G	58.56	74.00	-15.44	3	Horizontal	183	2.08	-
5745MHz	Pass	PK	17.23344G	63.19	68.20	-5.01	3	Horizontal	66	1.92	-
5785MHz	Pass	AV	5.7838G	108.36	Inf	-Inf	3	Vertical	244	2.15	-
5785MHz	Pass	PK	5.623G	56.07	68.20	-12.13	3	Vertical	244	2.15	-
5785MHz	Pass	PK	5.7838G	118.87	Inf	-Inf	3	Vertical	244	2.15	-
5785MHz	Pass	PK	5.9854G	56.74	68.20	-11.46	3	Vertical	244	2.15	-
5785MHz	Pass	AV	5.7862G	102.67	Inf	-Inf	3	Horizontal	167	2.25	-
5785MHz	Pass	PK	5.5306G	56.08	68.20	-12.12	3	Horizontal	167	2.25	-
5785MHz	Pass	PK	5.7826G	113.63	Inf	-Inf	3	Horizontal	167	2.25	-
5785MHz	Pass	PK	5.9422G	57.57	68.20	-10.63	3	Horizontal	167	2.25	-
5785MHz	Pass	AV	11.5692G	50.89	54.00	-3.11	3	Vertical	358	2.07	-
5785MHz	Pass	PK	11.569G	64.27	74.00	-9.73	3	Vertical	358	2.07	-
5785MHz	Pass	PK	17.35696G	63.27	68.20	-4.93	3	Vertical	322	1.90	-
5785MHz	Pass	AV	11.5694G	44.48	54.00	-9.52	3	Horizontal	195	2.08	-
5785MHz	Pass	PK	11.56988G	57.95	74.00	-16.05	3	Horizontal	195	2.08	-
5785MHz	Pass	PK	17.35664G	59.10	68.20	-9.10	3	Horizontal	328	1.92	-
5825MHz	Pass	AV	5.8238G	106.13	Inf	-Inf	3	Vertical	248	1.27	-
5825MHz	Pass	PK	5.5946G	56.04	68.20	-12.16	3	Vertical	248	1.27	-
5825MHz	Pass	PK	5.8262G	117.17	Inf	-Inf	3	Vertical	248	1.27	-
5825MHz	Pass	PK	5.9378G	57.39	68.20	-10.81	3	Vertical	248	1.27	-
5825MHz	Pass	AV	5.8238G	100.66	Inf	-Inf	3	Horizontal	167	2.34	-
5825MHz	Pass	PK	5.6438G	55.75	68.20	-12.45	3	Horizontal	167	2.34	-
5825MHz	Pass	PK	5.8262G	111.46	Inf	-Inf	3	Horizontal	167	2.34	-
5825MHz	Pass	PK	5.9738G	57.26	68.20	-10.94	3	Horizontal	167	2.34	-
5825MHz	Pass	AV	11.64916G	50.82	54.00	-3.18	3	Vertical	16	2.24	-
5825MHz	Pass	PK	11.6515G	64.25	74.00	-9.75	3	Vertical	16	2.24	-
5825MHz	Pass	PK	17.46988G	63.04	68.20	-5.16	3	Vertical	327	3.00	-
5825MHz	Pass	AV	11.64922G	44.85	54.00	-9.15	3	Horizontal	165	3.00	-
5825MHz	Pass	PK	11.64958G	57.86	74.00	-16.14	3	Horizontal	165	3.00	-
5825MHz	Pass	PK	17.47542G	58.13	68.20	-10.07	3	Horizontal	67	1.92	-
11a-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	50.76	54.00	-3.24	3	Vertical	245	2.15	-
5180MHz	Pass	AV	5.1764G	108.20	Inf	-Inf	3	Vertical	245	2.15	-
5180MHz	Pass	PK	5.15G	64.20	74.00	-9.80	3	Vertical	245	2.15	-
5180MHz	Pass	PK	5.1792G	118.88	Inf	-Inf	3	Vertical	245	2.15	-
5180MHz	Pass	AV	5.1496G	45.02	54.00	-8.98	3	Horizontal	69	1.33	-
5180MHz	Pass	AV	5.1792G	96.12	Inf	-Inf	3	Horizontal	69	1.33	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1484G	56.83	74.00	-17.17	3	Horizontal	69	1.33	-
5180MHz	Pass	PK	5.1788G	105.91	Inf	-Inf	3	Horizontal	69	1.33	-
5180MHz	Pass	AV	15.5414G	48.93	54.00	-5.07	3	Vertical	323	2.64	-
5180MHz	Pass	PK	10.36408G	53.69	68.20	-14.51	3	Vertical	47	1.07	-
5180MHz	Pass	PK	15.5362G	63.95	74.00	-10.05	3	Vertical	323	2.64	-
5180MHz	Pass	AV	15.5398G	43.58	54.00	-10.42	3	Horizontal	167	3.00	-
5180MHz	Pass	PK	10.3676G	52.57	68.20	-15.63	3	Horizontal	142	2.39	-
5180MHz	Pass	PK	15.54536G	57.87	74.00	-16.13	3	Horizontal	167	3.00	-
5200MHz	Pass	AV	5.1484G	45.22	54.00	-8.78	3	Vertical	243	1.49	-
5200MHz	Pass	AV	5.1988G	107.93	Inf	-Inf	3	Vertical	243	1.49	-
5200MHz	Pass	PK	5.1488G	58.46	74.00	-15.54	3	Vertical	243	1.49	-
5200MHz	Pass	PK	5.2012G	118.44	Inf	-Inf	3	Vertical	243	1.49	-
5200MHz	Pass	AV	5.14G	44.31	54.00	-9.69	3	Horizontal	173	2.59	-
5200MHz	Pass	AV	5.1992G	97.92	Inf	-Inf	3	Horizontal	173	2.59	-
5200MHz	Pass	PK	5.1056G	57.05	74.00	-16.95	3	Horizontal	173	2.59	-
5200MHz	Pass	PK	5.198G	107.87	Inf	-Inf	3	Horizontal	173	2.59	-
5200MHz	Pass	AV	15.60056G	50.04	54.00	-3.96	3	Vertical	320	2.94	-
5200MHz	Pass	PK	10.40352G	53.94	68.20	-14.26	3	Vertical	55	2.75	-
5200MHz	Pass	PK	15.59352G	64.78	74.00	-9.22	3	Vertical	320	2.94	-
5200MHz	Pass	AV	15.60156G	47.14	54.00	-6.86	3	Horizontal	318	2.06	-
5200MHz	Pass	PK	10.393G	51.38	68.20	-16.82	3	Horizontal	154	2.77	-
5200MHz	Pass	PK	15.59688G	61.48	74.00	-12.52	3	Horizontal	318	2.06	-
5240MHz	Pass	AV	5.144G	44.34	54.00	-9.66	3	Vertical	257	2.15	-
5240MHz	Pass	AV	5.243G	107.36	Inf	-Inf	3	Vertical	257	2.15	-
5240MHz	Pass	AV	5.3504G	43.55	54.00	-10.45	3	Vertical	257	2.15	-
5240MHz	Pass	PK	5.1368G	57.02	74.00	-16.98	3	Vertical	257	2.15	-
5240MHz	Pass	PK	5.243G	117.75	Inf	-Inf	3	Vertical	257	2.15	-
5240MHz	Pass	PK	5.36G	55.80	74.00	-18.20	3	Vertical	257	2.15	-
5240MHz	Pass	AV	5.1494G	43.86	54.00	-10.14	3	Horizontal	173	2.54	-
5240MHz	Pass	AV	5.2412G	98.53	Inf	-Inf	3	Horizontal	173	2.54	-
5240MHz	Pass	AV	5.3678G	43.39	54.00	-10.61	3	Horizontal	173	2.54	-
5240MHz	Pass	PK	5.1482G	56.05	74.00	-17.95	3	Horizontal	173	2.54	-
5240MHz	Pass	PK	5.2394G	107.92	Inf	-Inf	3	Horizontal	173	2.54	-
5240MHz	Pass	PK	5.35G	55.53	74.00	-18.47	3	Horizontal	173	2.54	-
5240MHz	Pass	AV	15.72332G	49.71	54.00	-4.29	3	Vertical	267	2.79	-
5240MHz	Pass	PK	10.47988G	54.18	68.20	-14.02	3	Vertical	179	2.96	-
5240MHz	Pass	PK	15.71604G	64.34	74.00	-9.66	3	Vertical	267	2.79	-
5240MHz	Pass	AV	15.7182G	45.43	54.00	-8.57	3	Horizontal	52	2.02	-
5240MHz	Pass	PK	10.48264G	51.52	68.20	-16.68	3	Horizontal	141	2.41	-
5240MHz	Pass	PK	15.71596G	59.15	74.00	-14.85	3	Horizontal	52	2.02	-
5745MHz	Pass	AV	5.7414G	105.77	Inf	-Inf	3	Vertical	245	1.50	-
5745MHz	Pass	PK	5.643G	56.43	68.20	-11.77	3	Vertical	245	1.50	-
5745MHz	Pass	PK	5.7438G	115.97	Inf	-Inf	3	Vertical	245	1.50	-
5745MHz	Pass	PK	5.9574G	57.48	68.20	-10.72	3	Vertical	245	1.50	-
5745MHz	Pass	AV	5.7462G	101.46	Inf	-Inf	3	Horizontal	168	2.30	-
5745MHz	Pass	PK	5.643G	55.59	68.20	-12.61	3	Horizontal	168	2.30	-
5745MHz	Pass	PK	5.7462G	111.20	Inf	-Inf	3	Horizontal	168	2.30	-
5745MHz	Pass	PK	5.9262G	57.18	68.20	-11.02	3	Horizontal	168	2.30	-
5745MHz	Pass	AV	11.48872G	50.92	54.00	-3.08	3	Vertical	15	3.00	-
5745MHz	Pass	PK	11.49292G	63.35	74.00	-10.65	3	Vertical	15	3.00	-
5745MHz	Pass	PK	17.23088G	63.49	68.20	-4.71	3	Vertical	29	2.87	-
5745MHz	Pass	AV	11.48872G	41.76	54.00	-12.24	3	Horizontal	95	2.04	-
5745MHz	Pass	PK	11.48872G	55.41	74.00	-18.59	3	Horizontal	95	2.04	-
5745MHz	Pass	PK	17.23628G	61.04	68.20	-7.16	3	Horizontal	177	1.00	-
5785MHz	Pass	AV	5.7862G	105.18	Inf	-Inf	3	Vertical	22	1.50	-
5785MHz	Pass	PK	5.5366G	56.31	68.20	-11.89	3	Vertical	22	1.50	-
5785MHz	Pass	PK	5.7874G	115.25	Inf	-Inf	3	Vertical	22	1.50	-
5785MHz	Pass	PK	5.9302G	56.90	68.20	-11.30	3	Vertical	22	1.50	-
5785MHz	Pass	AV	5.7874G	101.38	Inf	-Inf	3	Horizontal	169	1.00	-
5785MHz	Pass	PK	5.6266G	55.58	68.20	-12.62	3	Horizontal	169	1.00	-
5785MHz	Pass	PK	5.7874G	111.20	Inf	-Inf	3	Horizontal	169	1.00	-
5785MHz	Pass	PK	5.977G	57.81	68.20	-10.39	3	Horizontal	169	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.56808G	50.90	54.00	-3.10	3	Vertical	16	2.09	-
5785MHz	Pass	PK	11.57308G	64.64	74.00	-9.36	3	Vertical	16	2.09	-
5785MHz	Pass	PK	17.35188G	63.28	68.20	-4.92	3	Vertical	60	1.00	-
5785MHz	Pass	AV	11.56964G	43.34	54.00	-10.66	3	Horizontal	92	2.03	-
5785MHz	Pass	PK	11.56932G	56.32	74.00	-17.68	3	Horizontal	92	2.03	-
5785MHz	Pass	PK	17.35156G	61.55	68.20	-6.65	3	Horizontal	178	1.00	-
5825MHz	Pass	AV	5.8262G	103.70	Inf	-Inf	3	Vertical	248	1.40	-
5825MHz	Pass	PK	5.6042G	55.51	68.20	-12.69	3	Vertical	248	1.40	-
5825MHz	Pass	PK	5.8214G	113.24	Inf	-Inf	3	Vertical	248	1.40	-
5825MHz	Pass	PK	5.9762G	57.59	68.20	-10.61	3	Vertical	248	1.40	-
5825MHz	Pass	AV	5.8214G	98.58	Inf	-Inf	3	Horizontal	167	2.35	-
5825MHz	Pass	PK	5.609G	55.88	68.20	-12.32	3	Horizontal	167	2.35	-
5825MHz	Pass	PK	5.8214G	108.21	Inf	-Inf	3	Horizontal	167	2.35	-
5825MHz	Pass	PK	5.945G	57.15	68.20	-11.05	3	Horizontal	167	2.35	-
5825MHz	Pass	AV	11.64904G	46.53	54.00	-7.47	3	Vertical	19	2.86	-
5825MHz	Pass	PK	11.64912G	59.99	74.00	-14.01	3	Vertical	19	2.86	-
5825MHz	Pass	PK	17.47108G	63.29	68.20	-4.91	3	Vertical	324	3.00	-
5825MHz	Pass	AV	11.65G	40.40	54.00	-13.60	3	Horizontal	90	2.82	-
5825MHz	Pass	PK	11.655G	53.46	74.00	-20.54	3	Horizontal	90	2.82	-
5825MHz	Pass	PK	17.46968G	56.80	68.20	-11.40	3	Horizontal	99	2.05	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	49.62	54.00	-4.38	3	Vertical	301	1.97	-
5180MHz	Pass	AV	5.1798G	113.65	Inf	-Inf	3	Vertical	301	1.97	-
5180MHz	Pass	PK	5.1488G	62.54	74.00	-11.46	3	Vertical	301	1.97	-
5180MHz	Pass	PK	5.1818G	123.52	Inf	-Inf	3	Vertical	301	1.97	-
5180MHz	Pass	AV	5.15G	44.57	54.00	-9.43	3	Horizontal	34	1.03	-
5180MHz	Pass	AV	5.18G	105.51	Inf	-Inf	3	Horizontal	34	1.03	-
5180MHz	Pass	PK	5.1452G	57.89	74.00	-16.11	3	Horizontal	34	1.03	-
5180MHz	Pass	PK	5.1812G	116.83	Inf	-Inf	3	Horizontal	34	1.03	-
5180MHz	Pass	AV	15.5413G	48.52	54.00	-5.48	3	Vertical	205	1.06	-
5180MHz	Pass	PK	10.35984G	54.58	68.20	-13.62	3	Vertical	332	2.08	-
5180MHz	Pass	PK	15.5389G	63.71	74.00	-10.29	3	Vertical	205	1.06	-
5180MHz	Pass	AV	15.54042G	50.18	54.00	-3.82	3	Horizontal	123	2.11	-
5180MHz	Pass	PK	10.35656G	54.99	68.20	-13.21	3	Horizontal	309	3.00	-
5180MHz	Pass	PK	15.54296G	66.70	74.00	-7.30	3	Horizontal	123	2.11	-
5200MHz	Pass	AV	5.15G	47.82	54.00	-6.18	3	Vertical	309	2.08	-
5200MHz	Pass	AV	5.2G	114.34	Inf	-Inf	3	Vertical	309	2.08	-
5200MHz	Pass	PK	5.146G	59.99	74.00	-14.01	3	Vertical	309	2.08	-
5200MHz	Pass	PK	5.1996G	123.90	Inf	-Inf	3	Vertical	309	2.08	-
5200MHz	Pass	AV	5.15G	43.74	54.00	-10.26	3	Horizontal	41	1.19	-
5200MHz	Pass	AV	5.2016G	105.00	Inf	-Inf	3	Horizontal	41	1.19	-
5200MHz	Pass	PK	5.1392G	56.48	74.00	-17.52	3	Horizontal	41	1.19	-
5200MHz	Pass	PK	5.2016G	116.55	Inf	-Inf	3	Horizontal	41	1.19	-
5200MHz	Pass	AV	15.60072G	48.01	54.00	-5.99	3	Vertical	285	2.45	-
5200MHz	Pass	PK	10.4006G	56.02	68.20	-12.18	3	Vertical	75	2.59	-
5200MHz	Pass	PK	15.60064G	63.58	74.00	-10.42	3	Vertical	285	2.45	-
5200MHz	Pass	AV	15.6013G	50.28	54.00	-3.72	3	Horizontal	325	2.15	-
5200MHz	Pass	PK	10.40214G	54.63	68.20	-13.57	3	Horizontal	308	3.00	-
5200MHz	Pass	PK	15.60118G	67.32	74.00	-6.68	3	Horizontal	325	2.15	-
5240MHz	Pass	AV	5.1446G	46.94	54.00	-7.06	3	Vertical	309	2.17	-
5240MHz	Pass	AV	5.24G	114.05	Inf	-Inf	3	Vertical	309	2.17	-
5240MHz	Pass	AV	5.3846G	42.57	54.00	-11.43	3	Vertical	309	2.17	-
5240MHz	Pass	PK	5.1446G	58.01	74.00	-15.99	3	Vertical	309	2.17	-
5240MHz	Pass	PK	5.24G	123.41	Inf	-Inf	3	Vertical	309	2.17	-
5240MHz	Pass	PK	5.3876G	55.24	74.00	-18.76	3	Vertical	309	2.17	-
5240MHz	Pass	AV	5.1446G	43.36	54.00	-10.64	3	Horizontal	34	1.23	-
5240MHz	Pass	AV	5.24G	105.04	Inf	-Inf	3	Horizontal	34	1.23	-
5240MHz	Pass	AV	5.3786G	41.36	54.00	-12.64	3	Horizontal	34	1.23	-
5240MHz	Pass	PK	5.0936G	56.22	74.00	-17.78	3	Horizontal	34	1.23	-
5240MHz	Pass	PK	5.24G	115.07	Inf	-Inf	3	Horizontal	34	1.23	-
5240MHz	Pass	PK	5.384G	53.83	74.00	-20.17	3	Horizontal	34	1.23	-
5240MHz	Pass	AV	15.7203G	50.68	54.00	-3.32	3	Vertical	288	2.72	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	10.48162G	56.24	68.20	-11.96	3	Vertical	69	2.07	-
5240MHz	Pass	PK	15.7203G	67.25	74.00	-6.75	3	Vertical	288	2.72	-
5240MHz	Pass	AV	15.72166G	49.04	54.00	-4.96	3	Horizontal	318	2.21	-
5240MHz	Pass	PK	10.48088G	54.70	68.20	-13.50	3	Horizontal	105	1.50	-
5240MHz	Pass	PK	15.72192G	65.27	74.00	-8.73	3	Horizontal	318	2.21	-
5745MHz	Pass	AV	5.7438G	114.50	Inf	-Inf	3	Vertical	281	2.90	-
5745MHz	Pass	PK	5.649G	57.35	68.20	-10.85	3	Vertical	281	2.90	-
5745MHz	Pass	PK	5.745G	124.46	Inf	-Inf	3	Vertical	281	2.90	-
5745MHz	Pass	PK	5.9406G	55.87	68.20	-12.33	3	Vertical	281	2.90	-
5745MHz	Pass	AV	5.7462G	107.46	Inf	-Inf	3	Horizontal	2	1.00	-
5745MHz	Pass	PK	5.6238G	55.70	68.20	-12.50	3	Horizontal	2	1.00	-
5745MHz	Pass	PK	5.745G	117.22	Inf	-Inf	3	Horizontal	2	1.00	-
5745MHz	Pass	PK	5.9922G	55.22	68.20	-12.98	3	Horizontal	2	1.00	-
5745MHz	Pass	AV	11.48982G	48.31	54.00	-5.69	3	Vertical	103	1.50	-
5745MHz	Pass	PK	11.49336G	62.62	74.00	-11.38	3	Vertical	103	1.50	-
5745MHz	Pass	PK	17.2336G	62.47	68.20	-5.73	3	Vertical	168	1.96	-
5745MHz	Pass	AV	11.49048G	45.23	54.00	-8.77	3	Horizontal	24	2.00	-
5745MHz	Pass	PK	11.49034G	58.81	74.00	-15.19	3	Horizontal	24	2.00	-
5745MHz	Pass	PK	17.23474G	64.94	68.20	-3.26	3	Horizontal	126	2.76	-
5785MHz	Pass	AV	5.7862G	105.59	Inf	-Inf	3	Vertical	306	1.16	-
5785MHz	Pass	PK	5.4934G	56.05	68.20	-12.15	3	Vertical	306	1.16	-
5785MHz	Pass	PK	5.785G	116.11	Inf	-Inf	3	Vertical	306	1.16	-
5785MHz	Pass	PK	6.055G	55.65	68.20	-12.55	3	Vertical	306	1.16	-
5785MHz	Pass	AV	5.7862G	101.60	Inf	-Inf	3	Horizontal	2	1.00	-
5785MHz	Pass	PK	5.611G	56.33	68.20	-11.87	3	Horizontal	2	1.00	-
5785MHz	Pass	PK	5.785G	110.91	Inf	-Inf	3	Horizontal	2	1.00	-
5785MHz	Pass	PK	5.9842G	55.62	68.20	-12.58	3	Horizontal	2	1.00	-
5785MHz	Pass	AV	11.57192G	50.61	54.00	-3.39	3	Vertical	102	2.46	-
5785MHz	Pass	PK	11.5722G	65.33	74.00	-8.67	3	Vertical	102	2.46	-
5785MHz	Pass	PK	17.35552G	64.02	68.20	-4.18	3	Vertical	184	2.69	-
5785MHz	Pass	AV	11.57118G	44.99	54.00	-9.01	3	Horizontal	104	2.41	-
5785MHz	Pass	PK	11.57288G	58.51	74.00	-15.49	3	Horizontal	104	2.41	-
5785MHz	Pass	PK	17.355G	63.92	68.20	-4.28	3	Horizontal	124	2.06	-
5825MHz	Pass	AV	5.825G	111.51	Inf	-Inf	3	Vertical	290	1.00	-
5825MHz	Pass	PK	5.603G	54.96	68.20	-13.24	3	Vertical	290	1.00	-
5825MHz	Pass	PK	5.825G	122.05	Inf	-Inf	3	Vertical	290	1.00	-
5825MHz	Pass	PK	5.9438G	56.56	68.20	-11.64	3	Vertical	290	1.00	-
5825MHz	Pass	AV	5.825G	105.25	Inf	-Inf	3	Horizontal	156	3.00	-
5825MHz	Pass	PK	5.6318G	55.92	68.20	-12.28	3	Horizontal	156	3.00	-
5825MHz	Pass	PK	5.8262G	114.72	Inf	-Inf	3	Horizontal	156	3.00	-
5825MHz	Pass	PK	6.047G	55.59	68.20	-12.61	3	Horizontal	156	3.00	-
5825MHz	Pass	AV	11.64924G	48.50	54.00	-5.50	3	Vertical	76	2.56	-
5825MHz	Pass	PK	11.64966G	63.39	74.00	-10.61	3	Vertical	76	2.56	-
5825MHz	Pass	PK	17.47858G	61.77	68.20	-6.43	3	Vertical	35	2.01	-
5825MHz	Pass	AV	11.65028G	42.92	54.00	-11.08	3	Horizontal	106	2.45	-
5825MHz	Pass	PK	11.65042G	56.59	74.00	-17.41	3	Horizontal	106	2.45	-
5825MHz	Pass	PK	17.47652G	64.77	68.20	-3.43	3	Horizontal	126	2.52	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	47.22	54.00	-6.78	3	Vertical	305	1.04	-
5180MHz	Pass	AV	5.1818G	106.32	Inf	-Inf	3	Vertical	305	1.04	-
5180MHz	Pass	PK	5.1498G	60.23	74.00	-13.77	3	Vertical	305	1.04	-
5180MHz	Pass	PK	5.1808G	117.04	Inf	-Inf	3	Vertical	305	1.04	-
5180MHz	Pass	AV	5.15G	44.29	54.00	-9.71	3	Horizontal	29	1.12	-
5180MHz	Pass	AV	5.181G	101.02	Inf	-Inf	3	Horizontal	29	1.12	-
5180MHz	Pass	PK	5.147G	57.51	74.00	-16.49	3	Horizontal	29	1.12	-
5180MHz	Pass	PK	5.1816G	112.20	Inf	-Inf	3	Horizontal	29	1.12	-
5180MHz	Pass	AV	15.54052G	50.56	54.00	-3.44	3	Vertical	339	1.00	-
5180MHz	Pass	PK	10.35923G	56.26	68.20	-11.94	3	Vertical	265	2.56	-
5180MHz	Pass	PK	15.54224G	65.51	74.00	-8.49	3	Vertical	339	1.00	-
5180MHz	Pass	AV	15.54048G	48.62	54.00	-5.38	3	Horizontal	329	2.19	-
5180MHz	Pass	PK	10.3608G	54.07	68.20	-14.13	3	Horizontal	225	1.54	-
5180MHz	Pass	PK	15.54572G	63.65	74.00	-10.35	3	Horizontal	329	2.19	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz	Pass	AV	5.15G	45.30	54.00	-8.70	3	Vertical	298	1.00	-
5200MHz	Pass	AV	5.2008G	110.76	Inf	-Inf	3	Vertical	298	1.00	-
5200MHz	Pass	PK	5.1388G	58.07	74.00	-15.93	3	Vertical	298	1.00	-
5200MHz	Pass	PK	5.2008G	120.80	Inf	-Inf	3	Vertical	298	1.00	-
5200MHz	Pass	AV	5.1496G	43.52	54.00	-10.48	3	Horizontal	30	1.00	-
5200MHz	Pass	AV	5.2008G	104.77	Inf	-Inf	3	Horizontal	30	1.00	-
5200MHz	Pass	PK	5.1068G	55.79	74.00	-18.21	3	Horizontal	30	1.00	-
5200MHz	Pass	PK	5.2004G	115.09	Inf	-Inf	3	Horizontal	30	1.00	-
5200MHz	Pass	AV	15.6004G	50.92	54.00	-3.08	3	Vertical	279	2.84	-
5200MHz	Pass	PK	10.39996G	56.47	68.20	-11.73	3	Vertical	272	2.62	-
5200MHz	Pass	PK	15.60236G	67.39	74.00	-6.61	3	Vertical	279	2.84	-
5200MHz	Pass	AV	15.6003G	46.41	54.00	-7.59	3	Horizontal	157	1.97	-
5200MHz	Pass	PK	10.40076G	54.95	68.20	-13.25	3	Horizontal	253	1.12	-
5200MHz	Pass	PK	15.59654G	61.30	74.00	-12.70	3	Horizontal	157	1.97	-
5240MHz	Pass	AV	5.144G	44.72	54.00	-9.28	3	Vertical	300	1.06	-
5240MHz	Pass	AV	5.2412G	106.14	Inf	-Inf	3	Vertical	300	1.06	-
5240MHz	Pass	AV	5.384G	41.62	54.00	-12.38	3	Vertical	300	1.06	-
5240MHz	Pass	PK	5.1452G	56.68	74.00	-17.32	3	Vertical	300	1.06	-
5240MHz	Pass	PK	5.2418G	116.81	Inf	-Inf	3	Vertical	300	1.06	-
5240MHz	Pass	PK	5.3756G	54.78	74.00	-19.22	3	Vertical	300	1.06	-
5240MHz	Pass	AV	5.144G	43.21	54.00	-10.79	3	Horizontal	35	1.07	-
5240MHz	Pass	AV	5.2406G	100.30	Inf	-Inf	3	Horizontal	35	1.07	-
5240MHz	Pass	AV	5.3798G	41.28	54.00	-12.72	3	Horizontal	35	1.07	-
5240MHz	Pass	PK	5.1392G	55.80	74.00	-18.20	3	Horizontal	35	1.07	-
5240MHz	Pass	PK	5.2388G	110.43	Inf	-Inf	3	Horizontal	35	1.07	-
5240MHz	Pass	PK	5.36G	54.38	74.00	-19.62	3	Horizontal	35	1.07	-
5240MHz	Pass	AV	15.71916G	50.28	54.00	-3.72	3	Vertical	285	2.76	-
5240MHz	Pass	PK	10.4808G	56.66	68.20	-11.54	3	Vertical	52	2.03	-
5240MHz	Pass	PK	15.71852G	66.51	74.00	-7.49	3	Vertical	285	2.76	-
5240MHz	Pass	AV	15.71983G	46.43	54.00	-7.57	3	Horizontal	340	2.19	-
5240MHz	Pass	PK	10.4795G	54.89	68.20	-13.31	3	Horizontal	266	2.93	-
5240MHz	Pass	PK	15.7189G	61.95	74.00	-12.05	3	Horizontal	340	2.19	-
5745MHz	Pass	AV	5.7462G	107.66	Inf	-Inf	3	Vertical	52	2.20	-
5745MHz	Pass	PK	5.6454G	56.00	68.20	-12.20	3	Vertical	52	2.20	-
5745MHz	Pass	PK	5.7462G	118.13	Inf	-Inf	3	Vertical	52	2.20	-
5745MHz	Pass	PK	5.9442G	54.93	68.20	-13.27	3	Vertical	52	2.20	-
5745MHz	Pass	AV	5.7474G	103.19	Inf	-Inf	3	Horizontal	4	1.00	-
5745MHz	Pass	PK	5.6166G	55.78	68.20	-12.42	3	Horizontal	4	1.00	-
5745MHz	Pass	PK	5.7462G	114.28	Inf	-Inf	3	Horizontal	4	1.00	-
5745MHz	Pass	PK	5.931G	54.91	68.20	-13.29	3	Horizontal	4	1.00	-
5745MHz	Pass	AV	11.49236G	49.28	54.00	-4.72	3	Vertical	103	2.38	-
5745MHz	Pass	PK	11.49336G	62.30	74.00	-11.70	3	Vertical	103	2.38	-
5745MHz	Pass	PK	17.23524G	64.81	68.20	-3.39	3	Vertical	322	2.68	-
5745MHz	Pass	AV	11.48758G	44.65	54.00	-9.35	3	Horizontal	110	2.51	-
5745MHz	Pass	PK	11.48672G	57.97	74.00	-16.03	3	Horizontal	110	2.51	-
5745MHz	Pass	PK	17.23476G	61.35	68.20	-6.85	3	Horizontal	128	2.06	-
5785MHz	Pass	AV	5.7826G	112.61	Inf	-Inf	3	Vertical	284	3.00	-
5785MHz	Pass	PK	5.6182G	56.52	68.20	-11.68	3	Vertical	284	3.00	-
5785MHz	Pass	PK	5.7874G	123.75	Inf	-Inf	3	Vertical	284	3.00	-
5785MHz	Pass	PK	6.0286G	55.42	68.20	-12.78	3	Vertical	284	3.00	-
5785MHz	Pass	AV	5.7862G	105.69	Inf	-Inf	3	Horizontal	4	1.00	-
5785MHz	Pass	PK	5.5342G	55.22	68.20	-12.98	3	Horizontal	4	1.00	-
5785MHz	Pass	PK	5.7862G	115.32	Inf	-Inf	3	Horizontal	4	1.00	-
5785MHz	Pass	PK	5.941G	55.28	68.20	-12.92	3	Horizontal	4	1.00	-
5785MHz	Pass	AV	11.57244G	50.74	54.00	-3.26	3	Vertical	106	2.41	-
5785MHz	Pass	PK	11.57144G	66.61	74.00	-7.39	3	Vertical	106	2.41	-
5785MHz	Pass	PK	17.35674G	64.65	68.20	-3.55	3	Vertical	169	1.98	-
5785MHz	Pass	AV	11.56827G	46.14	54.00	-7.86	3	Horizontal	112	2.39	-
5785MHz	Pass	PK	11.56918G	61.75	74.00	-12.25	3	Horizontal	112	2.39	-
5785MHz	Pass	PK	17.35615G	65.18	68.20	-3.02	3	Horizontal	128	2.07	-
5825MHz	Pass	AV	5.8238G	110.08	Inf	-Inf	3	Vertical	308	1.00	-
5825MHz	Pass	PK	5.6342G	55.63	68.20	-12.57	3	Vertical	308	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8238G	120.66	Inf	-Inf	3	Vertical	308	1.00	-
5825MHz	Pass	PK	5.9582G	55.17	68.20	-13.03	3	Vertical	308	1.00	-
5825MHz	Pass	AV	5.8262G	103.28	Inf	-Inf	3	Horizontal	32	1.15	-
5825MHz	Pass	PK	5.6498G	54.88	68.20	-13.32	3	Horizontal	32	1.15	-
5825MHz	Pass	PK	5.8262G	113.02	Inf	-Inf	3	Horizontal	32	1.15	-
5825MHz	Pass	PK	6.023G	55.33	68.20	-12.87	3	Horizontal	32	1.15	-
5825MHz	Pass	AV	11.64759G	46.31	54.00	-7.69	3	Vertical	77	2.43	-
5825MHz	Pass	PK	11.64836G	63.48	74.00	-10.52	3	Vertical	77	2.43	-
5825MHz	Pass	PK	17.47454G	61.70	68.20	-6.50	3	Vertical	344	2.94	-
5825MHz	Pass	AV	11.64895G	45.71	54.00	-8.29	3	Horizontal	116	2.32	-
5825MHz	Pass	PK	11.64871G	60.68	74.00	-13.32	3	Horizontal	116	2.32	-
5825MHz	Pass	PK	17.47683G	64.37	68.20	-3.83	3	Horizontal	130	2.10	-
802.11ac VHT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	50.98	54.00	-3.02	3	Vertical	245	1.20	-
5180MHz	Pass	AV	5.1764G	107.58	Inf	-Inf	3	Vertical	245	1.20	-
5180MHz	Pass	PK	5.1488G	64.19	74.00	-9.81	3	Vertical	245	1.20	-
5180MHz	Pass	PK	5.1762G	117.70	Inf	-Inf	3	Vertical	245	1.20	-
5180MHz	Pass	AV	5.1496G	45.06	54.00	-8.94	3	Horizontal	69	1.20	-
5180MHz	Pass	AV	5.1772G	96.49	Inf	-Inf	3	Horizontal	69	1.20	-
5180MHz	Pass	PK	5.1462G	57.46	74.00	-16.54	3	Horizontal	69	1.20	-
5180MHz	Pass	PK	5.18G	106.88	Inf	-Inf	3	Horizontal	69	1.20	-
5180MHz	Pass	AV	15.53976G	47.19	54.00	-6.81	3	Vertical	257	2.53	-
5180MHz	Pass	PK	10.35868G	53.36	68.20	-14.84	3	Vertical	46	3.00	-
5180MHz	Pass	PK	15.54444G	61.78	74.00	-12.22	3	Vertical	257	2.53	-
5180MHz	Pass	AV	15.54356G	43.73	54.00	-10.27	3	Horizontal	177	1.00	-
5180MHz	Pass	PK	10.36012G	50.48	68.20	-17.72	3	Horizontal	158	2.80	-
5180MHz	Pass	PK	15.54484G	59.37	74.00	-14.63	3	Horizontal	177	1.00	-
5200MHz	Pass	AV	5.15G	45.74	54.00	-8.26	3	Vertical	245	2.18	-
5200MHz	Pass	AV	5.196G	108.49	Inf	-Inf	3	Vertical	245	2.18	-
5200MHz	Pass	PK	5.146G	59.24	74.00	-14.76	3	Vertical	245	2.18	-
5200MHz	Pass	PK	5.1988G	118.36	Inf	-Inf	3	Vertical	245	2.18	-
5200MHz	Pass	AV	5.15G	44.12	54.00	-9.88	3	Horizontal	173	2.63	-
5200MHz	Pass	AV	5.1968G	97.15	Inf	-Inf	3	Horizontal	173	2.63	-
5200MHz	Pass	PK	5.1024G	56.69	74.00	-17.31	3	Horizontal	173	2.63	-
5200MHz	Pass	PK	5.198G	106.92	Inf	-Inf	3	Horizontal	173	2.63	-
5200MHz	Pass	AV	15.60176G	50.13	54.00	-3.87	3	Vertical	319	2.95	-
5200MHz	Pass	PK	10.39884G	53.17	68.20	-15.03	3	Vertical	177	2.91	-
5200MHz	Pass	PK	15.59168G	65.43	74.00	-8.57	3	Vertical	319	2.95	-
5200MHz	Pass	AV	15.60496G	45.81	54.00	-8.19	3	Horizontal	176	1.00	-
5200MHz	Pass	PK	10.40004G	51.16	68.20	-17.04	3	Horizontal	14	2.90	-
5200MHz	Pass	PK	15.6034G	61.66	74.00	-12.34	3	Horizontal	176	1.00	-
5240MHz	Pass	AV	5.147G	43.97	54.00	-10.03	3	Vertical	243	1.49	-
5240MHz	Pass	AV	5.2436G	108.71	Inf	-Inf	3	Vertical	243	1.49	-
5240MHz	Pass	AV	5.3522G	43.33	54.00	-10.67	3	Vertical	243	1.49	-
5240MHz	Pass	PK	5.1002G	56.39	74.00	-17.61	3	Vertical	243	1.49	-
5240MHz	Pass	PK	5.243G	118.63	Inf	-Inf	3	Vertical	243	1.49	-
5240MHz	Pass	PK	5.372G	55.50	74.00	-18.50	3	Vertical	243	1.49	-
5240MHz	Pass	AV	5.1488G	43.83	54.00	-10.17	3	Horizontal	174	2.62	-
5240MHz	Pass	AV	5.2394G	97.01	Inf	-Inf	3	Horizontal	174	2.62	-
5240MHz	Pass	AV	5.3786G	43.56	54.00	-10.44	3	Horizontal	174	2.62	-
5240MHz	Pass	PK	5.1164G	56.19	74.00	-17.81	3	Horizontal	174	2.62	-
5240MHz	Pass	PK	5.2388G	106.59	Inf	-Inf	3	Horizontal	174	2.62	-
5240MHz	Pass	PK	5.387G	55.54	74.00	-18.46	3	Horizontal	174	2.62	-
5240MHz	Pass	AV	15.7164G	50.23	54.00	-3.77	3	Vertical	323	2.72	-
5240MHz	Pass	PK	10.48G	54.18	68.20	-14.02	3	Vertical	283	2.06	-
5240MHz	Pass	PK	15.71684G	65.76	74.00	-8.24	3	Vertical	323	2.72	-
5240MHz	Pass	AV	15.71604G	46.61	54.00	-7.39	3	Horizontal	176	1.00	-
5240MHz	Pass	PK	10.47952G	52.14	68.20	-16.06	3	Horizontal	217	2.87	-
5240MHz	Pass	PK	15.71492G	61.49	74.00	-12.51	3	Horizontal	176	1.00	-
5745MHz	Pass	AV	5.7474G	105.26	Inf	-Inf	3	Vertical	244	1.22	-
5745MHz	Pass	PK	5.475G	56.32	68.20	-11.88	3	Vertical	244	1.22	-
5745MHz	Pass	PK	5.7474G	114.90	Inf	-Inf	3	Vertical	244	1.22	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.9706G	56.80	68.20	-11.40	3	Vertical	244	1.22	-
5745MHz	Pass	AV	5.7474G	97.47	Inf	-Inf	3	Horizontal	180	2.62	-
5745MHz	Pass	PK	5.637G	55.62	68.20	-12.58	3	Horizontal	180	2.62	-
5745MHz	Pass	PK	5.7414G	107.24	Inf	-Inf	3	Horizontal	180	2.62	-
5745MHz	Pass	PK	5.9598G	57.13	68.20	-11.07	3	Horizontal	180	2.62	-
5745MHz	Pass	AV	11.48656G	50.86	54.00	-3.14	3	Vertical	238	2.14	-
5745MHz	Pass	PK	11.48752G	65.10	74.00	-8.90	3	Vertical	238	2.14	-
5745MHz	Pass	PK	17.2392G	63.67	68.20	-4.53	3	Vertical	323	2.68	-
5745MHz	Pass	AV	11.48624G	45.80	54.00	-8.20	3	Horizontal	83	2.00	-
5745MHz	Pass	PK	11.4848G	59.55	74.00	-14.45	3	Horizontal	83	2.00	-
5745MHz	Pass	PK	17.23868G	58.75	68.20	-9.45	3	Horizontal	326	1.92	-
5785MHz	Pass	AV	5.7874G	103.32	Inf	-Inf	3	Vertical	243	1.38	-
5785MHz	Pass	PK	5.545G	56.23	68.20	-11.97	3	Vertical	243	1.38	-
5785MHz	Pass	PK	5.7862G	113.31	Inf	-Inf	3	Vertical	243	1.38	-
5785MHz	Pass	PK	5.947G	57.30	68.20	-10.90	3	Vertical	243	1.38	-
5785MHz	Pass	AV	5.7802G	98.66	Inf	-Inf	3	Horizontal	167	2.38	-
5785MHz	Pass	PK	5.5798G	55.64	68.20	-12.56	3	Horizontal	167	2.38	-
5785MHz	Pass	PK	5.7814G	108.39	Inf	-Inf	3	Horizontal	167	2.38	-
5785MHz	Pass	PK	5.983G	56.75	68.20	-11.45	3	Horizontal	167	2.38	-
5785MHz	Pass	AV	11.56952G	49.78	54.00	-4.22	3	Vertical	77	1.98	-
5785MHz	Pass	PK	11.5692G	63.41	74.00	-10.59	3	Vertical	77	1.98	-
5785MHz	Pass	PK	17.35104G	63.25	68.20	-4.95	3	Vertical	327	2.89	-
5785MHz	Pass	AV	11.566G	45.03	54.00	-8.97	3	Horizontal	84	1.00	-
5785MHz	Pass	PK	11.5646G	58.28	74.00	-15.72	3	Horizontal	84	1.00	-
5785MHz	Pass	PK	17.35916G	56.61	68.20	-11.59	3	Horizontal	178	1.00	-
5825MHz	Pass	AV	5.8274G	105.70	Inf	-Inf	3	Vertical	243	1.42	-
5825MHz	Pass	PK	5.597G	56.10	68.20	-12.10	3	Vertical	243	1.42	-
5825MHz	Pass	PK	5.8274G	115.49	Inf	-Inf	3	Vertical	243	1.42	-
5825MHz	Pass	PK	5.9342G	56.96	68.20	-11.24	3	Vertical	243	1.42	-
5825MHz	Pass	AV	5.8226G	101.51	Inf	-Inf	3	Horizontal	166	2.35	-
5825MHz	Pass	PK	5.5814G	55.20	68.20	-13.00	3	Horizontal	166	2.35	-
5825MHz	Pass	PK	5.8226G	110.95	Inf	-Inf	3	Horizontal	166	2.35	-
5825MHz	Pass	PK	5.9462G	57.14	68.20	-11.06	3	Horizontal	166	2.35	-
5825MHz	Pass	AV	11.64592G	48.03	54.00	-5.97	3	Vertical	235	2.19	-
5825MHz	Pass	PK	11.64516G	63.14	74.00	-10.86	3	Vertical	235	2.19	-
5825MHz	Pass	PK	17.47576G	62.90	68.20	-5.30	3	Vertical	155	2.05	-
5825MHz	Pass	AV	11.64416G	43.61	54.00	-10.39	3	Horizontal	103	2.75	-
5825MHz	Pass	PK	11.64348G	57.09	74.00	-16.91	3	Horizontal	103	2.75	-
5825MHz	Pass	PK	17.46976G	59.28	68.20	-8.92	3	Horizontal	178	1.00	-
802.11ac VHT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	50.61	54.00	-3.39	3	Vertical	237	1.49	-
5190MHz	Pass	AV	5.19G	101.88	Inf	-Inf	3	Vertical	237	1.49	-
5190MHz	Pass	PK	5.1496G	65.29	74.00	-8.71	3	Vertical	237	1.49	-
5190MHz	Pass	PK	5.1924G	110.04	Inf	-Inf	3	Vertical	237	1.49	-
5190MHz	Pass	AV	5.15G	44.99	54.00	-9.01	3	Horizontal	75	2.47	-
5190MHz	Pass	AV	5.19G	90.82	Inf	-Inf	3	Horizontal	75	2.47	-
5190MHz	Pass	PK	5.1488G	57.06	74.00	-16.94	3	Horizontal	75	2.47	-
5190MHz	Pass	PK	5.186G	97.54	Inf	-Inf	3	Horizontal	75	2.47	-
5190MHz	Pass	AV	15.56544G	39.42	54.00	-14.58	3	Vertical	210	1.18	-
5190MHz	Pass	PK	10.3852G	50.62	68.20	-17.58	3	Vertical	357	2.30	-
5190MHz	Pass	PK	15.56088G	51.46	74.00	-22.54	3	Vertical	210	1.18	-
5190MHz	Pass	AV	15.57572G	38.00	54.00	-16.00	3	Horizontal	329	1.62	-
5190MHz	Pass	PK	10.37244G	51.36	68.20	-16.84	3	Horizontal	89	2.31	-
5190MHz	Pass	PK	15.5702G	50.54	74.00	-23.46	3	Horizontal	329	1.62	-
5230MHz	Pass	AV	5.1452G	46.36	54.00	-7.64	3	Vertical	257	2.14	-
5230MHz	Pass	AV	5.2324G	103.73	Inf	-Inf	3	Vertical	257	2.14	-
5230MHz	Pass	PK	5.146G	60.73	74.00	-13.27	3	Vertical	257	2.14	-
5230MHz	Pass	PK	5.2232G	113.02	Inf	-Inf	3	Vertical	257	2.14	-
5230MHz	Pass	AV	5.146G	44.98	54.00	-9.02	3	Horizontal	70	1.31	-
5230MHz	Pass	AV	5.2276G	94.37	Inf	-Inf	3	Horizontal	70	1.31	-
5230MHz	Pass	PK	5.1492G	56.61	74.00	-17.39	3	Horizontal	70	1.31	-
5230MHz	Pass	PK	5.2268G	104.11	Inf	-Inf	3	Horizontal	70	1.31	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	15.69164G	49.78	54.00	-4.22	3	Vertical	268	2.62	-
5230MHz	Pass	PK	10.46132G	51.50	68.20	-16.70	3	Vertical	45	2.14	-
5230MHz	Pass	PK	15.69908G	62.04	74.00	-11.96	3	Vertical	268	2.62	-
5230MHz	Pass	AV	15.698G	47.01	54.00	-6.99	3	Horizontal	41	2.01	-
5230MHz	Pass	PK	10.46252G	51.17	68.20	-17.03	3	Horizontal	151	1.28	-
5230MHz	Pass	PK	15.69648G	59.15	74.00	-14.85	3	Horizontal	41	2.01	-
5755MHz	Pass	AV	5.7586G	105.08	Inf	-Inf	3	Vertical	244	1.48	-
5755MHz	Pass	PK	5.6386G	58.84	68.20	-9.36	3	Vertical	244	1.48	-
5755MHz	Pass	PK	5.7586G	114.81	Inf	-Inf	3	Vertical	244	1.48	-
5755MHz	Pass	PK	5.941G	57.12	68.20	-11.08	3	Vertical	244	1.48	-
5755MHz	Pass	AV	5.7598G	100.07	Inf	-Inf	3	Horizontal	167	2.29	-
5755MHz	Pass	PK	5.6254G	57.85	68.20	-10.35	3	Horizontal	167	2.29	-
5755MHz	Pass	PK	5.761G	109.38	Inf	-Inf	3	Horizontal	167	2.29	-
5755MHz	Pass	PK	5.929G	57.03	68.20	-11.17	3	Horizontal	167	2.29	-
5755MHz	Pass	AV	11.5024G	47.39	54.00	-6.61	3	Vertical	360	2.00	-
5755MHz	Pass	PK	11.50168G	59.84	74.00	-14.16	3	Vertical	360	2.00	-
5755MHz	Pass	PK	17.27136G	63.55	68.20	-4.65	3	Vertical	326	3.00	-
5755MHz	Pass	AV	11.50472G	40.72	54.00	-13.28	3	Horizontal	359	2.05	-
5755MHz	Pass	PK	11.5168G	53.46	74.00	-20.54	3	Horizontal	359	2.05	-
5755MHz	Pass	PK	17.25736G	55.19	68.20	-13.01	3	Horizontal	223	1.72	-
5795MHz	Pass	AV	5.789G	99.44	Inf	-Inf	3	Vertical	249	1.27	-
5795MHz	Pass	PK	5.6462G	61.73	68.20	-6.47	3	Vertical	249	1.27	-
5795MHz	Pass	PK	5.7974G	109.41	Inf	-Inf	3	Vertical	249	1.27	-
5795MHz	Pass	PK	5.9318G	60.95	68.20	-7.25	3	Vertical	249	1.27	-
5795MHz	Pass	AV	5.7938G	95.81	Inf	-Inf	3	Horizontal	166	2.37	-
5795MHz	Pass	PK	5.6042G	57.04	68.20	-11.16	3	Horizontal	166	2.37	-
5795MHz	Pass	PK	5.8034G	104.97	Inf	-Inf	3	Horizontal	166	2.37	-
5795MHz	Pass	PK	5.9726G	57.39	68.20	-10.81	3	Horizontal	166	2.37	-
5795MHz	Pass	AV	11.58142G	48.29	54.00	-5.71	3	Vertical	50	2.00	-
5795MHz	Pass	PK	11.5825G	60.41	74.00	-13.59	3	Vertical	50	2.00	-
5795MHz	Pass	PK	17.38284G	63.71	68.20	-4.49	3	Vertical	326	3.00	-
5795MHz	Pass	AV	11.58088G	42.19	54.00	-11.81	3	Horizontal	173	1.14	-
5795MHz	Pass	PK	11.58298G	54.06	74.00	-19.94	3	Horizontal	173	1.14	-
5795MHz	Pass	PK	17.37018G	58.37	68.20	-9.83	3	Horizontal	49	1.91	-
802.11ac VHT80_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.144G	51.00	54.00	-3.00	3	Vertical	259	2.32	-
5210MHz	Pass	AV	5.21G	100.76	Inf	-Inf	3	Vertical	259	2.32	-
5210MHz	Pass	AV	5.3528G	47.58	54.00	-6.42	3	Vertical	259	2.32	-
5210MHz	Pass	PK	5.1428G	62.28	74.00	-11.72	3	Vertical	259	2.32	-
5210MHz	Pass	PK	5.2028G	103.86	Inf	-Inf	3	Vertical	259	2.32	-
5210MHz	Pass	PK	5.5064G	55.76	68.20	-12.44	3	Vertical	259	2.32	-
5210MHz	Pass	AV	5.15G	45.99	54.00	-8.01	3	Horizontal	69	1.00	-
5210MHz	Pass	AV	5.21G	95.34	Inf	-Inf	3	Horizontal	69	1.00	-
5210MHz	Pass	AV	5.3684G	44.29	54.00	-9.71	3	Horizontal	69	1.00	-
5210MHz	Pass	PK	5.132G	58.11	74.00	-15.89	3	Horizontal	69	1.00	-
5210MHz	Pass	PK	5.21G	98.11	Inf	-Inf	3	Horizontal	69	1.00	-
5210MHz	Pass	PK	5.5016G	55.53	68.20	-12.67	3	Horizontal	69	1.00	-
5210MHz	Pass	AV	15.62732G	37.97	54.00	-16.03	3	Vertical	170	1.97	-
5210MHz	Pass	PK	10.41052G	51.62	68.20	-16.58	3	Vertical	199	1.31	-
5210MHz	Pass	PK	15.62168G	50.88	74.00	-23.12	3	Vertical	170	1.97	-
5210MHz	Pass	AV	15.6258G	37.70	54.00	-16.30	3	Horizontal	51	2.23	-
5210MHz	Pass	PK	10.4182G	51.33	68.20	-16.87	3	Horizontal	199	1.77	-
5210MHz	Pass	PK	15.62024G	50.61	74.00	-23.39	3	Horizontal	51	2.23	-
5775MHz	Pass	AV	5.757G	101.75	Inf	-Inf	3	Vertical	244	1.36	-
5775MHz	Pass	PK	5.649G	63.68	68.20	-4.52	3	Vertical	244	1.36	-
5775MHz	Pass	PK	5.7666G	111.83	Inf	-Inf	3	Vertical	244	1.36	-
5775MHz	Pass	PK	5.9358G	58.23	68.20	-9.97	3	Vertical	244	1.36	-
5775MHz	Pass	AV	5.7606G	96.45	Inf	-Inf	3	Horizontal	168	2.28	-
5775MHz	Pass	PK	5.6514G	63.56	69.24	-5.68	3	Horizontal	168	2.28	-
5775MHz	Pass	PK	5.7594G	106.01	Inf	-Inf	3	Horizontal	168	2.28	-
5775MHz	Pass	PK	5.925G	57.29	68.20	-10.91	3	Horizontal	168	2.28	-
5775MHz	Pass	AV	11.54092G	47.24	54.00	-6.76	3	Vertical	17	2.10	-




RSE TX above 1GHz_Case 1

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	11.54316G	59.42	74.00	-14.58	3	Vertical	17	2.10	-
5775MHz	Pass	PK	17.3248G	56.92	68.20	-11.28	3	Vertical	247	1.48	-
5775MHz	Pass	AV	11.55684G	40.02	54.00	-13.98	3	Horizontal	51	1.05	-
5775MHz	Pass	PK	11.55736G	52.39	74.00	-21.61	3	Horizontal	51	1.05	-
5775MHz	Pass	PK	17.31668G	56.02	68.20	-12.18	3	Horizontal	95	1.46	-

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	49.20	54.00	-4.80	5.46	3	Vertical	248	2.17	-	43.74	32.00	7.30	33.84
AV	5.1802G	112.44	Inf	-Inf	5.41	3	Vertical	248	2.17	-	107.03	31.88	7.37	33.84
PK	5.1472G	61.80	74.00	-12.20	5.46	3	Vertical	248	2.17	-	56.34	32.00	7.30	33.84
PK	5.1802G	124.13	Inf	-Inf	5.41	3	Vertical	248	2.17	-	118.72	31.88	7.37	33.84

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1486G	45.45	54.00	-8.55	5.46	3	Horizontal	296	3.00	-	39.99	32.00	7.30	33.84
AV	5.1804G	103.26	Inf	-Inf	5.41	3	Horizontal	296	3.00	-	97.85	31.88	7.37	33.84
PK	5.1462G	58.76	74.00	-15.24	5.46	3	Horizontal	296	3.00	-	53.30	32.00	7.30	33.84
PK	5.18G	115.23	Inf	-Inf	5.41	3	Horizontal	296	3.00	-	109.82	31.88	7.37	33.84

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54174G	50.34	54.00	-3.66	-2.00	3	Vertical	276	2.92	-	52.34	38.09	13.15	53.24
PK	10.35938G	56.50	68.20	-11.70	-4.51	3	Vertical	166	2.95	-	61.01	39.38	10.62	54.51
PK	15.54172G	67.79	74.00	-6.21	-2.00	3	Vertical	276	2.92	-	69.79	38.09	13.15	53.24

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54158G	43.02	54.00	-10.98	-2.00	3	Horizontal	168	2.04	-	45.02	38.09	13.15	53.24
PK	10.36064G	53.02	68.20	-15.18	-4.51	3	Horizontal	235	3.00	-	57.53	39.38	10.62	54.51
PK	15.53998G	58.09	74.00	-15.91	-1.99	3	Horizontal	168	2.04	-	60.08	38.10	13.15	53.24

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.18	54.00	-7.82	5.47	3	Vertical	247	2.15	-	40.71	32.00	7.31	33.84
AV	5.2G	111.67	Inf	-Inf	5.36	3	Vertical	247	2.15	-	106.31	31.80	7.41	33.85
PK	5.1464G	58.74	74.00	-15.26	5.46	3	Vertical	247	2.15	-	53.28	32.00	7.30	33.84
PK	5.2016G	122.78	Inf	-Inf	5.35	3	Vertical	247	2.15	-	117.43	31.79	7.41	33.85

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1488G	43.63	54.00	-10.37	5.47	3	Horizontal	83	1.09	-	38.16	32.00	7.31	33.84
AV	5.2012G	96.00	Inf	-Inf	5.35	3	Horizontal	83	1.09	-	90.65	31.79	7.41	33.85
PK	5.1436G	56.24	74.00	-17.76	5.46	3	Horizontal	83	1.09	-	50.78	32.00	7.29	33.83
PK	5.202G	107.72	Inf	-Inf	5.35	3	Horizontal	83	1.09	-	102.37	31.79	7.41	33.85

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60132G	46.27	54.00	-7.73	-2.23	3	Vertical	258	2.56	-	48.50	37.80	13.18	53.21
PK	10.40094G	58.52	68.20	-9.68	-4.36	3	Vertical	338	3.00	-	62.88	39.50	10.65	54.51
PK	15.60184G	63.27	74.00	-10.73	-2.23	3	Vertical	258	2.56	-	65.50	37.80	13.18	53.21

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60124G	43.09	54.00	-10.91	-2.23	3	Horizontal	177	0.99	-	45.32	37.80	13.18	53.21
PK	10.40038G	54.48	68.20	-13.72	-4.36	3	Horizontal	235	3.00	-	58.84	39.50	10.65	54.51
PK	15.60194G	60.87	74.00	-13.13	-2.23	3	Horizontal	177	0.99	-	63.10	37.80	13.18	53.21

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	46.71	54.00	-7.29	5.47	3	Vertical	247	1.26	-	41.24	32.00	7.30	33.83
AV	5.24G	111.71	Inf	-Inf	5.14	3	Vertical	247	1.26	-	106.57	31.56	7.44	33.86
AV	5.35G	43.45	54.00	-10.55	4.93	3	Vertical	247	1.26	-	38.52	31.30	7.51	33.88
PK	5.144G	57.27	74.00	-16.73	5.47	3	Vertical	247	1.26	-	51.80	32.00	7.30	33.83
PK	5.24G	123.25	Inf	-Inf	5.14	3	Vertical	247	1.26	-	118.11	31.56	7.44	33.86
PK	5.3774G	57.95	74.00	-16.05	5.10	3	Vertical	247	1.26	-	52.85	31.46	7.53	33.89

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	43.88	54.00	-10.12	5.47	3	Horizontal	170	2.36	-	38.41	32.00	7.30	33.83
AV	5.2406G	100.48	Inf	-Inf	5.14	3	Horizontal	170	2.36	-	95.34	31.56	7.44	33.86
AV	5.3648G	43.29	54.00	-10.71	5.02	3	Horizontal	170	2.36	-	38.27	31.39	7.52	33.89
PK	5.1164G	56.97	74.00	-17.03	5.41	3	Horizontal	170	2.36	-	51.56	32.00	7.24	33.83
PK	5.24G	112.33	Inf	-Inf	5.14	3	Horizontal	170	2.36	-	107.19	31.56	7.44	33.86
PK	5.3588G	55.75	74.00	-18.25	4.97	3	Horizontal	170	2.36	-	50.78	31.35	7.51	33.89

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72092G	50.17	54.00	-3.83	-2.32	3	Vertical	267	2.75	-	52.49	37.58	13.25	53.15
PK	10.48178G	55.99	68.20	-12.21	-4.12	3	Vertical	356	2.41	-	60.11	39.66	10.73	54.51
PK	15.7236G	67.39	74.00	-6.61	-2.32	3	Vertical	267	2.75	-	69.71	37.58	13.25	53.15

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72122G	46.22	54.00	-7.78	-2.32	3	Horizontal	179	0.99	-	48.54	37.58	13.25	53.15
PK	10.47916G	52.70	68.20	-15.50	-4.13	3	Horizontal	234	2.86	-	56.83	39.66	10.72	54.51
PK	15.7219G	63.78	74.00	-10.22	-2.32	3	Horizontal	179	0.99	-	66.10	37.58	13.25	53.15

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	100.79	Inf	-Inf	5.84	3	Vertical	248	1.40	-	94.95	32.08	7.72	33.96
PK	5.6046G	55.83	68.20	-12.37	4.98	3	Vertical	248	1.40	-	50.85	31.80	7.12	33.94
PK	5.7462G	112.87	Inf	-Inf	5.84	3	Vertical	248	1.40	-	107.03	32.08	7.72	33.96
PK	5.9646G	57.22	68.20	-10.98	6.94	3	Vertical	248	1.40	-	50.28	32.53	8.40	33.99

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.745G	100.94	Inf	-Inf	5.84	3	Horizontal	141	1.00	-	95.10	32.08	7.72	33.96
PK	5.6394G	55.75	68.20	-12.45	5.13	3	Horizontal	141	1.00	-	50.62	31.80	7.27	33.94
PK	5.7462G	112.31	Inf	-Inf	5.84	3	Horizontal	141	1.00	-	106.47	32.08	7.72	33.96
PK	5.9826G	57.03	68.20	-11.17	7.02	3	Horizontal	141	1.00	-	50.01	32.57	8.45	34.00

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49084G	50.95	54.00	-3.05	-2.60	3	Vertical	83	1.94	-	53.55	40.08	11.62	54.30
PK	11.4918G	65.17	74.00	-8.83	-2.60	3	Vertical	83	1.94	-	67.77	40.08	11.62	54.30
PK	17.23554G	56.81	68.20	-11.39	1.64	3	Vertical	323	2.32	-	55.17	40.01	14.27	52.64

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4906G	45.82	54.00	-8.18	-2.60	3	Horizontal	89	1.00	-	48.42	40.08	11.62	54.30
PK	11.48928G	58.86	74.00	-15.14	-2.60	3	Horizontal	89	1.00	-	61.46	40.08	11.62	54.30
PK	17.2365G	53.63	68.20	-14.57	1.64	3	Horizontal	169	1.00	-	51.99	40.01	14.27	52.64

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.785G	110.43	Inf	-Inf	6.16	3	Vertical	248	1.47	-	104.27	32.24	7.89	33.97
PK	5.593G	55.88	68.20	-12.32	5.00	3	Vertical	248	1.47	-	50.88	31.81	7.12	33.93
PK	5.785G	122.32	Inf	-Inf	6.16	3	Vertical	248	1.47	-	116.16	32.24	7.89	33.97
PK	5.9362G	57.20	68.20	-11.00	6.83	3	Vertical	248	1.47	-	50.37	32.50	8.32	33.99

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	110.10	Inf	-Inf	6.16	3	Horizontal	141	1.00	-	103.94	32.24	7.89	33.97
PK	5.6482G	55.81	68.20	-12.39	5.16	3	Horizontal	141	1.00	-	50.65	31.80	7.30	33.94
PK	5.7862G	120.01	Inf	-Inf	6.16	3	Horizontal	141	1.00	-	113.85	32.24	7.89	33.97
PK	5.9626G	57.04	68.20	-11.16	6.94	3	Horizontal	141	1.00	-	50.10	32.53	8.40	33.99

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57086G	50.86	54.00	-3.14	-2.68	3	Vertical	242	2.31	-	53.54	39.89	11.69	54.26
PK	11.56958G	65.52	74.00	-8.48	-2.69	3	Vertical	242	2.31	-	68.21	39.89	11.69	54.27
PK	17.3565G	59.55	68.20	-8.65	2.20	3	Vertical	320	2.67	-	57.35	40.54	14.35	52.69

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57174G	47.47	54.00	-6.53	-2.69	3	Horizontal	176	3.00	-	50.16	39.88	11.69	54.26
PK	11.57168G	60.84	74.00	-13.16	-2.69	3	Horizontal	176	3.00	-	63.53	39.88	11.69	54.26
PK	17.3619G	54.85	68.20	-13.35	2.24	3	Horizontal	236	1.49	-	52.61	40.57	14.36	52.69

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.825G	106.58	Inf	-Inf	6.40	3	Vertical	242	1.43	-	100.18	32.35	8.02	33.97
PK	5.5478G	56.01	68.20	-12.19	5.18	3	Vertical	242	1.43	-	50.83	31.90	7.21	33.93
PK	5.8262G	117.22	Inf	-Inf	6.40	3	Vertical	242	1.43	-	110.82	32.35	8.02	33.97
PK	5.951G	57.07	68.20	-11.13	6.88	3	Vertical	242	1.43	-	50.19	32.50	8.37	33.99

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.825G	106.11	Inf	-Inf	6.40	3	Horizontal	142	1.00	-	99.71	32.35	8.02	33.97
PK	5.6486G	55.71	68.20	-12.49	5.17	3	Horizontal	142	1.00	-	50.54	31.80	7.31	33.94
PK	5.825G	116.50	Inf	-Inf	6.40	3	Horizontal	142	1.00	-	110.10	32.35	8.02	33.97
PK	5.9762G	57.21	68.20	-10.99	6.98	3	Horizontal	142	1.00	-	50.23	32.55	8.43	34.00

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65054G	50.93	54.00	-3.07	-2.92	3	Vertical	163	2.21	-	53.85	39.55	11.76	54.23
PK	11.6518G	63.94	74.00	-10.06	-2.93	3	Vertical	163	2.21	-	66.87	39.54	11.76	54.23
PK	17.475G	63.19	68.20	-5.01	2.95	3	Vertical	325	2.54	-	60.24	41.25	14.44	52.74

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65168G	40.94	54.00	-13.06	-2.93	3	Horizontal	38	1.00	-	43.87	39.54	11.76	54.23
PK	11.65078G	54.30	74.00	-19.70	-2.92	3	Horizontal	38	1.00	-	57.22	39.55	11.76	54.23
PK	17.47782G	57.67	68.20	-10.53	2.97	3	Horizontal	177	1.99	-	54.70	41.27	14.44	52.74

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.08	54.00	-4.92	5.47	3	Vertical	249	2.15	-	43.61	32.00	7.31	33.84
AV	5.1796G	111.87	Inf	-Inf	5.41	3	Vertical	249	2.15	-	106.46	31.88	7.37	33.84
PK	5.1494G	63.20	74.00	-10.80	5.47	3	Vertical	249	2.15	-	57.73	32.00	7.31	33.84
PK	5.1794G	122.80	Inf	-Inf	5.41	3	Vertical	249	2.15	-	117.39	31.88	7.37	33.84

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	44.49	54.00	-9.51	5.47	3	Horizontal	305	2.20	-	39.02	32.00	7.31	33.84
AV	5.1812G	101.63	Inf	-Inf	5.41	3	Horizontal	305	2.20	-	96.22	31.88	7.37	33.84
PK	5.149G	57.13	74.00	-16.87	5.47	3	Horizontal	305	2.20	-	51.66	32.00	7.31	33.84
PK	5.1788G	112.61	Inf	-Inf	5.41	3	Horizontal	305	2.20	-	107.20	31.88	7.37	33.84

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54096G	49.70	54.00	-4.30	-1.99	3	Vertical	261	2.99	-	51.69	38.10	13.15	53.24
PK	10.36136G	53.39	68.20	-14.81	-4.51	3	Vertical	261	2.99	-	57.90	39.38	10.62	54.51
PK	15.53856G	65.55	74.00	-8.45	-1.98	3	Vertical	261	2.99	-	67.53	38.11	13.15	53.24

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53946G	44.89	54.00	-9.11	-1.99	3	Horizontal	180	0.99	-	46.88	38.10	13.15	53.24
PK	10.354G	52.05	68.20	-16.15	-4.54	3	Horizontal	145	2.16	-	56.59	39.36	10.61	54.51
PK	15.53652G	60.24	74.00	-13.76	-1.97	3	Horizontal	180	0.99	-	62.21	38.12	13.15	53.24

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.48	54.00	-8.52	5.47	3	Vertical	240	1.49	-	40.01	32.00	7.31	33.84
AV	5.1992G	110.30	Inf	-Inf	5.36	3	Vertical	240	1.49	-	104.94	31.80	7.41	33.85
PK	5.146G	57.74	74.00	-16.26	5.46	3	Vertical	240	1.49	-	52.28	32.00	7.30	33.84
PK	5.1992G	121.58	Inf	-Inf	5.36	3	Vertical	240	1.49	-	116.22	31.80	7.41	33.85

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	43.79	54.00	-10.21	5.47	3	Horizontal	70	1.48	-	38.32	32.00	7.31	33.84
AV	5.1996G	100.02	Inf	-Inf	5.36	3	Horizontal	70	1.48	-	94.66	31.80	7.41	33.85
PK	5.1412G	56.89	74.00	-17.11	5.46	3	Horizontal	70	1.48	-	51.43	32.00	7.29	33.83
PK	5.1984G	111.07	Inf	-Inf	5.37	3	Horizontal	70	1.48	-	105.70	31.81	7.41	33.85

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59964G	49.68	54.00	-4.32	-2.23	3	Vertical	258	2.95	-	51.91	37.80	13.18	53.21
PK	10.39982G	56.41	68.20	-11.79	-4.36	3	Vertical	181	2.14	-	60.77	39.50	10.65	54.51
PK	15.60222G	66.62	74.00	-7.38	-2.22	3	Vertical	258	2.95	-	68.84	37.80	13.19	53.21

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59802G	46.86	54.00	-7.14	-2.22	3	Horizontal	178	0.99	-	49.08	37.81	13.18	53.21
PK	10.40144G	52.60	68.20	-15.60	-4.35	3	Horizontal	235	3.00	-	56.95	39.50	10.66	54.51
PK	15.59802G	64.16	74.00	-9.84	-2.22	3	Horizontal	178	0.99	-	66.38	37.81	13.18	53.21

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	44.81	54.00	-9.19	5.47	3	Vertical	254	2.11	-	39.34	32.00	7.30	33.83
AV	5.2388G	111.43	Inf	-Inf	5.15	3	Vertical	254	2.11	-	106.28	31.57	7.44	33.86
AV	5.3738G	43.30	54.00	-10.70	5.07	3	Vertical	254	2.11	-	38.23	31.44	7.52	33.89
PK	5.1434G	58.00	74.00	-16.00	5.46	3	Vertical	254	2.11	-	52.54	32.00	7.29	33.83
PK	5.2388G	122.67	Inf	-Inf	5.15	3	Vertical	254	2.11	-	117.52	31.57	7.44	33.86
PK	5.375G	55.91	74.00	-18.09	5.08	3	Vertical	254	2.11	-	50.83	31.45	7.52	33.89

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	43.65	54.00	-10.35	5.47	3	Horizontal	175	2.59	-	38.18	32.00	7.30	33.83
AV	5.2412G	100.79	Inf	-Inf	5.13	3	Horizontal	175	2.59	-	95.66	31.55	7.44	33.86
AV	5.3726G	43.08	54.00	-10.92	5.07	3	Horizontal	175	2.59	-	38.01	31.44	7.52	33.89
PK	5.144G	57.01	74.00	-16.99	5.47	3	Horizontal	175	2.59	-	51.54	32.00	7.30	33.83
PK	5.2394G	111.53	Inf	-Inf	5.14	3	Horizontal	175	2.59	-	106.39	31.56	7.44	33.86
PK	5.3606G	56.03	74.00	-17.97	4.98	3	Horizontal	175	2.59	-	51.05	31.36	7.51	33.89

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7194G	50.31	54.00	-3.69	-2.32	3	Vertical	308	2.81	-	52.63	37.58	13.25	53.15
PK	10.48006G	56.22	68.20	-11.98	-4.13	3	Vertical	176	1.99	-	60.35	39.66	10.72	54.51
PK	15.72048G	66.90	74.00	-7.10	-2.32	3	Vertical	308	2.81	-	69.22	37.58	13.25	53.15

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72048G	50.33	54.00	-3.67	-2.32	3	Horizontal	178	0.99	-	52.65	37.58	13.25	53.15
PK	10.47238G	51.38	68.20	-16.82	-4.15	3	Horizontal	46	1.21	-	55.53	39.64	10.72	54.51
PK	15.72042G	66.27	74.00	-7.73	-2.32	3	Horizontal	178	0.99	-	68.59	37.58	13.25	53.15

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	107.82	Inf	-Inf	5.83	3	Vertical	261	2.13	-	101.99	32.08	7.71	33.96
PK	5.643G	55.92	68.20	-12.28	5.14	3	Vertical	261	2.13	-	50.78	31.80	7.28	33.94
PK	5.7438G	118.92	Inf	-Inf	5.83	3	Vertical	261	2.13	-	113.09	32.08	7.71	33.96
PK	5.9262G	57.79	68.20	-10.41	6.81	3	Vertical	261	2.13	-	50.98	32.50	8.30	33.99

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.745G	102.68	Inf	-Inf	5.84	3	Horizontal	171	2.41	-	96.84	32.08	7.72	33.96
PK	5.5638G	56.02	68.20	-12.18	5.12	3	Horizontal	171	2.41	-	50.90	31.87	7.18	33.93
PK	5.7438G	113.38	Inf	-Inf	5.83	3	Horizontal	171	2.41	-	107.55	32.08	7.71	33.96
PK	5.9898G	57.66	68.20	-10.54	7.05	3	Horizontal	171	2.41	-	50.61	32.58	8.47	34.00

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48892G	50.98	54.00	-3.02	-2.60	3	Vertical	15	1.92	-	53.58	40.08	11.62	54.30
PK	11.4888G	64.93	74.00	-9.07	-2.60	3	Vertical	15	1.92	-	67.53	40.08	11.62	54.30
PK	17.23554G	63.92	68.20	-4.28	1.64	3	Vertical	29	2.95	-	62.28	40.01	14.27	52.64

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48944G	45.22	54.00	-8.78	-2.60	3	Horizontal	183	2.08	-	47.82	40.08	11.62	54.30
PK	11.48928G	58.56	74.00	-15.44	-2.60	3	Horizontal	183	2.08	-	61.16	40.08	11.62	54.30
PK	17.23344G	63.19	68.20	-5.01	1.63	3	Horizontal	66	1.92	-	61.56	40.00	14.27	52.64

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7838G	108.36	Inf	-Inf	6.15	3	Vertical	244	2.15	-	102.21	32.24	7.88	33.97
PK	5.623G	56.07	68.20	-12.13	5.06	3	Vertical	244	2.15	-	51.01	31.80	7.20	33.94
PK	5.7838G	118.87	Inf	-Inf	6.15	3	Vertical	244	2.15	-	112.72	32.24	7.88	33.97
PK	5.9854G	56.74	68.20	-11.46	7.03	3	Vertical	244	2.15	-	49.71	32.57	8.46	34.00

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	102.67	Inf	-Inf	6.16	3	Horizontal	167	2.25	-	96.51	32.24	7.89	33.97
PK	5.5306G	56.08	68.20	-12.12	5.23	3	Horizontal	167	2.25	-	50.85	31.90	7.25	33.92
PK	5.7826G	113.63	Inf	-Inf	6.14	3	Horizontal	167	2.25	-	107.49	32.23	7.88	33.97
PK	5.9422G	57.57	68.20	-10.63	6.85	3	Horizontal	167	2.25	-	50.72	32.50	8.34	33.99

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5692G	50.89	54.00	-3.11	-2.69	3	Vertical	358	2.07	-	53.58	39.89	11.69	54.27
PK	11.569G	64.27	74.00	-9.73	-2.69	3	Vertical	358	2.07	-	66.96	39.89	11.69	54.27
PK	17.35696G	63.27	68.20	-4.93	2.20	3	Vertical	322	1.90	-	61.07	40.54	14.35	52.69

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5694G	44.48	54.00	-9.52	-2.69	3	Horizontal	195	2.08	-	47.17	39.89	11.69	54.27
PK	11.56988G	57.95	74.00	-16.05	-2.68	3	Horizontal	195	2.08	-	60.63	39.89	11.69	54.26
PK	17.35664G	59.10	68.20	-9.10	2.20	3	Horizontal	328	1.92	-	56.90	40.54	14.35	52.69

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	106.13	Inf	-Inf	6.40	3	Vertical	248	1.27	-	99.73	32.35	8.02	33.97
PK	5.5946G	56.04	68.20	-12.16	4.98	3	Vertical	248	1.27	-	51.06	31.81	7.11	33.94
PK	5.8262G	117.17	Inf	-Inf	6.40	3	Vertical	248	1.27	-	110.77	32.35	8.02	33.97
PK	5.9378G	57.39	68.20	-10.81	6.84	3	Vertical	248	1.27	-	50.55	32.50	8.33	33.99

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	100.66	Inf	-Inf	6.40	3	Horizontal	167	2.34	-	94.26	32.35	8.02	33.97
PK	5.6438G	55.75	68.20	-12.45	5.15	3	Horizontal	167	2.34	-	50.60	31.80	7.29	33.94
PK	5.8262G	111.46	Inf	-Inf	6.40	3	Horizontal	167	2.34	-	105.06	32.35	8.02	33.97
PK	5.9738G	57.26	68.20	-10.94	6.98	3	Horizontal	167	2.34	-	50.28	32.55	8.43	34.00

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64916G	50.82	54.00	-3.18	-2.92	3	Vertical	16	2.24	-	53.74	39.55	11.76	54.23
PK	11.6515G	64.25	74.00	-9.75	-2.93	3	Vertical	16	2.24	-	67.18	39.54	11.76	54.23
PK	17.46988G	63.04	68.20	-5.16	2.91	3	Vertical	327	3.00	-	60.13	41.22	14.43	52.74

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64922G	44.85	54.00	-9.15	-2.92	3	Horizontal	165	3.00	-	47.77	39.55	11.76	54.23
PK	11.64958G	57.86	74.00	-16.14	-2.92	3	Horizontal	165	3.00	-	60.78	39.55	11.76	54.23
PK	17.47542G	58.13	68.20	-10.07	2.95	3	Horizontal	67	1.92	-	55.18	41.25	14.44	52.74

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	50.76	54.00	-3.24	5.46	3	Vertical	245	2.15	-	45.30	32.00	7.30	33.84
AV	5.1764G	108.20	Inf	-Inf	5.41	3	Vertical	245	2.15	-	102.79	31.89	7.36	33.84
PK	5.15G	64.20	74.00	-9.80	5.47	3	Vertical	245	2.15	-	58.73	32.00	7.31	33.84
PK	5.1792G	118.88	Inf	-Inf	5.41	3	Vertical	245	2.15	-	113.47	31.88	7.37	33.84

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	45.02	54.00	-8.98	5.47	3	Horizontal	69	1.33	-	39.55	32.00	7.31	33.84
AV	5.1792G	96.12	Inf	-Inf	5.41	3	Horizontal	69	1.33	-	90.71	31.88	7.37	33.84
PK	5.1484G	56.83	74.00	-17.17	5.46	3	Horizontal	69	1.33	-	51.37	32.00	7.30	33.84
PK	5.1788G	105.91	Inf	-Inf	5.41	3	Horizontal	69	1.33	-	100.50	31.88	7.37	33.84

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5414G	48.93	54.00	-5.07	-2.00	3	Vertical	323	2.64	-	50.93	38.09	13.15	53.24
PK	10.36408G	53.69	68.20	-14.51	-4.50	3	Vertical	47	1.07	-	58.19	39.39	10.62	54.51
PK	15.5362G	63.95	74.00	-10.05	-1.97	3	Vertical	323	2.64	-	65.92	38.12	13.15	53.24

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5398G	43.58	54.00	-10.42	-1.99	3	Horizontal	167	3.00	-	45.57	38.10	13.15	53.24
PK	10.3676G	52.57	68.20	-15.63	-4.48	3	Horizontal	142	2.39	-	57.05	39.40	10.63	54.51
PK	15.54536G	57.87	74.00	-16.13	-2.01	3	Horizontal	167	3.00	-	59.88	38.07	13.16	53.24

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.22	54.00	-8.78	5.46	3	Vertical	243	1.49	-	39.76	32.00	7.30	33.84
AV	5.1988G	107.93	Inf	-Inf	5.36	3	Vertical	243	1.49	-	102.57	31.80	7.41	33.85
PK	5.1488G	58.46	74.00	-15.54	5.47	3	Vertical	243	1.49	-	52.99	32.00	7.31	33.84
PK	5.2012G	118.44	Inf	-Inf	5.35	3	Vertical	243	1.49	-	113.09	31.79	7.41	33.85

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	44.31	54.00	-9.69	5.46	3	Horizontal	173	2.59	-	38.85	32.00	7.29	33.83
AV	5.1992G	97.92	Inf	-Inf	5.36	3	Horizontal	173	2.59	-	92.56	31.80	7.41	33.85
PK	5.1056G	57.05	74.00	-16.95	5.39	3	Horizontal	173	2.59	-	51.66	32.00	7.22	33.83
PK	5.198G	107.87	Inf	-Inf	5.37	3	Horizontal	173	2.59	-	102.50	31.81	7.41	33.85

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60056G	50.04	54.00	-3.96	-2.23	3	Vertical	320	2.94	-	52.27	37.80	13.18	53.21
PK	10.40352G	53.94	68.20	-14.26	-4.34	3	Vertical	55	2.75	-	58.28	39.51	10.66	54.51
PK	15.59352G	64.78	74.00	-9.22	-2.21	3	Vertical	320	2.94	-	66.99	37.83	13.18	53.22

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60156G	47.14	54.00	-6.86	-2.23	3	Horizontal	318	2.06	-	49.37	37.80	13.18	53.21
PK	10.393G	51.38	68.20	-16.82	-4.38	3	Horizontal	154	2.77	-	55.76	39.48	10.65	54.51
PK	15.59688G	61.48	74.00	-12.52	-2.21	3	Horizontal	318	2.06	-	63.69	37.82	13.18	53.21

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	44.34	54.00	-9.66	5.47	3	Vertical	257	2.15	-	38.87	32.00	7.30	33.83
AV	5.243G	107.36	Inf	-Inf	5.12	3	Vertical	257	2.15	-	102.24	31.54	7.44	33.86
AV	5.3504G	43.55	54.00	-10.45	4.93	3	Vertical	257	2.15	-	38.62	31.30	7.51	33.88
PK	5.1368G	57.02	74.00	-16.98	5.45	3	Vertical	257	2.15	-	51.57	32.00	7.28	33.83
PK	5.243G	117.75	Inf	-Inf	5.12	3	Vertical	257	2.15	-	112.63	31.54	7.44	33.86
PK	5.36G	55.80	74.00	-18.20	4.98	3	Vertical	257	2.15	-	50.82	31.36	7.51	33.89

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	43.86	54.00	-10.14	5.47	3	Horizontal	173	2.54	-	38.39	32.00	7.31	33.84
AV	5.2412G	98.53	Inf	-Inf	5.13	3	Horizontal	173	2.54	-	93.40	31.55	7.44	33.86
AV	5.3678G	43.39	54.00	-10.61	5.04	3	Horizontal	173	2.54	-	38.35	31.41	7.52	33.89
PK	5.1482G	56.05	74.00	-17.95	5.46	3	Horizontal	173	2.54	-	50.59	32.00	7.30	33.84
PK	5.2394G	107.92	Inf	-Inf	5.14	3	Horizontal	173	2.54	-	102.78	31.56	7.44	33.86
PK	5.35G	55.53	74.00	-18.47	4.93	3	Horizontal	173	2.54	-	50.60	31.30	7.51	33.88

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72332G	49.71	54.00	-4.29	-2.32	3	Vertical	267	2.79	-	52.03	37.58	13.25	53.15
PK	10.47988G	54.18	68.20	-14.02	-4.13	3	Vertical	179	2.96	-	58.31	39.66	10.72	54.51
PK	15.71604G	64.34	74.00	-9.66	-2.34	3	Vertical	267	2.79	-	66.68	37.58	13.24	53.16

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7182G	45.43	54.00	-8.57	-2.34	3	Horizontal	52	2.02	-	47.77	37.58	13.24	53.16
PK	10.48264G	51.52	68.20	-16.68	-4.11	3	Horizontal	141	2.41	-	55.63	39.67	10.73	54.51
PK	15.71596G	59.15	74.00	-14.85	-2.34	3	Horizontal	52	2.02	-	61.49	37.58	13.24	53.16

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7414G	105.77	Inf	-Inf	5.81	3	Vertical	245	1.50	-	99.96	32.07	7.70	33.96
PK	5.643G	56.43	68.20	-11.77	5.14	3	Vertical	245	1.50	-	51.29	31.80	7.28	33.94
PK	5.7438G	115.97	Inf	-Inf	5.83	3	Vertical	245	1.50	-	110.14	32.08	7.71	33.96
PK	5.9574G	57.48	68.20	-10.72	6.90	3	Vertical	245	1.50	-	50.58	32.51	8.38	33.99

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	101.46	Inf	-Inf	5.84	3	Horizontal	168	2.30	-	95.62	32.08	7.72	33.96
PK	5.643G	55.59	68.20	-12.61	5.14	3	Horizontal	168	2.30	-	50.45	31.80	7.28	33.94
PK	5.7462G	111.20	Inf	-Inf	5.84	3	Horizontal	168	2.30	-	105.36	32.08	7.72	33.96
PK	5.9262G	57.18	68.20	-11.02	6.81	3	Horizontal	168	2.30	-	50.37	32.50	8.30	33.99

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48872G	50.92	54.00	-3.08	-2.60	3	Vertical	15	3.00	-	53.52	40.08	11.62	54.30
PK	11.49292G	63.35	74.00	-10.65	-2.59	3	Vertical	15	3.00	-	65.94	40.09	11.62	54.30
PK	17.23088G	63.49	68.20	-4.71	1.61	3	Vertical	29	2.87	-	61.88	39.99	14.26	52.64

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48872G	41.76	54.00	-12.24	-2.60	3	Horizontal	95	2.04	-	44.36	40.08	11.62	54.30
PK	11.48872G	55.41	74.00	-18.59	-2.60	3	Horizontal	95	2.04	-	58.01	40.08	11.62	54.30
PK	17.23628G	61.04	68.20	-7.16	1.64	3	Horizontal	177	1.00	-	59.40	40.01	14.27	52.64

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	105.18	Inf	-Inf	6.16	3	Vertical	22	1.50	-	99.02	32.24	7.89	33.97
PK	5.5366G	56.31	68.20	-11.89	5.21	3	Vertical	22	1.50	-	51.10	31.90	7.24	33.93
PK	5.7874G	115.25	Inf	-Inf	6.18	3	Vertical	22	1.50	-	109.07	32.25	7.90	33.97
PK	5.9302G	56.90	68.20	-11.30	6.82	3	Vertical	22	1.50	-	50.08	32.50	8.31	33.99

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	101.38	Inf	-Inf	6.18	3	Horizontal	169	1.00	-	95.20	32.25	7.90	33.97
PK	5.6266G	55.58	68.20	-12.62	5.07	3	Horizontal	169	1.00	-	50.51	31.80	7.21	33.94
PK	5.7874G	111.20	Inf	-Inf	6.18	3	Horizontal	169	1.00	-	105.02	32.25	7.90	33.97
PK	5.977G	57.81	68.20	-10.39	6.99	3	Horizontal	169	1.00	-	50.82	32.55	8.44	34.00

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56808G	50.90	54.00	-3.10	-2.68	3	Vertical	16	2.09	-	53.58	39.90	11.69	54.27
PK	11.57308G	64.64	74.00	-9.36	-2.69	3	Vertical	16	2.09	-	67.33	39.88	11.69	54.26
PK	17.35188G	63.28	68.20	-4.92	2.17	3	Vertical	60	1.00	-	61.11	40.51	14.35	52.69

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56964G	43.34	54.00	-10.66	-2.69	3	Horizontal	92	2.03	-	46.03	39.89	11.69	54.27
PK	11.56932G	56.32	74.00	-17.68	-2.69	3	Horizontal	92	2.03	-	59.01	39.89	11.69	54.27
PK	17.35156G	61.55	68.20	-6.65	2.17	3	Horizontal	178	1.00	-	59.38	40.51	14.35	52.69

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	103.70	Inf	-Inf	6.40	3	Vertical	248	1.40	-	97.30	32.35	8.02	33.97
PK	5.6042G	55.51	68.20	-12.69	4.98	3	Vertical	248	1.40	-	50.53	31.80	7.12	33.94
PK	5.8214G	113.24	Inf	-Inf	6.38	3	Vertical	248	1.40	-	106.86	32.34	8.01	33.97
PK	5.9762G	57.59	68.20	-10.61	6.98	3	Vertical	248	1.40	-	50.61	32.55	8.43	34.00

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	98.58	Inf	-Inf	6.38	3	Horizontal	167	2.35	-	92.20	32.34	8.01	33.97
PK	5.609G	55.88	68.20	-12.32	5.00	3	Horizontal	167	2.35	-	50.88	31.80	7.14	33.94
PK	5.8214G	108.21	Inf	-Inf	6.38	3	Horizontal	167	2.35	-	101.83	32.34	8.01	33.97
PK	5.945G	57.15	68.20	-11.05	6.86	3	Horizontal	167	2.35	-	50.29	32.50	8.35	33.99

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64904G	46.53	54.00	-7.47	-2.92	3	Vertical	19	2.86	-	49.45	39.55	11.76	54.23
PK	11.64912G	59.99	74.00	-14.01	-2.92	3	Vertical	19	2.86	-	62.91	39.55	11.76	54.23
PK	17.47108G	63.29	68.20	-4.91	2.92	3	Vertical	324	3.00	-	60.37	41.23	14.43	52.74

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	40.40	54.00	-13.60	-2.92	3	Horizontal	90	2.82	-	43.32	39.55	11.76	54.23
PK	11.655G	53.46	74.00	-20.54	-2.95	3	Horizontal	90	2.82	-	56.41	39.52	11.76	54.23
PK	17.46968G	56.80	68.20	-11.40	2.91	3	Horizontal	99	2.05	-	53.89	41.22	14.43	52.74

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	49.62	54.00	-4.38	2.55	3	Vertical	301	1.97	-	47.07	32.00	5.47	34.92
AV	5.1798G	113.65	Inf	-Inf	2.40	3	Vertical	301	1.97	-	111.25	31.82	5.49	34.91
PK	5.1488G	62.54	74.00	-11.46	2.55	3	Vertical	301	1.97	-	59.99	32.00	5.47	34.92
PK	5.1818G	123.52	Inf	-Inf	2.39	3	Vertical	301	1.97	-	121.13	31.81	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	44.57	54.00	-9.43	2.55	3	Horizontal	34	1.03	-	42.02	32.00	5.47	34.92
AV	5.18G	105.51	Inf	-Inf	2.40	3	Horizontal	34	1.03	-	103.11	31.82	5.49	34.91
PK	5.1452G	57.89	74.00	-16.11	2.55	3	Horizontal	34	1.03	-	55.34	32.00	5.47	34.92
PK	5.1812G	116.83	Inf	-Inf	2.39	3	Horizontal	34	1.03	-	114.44	31.81	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5413G	48.52	54.00	-5.48	13.17	3	Vertical	205	1.06	-	35.35	38.49	9.79	35.11
PK	10.35984G	54.58	68.20	-13.62	12.17	3	Vertical	332	2.08	-	42.41	39.48	7.93	35.24
PK	15.5389G	63.71	74.00	-10.29	13.18	3	Vertical	205	1.06	-	50.53	38.51	9.78	35.11

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54042G	50.18	54.00	-3.82	13.18	3	Horizontal	123	2.11	-	37.00	38.50	9.79	35.11
PK	10.35656G	54.99	68.20	-13.21	12.15	3	Horizontal	309	3.00	-	42.84	39.47	7.92	35.24
PK	15.54296G	66.70	74.00	-7.30	13.17	3	Horizontal	123	2.11	-	53.53	38.49	9.79	35.11

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.82	54.00	-6.18	2.55	3	Vertical	309	2.08	-	45.27	32.00	5.47	34.92
AV	5.2G	114.34	Inf	-Inf	2.29	3	Vertical	309	2.08	-	112.05	31.70	5.50	34.91
PK	5.146G	59.99	74.00	-14.01	2.55	3	Vertical	309	2.08	-	57.44	32.00	5.47	34.92
PK	5.1996G	123.90	Inf	-Inf	2.29	3	Vertical	309	2.08	-	121.61	31.70	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	43.74	54.00	-10.26	2.55	3	Horizontal	41	1.19	-	41.19	32.00	5.47	34.92
AV	5.2016G	105.00	Inf	-Inf	2.28	3	Horizontal	41	1.19	-	102.72	31.69	5.50	34.91
PK	5.1392G	56.48	74.00	-17.52	2.55	3	Horizontal	41	1.19	-	53.93	32.00	5.47	34.92
PK	5.2016G	116.55	Inf	-Inf	2.28	3	Horizontal	41	1.19	-	114.27	31.69	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60072G	48.01	54.00	-5.99	12.85	3	Vertical	285	2.45	-	35.16	38.20	9.80	35.15
PK	10.4006G	56.02	68.20	-12.18	12.35	3	Vertical	75	2.59	-	43.67	39.60	7.94	35.19
PK	15.60064G	63.58	74.00	-10.42	12.85	3	Vertical	285	2.45	-	50.73	38.20	9.80	35.15

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6013G	50.28	54.00	-3.72	12.85	3	Horizontal	325	2.15	-	37.43	38.20	9.80	35.15
PK	10.40214G	54.63	68.20	-13.57	12.36	3	Horizontal	308	3.00	-	42.27	39.61	7.94	35.19
PK	15.60118G	67.32	74.00	-6.68	12.85	3	Horizontal	325	2.15	-	54.47	38.20	9.80	35.15

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	46.94	54.00	-7.06	2.55	3	Vertical	309	2.17	-	44.39	32.00	5.47	34.92
AV	5.24G	114.05	Inf	-Inf	2.10	3	Vertical	309	2.17	-	111.95	31.46	5.54	34.90
AV	5.3846G	42.57	54.00	-11.43	2.31	3	Vertical	309	2.17	-	40.26	31.51	5.68	34.88
PK	5.1446G	58.01	74.00	-15.99	2.55	3	Vertical	309	2.17	-	55.46	32.00	5.47	34.92
PK	5.24G	123.41	Inf	-Inf	2.10	3	Vertical	309	2.17	-	121.31	31.46	5.54	34.90
PK	5.3876G	55.24	74.00	-18.76	2.34	3	Vertical	309	2.17	-	52.90	31.53	5.69	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	43.36	54.00	-10.64	2.55	3	Horizontal	34	1.23	-	40.81	32.00	5.47	34.92
AV	5.24G	105.04	Inf	-Inf	2.10	3	Horizontal	34	1.23	-	102.94	31.46	5.54	34.90
AV	5.3786G	41.36	54.00	-12.64	2.27	3	Horizontal	34	1.23	-	39.09	31.47	5.68	34.88
PK	5.0936G	56.22	74.00	-17.78	2.49	3	Horizontal	34	1.23	-	53.73	31.97	5.45	34.93
PK	5.24G	115.07	Inf	-Inf	2.10	3	Horizontal	34	1.23	-	112.97	31.46	5.54	34.90
PK	5.384G	53.83	74.00	-20.17	2.30	3	Horizontal	34	1.23	-	51.53	31.50	5.68	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7203G	50.68	54.00	-3.32	12.80	3	Vertical	288	2.72	-	37.88	38.20	9.83	35.23
PK	10.48162G	56.24	68.20	-11.96	12.72	3	Vertical	69	2.07	-	43.52	39.84	7.97	35.09
PK	15.7203G	67.25	74.00	-6.75	12.80	3	Vertical	288	2.72	-	54.45	38.20	9.83	35.23

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72166G	49.04	54.00	-4.96	12.78	3	Horizontal	318	2.21	-	36.26	38.19	9.83	35.24
PK	10.48088G	54.70	68.20	-13.50	12.72	3	Horizontal	105	1.50	-	41.98	39.84	7.97	35.09
PK	15.72192G	65.27	74.00	-8.73	12.78	3	Horizontal	318	2.21	-	52.49	38.19	9.83	35.24

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	114.50	Inf	-Inf	2.95	3	Vertical	281	2.90	-	111.55	32.08	5.80	34.93
PK	5.649G	57.35	68.20	-10.85	2.70	3	Vertical	281	2.90	-	54.65	31.80	5.80	34.90
PK	5.745G	124.46	Inf	-Inf	2.95	3	Vertical	281	2.90	-	121.51	32.08	5.80	34.93
PK	5.9406G	55.87	68.20	-12.33	3.46	3	Vertical	281	2.90	-	52.41	32.58	5.87	34.99

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	107.46	Inf	-Inf	2.95	3	Horizontal	2	1.00	-	104.51	32.08	5.80	34.93
PK	5.6238G	55.70	68.20	-12.50	2.70	3	Horizontal	2	1.00	-	53.00	31.80	5.80	34.90
PK	5.745G	117.22	Inf	-Inf	2.95	3	Horizontal	2	1.00	-	114.27	32.08	5.80	34.93
PK	5.9922G	55.22	68.20	-12.98	3.41	3	Horizontal	2	1.00	-	51.81	32.52	5.90	35.01

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48982G	48.31	54.00	-5.69	13.66	3	Vertical	103	1.50	-	34.65	40.09	8.32	34.75
PK	11.49336G	62.62	74.00	-11.38	13.67	3	Vertical	103	1.50	-	48.95	40.09	8.32	34.74
PK	17.2336G	62.47	68.20	-5.73	15.76	3	Vertical	168	1.96	-	46.71	40.10	10.27	34.61

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49048G	45.23	54.00	-8.77	13.67	3	Horizontal	24	2.00	-	31.56	40.09	8.32	34.74
PK	11.49034G	58.81	74.00	-15.19	13.66	3	Horizontal	24	2.00	-	45.15	40.09	8.32	34.75
PK	17.23474G	64.94	68.20	-3.26	15.76	3	Horizontal	126	2.76	-	49.18	40.10	10.27	34.61

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	105.59	Inf	-Inf	3.02	3	Vertical	306	1.16	-	102.57	32.17	5.80	34.95
PK	5.4934G	56.05	68.20	-12.15	2.78	3	Vertical	306	1.16	-	53.27	31.89	5.75	34.86
PK	5.785G	116.11	Inf	-Inf	3.02	3	Vertical	306	1.16	-	113.09	32.17	5.80	34.95
PK	6.055G	55.65	68.20	-12.55	3.44	3	Vertical	306	1.16	-	52.21	32.51	5.93	35.00

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	101.60	Inf	-Inf	3.02	3	Horizontal	2	1.00	-	98.58	32.17	5.80	34.95
PK	5.611G	56.33	68.20	-11.87	2.71	3	Horizontal	2	1.00	-	53.62	31.80	5.80	34.89
PK	5.785G	110.91	Inf	-Inf	3.02	3	Horizontal	2	1.00	-	107.89	32.17	5.80	34.95
PK	5.9842G	55.62	68.20	-12.58	3.41	3	Horizontal	2	1.00	-	52.21	32.53	5.89	35.01

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57192G	50.61	54.00	-3.39	13.47	3	Vertical	102	2.46	-	37.14	39.88	8.35	34.76
PK	11.5722G	65.33	74.00	-8.67	13.47	3	Vertical	102	2.46	-	51.86	39.88	8.35	34.76
PK	17.35552G	64.02	68.20	-4.18	16.38	3	Vertical	184	2.69	-	47.64	40.74	10.31	34.67

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57118G	44.99	54.00	-9.01	13.48	3	Horizontal	104	2.41	-	31.51	39.89	8.35	34.76
PK	11.57288G	58.51	74.00	-15.49	13.47	3	Horizontal	104	2.41	-	45.04	39.88	8.35	34.76
PK	17.355G	63.92	68.20	-4.28	16.38	3	Horizontal	124	2.06	-	47.54	40.74	10.31	34.67

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.825G	111.51	Inf	-Inf	3.15	3	Vertical	290	1.00	-	108.36	32.30	5.81	34.96
PK	5.603G	54.96	68.20	-13.24	2.71	3	Vertical	290	1.00	-	52.25	31.80	5.80	34.89
PK	5.825G	122.05	Inf	-Inf	3.15	3	Vertical	290	1.00	-	118.90	32.30	5.81	34.96
PK	5.9438G	56.56	68.20	-11.64	3.47	3	Vertical	290	1.00	-	53.09	32.59	5.87	34.99

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.825G	105.25	Inf	-Inf	3.15	3	Horizontal	156	3.00	-	102.10	32.30	5.81	34.96
PK	5.6318G	55.92	68.20	-12.28	2.70	3	Horizontal	156	3.00	-	53.22	31.80	5.80	34.90
PK	5.8262G	114.72	Inf	-Inf	3.15	3	Horizontal	156	3.00	-	111.57	32.30	5.81	34.96
PK	6.047G	55.59	68.20	-12.61	3.41	3	Horizontal	156	3.00	-	52.18	32.50	5.92	35.01

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64924G	48.50	54.00	-5.50	13.15	3	Vertical	76	2.56	-	35.35	39.55	8.38	34.78
PK	11.64966G	63.39	74.00	-10.61	13.15	3	Vertical	76	2.56	-	50.24	39.55	8.38	34.78
PK	17.47858G	61.77	68.20	-6.43	17.10	3	Vertical	35	2.01	-	44.67	41.49	10.34	34.73

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65028G	42.92	54.00	-11.08	13.15	3	Horizontal	106	2.45	-	29.77	39.55	8.38	34.78
PK	11.65042G	56.59	74.00	-17.41	13.15	3	Horizontal	106	2.45	-	43.44	39.55	8.38	34.78
PK	17.47652G	64.77	68.20	-3.43	17.09	3	Horizontal	126	2.52	-	47.68	41.48	10.34	34.73

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.22	54.00	-6.78	2.55	3	Vertical	305	1.04	-	44.67	32.00	5.47	34.92
AV	5.1818G	106.32	Inf	-Inf	2.39	3	Vertical	305	1.04	-	103.93	31.81	5.49	34.91
PK	5.1498G	60.23	74.00	-13.77	2.55	3	Vertical	305	1.04	-	57.68	32.00	5.47	34.92
PK	5.1808G	117.04	Inf	-Inf	2.40	3	Vertical	305	1.04	-	114.64	31.82	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	44.29	54.00	-9.71	2.55	3	Horizontal	29	1.12	-	41.74	32.00	5.47	34.92
AV	5.181G	101.02	Inf	-Inf	2.39	3	Horizontal	29	1.12	-	98.63	31.81	5.49	34.91
PK	5.147G	57.51	74.00	-16.49	2.55	3	Horizontal	29	1.12	-	54.96	32.00	5.47	34.92
PK	5.1816G	112.20	Inf	-Inf	2.39	3	Horizontal	29	1.12	-	109.81	31.81	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54052G	50.56	54.00	-3.44	13.18	3	Vertical	339	1.00	-	37.38	38.50	9.79	35.11
PK	10.35923G	56.26	68.20	-11.94	12.17	3	Vertical	265	2.56	-	44.09	39.48	7.93	35.24
PK	15.54224G	65.51	74.00	-8.49	13.17	3	Vertical	339	1.00	-	52.34	38.49	9.79	35.11

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54048G	48.62	54.00	-5.38	13.18	3	Horizontal	329	2.19	-	35.44	38.50	9.79	35.11
PK	10.3608G	54.07	68.20	-14.13	12.17	3	Horizontal	225	1.54	-	41.90	39.48	7.93	35.24
PK	15.54572G	63.65	74.00	-10.35	13.15	3	Horizontal	329	2.19	-	50.50	38.47	9.79	35.11

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.30	54.00	-8.70	2.55	3	Vertical	298	1.00	-	42.75	32.00	5.47	34.92
AV	5.2008G	110.76	Inf	-Inf	2.29	3	Vertical	298	1.00	-	108.47	31.70	5.50	34.91
PK	5.1388G	58.07	74.00	-15.93	2.55	3	Vertical	298	1.00	-	55.52	32.00	5.47	34.92
PK	5.2008G	120.80	Inf	-Inf	2.29	3	Vertical	298	1.00	-	118.51	31.70	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	43.52	54.00	-10.48	2.55	3	Horizontal	30	1.00	-	40.97	32.00	5.47	34.92
AV	5.2008G	104.77	Inf	-Inf	2.29	3	Horizontal	30	1.00	-	102.48	31.70	5.50	34.91
PK	5.1068G	55.79	74.00	-18.21	2.53	3	Horizontal	30	1.00	-	53.26	32.00	5.45	34.92
PK	5.2004G	115.09	Inf	-Inf	2.29	3	Horizontal	30	1.00	-	112.80	31.70	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6004G	50.92	54.00	-3.08	12.85	3	Vertical	279	2.84	-	38.07	38.20	9.80	35.15
PK	10.39996G	56.47	68.20	-11.73	12.35	3	Vertical	272	2.62	-	44.12	39.60	7.94	35.19
PK	15.60236G	67.39	74.00	-6.61	12.85	3	Vertical	279	2.84	-	54.54	38.20	9.80	35.15

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6003G	46.41	54.00	-7.59	12.85	3	Horizontal	157	1.97	-	33.56	38.20	9.80	35.15
PK	10.40076G	54.95	68.20	-13.25	12.35	3	Horizontal	253	1.12	-	42.60	39.60	7.94	35.19
PK	15.59654G	61.30	74.00	-12.70	12.87	3	Horizontal	157	1.97	-	48.43	38.22	9.80	35.15

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	44.72	54.00	-9.28	2.55	3	Vertical	300	1.06	-	42.17	32.00	5.47	34.92
AV	5.2412G	106.14	Inf	-Inf	2.09	3	Vertical	300	1.06	-	104.05	31.45	5.54	34.90
AV	5.384G	41.62	54.00	-12.38	2.30	3	Vertical	300	1.06	-	39.32	31.50	5.68	34.88
PK	5.1452G	56.68	74.00	-17.32	2.55	3	Vertical	300	1.06	-	54.13	32.00	5.47	34.92
PK	5.2418G	116.81	Inf	-Inf	2.09	3	Vertical	300	1.06	-	114.72	31.45	5.54	34.90
PK	5.3756G	54.78	74.00	-19.22	2.25	3	Vertical	300	1.06	-	52.53	31.45	5.68	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	43.21	54.00	-10.79	2.55	3	Horizontal	35	1.07	-	40.66	32.00	5.47	34.92
AV	5.2406G	100.30	Inf	-Inf	2.10	3	Horizontal	35	1.07	-	98.20	31.46	5.54	34.90
AV	5.3798G	41.28	54.00	-12.72	2.28	3	Horizontal	35	1.07	-	39.00	31.48	5.68	34.88
PK	5.1392G	55.80	74.00	-18.20	2.55	3	Horizontal	35	1.07	-	53.25	32.00	5.47	34.92
PK	5.2388G	110.43	Inf	-Inf	2.11	3	Horizontal	35	1.07	-	108.32	31.47	5.54	34.90
PK	5.36G	54.38	74.00	-19.62	2.14	3	Horizontal	35	1.07	-	52.24	31.36	5.66	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71916G	50.28	54.00	-3.72	12.80	3	Vertical	285	2.76	-	37.48	38.20	9.83	35.23
PK	10.4808G	56.66	68.20	-11.54	12.72	3	Vertical	52	2.03	-	43.94	39.84	7.97	35.09
PK	15.71852G	66.51	74.00	-7.49	12.81	3	Vertical	285	2.76	-	53.70	38.21	9.83	35.23

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71983G	46.43	54.00	-7.57	12.80	3	Horizontal	340	2.19	-	33.63	38.20	9.83	35.23
PK	10.4795G	54.89	68.20	-13.31	12.72	3	Horizontal	266	2.93	-	42.17	39.84	7.97	35.09
PK	15.7189G	61.95	74.00	-12.05	12.81	3	Horizontal	340	2.19	-	49.14	38.21	9.83	35.23

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	107.66	Inf	-Inf	2.95	3	Vertical	52	2.20	-	104.71	32.08	5.80	34.93
PK	5.6454G	56.00	68.20	-12.20	2.70	3	Vertical	52	2.20	-	53.30	31.80	5.80	34.90
PK	5.7462G	118.13	Inf	-Inf	2.95	3	Vertical	52	2.20	-	115.18	32.08	5.80	34.93
PK	5.9442G	54.93	68.20	-13.27	3.47	3	Vertical	52	2.20	-	51.46	32.59	5.87	34.99

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	103.19	Inf	-Inf	2.96	3	Horizontal	4	1.00	-	100.23	32.09	5.80	34.93
PK	5.6166G	55.78	68.20	-12.42	2.71	3	Horizontal	4	1.00	-	53.07	31.80	5.80	34.89
PK	5.7462G	114.28	Inf	-Inf	2.95	3	Horizontal	4	1.00	-	111.33	32.08	5.80	34.93
PK	5.931G	54.91	68.20	-13.29	3.44	3	Horizontal	4	1.00	-	51.47	32.56	5.87	34.99

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49236G	49.28	54.00	-4.72	13.67	3	Vertical	103	2.38	-	35.61	40.09	8.32	34.74
PK	11.49336G	62.30	74.00	-11.70	13.67	3	Vertical	103	2.38	-	48.63	40.09	8.32	34.74
PK	17.23524G	64.81	68.20	-3.39	15.77	3	Vertical	322	2.68	-	49.04	40.11	10.27	34.61

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48758G	44.65	54.00	-9.35	13.66	3	Horizontal	110	2.51	-	30.99	40.09	8.32	34.75
PK	11.48672G	57.97	74.00	-16.03	13.66	3	Horizontal	110	2.51	-	44.31	40.09	8.32	34.75
PK	17.23476G	61.35	68.20	-6.85	15.76	3	Horizontal	128	2.06	-	45.59	40.10	10.27	34.61

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	112.61	Inf	-Inf	3.03	3	Vertical	284	3.00	-	109.58	32.17	5.80	34.94
PK	5.6182G	56.52	68.20	-11.68	2.70	3	Vertical	284	3.00	-	53.82	31.80	5.80	34.90
PK	5.7874G	123.75	Inf	-Inf	3.02	3	Vertical	284	3.00	-	120.73	32.17	5.80	34.95
PK	6.0286G	55.42	68.20	-12.78	3.40	3	Vertical	284	3.00	-	52.02	32.50	5.91	35.01

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	105.69	Inf	-Inf	3.02	3	Horizontal	4	1.00	-	102.67	32.17	5.80	34.95
PK	5.5342G	55.22	68.20	-12.98	2.80	3	Horizontal	4	1.00	-	52.42	31.90	5.77	34.87
PK	5.7862G	115.32	Inf	-Inf	3.02	3	Horizontal	4	1.00	-	112.30	32.17	5.80	34.95
PK	5.941G	55.28	68.20	-12.92	3.46	3	Horizontal	4	1.00	-	51.82	32.58	5.87	34.99

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57244G	50.74	54.00	-3.26	13.47	3	Vertical	106	2.41	-	37.27	39.88	8.35	34.76
PK	11.57144G	66.61	74.00	-7.39	13.48	3	Vertical	106	2.41	-	53.13	39.89	8.35	34.76
PK	17.35674G	64.65	68.20	-3.55	16.39	3	Vertical	169	1.98	-	48.26	40.75	10.31	34.67

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56827G	46.14	54.00	-7.86	13.49	3	Horizontal	112	2.39	-	32.65	39.90	8.35	34.76
PK	11.56918G	61.75	74.00	-12.25	13.48	3	Horizontal	112	2.39	-	48.27	39.89	8.35	34.76
PK	17.35615G	65.18	68.20	-3.02	16.39	3	Horizontal	128	2.07	-	48.79	40.75	10.31	34.67

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	110.08	Inf	-Inf	3.15	3	Vertical	308	1.00	-	106.93	32.30	5.81	34.96
PK	5.6342G	55.63	68.20	-12.57	2.70	3	Vertical	308	1.00	-	52.93	31.80	5.80	34.90
PK	5.8238G	120.66	Inf	-Inf	3.15	3	Vertical	308	1.00	-	117.51	32.30	5.81	34.96
PK	5.9582G	55.17	68.20	-13.03	3.46	3	Vertical	308	1.00	-	51.71	32.58	5.88	35.00

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8262G	103.28	Inf	-Inf	3.15	3	Horizontal	32	1.15	-	100.13	32.30	5.81	34.96
PK	5.6498G	54.88	68.20	-13.32	2.70	3	Horizontal	32	1.15	-	52.18	31.80	5.80	34.90
PK	5.8262G	113.02	Inf	-Inf	3.15	3	Horizontal	32	1.15	-	109.87	32.30	5.81	34.96
PK	6.023G	55.33	68.20	-12.87	3.40	3	Horizontal	32	1.15	-	51.93	32.50	5.91	35.01

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64759G	46.31	54.00	-7.69	13.16	3	Vertical	77	2.43	-	33.15	39.56	8.38	34.78
PK	11.64836G	63.48	74.00	-10.52	13.16	3	Vertical	77	2.43	-	50.32	39.56	8.38	34.78
PK	17.47454G	61.70	68.20	-6.50	17.08	3	Vertical	344	2.94	-	44.62	41.47	10.34	34.73

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64895G	45.71	54.00	-8.29	13.16	3	Horizontal	116	2.32	-	32.55	39.56	8.38	34.78
PK	11.64871G	60.68	74.00	-13.32	13.16	3	Horizontal	116	2.32	-	47.52	39.56	8.38	34.78
PK	17.47683G	64.37	68.20	-3.83	17.09	3	Horizontal	130	2.10	-	47.28	41.48	10.34	34.73

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	50.98	54.00	-3.02	5.47	3	Vertical	245	1.20	-	45.51	32.00	7.31	33.84
AV	5.1764G	107.58	Inf	-Inf	5.41	3	Vertical	245	1.20	-	102.17	31.89	7.36	33.84
PK	5.1488G	64.19	74.00	-9.81	5.47	3	Vertical	245	1.20	-	58.72	32.00	7.31	33.84
PK	5.1762G	117.70	Inf	-Inf	5.42	3	Vertical	245	1.20	-	112.28	31.90	7.36	33.84

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.06	54.00	-8.94	5.47	3	Horizontal	69	1.20	-	39.59	32.00	7.31	33.84
AV	5.1772G	96.49	Inf	-Inf	5.41	3	Horizontal	69	1.20	-	91.08	31.89	7.36	33.84
PK	5.1462G	57.46	74.00	-16.54	5.46	3	Horizontal	69	1.20	-	52.00	32.00	7.30	33.84
PK	5.18G	106.88	Inf	-Inf	5.41	3	Horizontal	69	1.20	-	101.47	31.88	7.37	33.84

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53976G	47.19	54.00	-6.81	-1.99	3	Vertical	257	2.53	-	49.18	38.10	13.15	53.24
PK	10.35868G	53.36	68.20	-14.84	-4.51	3	Vertical	46	3.00	-	57.87	39.38	10.62	54.51
PK	15.54444G	61.78	74.00	-12.22	-2.00	3	Vertical	257	2.53	-	63.78	38.08	13.16	53.24

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54356G	43.73	54.00	-10.27	-2.01	3	Horizontal	177	1.00	-	45.74	38.08	13.15	53.24
PK	10.36012G	50.48	68.20	-17.72	-4.51	3	Horizontal	158	2.80	-	54.99	39.38	10.62	54.51
PK	15.54484G	59.37	74.00	-14.63	-2.00	3	Horizontal	177	1.00	-	61.37	38.08	13.16	53.24

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.74	54.00	-8.26	5.47	3	Vertical	245	2.18	-	40.27	32.00	7.31	33.84
AV	5.196G	108.49	Inf	-Inf	5.37	3	Vertical	245	2.18	-	103.12	31.82	7.40	33.85
PK	5.146G	59.24	74.00	-14.76	5.46	3	Vertical	245	2.18	-	53.78	32.00	7.30	33.84
PK	5.1988G	118.36	Inf	-Inf	5.36	3	Vertical	245	2.18	-	113.00	31.80	7.41	33.85

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.12	54.00	-9.88	5.47	3	Horizontal	173	2.63	-	38.65	32.00	7.31	33.84
AV	5.1968G	97.15	Inf	-Inf	5.36	3	Horizontal	173	2.63	-	91.79	31.81	7.40	33.85
PK	5.1024G	56.69	74.00	-17.31	5.39	3	Horizontal	173	2.63	-	51.30	32.00	7.21	33.82
PK	5.198G	106.92	Inf	-Inf	5.37	3	Horizontal	173	2.63	-	101.55	31.81	7.41	33.85

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60176G	50.13	54.00	-3.87	-2.23	3	Vertical	319	2.95	-	52.36	37.80	13.18	53.21
PK	10.39884G	53.17	68.20	-15.03	-4.36	3	Vertical	177	2.91	-	57.53	39.50	10.65	54.51
PK	15.59168G	65.43	74.00	-8.57	-2.20	3	Vertical	319	2.95	-	67.63	37.84	13.18	53.22

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60496G	45.81	54.00	-8.19	-2.23	3	Horizontal	176	1.00	-	48.04	37.79	13.19	53.21
PK	10.40004G	51.16	68.20	-17.04	-4.36	3	Horizontal	14	2.90	-	55.52	39.50	10.65	54.51
PK	15.6034G	61.66	74.00	-12.34	-2.23	3	Horizontal	176	1.00	-	63.89	37.79	13.19	53.21

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	43.97	54.00	-10.03	5.46	3	Vertical	243	1.49	-	38.51	32.00	7.30	33.84
AV	5.2436G	108.71	Inf	-Inf	5.12	3	Vertical	243	1.49	-	103.59	31.54	7.44	33.86
AV	5.3522G	43.33	54.00	-10.67	4.94	3	Vertical	243	1.49	-	38.39	31.31	7.51	33.88
PK	5.1002G	56.39	74.00	-17.61	5.39	3	Vertical	243	1.49	-	51.00	32.00	7.21	33.82
PK	5.243G	118.63	Inf	-Inf	5.12	3	Vertical	243	1.49	-	113.51	31.54	7.44	33.86
PK	5.372G	55.50	74.00	-18.50	5.06	3	Vertical	243	1.49	-	50.44	31.43	7.52	33.89

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	43.83	54.00	-10.17	5.47	3	Horizontal	174	2.62	-	38.36	32.00	7.31	33.84
AV	5.2394G	97.01	Inf	-Inf	5.14	3	Horizontal	174	2.62	-	91.87	31.56	7.44	33.86
AV	5.3786G	43.56	54.00	-10.44	5.11	3	Horizontal	174	2.62	-	38.45	31.47	7.53	33.89
PK	5.1164G	56.19	74.00	-17.81	5.41	3	Horizontal	174	2.62	-	50.78	32.00	7.24	33.83
PK	5.2388G	106.59	Inf	-Inf	5.15	3	Horizontal	174	2.62	-	101.44	31.57	7.44	33.86
PK	5.387G	55.54	74.00	-18.46	5.16	3	Horizontal	174	2.62	-	50.38	31.52	7.53	33.89

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7164G	50.23	54.00	-3.77	-2.34	3	Vertical	323	2.72	-	52.57	37.58	13.24	53.16
PK	10.48G	54.18	68.20	-14.02	-4.13	3	Vertical	283	2.06	-	58.31	39.66	10.72	54.51
PK	15.71684G	65.76	74.00	-8.24	-2.34	3	Vertical	323	2.72	-	68.10	37.58	13.24	53.16

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71604G	46.61	54.00	-7.39	-2.34	3	Horizontal	176	1.00	-	48.95	37.58	13.24	53.16
PK	10.47952G	52.14	68.20	-16.06	-4.13	3	Horizontal	217	2.87	-	56.27	39.66	10.72	54.51
PK	15.71492G	61.49	74.00	-12.51	-2.33	3	Horizontal	176	1.00	-	63.82	37.59	13.24	53.16

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7474G	105.26	Inf	-Inf	5.86	3	Vertical	244	1.22	-	99.40	32.09	7.73	33.96
PK	5.475G	56.32	68.20	-11.88	5.31	3	Vertical	244	1.22	-	51.01	31.85	7.37	33.91
PK	5.7474G	114.90	Inf	-Inf	5.86	3	Vertical	244	1.22	-	109.04	32.09	7.73	33.96
PK	5.9706G	56.80	68.20	-11.40	6.96	3	Vertical	244	1.22	-	49.84	32.54	8.42	34.00

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7474G	97.47	Inf	-Inf	5.86	3	Horizontal	180	2.62	-	91.61	32.09	7.73	33.96
PK	5.637G	55.62	68.20	-12.58	5.12	3	Horizontal	180	2.62	-	50.50	31.80	7.26	33.94
PK	5.7414G	107.24	Inf	-Inf	5.81	3	Horizontal	180	2.62	-	101.43	32.07	7.70	33.96
PK	5.9598G	57.13	68.20	-11.07	6.92	3	Horizontal	180	2.62	-	50.21	32.52	8.39	33.99

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48656G	50.86	54.00	-3.14	-2.61	3	Vertical	238	2.14	-	53.47	40.07	11.62	54.30
PK	11.48752G	65.10	74.00	-8.90	-2.60	3	Vertical	238	2.14	-	67.70	40.08	11.62	54.30
PK	17.2392G	63.67	68.20	-4.53	1.65	3	Vertical	323	2.68	-	62.02	40.02	14.27	52.64

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48624G	45.80	54.00	-8.20	-2.61	3	Horizontal	83	2.00	-	48.41	40.07	11.62	54.30
PK	11.4848G	59.55	74.00	-14.45	-2.62	3	Horizontal	83	2.00	-	62.17	40.07	11.61	54.30
PK	17.23868G	58.75	68.20	-9.45	1.65	3	Horizontal	326	1.92	-	57.10	40.02	14.27	52.64

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	103.32	Inf	-Inf	6.18	3	Vertical	243	1.38	-	97.14	32.25	7.90	33.97
PK	5.545G	56.23	68.20	-11.97	5.19	3	Vertical	243	1.38	-	51.04	31.90	7.22	33.93
PK	5.7862G	113.31	Inf	-Inf	6.16	3	Vertical	243	1.38	-	107.15	32.24	7.89	33.97
PK	5.947G	57.30	68.20	-10.90	6.86	3	Vertical	243	1.38	-	50.44	32.50	8.35	33.99

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	98.66	Inf	-Inf	6.13	3	Horizontal	167	2.38	-	92.53	32.22	7.87	33.96
PK	5.798G	55.64	68.20	-12.56	5.05	3	Horizontal	167	2.38	-	50.59	31.84	7.14	33.93
PK	5.7814G	108.39	Inf	-Inf	6.13	3	Horizontal	167	2.38	-	102.26	32.23	7.87	33.97
PK	5.983G	56.75	68.20	-11.45	7.02	3	Horizontal	167	2.38	-	49.73	32.57	8.45	34.00

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56952G	49.78	54.00	-4.22	-2.69	3	Vertical	77	1.98	-	52.47	39.89	11.69	54.27
PK	11.5692G	63.41	74.00	-10.59	-2.69	3	Vertical	77	1.98	-	66.10	39.89	11.69	54.27
PK	17.35104G	63.25	68.20	-4.95	2.17	3	Vertical	327	2.89	-	61.08	40.51	14.35	52.69

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.566G	45.03	54.00	-8.97	-2.68	3	Horizontal	84	1.00	-	47.71	39.90	11.69	54.27
PK	11.5646G	58.28	74.00	-15.72	-2.68	3	Horizontal	84	1.00	-	60.96	39.91	11.68	54.27
PK	17.35916G	56.61	68.20	-11.59	2.22	3	Horizontal	178	1.00	-	54.39	40.55	14.36	52.69

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	105.70	Inf	-Inf	6.41	3	Vertical	243	1.42	-	99.29	32.35	8.03	33.97
PK	5.597G	56.10	68.20	-12.10	4.98	3	Vertical	243	1.42	-	51.12	31.81	7.11	33.94
PK	5.8274G	115.49	Inf	-Inf	6.41	3	Vertical	243	1.42	-	109.08	32.35	8.03	33.97
PK	5.9342G	56.96	68.20	-11.24	6.83	3	Vertical	243	1.42	-	50.13	32.50	8.32	33.99

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	101.51	Inf	-Inf	6.39	3	Horizontal	166	2.35	-	95.12	32.35	8.01	33.97
PK	5.814G	55.20	68.20	-13.00	5.05	3	Horizontal	166	2.35	-	50.15	31.84	7.14	33.93
PK	5.8226G	110.95	Inf	-Inf	6.39	3	Horizontal	166	2.35	-	104.56	32.35	8.01	33.97
PK	5.9462G	57.14	68.20	-11.06	6.86	3	Horizontal	166	2.35	-	50.28	32.50	8.35	33.99

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64592G	48.03	54.00	-5.97	-2.90	3	Vertical	235	2.19	-	50.93	39.57	11.76	54.23
PK	11.64516G	63.14	74.00	-10.86	-2.90	3	Vertical	235	2.19	-	66.04	39.57	11.76	54.23
PK	17.47576G	62.90	68.20	-5.30	2.95	3	Vertical	155	2.05	-	59.95	41.25	14.44	52.74

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64416G	43.61	54.00	-10.39	-2.89	3	Horizontal	103	2.75	-	46.50	39.58	11.76	54.23
PK	11.64348G	57.09	74.00	-16.91	-2.90	3	Horizontal	103	2.75	-	59.99	39.58	11.75	54.23
PK	17.46976G	59.28	68.20	-8.92	2.91	3	Horizontal	178	1.00	-	56.37	41.22	14.43	52.74

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	50.61	54.00	-3.39	5.47	3	Vertical	237	1.49	-	45.14	32.00	7.31	33.84
AV	5.19G	101.88	Inf	-Inf	5.38	3	Vertical	237	1.49	-	96.50	31.84	7.39	33.85
PK	5.1496G	65.29	74.00	-8.71	5.47	3	Vertical	237	1.49	-	59.82	32.00	7.31	33.84
PK	5.1924G	110.04	Inf	-Inf	5.37	3	Vertical	237	1.49	-	104.67	31.83	7.39	33.85

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	44.99	54.00	-9.01	5.47	3	Horizontal	75	2.47	-	39.52	32.00	7.31	33.84
AV	5.19G	90.82	Inf	-Inf	5.38	3	Horizontal	75	2.47	-	85.44	31.84	7.39	33.85
PK	5.1488G	57.06	74.00	-16.94	5.47	3	Horizontal	75	2.47	-	51.59	32.00	7.31	33.84
PK	5.186G	97.54	Inf	-Inf	5.40	3	Horizontal	75	2.47	-	92.14	31.86	7.38	33.84

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56544G	39.42	54.00	-14.58	-2.09	3	Vertical	210	1.18	-	41.51	37.97	13.17	53.23
PK	10.3852G	50.62	68.20	-17.58	-4.41	3	Vertical	357	2.30	-	55.03	39.46	10.64	54.51
PK	15.56088G	51.46	74.00	-22.54	-2.07	3	Vertical	210	1.18	-	53.53	38.00	13.16	53.23

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57572G	38.00	54.00	-16.00	-2.13	3	Horizontal	329	1.62	-	40.13	37.92	13.17	53.22
PK	10.37244G	51.36	68.20	-16.84	-4.46	3	Horizontal	89	2.31	-	55.82	39.42	10.63	54.51
PK	15.5702G	50.54	74.00	-23.46	-2.11	3	Horizontal	329	1.62	-	52.65	37.95	13.17	53.23

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	46.36	54.00	-7.64	5.47	3	Vertical	257	2.14	-	40.89	32.00	7.30	33.83
AV	5.2324G	103.73	Inf	-Inf	5.18	3	Vertical	257	2.14	-	98.55	31.61	7.43	33.86
PK	5.146G	60.73	74.00	-13.27	5.46	3	Vertical	257	2.14	-	55.27	32.00	7.30	33.84
PK	5.2232G	113.02	Inf	-Inf	5.24	3	Vertical	257	2.14	-	107.78	31.66	7.43	33.85

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	44.98	54.00	-9.02	5.46	3	Horizontal	70	1.31	-	39.52	32.00	7.30	33.84
AV	5.2276G	94.37	Inf	-Inf	5.21	3	Horizontal	70	1.31	-	89.16	31.63	7.43	33.85
PK	5.1492G	56.61	74.00	-17.39	5.47	3	Horizontal	70	1.31	-	51.14	32.00	7.31	33.84
PK	5.2268G	104.11	Inf	-Inf	5.22	3	Horizontal	70	1.31	-	98.89	31.64	7.43	33.85

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.69164G	49.78	54.00	-4.22	-2.32	3	Vertical	268	2.62	-	52.10	37.62	13.23	53.17
PK	10.46132G	51.50	68.20	-16.70	-4.18	3	Vertical	45	2.14	-	55.68	39.62	10.71	54.51
PK	15.69908G	62.04	74.00	-11.96	-2.32	3	Vertical	268	2.62	-	64.36	37.60	13.24	53.16

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.698G	47.01	54.00	-6.99	-2.33	3	Horizontal	41	2.01	-	49.34	37.60	13.23	53.16
PK	10.46252G	51.17	68.20	-17.03	-4.17	3	Horizontal	151	1.28	-	55.34	39.63	10.71	54.51
PK	15.69648G	59.15	74.00	-14.85	-2.33	3	Horizontal	41	2.01	-	61.48	37.61	13.23	53.17

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	105.08	Inf	-Inf	5.94	3	Vertical	244	1.48	-	99.14	32.13	7.77	33.96
PK	5.6386G	58.84	68.20	-9.36	5.12	3	Vertical	244	1.48	-	53.72	31.80	7.26	33.94
PK	5.7586G	114.81	Inf	-Inf	5.94	3	Vertical	244	1.48	-	108.87	32.13	7.77	33.96
PK	5.941G	57.12	68.20	-11.08	6.85	3	Vertical	244	1.48	-	50.27	32.50	8.34	33.99

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	100.07	Inf	-Inf	5.96	3	Horizontal	167	2.29	-	94.11	32.14	7.78	33.96
PK	5.6254G	57.85	68.20	-10.35	5.07	3	Horizontal	167	2.29	-	52.78	31.80	7.21	33.94
PK	5.761G	109.38	Inf	-Inf	5.96	3	Horizontal	167	2.29	-	103.42	32.14	7.78	33.96
PK	5.929G	57.03	68.20	-11.17	6.81	3	Horizontal	167	2.29	-	50.22	32.50	8.30	33.99

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5024G	47.39	54.00	-6.61	-2.57	3	Vertical	360	2.00	-	49.96	40.09	11.63	54.29
PK	11.50168G	59.84	74.00	-14.16	-2.57	3	Vertical	360	2.00	-	62.41	40.09	11.63	54.29
PK	17.27136G	63.55	68.20	-4.65	1.75	3	Vertical	326	3.00	-	61.80	40.11	14.29	52.65

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50472G	40.72	54.00	-13.28	-2.57	3	Horizontal	359	2.05	-	43.29	40.09	11.63	54.29
PK	11.5168G	53.46	74.00	-20.54	-2.60	3	Horizontal	359	2.05	-	56.06	40.05	11.64	54.29
PK	17.25736G	55.19	68.20	-13.01	1.70	3	Horizontal	223	1.72	-	53.49	40.07	14.28	52.65

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	99.44	Inf	-Inf	6.19	3	Vertical	249	1.27	-	93.25	32.26	7.90	33.97
PK	5.6462G	61.73	68.20	-6.47	5.16	3	Vertical	249	1.27	-	56.57	31.80	7.30	33.94
PK	5.7974G	109.41	Inf	-Inf	6.26	3	Vertical	249	1.27	-	103.15	32.29	7.94	33.97
PK	5.9318G	60.95	68.20	-7.25	6.82	3	Vertical	249	1.27	-	54.13	32.50	8.31	33.99

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	95.81	Inf	-Inf	6.23	3	Horizontal	166	2.37	-	89.58	32.28	7.92	33.97
PK	5.6042G	57.04	68.20	-11.16	4.98	3	Horizontal	166	2.37	-	52.06	31.80	7.12	33.94
PK	5.8034G	104.97	Inf	-Inf	6.30	3	Horizontal	166	2.37	-	98.67	32.31	7.96	33.97
PK	5.9726G	57.39	68.20	-10.81	6.97	3	Horizontal	166	2.37	-	50.42	32.55	8.42	34.00

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58142G	48.29	54.00	-5.71	-2.70	3	Vertical	50	2.00	-	50.99	39.86	11.70	54.26
PK	11.5825G	60.41	74.00	-13.59	-2.71	3	Vertical	50	2.00	-	63.12	39.85	11.70	54.26
PK	17.38284G	63.71	68.20	-4.49	2.37	3	Vertical	326	3.00	-	61.34	40.70	14.37	52.70

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58088G	42.19	54.00	-11.81	-2.70	3	Horizontal	173	1.14	-	44.89	39.86	11.70	54.26
PK	11.58298G	54.06	74.00	-19.94	-2.71	3	Horizontal	173	1.14	-	56.77	39.85	11.70	54.26
PK	17.37018G	58.37	68.20	-9.83	2.28	3	Horizontal	49	1.91	-	56.09	40.62	14.36	52.70

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	51.00	54.00	-3.00	5.47	3	Vertical	259	2.32	-	45.53	32.00	7.30	33.83
AV	5.21G	100.76	Inf	-Inf	5.31	3	Vertical	259	2.32	-	95.45	31.74	7.42	33.85
AV	5.3528G	47.58	54.00	-6.42	4.95	3	Vertical	259	2.32	-	42.63	31.32	7.51	33.88
PK	5.1428G	62.28	74.00	-11.72	5.46	3	Vertical	259	2.32	-	56.82	32.00	7.29	33.83
PK	5.2028G	103.86	Inf	-Inf	5.34	3	Vertical	259	2.32	-	98.52	31.78	7.41	33.85
PK	5.5064G	55.76	68.20	-12.44	5.29	3	Vertical	259	2.32	-	50.47	31.90	7.31	33.92

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.99	54.00	-8.01	5.47	3	Horizontal	69	1.00	-	40.52	32.00	7.31	33.84
AV	5.21G	95.34	Inf	-Inf	5.31	3	Horizontal	69	1.00	-	90.03	31.74	7.42	33.85
AV	5.3684G	44.29	54.00	-9.71	5.04	3	Horizontal	69	1.00	-	39.25	31.41	7.52	33.89
PK	5.132G	58.11	74.00	-15.89	5.44	3	Horizontal	69	1.00	-	52.67	32.00	7.27	33.83
PK	5.21G	98.11	Inf	-Inf	5.31	3	Horizontal	69	1.00	-	92.80	31.74	7.42	33.85
PK	5.5016G	55.53	68.20	-12.67	5.30	3	Horizontal	69	1.00	-	50.23	31.90	7.32	33.92

802.11ac VHT80_Nss1_2TX

5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62732G	37.97	54.00	-16.03	-2.25	3	Vertical	170	1.97	-	40.22	37.75	13.20	53.20
PK	10.41052G	51.62	68.20	-16.58	-4.33	3	Vertical	199	1.31	-	55.95	39.52	10.66	54.51
PK	15.62168G	50.88	74.00	-23.12	-2.24	3	Vertical	170	1.97	-	53.12	37.76	13.20	53.20