


802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5026G	50.92	54.00	-3.08	7.26	3	Vertical	340	2.83	-	43.66	39.90	9.98	42.62
PK	11.5021G	62.43	74.00	-11.57	7.26	3	Vertical	340	2.83	-	55.17	39.90	9.98	42.62
PK	17.2785G	59.00	68.20	-9.20	11.29	3	Vertical	340	2.13	-	47.71	40.34	11.58	40.63

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50958G	45.66	54.00	-8.34	7.25	3	Horizontal	33	1.04	-	38.41	39.89	9.98	42.62
PK	11.5064G	57.53	74.00	-16.47	7.25	3	Horizontal	33	1.04	-	50.28	39.89	9.98	42.62
PK	17.2638G	57.36	68.20	-10.84	11.22	3	Horizontal	239	1.72	-	46.14	40.29	11.57	40.64

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	103.18	Inf	-Inf	5.86	3	Vertical	283	2.12	-	97.32	32.05	7.89	34.08
PK	5.6306G	61.22	68.20	-6.98	5.41	3	Vertical	283	2.12	-	55.81	31.66	7.82	34.07
PK	5.7974G	110.89	Inf	-Inf	5.91	3	Vertical	283	2.12	-	104.98	32.09	7.90	34.08
PK	5.9282G	59.18	68.20	-9.02	6.28	3	Vertical	283	2.12	-	52.90	32.40	7.96	34.08

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	96.54	Inf	-Inf	5.89	3	Horizontal	344	1.01	-	90.65	32.07	7.90	34.08
PK	5.6222G	57.98	68.20	-10.22	5.38	3	Horizontal	344	1.01	-	52.60	31.64	7.81	34.07
PK	5.7914G	105.02	Inf	-Inf	5.89	3	Horizontal	344	1.01	-	99.13	32.07	7.90	34.08
PK	5.9546G	58.76	68.20	-9.44	6.30	3	Horizontal	344	1.01	-	52.46	32.40	7.98	34.08

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58982G	49.41	54.00	-4.59	7.23	3	Vertical	241	1.82	-	42.18	39.81	10.00	42.58
PK	11.58976G	60.34	74.00	-13.66	7.23	3	Vertical	241	1.82	-	53.11	39.81	10.00	42.58
PK	17.377G	63.24	68.20	-4.96	11.94	3	Vertical	315	2.65	-	51.30	40.86	11.62	40.54

802.11ac VHT40_Nss1_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58406G	45.89	54.00	-8.11	7.24	3	Horizontal	30	1.00	-	38.65	39.82	10.00	42.58
PK	11.58514G	57.93	74.00	-16.07	7.23	3	Horizontal	30	1.00	-	50.70	39.81	10.00	42.58
PK	17.37174G	58.04	68.20	-10.16	11.91	3	Horizontal	302	2.27	-	46.13	40.83	11.62	40.54

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.97	54.00	-3.03	5.42	3	Vertical	281	1.00	-	45.55	31.90	7.57	34.05
AV	5.21G	105.07	Inf	-Inf	5.09	3	Vertical	281	1.00	-	99.98	31.54	7.60	34.05
AV	5.354G	49.17	54.00	-4.83	4.84	3	Vertical	281	1.00	-	44.33	31.22	7.68	34.06
PK	5.13G	62.42	74.00	-11.58	5.45	3	Vertical	281	1.00	-	56.97	31.94	7.56	34.05
PK	5.21G	107.89	Inf	-Inf	5.09	3	Vertical	281	1.00	-	102.80	31.54	7.60	34.05
PK	5.353G	59.88	74.00	-14.12	4.84	3	Vertical	281	1.00	-	55.04	31.22	7.68	34.06

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.62	54.00	-6.38	5.44	3	Horizontal	22	2.10	-	42.18	31.92	7.57	34.05
AV	5.21G	96.85	Inf	-Inf	5.09	3	Horizontal	22	2.10	-	91.76	31.54	7.60	34.05
AV	5.35G	44.62	54.00	-9.38	4.81	3	Horizontal	22	2.10	-	39.81	31.20	7.67	34.06
PK	5.139G	59.08	74.00	-14.92	5.44	3	Horizontal	22	2.10	-	53.64	31.92	7.57	34.05
PK	5.21G	99.62	Inf	-Inf	5.09	3	Horizontal	22	2.10	-	94.53	31.54	7.60	34.05
PK	5.456G	56.06	74.00	-17.94	5.28	3	Horizontal	22	2.10	-	50.78	31.62	7.73	34.07

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62484G	39.61	54.00	-14.39	6.91	3	Vertical	22	2.96	-	32.70	38.05	10.92	42.06
PK	10.41954G	55.52	68.20	-12.68	6.18	3	Vertical	350	1.88	-	49.34	39.62	9.70	43.14
PK	15.62552G	51.87	74.00	-22.13	6.92	3	Vertical	22	2.96	-	44.95	38.05	10.93	42.06

802.11ac VHT80_Nss1_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62864G	39.48	54.00	-14.52	6.91	3	Horizontal	156	2.86	-	32.57	38.04	10.93	42.06
PK	10.42008G	53.70	68.20	-14.50	6.19	3	Horizontal	32	1.77	-	47.51	39.62	9.71	43.14
PK	15.63608G	51.38	74.00	-22.62	6.89	3	Horizontal	156	2.86	-	44.49	38.03	10.93	42.07

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7558G	101.87	Inf	-Inf	5.72	3	Vertical	281	2.10	-	96.15	31.92	7.88	34.08
PK	5.6442G	64.89	68.20	-3.31	5.44	3	Vertical	281	2.10	-	59.45	31.69	7.82	34.07
PK	5.7678G	111.34	Inf	-Inf	5.77	3	Vertical	281	2.10	-	105.57	31.97	7.88	34.08
PK	5.931G	59.39	68.20	-8.81	6.29	3	Vertical	281	2.10	-	53.10	32.40	7.97	34.08

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7558G	94.12	Inf	-Inf	5.72	3	Horizontal	14	1.00	-	88.40	31.92	7.88	34.08
PK	5.619G	58.57	68.20	-9.63	5.38	3	Horizontal	14	1.00	-	53.19	31.64	7.81	34.07
PK	5.7546G	103.56	Inf	-Inf	5.72	3	Horizontal	14	1.00	-	97.84	31.92	7.88	34.08
PK	5.9442G	57.77	68.20	-10.43	6.29	3	Horizontal	14	1.00	-	51.48	32.40	7.97	34.08

802.11ac VHT80_Nss1_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5436G	48.52	54.00	-5.48	7.25	3	Vertical	0	2.19	-	41.27	39.86	9.99	42.60
PK	11.5214G	60.30	74.00	-13.70	7.25	3	Vertical	0	2.19	-	53.05	39.88	9.98	42.61
PK	17.3112G	63.28	68.20	-4.92	11.46	3	Vertical	318	2.17	-	51.82	40.47	11.59	40.60

802.11ac VHT80_Nss1_2TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.525G	44.45	54.00	-9.55	7.24	3	Horizontal	27	1.01	-	37.21	39.87	9.98	42.61
PK	11.5172G	56.09	74.00	-17.91	7.25	3	Horizontal	27	1.01	-	48.84	39.88	9.98	42.61
PK	17.3064G	57.97	68.20	-10.23	11.43	3	Horizontal	293	1.85	-	46.54	40.44	11.59	40.60



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1_2TX	Pass	QP	32M	38.34	40.00	-1.66	3	Vertical	232	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	289.96M	29.79	46.00	-16.21	3	Vertical	360	1.00	-
5775MHz	Pass	PK	538.28M	34.00	46.00	-12.00	3	Vertical	360	1.00	-
5775MHz	Pass	PK	767.2M	36.33	46.00	-9.67	3	Vertical	360	1.00	-
5775MHz	Pass	PK	937.92M	42.41	46.00	-3.59	3	Vertical	360	1.00	-
5775MHz	Pass	QP	32M	38.34	40.00	-1.66	3	Vertical	232	1.00	-
5775MHz	Pass	QP	59.1M	38.29	40.00	-1.71	3	Vertical	235	1.06	-
5775MHz	Pass	PK	30M	36.75	40.00	-3.25	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	115.36M	31.13	43.50	-12.37	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	289.96M	36.52	46.00	-9.48	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	532.46M	33.53	46.00	-12.47	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	747.8M	41.70	46.00	-4.30	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	934.04M	42.68	46.00	-3.32	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1_2TX

26/05/2020

5775MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	289.96M	29.74	46.00	-16.26	-6.41	3	Vertical	360	1.00	-	36.15	18.20	2.56	27.17
PK	538.28M	33.97	46.00	-12.03	-1.64	3	Vertical	360	1.00	-	35.61	23.36	3.58	28.58
PK	767.2M	36.30	46.00	-9.70	1.03	3	Vertical	360	1.00	-	35.27	24.93	4.37	28.27
PK	937.92M	42.40	46.00	-3.60	3.08	3	Vertical	360	1.00	-	39.32	25.83	4.88	27.63
QP	32M	37.04	40.00	-2.96	-4.75	3	Vertical	232	1.00	-	41.79	22.20	0.74	27.69
QP	59.1M	38.24	40.00	-1.76	-14.97	3	Vertical	235	1.06	-	53.21	11.65	1.08	27.70

802.11ac VHT80_Nss1_2TX

26/05/2020

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	36.68	40.00	-3.32	-3.52	3	Horizontal	0	1.00	-	40.20	23.48	0.70	27.70
PK	115.36M	31.08	43.50	-12.42	-9.05	3	Horizontal	0	1.00	-	40.13	17.13	1.55	27.73
PK	289.96M	36.47	46.00	-9.53	-6.41	3	Horizontal	0	1.00	-	42.88	18.20	2.56	27.17
PK	532.46M	33.49	46.00	-12.51	-1.98	3	Horizontal	0	1.00	-	35.47	23.02	3.56	28.56
PK	747.8M	41.69	46.00	-4.31	0.75	3	Horizontal	0	1.00	-	40.94	24.79	4.30	28.34
PK	934.04M	42.67	46.00	-3.33	3.03	3	Horizontal	0	1.00	-	39.64	25.80	4.87	27.64

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	AV	5.1324G	50.99	54.00	-3.01	3	Vertical	249	2.00	-
11a-10M_Nss1_2TX	Pass	AV	5.1494G	50.95	54.00	-3.05	3	Vertical	255	2.02	-
11a-20M_Nss1_2TX	Pass	AV	5.1484G	50.82	54.00	-3.18	3	Vertical	266	2.94	-
11n-5M_Nss1_2TX	Pass	AV	15.72208G	50.64	54.00	-3.36	3	Horizontal	281	1.98	-
11n-10M_Nss1_2TX	Pass	AV	15.71864G	50.80	54.00	-3.20	3	Vertical	268	2.49	-
802.11ac VHT20_Nss1_2TX	Pass	AV	5.148G	50.35	54.00	-3.65	3	Vertical	262	2.92	-
802.11ac VHT40_Nss1_2TX	Pass	AV	5.1472G	50.75	54.00	-3.25	3	Vertical	261	2.00	-
802.11ac VHT80_Nss1_2TX	Pass	AV	5.138G	50.93	54.00	-3.07	3	Vertical	280	2.04	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
11a-5M_Nss1_2TX	Pass	AV	11.49048G	50.94	54.00	-3.06	3	Vertical	0	2.87	-
11a-10M_Nss1_2TX	Pass	AV	11.49072G	50.96	54.00	-3.04	3	Vertical	96	2.02	-
11a-20M_Nss1_2TX	Pass	AV	11.48844G	50.89	54.00	-3.11	3	Vertical	3	3.00	-
11n-5M_Nss1_2TX	Pass	PK	17.35434G	64.73	68.20	-3.47	3	Horizontal	184	1.86	-
11n-10M_Nss1_2TX	Pass	AV	11.48769G	50.84	54.00	-3.16	3	Vertical	75	2.14	-
802.11ac VHT20_Nss1_2TX	Pass	AV	11.48872G	50.98	54.00	-3.02	3	Vertical	212	2.97	-
802.11ac VHT40_Nss1_2TX	Pass	AV	11.5898G	50.96	54.00	-3.04	3	Vertical	228	2.08	-
802.11ac VHT80_Nss1_2TX	Pass	AV	11.54984G	50.44	54.00	-3.56	3	Vertical	232	2.18	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
11a-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1324G	50.99	54.00	-3.01	3	Vertical	249	2.00	-
5180MHz	Pass	AV	5.1804G	113.81	Inf	-Inf	3	Vertical	249	2.00	-
5180MHz	Pass	PK	5.1476G	63.67	74.00	-10.33	3	Vertical	249	2.00	-
5180MHz	Pass	PK	5.1808G	124.36	Inf	-Inf	3	Vertical	249	2.00	-
5180MHz	Pass	AV	5.1496G	46.53	54.00	-7.47	3	Horizontal	178	3.00	-
5180MHz	Pass	AV	5.1804G	104.72	Inf	-Inf	3	Horizontal	178	3.00	-
5180MHz	Pass	PK	5.1376G	59.40	74.00	-14.60	3	Horizontal	178	3.00	-
5180MHz	Pass	PK	5.1804G	116.05	Inf	-Inf	3	Horizontal	178	3.00	-
5180MHz	Pass	AV	15.5414G	50.36	54.00	-3.64	3	Vertical	265	1.91	-
5180MHz	Pass	PK	10.36048G	62.46	68.20	-5.74	3	Vertical	341	2.97	-
5180MHz	Pass	PK	15.54224G	67.66	74.00	-6.34	3	Vertical	265	1.91	-
5180MHz	Pass	AV	15.54064G	46.32	54.00	-7.68	3	Horizontal	0	3.00	-
5180MHz	Pass	PK	10.363G	57.30	68.20	-10.90	3	Horizontal	191	3.00	-
5180MHz	Pass	PK	15.5414G	63.40	74.00	-10.60	3	Horizontal	0	3.00	-
5200MHz	Pass	AV	5.1044G	49.83	54.00	-4.17	3	Vertical	249	2.01	-
5200MHz	Pass	AV	5.2004G	113.23	Inf	-Inf	3	Vertical	249	2.01	-
5200MHz	Pass	PK	5.1472G	61.88	74.00	-12.12	3	Vertical	249	2.01	-
5200MHz	Pass	PK	5.2004G	124.93	Inf	-Inf	3	Vertical	249	2.01	-
5200MHz	Pass	AV	5.1048G	46.13	54.00	-7.87	3	Horizontal	169	3.00	-
5200MHz	Pass	AV	5.2004G	104.29	Inf	-Inf	3	Horizontal	169	3.00	-
5200MHz	Pass	PK	5.1464G	58.67	74.00	-15.33	3	Horizontal	169	3.00	-
5200MHz	Pass	PK	5.2008G	114.81	Inf	-Inf	3	Horizontal	169	3.00	-
5200MHz	Pass	AV	15.60148G	49.84	54.00	-4.16	3	Vertical	261	2.68	-
5200MHz	Pass	PK	10.40128G	60.83	68.20	-7.37	3	Vertical	302	2.87	-
5200MHz	Pass	PK	15.60172G	67.39	74.00	-6.61	3	Vertical	261	2.68	-
5200MHz	Pass	AV	15.60104G	43.61	54.00	-10.39	3	Horizontal	297	3.00	-
5200MHz	Pass	PK	10.40164G	59.59	68.20	-8.61	3	Horizontal	180	2.94	-
5200MHz	Pass	PK	15.60212G	59.36	74.00	-14.64	3	Horizontal	297	3.00	-
5240MHz	Pass	AV	5.1446G	49.20	54.00	-4.80	3	Vertical	250	2.08	-
5240MHz	Pass	AV	5.2412G	114.05	Inf	-Inf	3	Vertical	250	2.08	-
5240MHz	Pass	AV	5.3846G	43.80	54.00	-10.20	3	Vertical	250	2.08	-
5240MHz	Pass	PK	5.1446G	59.19	74.00	-14.81	3	Vertical	250	2.08	-
5240MHz	Pass	PK	5.24G	124.41	Inf	-Inf	3	Vertical	250	2.08	-
5240MHz	Pass	PK	5.3648G	56.18	74.00	-17.82	3	Vertical	250	2.08	-
5240MHz	Pass	AV	5.1116G	45.44	54.00	-8.56	3	Horizontal	173	2.17	-
5240MHz	Pass	AV	5.24G	104.90	Inf	-Inf	3	Horizontal	173	2.17	-
5240MHz	Pass	AV	5.36G	43.63	54.00	-10.37	3	Horizontal	173	2.17	-
5240MHz	Pass	PK	5.12G	58.15	74.00	-15.85	3	Horizontal	173	2.17	-
5240MHz	Pass	PK	5.2406G	115.01	Inf	-Inf	3	Horizontal	173	2.17	-
5240MHz	Pass	PK	5.3642G	56.78	74.00	-17.22	3	Horizontal	173	2.17	-
5240MHz	Pass	AV	15.72116G	49.71	54.00	-4.29	3	Vertical	262	2.65	-
5240MHz	Pass	PK	10.479G	63.56	68.20	-4.64	3	Vertical	28	2.69	-
5240MHz	Pass	PK	15.71972G	65.19	74.00	-8.81	3	Vertical	262	2.65	-
5240MHz	Pass	AV	15.7214G	44.29	54.00	-9.71	3	Horizontal	341	1.92	-
5240MHz	Pass	PK	10.48032G	59.49	68.20	-8.71	3	Horizontal	173	3.00	-
5240MHz	Pass	PK	15.72148G	58.71	74.00	-15.29	3	Horizontal	341	1.92	-
5745MHz	Pass	AV	5.7462G	101.79	Inf	-Inf	3	Vertical	254	2.11	-
5745MHz	Pass	PK	5.6502G	59.43	68.35	-8.92	3	Vertical	254	2.11	-
5745MHz	Pass	PK	5.7474G	112.15	Inf	-Inf	3	Vertical	254	2.11	-
5745MHz	Pass	PK	5.955G	58.55	68.20	-9.65	3	Vertical	254	2.11	-
5745MHz	Pass	AV	5.7462G	98.50	Inf	-Inf	3	Horizontal	205	2.31	-
5745MHz	Pass	PK	5.625G	57.25	68.20	-10.95	3	Horizontal	205	2.31	-
5745MHz	Pass	PK	5.745G	108.42	Inf	-Inf	3	Horizontal	205	2.31	-
5745MHz	Pass	PK	5.9742G	58.04	68.20	-10.16	3	Horizontal	205	2.31	-
5745MHz	Pass	AV	11.49048G	50.94	54.00	-3.06	3	Vertical	0	2.87	-
5745MHz	Pass	PK	11.49036G	63.91	74.00	-10.09	3	Vertical	0	2.87	-
5745MHz	Pass	PK	17.23416G	58.33	68.20	-9.87	3	Vertical	312	3.00	-
5745MHz	Pass	AV	11.49064G	49.86	54.00	-4.14	3	Horizontal	87	2.86	-
5745MHz	Pass	PK	11.4918G	62.64	74.00	-11.36	3	Horizontal	87	2.86	-
5745MHz	Pass	PK	17.24384G	55.52	68.20	-12.68	3	Horizontal	234	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.785G	100.12	Inf	-Inf	3	Vertical	233	1.50	-
5785MHz	Pass	PK	5.6494G	57.31	68.20	-10.89	3	Vertical	233	1.50	-
5785MHz	Pass	PK	5.785G	110.91	Inf	-Inf	3	Vertical	233	1.50	-
5785MHz	Pass	PK	5.9566G	58.48	68.20	-9.72	3	Vertical	233	1.50	-
5785MHz	Pass	AV	5.785G	97.78	Inf	-Inf	3	Horizontal	199	2.41	-
5785MHz	Pass	PK	5.6134G	57.82	68.20	-10.38	3	Horizontal	199	2.41	-
5785MHz	Pass	PK	5.7862G	107.59	Inf	-Inf	3	Horizontal	199	2.41	-
5785MHz	Pass	PK	5.9398G	58.10	68.20	-10.10	3	Horizontal	199	2.41	-
5785MHz	Pass	AV	11.57104G	50.84	54.00	-3.16	3	Vertical	238	2.83	-
5785MHz	Pass	PK	11.57G	64.66	74.00	-9.34	3	Vertical	238	2.83	-
5785MHz	Pass	PK	17.36136G	57.11	68.20	-11.09	3	Vertical	0	1.15	-
5785MHz	Pass	AV	11.57072G	50.08	54.00	-3.92	3	Horizontal	151	2.77	-
5785MHz	Pass	PK	11.56976G	64.06	74.00	-9.94	3	Horizontal	151	2.77	-
5785MHz	Pass	PK	17.36492G	56.84	68.20	-11.36	3	Horizontal	23	3.00	-
5825MHz	Pass	AV	5.825G	99.37	Inf	-Inf	3	Vertical	242	1.54	-
5825MHz	Pass	PK	5.5358G	56.89	68.20	-11.31	3	Vertical	242	1.54	-
5825MHz	Pass	PK	5.825G	109.51	Inf	-Inf	3	Vertical	242	1.54	-
5825MHz	Pass	PK	5.9786G	58.55	68.20	-9.65	3	Vertical	242	1.54	-
5825MHz	Pass	AV	5.8262G	96.50	Inf	-Inf	3	Horizontal	198	2.36	-
5825MHz	Pass	PK	5.5514G	57.84	68.20	-10.36	3	Horizontal	198	2.36	-
5825MHz	Pass	PK	5.825G	107.27	Inf	-Inf	3	Horizontal	198	2.36	-
5825MHz	Pass	PK	5.9654G	58.94	68.20	-9.26	3	Horizontal	198	2.36	-
5825MHz	Pass	AV	11.65072G	50.82	54.00	-3.18	3	Vertical	237	2.92	-
5825MHz	Pass	PK	11.65104G	64.52	74.00	-9.48	3	Vertical	237	2.92	-
5825MHz	Pass	PK	17.47734G	57.94	68.20	-10.26	3	Vertical	207	1.50	-
5825MHz	Pass	AV	11.65092G	49.25	54.00	-4.75	3	Horizontal	151	3.00	-
5825MHz	Pass	PK	11.65104G	62.66	74.00	-11.34	3	Horizontal	151	3.00	-
5825MHz	Pass	PK	17.48514G	58.30	68.20	-9.90	3	Horizontal	162	1.50	-
11a-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	50.95	54.00	-3.05	3	Vertical	255	2.02	-
5180MHz	Pass	AV	5.18G	110.64	Inf	-Inf	3	Vertical	255	2.02	-
5180MHz	Pass	PK	5.1442G	64.03	74.00	-9.97	3	Vertical	255	2.02	-
5180MHz	Pass	PK	5.18G	120.86	Inf	-Inf	3	Vertical	255	2.02	-
5180MHz	Pass	AV	5.1318G	45.17	54.00	-8.83	3	Horizontal	239	1.29	-
5180MHz	Pass	AV	5.1796G	95.32	Inf	-Inf	3	Horizontal	239	1.29	-
5180MHz	Pass	PK	5.1348G	58.50	74.00	-15.50	3	Horizontal	239	1.29	-
5180MHz	Pass	PK	5.1798G	106.20	Inf	-Inf	3	Horizontal	239	1.29	-
5180MHz	Pass	AV	15.54122G	41.04	54.00	-12.96	3	Vertical	178	1.19	-
5180MHz	Pass	PK	10.35864G	60.12	68.20	-8.08	3	Vertical	280	3.00	-
5180MHz	Pass	PK	15.5428G	54.71	74.00	-19.29	3	Vertical	178	1.19	-
5180MHz	Pass	AV	15.54146G	39.83	54.00	-14.17	3	Horizontal	0	2.97	-
5180MHz	Pass	PK	10.35922G	54.09	68.20	-14.11	3	Horizontal	291	1.00	-
5180MHz	Pass	PK	15.54028G	54.47	74.00	-19.53	3	Horizontal	0	2.97	-
5200MHz	Pass	AV	5.104G	48.85	54.00	-5.15	3	Vertical	254	2.22	-
5200MHz	Pass	AV	5.2012G	113.62	Inf	-Inf	3	Vertical	254	2.22	-
5200MHz	Pass	PK	5.1496G	61.48	74.00	-12.52	3	Vertical	254	2.22	-
5200MHz	Pass	PK	5.2012G	123.90	Inf	-Inf	3	Vertical	254	2.22	-
5200MHz	Pass	AV	5.104G	45.48	54.00	-8.52	3	Horizontal	170	2.66	-
5200MHz	Pass	AV	5.1988G	105.60	Inf	-Inf	3	Horizontal	170	2.66	-
5200MHz	Pass	PK	5.1424G	58.55	74.00	-15.45	3	Horizontal	170	2.66	-
5200MHz	Pass	PK	5.2012G	116.69	Inf	-Inf	3	Horizontal	170	2.66	-
5200MHz	Pass	AV	15.59914G	50.29	54.00	-3.71	3	Vertical	177	1.50	-
5200MHz	Pass	PK	10.39922G	58.05	68.20	-10.15	3	Vertical	223	2.23	-
5200MHz	Pass	PK	15.60392G	67.17	74.00	-6.83	3	Vertical	177	1.50	-
5200MHz	Pass	AV	15.60074G	46.77	54.00	-7.23	3	Horizontal	3	1.64	-
5200MHz	Pass	PK	10.40108G	57.23	68.20	-10.97	3	Horizontal	189	2.14	-
5200MHz	Pass	PK	15.59796G	62.29	74.00	-11.71	3	Horizontal	3	1.64	-
5240MHz	Pass	AV	5.144G	49.28	54.00	-4.72	3	Vertical	254	2.20	-
5240MHz	Pass	AV	5.24G	113.50	Inf	-Inf	3	Vertical	254	2.20	-
5240MHz	Pass	AV	5.384G	44.55	54.00	-9.45	3	Vertical	254	2.20	-
5240MHz	Pass	PK	5.144G	60.24	74.00	-13.76	3	Vertical	254	2.20	-
5240MHz	Pass	PK	5.2388G	124.37	Inf	-Inf	3	Vertical	254	2.20	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3888G	57.24	74.00	-16.76	3	Vertical	254	2.20	-
5240MHz	Pass	AV	5.144G	45.40	54.00	-8.60	3	Horizontal	155	2.29	-
5240MHz	Pass	AV	5.2412G	104.84	Inf	-Inf	3	Horizontal	155	2.29	-
5240MHz	Pass	AV	5.3534G	43.32	54.00	-10.68	3	Horizontal	155	2.29	-
5240MHz	Pass	PK	5.1188G	58.16	74.00	-15.84	3	Horizontal	155	2.29	-
5240MHz	Pass	PK	5.2388G	115.81	Inf	-Inf	3	Horizontal	155	2.29	-
5240MHz	Pass	PK	5.3552G	56.37	74.00	-17.63	3	Horizontal	155	2.29	-
5240MHz	Pass	AV	15.71979G	50.11	54.00	-3.89	3	Vertical	275	2.65	-
5240MHz	Pass	PK	10.48176G	57.79	68.20	-10.41	3	Vertical	243	2.17	-
5240MHz	Pass	PK	15.72195G	67.12	74.00	-6.88	3	Vertical	275	2.65	-
5240MHz	Pass	AV	15.72042G	45.41	54.00	-8.59	3	Horizontal	356	3.00	-
5240MHz	Pass	PK	10.48084G	56.16	68.20	-12.04	3	Horizontal	150	1.00	-
5240MHz	Pass	PK	15.7222G	61.50	74.00	-12.50	3	Horizontal	356	3.00	-
5745MHz	Pass	AV	5.7438G	112.30	Inf	-Inf	3	Vertical	301	2.17	-
5745MHz	Pass	PK	5.649G	57.19	68.20	-11.01	3	Vertical	301	2.17	-
5745MHz	Pass	PK	5.7462G	122.15	Inf	-Inf	3	Vertical	301	2.17	-
5745MHz	Pass	PK	5.9298G	55.47	68.20	-12.73	3	Vertical	301	2.17	-
5745MHz	Pass	AV	5.7438G	105.96	Inf	-Inf	3	Horizontal	167	1.00	-
5745MHz	Pass	PK	5.523G	55.28	68.20	-12.92	3	Horizontal	167	1.00	-
5745MHz	Pass	PK	5.7462G	115.81	Inf	-Inf	3	Horizontal	167	1.00	-
5745MHz	Pass	PK	5.931G	55.89	68.20	-12.31	3	Horizontal	167	1.00	-
5745MHz	Pass	AV	11.49072G	50.96	54.00	-3.04	3	Vertical	96	2.02	-
5745MHz	Pass	PK	11.49306G	64.80	74.00	-9.20	3	Vertical	96	2.02	-
5745MHz	Pass	PK	17.23692G	63.83	68.20	-4.37	3	Vertical	328	2.03	-
5745MHz	Pass	AV	11.48918G	46.32	54.00	-7.68	3	Horizontal	190	1.01	-
5745MHz	Pass	PK	11.4892G	59.55	74.00	-14.45	3	Horizontal	190	1.01	-
5745MHz	Pass	PK	17.237G	59.93	68.20	-8.27	3	Horizontal	142	2.03	-
5785MHz	Pass	AV	5.7862G	110.42	Inf	-Inf	3	Vertical	79	2.79	-
5785MHz	Pass	PK	5.491G	57.54	68.20	-10.66	3	Vertical	79	2.79	-
5785MHz	Pass	PK	5.7874G	120.88	Inf	-Inf	3	Vertical	79	2.79	-
5785MHz	Pass	PK	6.0586G	57.18	68.20	-11.02	3	Vertical	79	2.79	-
5785MHz	Pass	AV	5.7838G	105.07	Inf	-Inf	3	Horizontal	31	2.52	-
5785MHz	Pass	PK	5.5798G	57.61	68.20	-10.59	3	Horizontal	31	2.52	-
5785MHz	Pass	PK	5.785G	115.22	Inf	-Inf	3	Horizontal	31	2.52	-
5785MHz	Pass	PK	6.0334G	57.57	68.20	-10.63	3	Horizontal	31	2.52	-
5785MHz	Pass	AV	11.57048G	50.27	54.00	-3.73	3	Vertical	264	2.15	-
5785MHz	Pass	PK	11.57046G	65.96	74.00	-8.04	3	Vertical	264	2.15	-
5785MHz	Pass	PK	17.35744G	64.52	68.20	-3.68	3	Vertical	273	2.54	-
5785MHz	Pass	AV	11.5704G	45.62	54.00	-8.38	3	Horizontal	267	1.97	-
5785MHz	Pass	PK	11.57292G	60.11	74.00	-13.89	3	Horizontal	267	1.97	-
5785MHz	Pass	PK	17.35591G	64.53	68.20	-3.67	3	Horizontal	360	1.92	-
5825MHz	Pass	AV	5.8262G	111.32	Inf	-Inf	3	Vertical	302	2.01	-
5825MHz	Pass	PK	5.6342G	56.32	68.20	-11.88	3	Vertical	302	2.01	-
5825MHz	Pass	PK	5.8262G	122.35	Inf	-Inf	3	Vertical	302	2.01	-
5825MHz	Pass	PK	6.0926G	55.59	68.20	-12.61	3	Vertical	302	2.01	-
5825MHz	Pass	AV	5.8238G	102.49	Inf	-Inf	3	Horizontal	170	3.00	-
5825MHz	Pass	PK	5.615G	55.39	68.20	-12.81	3	Horizontal	170	3.00	-
5825MHz	Pass	PK	5.8238G	112.50	Inf	-Inf	3	Horizontal	170	3.00	-
5825MHz	Pass	PK	6.0086G	55.84	68.20	-12.36	3	Horizontal	170	3.00	-
5825MHz	Pass	AV	11.649G	50.84	54.00	-3.16	3	Vertical	42	2.12	-
5825MHz	Pass	PK	11.6468G	65.78	74.00	-8.22	3	Vertical	42	2.12	-
5825MHz	Pass	PK	17.47686G	63.47	68.20	-4.73	3	Vertical	327	2.74	-
5825MHz	Pass	AV	11.65066G	46.81	54.00	-7.19	3	Horizontal	153	1.02	-
5825MHz	Pass	PK	11.64566G	61.22	74.00	-12.78	3	Horizontal	153	1.02	-
5825MHz	Pass	PK	17.47656G	60.49	68.20	-7.71	3	Horizontal	153	1.90	-
11a-20M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	50.82	54.00	-3.18	3	Vertical	266	2.94	-
5180MHz	Pass	AV	5.18G	108.79	Inf	-Inf	3	Vertical	266	2.94	-
5180MHz	Pass	PK	5.1448G	65.21	74.00	-8.79	3	Vertical	266	2.94	-
5180MHz	Pass	PK	5.18G	116.01	Inf	-Inf	3	Vertical	266	2.94	-
5180MHz	Pass	AV	5.1396G	46.41	54.00	-7.59	3	Horizontal	151	1.20	-
5180MHz	Pass	AV	5.18G	100.76	Inf	-Inf	3	Horizontal	151	1.20	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1352G	58.74	74.00	-15.26	3	Horizontal	151	1.20	-
5180MHz	Pass	PK	5.1798G	107.29	Inf	-Inf	3	Horizontal	151	1.20	-
5180MHz	Pass	AV	15.54124G	40.13	54.00	-13.87	3	Vertical	17	2.65	-
5180MHz	Pass	PK	10.35816G	56.47	68.20	-11.73	3	Vertical	232	1.78	-
5180MHz	Pass	PK	15.53808G	52.48	74.00	-21.52	3	Vertical	17	2.65	-
5180MHz	Pass	AV	15.5428G	39.45	54.00	-14.55	3	Horizontal	0	1.50	-
5180MHz	Pass	PK	10.35992G	55.34	68.20	-12.86	3	Horizontal	266	3.00	-
5180MHz	Pass	PK	15.54816G	51.94	74.00	-22.06	3	Horizontal	0	1.50	-
5200MHz	Pass	AV	5.15G	47.02	54.00	-6.98	3	Vertical	223	1.50	-
5200MHz	Pass	AV	5.2008G	106.55	Inf	-Inf	3	Vertical	223	1.50	-
5200MHz	Pass	PK	5.1384G	58.43	74.00	-15.57	3	Vertical	223	1.50	-
5200MHz	Pass	PK	5.1968G	115.73	Inf	-Inf	3	Vertical	223	1.50	-
5200MHz	Pass	AV	5.104G	46.06	54.00	-7.94	3	Horizontal	152	1.00	-
5200MHz	Pass	AV	5.1972G	103.76	Inf	-Inf	3	Horizontal	152	1.00	-
5200MHz	Pass	PK	5.1412G	58.18	74.00	-15.82	3	Horizontal	152	1.00	-
5200MHz	Pass	PK	5.1972G	113.21	Inf	-Inf	3	Horizontal	152	1.00	-
5200MHz	Pass	AV	15.60312G	49.73	54.00	-4.27	3	Vertical	322	2.56	-
5200MHz	Pass	PK	10.40188G	59.24	68.20	-8.96	3	Vertical	226	1.89	-
5200MHz	Pass	PK	15.60588G	64.13	74.00	-9.87	3	Vertical	322	2.56	-
5200MHz	Pass	AV	15.60156G	42.84	54.00	-11.16	3	Horizontal	17	2.09	-
5200MHz	Pass	PK	10.40164G	56.88	68.20	-11.32	3	Horizontal	177	2.47	-
5200MHz	Pass	PK	15.59652G	55.61	74.00	-18.39	3	Horizontal	17	2.09	-
5240MHz	Pass	AV	5.144G	48.92	54.00	-5.08	3	Vertical	261	2.85	-
5240MHz	Pass	AV	5.2406G	110.30	Inf	-Inf	3	Vertical	261	2.85	-
5240MHz	Pass	AV	5.384G	45.45	54.00	-8.55	3	Vertical	261	2.85	-
5240MHz	Pass	PK	5.12G	58.75	74.00	-15.25	3	Vertical	261	2.85	-
5240MHz	Pass	PK	5.2358G	119.57	Inf	-Inf	3	Vertical	261	2.85	-
5240MHz	Pass	PK	5.3714G	56.83	74.00	-17.17	3	Vertical	261	2.85	-
5240MHz	Pass	AV	5.1194G	45.79	54.00	-8.21	3	Horizontal	155	1.02	-
5240MHz	Pass	AV	5.24G	102.34	Inf	-Inf	3	Horizontal	155	1.02	-
5240MHz	Pass	AV	5.3624G	43.94	54.00	-10.06	3	Horizontal	155	1.02	-
5240MHz	Pass	PK	5.1464G	57.92	74.00	-16.08	3	Horizontal	155	1.02	-
5240MHz	Pass	PK	5.2394G	110.92	Inf	-Inf	3	Horizontal	155	1.02	-
5240MHz	Pass	PK	5.3858G	56.22	74.00	-17.78	3	Horizontal	155	1.02	-
5240MHz	Pass	AV	15.72048G	48.90	54.00	-5.10	3	Vertical	320	2.54	-
5240MHz	Pass	PK	10.4778G	58.91	68.20	-9.29	3	Vertical	224	3.00	-
5240MHz	Pass	PK	15.71508G	62.19	74.00	-11.81	3	Vertical	320	2.54	-
5240MHz	Pass	AV	15.72064G	42.73	54.00	-11.27	3	Horizontal	346	1.55	-
5240MHz	Pass	PK	10.47772G	55.56	68.20	-12.64	3	Horizontal	147	1.01	-
5240MHz	Pass	PK	15.7256G	55.76	74.00	-18.24	3	Horizontal	346	1.55	-
5745MHz	Pass	AV	5.7486G	98.86	Inf	-Inf	3	Vertical	262	1.50	-
5745MHz	Pass	PK	5.649G	58.22	68.20	-9.98	3	Vertical	262	1.50	-
5745MHz	Pass	PK	5.7498G	106.81	Inf	-Inf	3	Vertical	262	1.50	-
5745MHz	Pass	PK	5.9394G	58.19	68.20	-10.01	3	Vertical	262	1.50	-
5745MHz	Pass	AV	5.7462G	94.94	Inf	-Inf	3	Horizontal	183	1.00	-
5745MHz	Pass	PK	5.6262G	58.41	68.20	-9.79	3	Horizontal	183	1.00	-
5745MHz	Pass	PK	5.7414G	104.25	Inf	-Inf	3	Horizontal	183	1.00	-
5745MHz	Pass	PK	5.9586G	57.38	68.20	-10.82	3	Horizontal	183	1.00	-
5745MHz	Pass	AV	11.48844G	50.89	54.00	-3.11	3	Vertical	3	3.00	-
5745MHz	Pass	PK	11.48428G	63.46	74.00	-10.54	3	Vertical	3	3.00	-
5745MHz	Pass	PK	17.2414G	57.55	68.20	-10.65	3	Vertical	319	3.00	-
5745MHz	Pass	AV	11.48984G	49.10	54.00	-4.90	3	Horizontal	222	2.86	-
5745MHz	Pass	PK	11.49056G	61.64	74.00	-12.36	3	Horizontal	222	2.86	-
5745MHz	Pass	PK	17.22524G	56.10	68.20	-12.10	3	Horizontal	69	1.96	-
5785MHz	Pass	AV	5.7826G	102.58	Inf	-Inf	3	Vertical	255	2.66	-
5785MHz	Pass	PK	5.6422G	58.18	68.20	-10.02	3	Vertical	255	2.66	-
5785MHz	Pass	PK	5.7826G	112.12	Inf	-Inf	3	Vertical	255	2.66	-
5785MHz	Pass	PK	5.929G	60.48	68.20	-7.72	3	Vertical	255	2.66	-
5785MHz	Pass	AV	5.7838G	95.36	Inf	-Inf	3	Horizontal	180	1.00	-
5785MHz	Pass	PK	5.5366G	57.90	68.20	-10.30	3	Horizontal	180	1.00	-
5785MHz	Pass	PK	5.7814G	104.29	Inf	-Inf	3	Horizontal	180	1.00	-
5785MHz	Pass	PK	5.9722G	58.03	68.20	-10.17	3	Horizontal	180	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.57008G	50.66	54.00	-3.34	3	Vertical	210	3.00	-
5785MHz	Pass	PK	11.5706G	63.18	74.00	-10.82	3	Vertical	210	3.00	-
5785MHz	Pass	PK	17.3624G	56.97	68.20	-11.23	3	Vertical	236	1.50	-
5785MHz	Pass	AV	11.568G	46.02	54.00	-7.98	3	Horizontal	176	2.13	-
5785MHz	Pass	PK	11.57208G	58.69	74.00	-15.31	3	Horizontal	176	2.13	-
5785MHz	Pass	PK	17.34712G	57.24	68.20	-10.96	3	Horizontal	24	1.50	-
5825MHz	Pass	AV	5.8286G	102.61	Inf	-Inf	3	Vertical	259	2.75	-
5825MHz	Pass	PK	5.633G	58.44	68.20	-9.76	3	Vertical	259	2.75	-
5825MHz	Pass	PK	5.8238G	112.24	Inf	-Inf	3	Vertical	259	2.75	-
5825MHz	Pass	PK	5.9414G	59.13	68.20	-9.07	3	Vertical	259	2.75	-
5825MHz	Pass	AV	5.8262G	93.51	Inf	-Inf	3	Horizontal	182	1.00	-
5825MHz	Pass	PK	5.5586G	57.91	68.20	-10.29	3	Horizontal	182	1.00	-
5825MHz	Pass	PK	5.8214G	102.62	Inf	-Inf	3	Horizontal	182	1.00	-
5825MHz	Pass	PK	5.9618G	59.21	68.20	-8.99	3	Horizontal	182	1.00	-
5825MHz	Pass	AV	11.648G	50.61	54.00	-3.39	3	Vertical	223	3.00	-
5825MHz	Pass	PK	11.64744G	62.75	74.00	-11.25	3	Vertical	223	3.00	-
5825MHz	Pass	PK	17.47332G	58.82	68.20	-9.38	3	Vertical	321	2.89	-
5825MHz	Pass	AV	11.64796G	46.94	54.00	-7.06	3	Horizontal	173	1.00	-
5825MHz	Pass	PK	11.65164G	59.14	74.00	-14.86	3	Horizontal	173	1.00	-
5825MHz	Pass	PK	17.48324G	57.70	68.20	-10.50	3	Horizontal	22	2.81	-
11n-5M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1326G	50.31	54.00	-3.69	3	Vertical	305	2.13	-
5180MHz	Pass	AV	5.18G	116.11	Inf	-Inf	3	Vertical	305	2.13	-
5180MHz	Pass	PK	5.1422G	63.52	74.00	-10.48	3	Vertical	305	2.13	-
5180MHz	Pass	PK	5.1796G	125.36	Inf	-Inf	3	Vertical	305	2.13	-
5180MHz	Pass	AV	5.1322G	44.50	54.00	-9.50	3	Horizontal	192	1.50	-
5180MHz	Pass	AV	5.181G	106.52	Inf	-Inf	3	Horizontal	192	1.50	-
5180MHz	Pass	PK	5.1478G	56.97	74.00	-17.03	3	Horizontal	192	1.50	-
5180MHz	Pass	PK	5.1812G	116.87	Inf	-Inf	3	Horizontal	192	1.50	-
5180MHz	Pass	AV	15.54151G	50.55	54.00	-3.45	3	Vertical	309	2.48	-
5180MHz	Pass	PK	10.36105G	55.49	68.20	-12.71	3	Vertical	36	2.10	-
5180MHz	Pass	PK	15.53903G	66.46	74.00	-7.54	3	Vertical	309	2.48	-
5180MHz	Pass	AV	15.54152G	50.26	54.00	-3.74	3	Horizontal	320	1.00	-
5180MHz	Pass	PK	10.35943G	54.25	68.20	-13.95	3	Horizontal	0	1.50	-
5180MHz	Pass	PK	15.5423G	66.89	74.00	-7.11	3	Horizontal	320	1.00	-
5200MHz	Pass	AV	5.15G	48.97	54.00	-5.03	3	Vertical	287	2.20	-
5200MHz	Pass	AV	5.2G	115.63	Inf	-Inf	3	Vertical	287	2.20	-
5200MHz	Pass	PK	5.15G	61.60	74.00	-12.40	3	Vertical	287	2.20	-
5200MHz	Pass	PK	5.2G	125.27	Inf	-Inf	3	Vertical	287	2.20	-
5200MHz	Pass	AV	5.1044G	43.70	54.00	-10.30	3	Horizontal	31	1.00	-
5200MHz	Pass	AV	5.2004G	106.47	Inf	-Inf	3	Horizontal	31	1.00	-
5200MHz	Pass	PK	5.138G	56.86	74.00	-17.14	3	Horizontal	31	1.00	-
5200MHz	Pass	PK	5.2008G	116.97	Inf	-Inf	3	Horizontal	31	1.00	-
5200MHz	Pass	AV	15.60118G	49.79	54.00	-4.21	3	Vertical	179	1.60	-
5200MHz	Pass	PK	10.40138G	56.23	68.20	-11.97	3	Vertical	54	2.17	-
5200MHz	Pass	PK	15.60091G	67.25	74.00	-6.75	3	Vertical	179	1.60	-
5200MHz	Pass	AV	15.6015G	50.53	54.00	-3.47	3	Horizontal	319	1.04	-
5200MHz	Pass	PK	10.39921G	54.56	68.20	-13.64	3	Horizontal	173	1.17	-
5200MHz	Pass	PK	15.6003G	67.07	74.00	-6.93	3	Horizontal	319	1.04	-
5240MHz	Pass	AV	5.1446G	47.42	54.00	-6.58	3	Vertical	272	3.00	-
5240MHz	Pass	AV	5.2394G	111.56	Inf	-Inf	3	Vertical	272	3.00	-
5240MHz	Pass	AV	5.3846G	44.24	54.00	-9.76	3	Vertical	272	3.00	-
5240MHz	Pass	PK	5.1326G	58.52	74.00	-15.48	3	Vertical	272	3.00	-
5240MHz	Pass	PK	5.24G	121.77	Inf	-Inf	3	Vertical	272	3.00	-
5240MHz	Pass	PK	5.3564G	56.46	74.00	-17.54	3	Vertical	272	3.00	-
5240MHz	Pass	AV	5.1446G	42.89	54.00	-11.11	3	Horizontal	34	1.06	-
5240MHz	Pass	AV	5.2406G	101.11	Inf	-Inf	3	Horizontal	34	1.06	-
5240MHz	Pass	AV	5.3894G	41.46	54.00	-12.54	3	Horizontal	34	1.06	-
5240MHz	Pass	PK	5.102G	55.63	74.00	-18.37	3	Horizontal	34	1.06	-
5240MHz	Pass	PK	5.2412G	112.11	Inf	-Inf	3	Horizontal	34	1.06	-
5240MHz	Pass	PK	5.3816G	54.55	74.00	-19.45	3	Horizontal	34	1.06	-
5240MHz	Pass	AV	15.72114G	49.66	54.00	-4.34	3	Vertical	199	1.01	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	10.48218G	56.88	68.20	-11.32	3	Vertical	53	2.12	-
5240MHz	Pass	PK	15.72011G	67.20	74.00	-6.80	3	Vertical	199	1.01	-
5240MHz	Pass	AV	15.72208G	50.64	54.00	-3.36	3	Horizontal	281	1.98	-
5240MHz	Pass	PK	10.48083G	55.17	68.20	-13.03	3	Horizontal	168	1.00	-
5240MHz	Pass	PK	15.72009G	69.81	74.00	-4.19	3	Horizontal	281	1.98	-
5745MHz	Pass	AV	5.745G	109.01	Inf	-Inf	3	Vertical	260	1.07	-
5745MHz	Pass	PK	5.6298G	57.12	68.20	-11.08	3	Vertical	260	1.07	-
5745MHz	Pass	PK	5.7462G	120.59	Inf	-Inf	3	Vertical	260	1.07	-
5745MHz	Pass	PK	5.9382G	56.25	68.20	-11.95	3	Vertical	260	1.07	-
5745MHz	Pass	AV	5.7462G	104.52	Inf	-Inf	3	Horizontal	176	2.88	-
5745MHz	Pass	PK	5.6298G	56.07	68.20	-12.13	3	Horizontal	176	2.88	-
5745MHz	Pass	PK	5.745G	117.06	Inf	-Inf	3	Horizontal	176	2.88	-
5745MHz	Pass	PK	6.003G	56.10	68.20	-12.10	3	Horizontal	176	2.88	-
5745MHz	Pass	AV	11.49018G	50.16	54.00	-3.84	3	Vertical	94	2.40	-
5745MHz	Pass	PK	11.48998G	63.58	74.00	-10.42	3	Vertical	94	2.40	-
5745MHz	Pass	PK	17.23511G	64.63	68.20	-3.57	3	Vertical	187	1.90	-
5745MHz	Pass	AV	11.48967G	46.25	54.00	-7.75	3	Horizontal	297	2.02	-
5745MHz	Pass	PK	11.4894G	59.76	74.00	-14.24	3	Horizontal	297	2.02	-
5745MHz	Pass	PK	17.23602G	64.07	68.20	-4.13	3	Horizontal	184	1.00	-
5785MHz	Pass	AV	5.7862G	112.96	Inf	-Inf	3	Vertical	271	3.00	-
5785MHz	Pass	PK	5.5102G	56.98	68.20	-11.22	3	Vertical	271	3.00	-
5785MHz	Pass	PK	5.7862G	123.36	Inf	-Inf	3	Vertical	271	3.00	-
5785MHz	Pass	PK	6.0334G	56.18	68.20	-12.02	3	Vertical	271	3.00	-
5785MHz	Pass	AV	5.7862G	105.14	Inf	-Inf	3	Horizontal	174	2.60	-
5785MHz	Pass	PK	5.5174G	55.68	68.20	-12.52	3	Horizontal	174	2.60	-
5785MHz	Pass	PK	5.7862G	116.79	Inf	-Inf	3	Horizontal	174	2.60	-
5785MHz	Pass	PK	6.0334G	55.78	68.20	-12.42	3	Horizontal	174	2.60	-
5785MHz	Pass	AV	11.57005G	48.57	54.00	-5.43	3	Vertical	109	1.49	-
5785MHz	Pass	PK	11.56954G	62.39	74.00	-11.61	3	Vertical	109	1.49	-
5785MHz	Pass	PK	17.35346G	63.47	68.20	-4.73	3	Vertical	323	2.25	-
5785MHz	Pass	AV	11.57011G	46.39	54.00	-7.61	3	Horizontal	296	2.09	-
5785MHz	Pass	PK	11.5697G	59.32	74.00	-14.68	3	Horizontal	296	2.09	-
5785MHz	Pass	PK	17.35434G	64.73	68.20	-3.47	3	Horizontal	184	1.86	-
5825MHz	Pass	AV	5.8274G	114.19	Inf	-Inf	3	Vertical	284	2.95	-
5825MHz	Pass	PK	5.6306G	56.77	68.20	-11.43	3	Vertical	284	2.95	-
5825MHz	Pass	PK	5.825G	125.55	Inf	-Inf	3	Vertical	284	2.95	-
5825MHz	Pass	PK	5.9642G	56.92	68.20	-11.28	3	Vertical	284	2.95	-
5825MHz	Pass	AV	5.8262G	103.95	Inf	-Inf	3	Horizontal	282	1.10	-
5825MHz	Pass	PK	5.5874G	55.67	68.20	-12.53	3	Horizontal	282	1.10	-
5825MHz	Pass	PK	5.8262G	114.26	Inf	-Inf	3	Horizontal	282	1.10	-
5825MHz	Pass	PK	5.9342G	55.83	68.20	-12.37	3	Horizontal	282	1.10	-
5825MHz	Pass	AV	11.64988G	45.51	54.00	-8.49	3	Vertical	111	1.50	-
5825MHz	Pass	PK	11.64952G	58.61	74.00	-15.39	3	Vertical	111	1.50	-
5825MHz	Pass	PK	17.47732G	63.44	68.20	-4.76	3	Vertical	323	2.42	-
5825MHz	Pass	AV	11.6491G	42.67	54.00	-11.33	3	Horizontal	158	1.00	-
5825MHz	Pass	PK	11.6449G	55.45	74.00	-18.55	3	Horizontal	158	1.00	-
5825MHz	Pass	PK	17.47366G	64.63	68.20	-3.57	3	Horizontal	181	1.86	-
11n-10M_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.132G	49.76	54.00	-4.24	3	Vertical	302	2.15	-
5180MHz	Pass	AV	5.1792G	111.19	Inf	-Inf	3	Vertical	302	2.15	-
5180MHz	Pass	PK	5.1392G	61.20	74.00	-12.80	3	Vertical	302	2.15	-
5180MHz	Pass	PK	5.1792G	121.97	Inf	-Inf	3	Vertical	302	2.15	-
5180MHz	Pass	AV	5.132G	43.76	54.00	-10.24	3	Horizontal	181	2.97	-
5180MHz	Pass	AV	5.1812G	100.86	Inf	-Inf	3	Horizontal	181	2.97	-
5180MHz	Pass	PK	5.1348G	56.44	74.00	-17.56	3	Horizontal	181	2.97	-
5180MHz	Pass	PK	5.1806G	111.63	Inf	-Inf	3	Horizontal	181	2.97	-
5180MHz	Pass	AV	15.54052G	43.43	54.00	-10.57	3	Vertical	178	1.50	-
5180MHz	Pass	PK	10.36176G	55.14	68.20	-13.06	3	Vertical	35	2.26	-
5180MHz	Pass	PK	15.53828G	57.30	74.00	-16.70	3	Vertical	178	1.50	-
5180MHz	Pass	AV	15.5391G	44.29	54.00	-9.71	3	Horizontal	281	1.87	-
5180MHz	Pass	PK	10.36172G	54.17	68.20	-14.03	3	Horizontal	156	2.76	-
5180MHz	Pass	PK	15.54304G	59.21	74.00	-14.79	3	Horizontal	281	1.87	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz	Pass	AV	5.1488G	44.64	54.00	-9.36	3	Vertical	32	1.50	-
5200MHz	Pass	AV	5.1988G	108.55	Inf	-Inf	3	Vertical	32	1.50	-
5200MHz	Pass	PK	5.1496G	57.02	74.00	-16.98	3	Vertical	32	1.50	-
5200MHz	Pass	PK	5.1984G	119.49	Inf	-Inf	3	Vertical	32	1.50	-
5200MHz	Pass	AV	5.1496G	43.29	54.00	-10.71	3	Horizontal	189	1.26	-
5200MHz	Pass	AV	5.1992G	102.34	Inf	-Inf	3	Horizontal	189	1.26	-
5200MHz	Pass	PK	5.11G	56.64	74.00	-17.36	3	Horizontal	189	1.26	-
5200MHz	Pass	PK	5.1976G	112.16	Inf	-Inf	3	Horizontal	189	1.26	-
5200MHz	Pass	AV	15.59892G	46.06	54.00	-7.94	3	Vertical	177	1.50	-
5200MHz	Pass	PK	10.40438G	55.48	68.20	-12.72	3	Vertical	307	1.89	-
5200MHz	Pass	PK	15.59892G	61.73	74.00	-12.27	3	Vertical	177	1.50	-
5200MHz	Pass	AV	15.59996G	47.99	54.00	-6.01	3	Horizontal	316	1.00	-
5200MHz	Pass	PK	10.4026G	54.75	68.20	-13.45	3	Horizontal	168	1.00	-
5200MHz	Pass	PK	15.59998G	63.70	74.00	-10.30	3	Horizontal	316	1.00	-
5240MHz	Pass	AV	5.1458G	46.06	54.00	-7.94	3	Vertical	283	2.10	-
5240MHz	Pass	AV	5.2382G	114.20	Inf	-Inf	3	Vertical	283	2.10	-
5240MHz	Pass	AV	5.384G	42.72	54.00	-11.28	3	Vertical	283	2.10	-
5240MHz	Pass	PK	5.1458G	58.25	74.00	-15.75	3	Vertical	283	2.10	-
5240MHz	Pass	PK	5.2382G	124.31	Inf	-Inf	3	Vertical	283	2.10	-
5240MHz	Pass	PK	5.3888G	54.85	74.00	-19.15	3	Vertical	283	2.10	-
5240MHz	Pass	AV	5.1152G	42.60	54.00	-11.40	3	Horizontal	165	1.50	-
5240MHz	Pass	AV	5.2388G	103.27	Inf	-Inf	3	Horizontal	165	1.50	-
5240MHz	Pass	AV	5.39G	41.36	54.00	-12.64	3	Horizontal	165	1.50	-
5240MHz	Pass	PK	5.1356G	55.29	74.00	-18.71	3	Horizontal	165	1.50	-
5240MHz	Pass	PK	5.2382G	112.99	Inf	-Inf	3	Horizontal	165	1.50	-
5240MHz	Pass	PK	5.3642G	54.25	74.00	-19.75	3	Horizontal	165	1.50	-
5240MHz	Pass	AV	15.71864G	50.80	54.00	-3.20	3	Vertical	268	2.49	-
5240MHz	Pass	PK	10.48052G	55.95	68.20	-12.25	3	Vertical	50	2.19	-
5240MHz	Pass	PK	15.71928G	66.52	74.00	-7.48	3	Vertical	268	2.49	-
5240MHz	Pass	AV	15.72006G	47.23	54.00	-6.77	3	Horizontal	134	2.77	-
5240MHz	Pass	PK	10.48196G	55.06	68.20	-13.14	3	Horizontal	183	2.87	-
5240MHz	Pass	PK	15.72134G	62.12	74.00	-11.88	3	Horizontal	134	2.77	-
5745MHz	Pass	AV	5.7438G	111.31	Inf	-Inf	3	Vertical	261	1.08	-
5745MHz	Pass	PK	5.565G	56.37	68.20	-11.83	3	Vertical	261	1.08	-
5745MHz	Pass	PK	5.7426G	120.16	Inf	-Inf	3	Vertical	261	1.08	-
5745MHz	Pass	PK	5.955G	56.23	68.20	-11.97	3	Vertical	261	1.08	-
5745MHz	Pass	AV	5.7462G	104.96	Inf	-Inf	3	Horizontal	197	2.25	-
5745MHz	Pass	PK	5.6214G	55.66	68.20	-12.54	3	Horizontal	197	2.25	-
5745MHz	Pass	PK	5.7426G	115.84	Inf	-Inf	3	Horizontal	197	2.25	-
5745MHz	Pass	PK	6.0366G	55.71	68.20	-12.49	3	Horizontal	197	2.25	-
5745MHz	Pass	AV	11.48769G	50.84	54.00	-3.16	3	Vertical	75	2.14	-
5745MHz	Pass	PK	11.4879G	64.25	74.00	-9.75	3	Vertical	75	2.14	-
5745MHz	Pass	PK	17.23413G	61.31	68.20	-6.89	3	Vertical	304	2.23	-
5745MHz	Pass	AV	11.4927G	44.59	54.00	-9.41	3	Horizontal	304	1.93	-
5745MHz	Pass	PK	11.49234G	58.07	74.00	-15.93	3	Horizontal	304	1.93	-
5745MHz	Pass	PK	17.2302G	61.04	68.20	-7.16	3	Horizontal	180	1.00	-
5785MHz	Pass	AV	5.785G	111.98	Inf	-Inf	3	Vertical	280	3.00	-
5785MHz	Pass	PK	5.5954G	56.40	68.20	-11.80	3	Vertical	280	3.00	-
5785MHz	Pass	PK	5.7886G	122.46	Inf	-Inf	3	Vertical	280	3.00	-
5785MHz	Pass	PK	5.9518G	55.76	68.20	-12.44	3	Vertical	280	3.00	-
5785MHz	Pass	AV	5.7862G	103.01	Inf	-Inf	3	Horizontal	171	2.60	-
5785MHz	Pass	PK	5.6026G	55.27	68.20	-12.93	3	Horizontal	171	2.60	-
5785MHz	Pass	PK	5.785G	115.40	Inf	-Inf	3	Horizontal	171	2.60	-
5785MHz	Pass	PK	5.9338G	55.96	68.20	-12.24	3	Horizontal	171	2.60	-
5785MHz	Pass	AV	11.56745G	46.18	54.00	-7.82	3	Vertical	106	1.46	-
5785MHz	Pass	PK	11.56697G	61.01	74.00	-12.99	3	Vertical	106	1.46	-
5785MHz	Pass	PK	17.35527G	64.68	68.20	-3.52	3	Vertical	272	1.98	-
5785MHz	Pass	AV	11.56703G	43.99	54.00	-10.01	3	Horizontal	293	2.11	-
5785MHz	Pass	PK	11.56649G	58.66	74.00	-15.34	3	Horizontal	293	2.11	-
5785MHz	Pass	PK	17.35065G	64.92	68.20	-3.28	3	Horizontal	178	1.00	-
5825MHz	Pass	AV	5.8262G	111.27	Inf	-Inf	3	Vertical	281	2.96	-
5825MHz	Pass	PK	5.5874G	56.33	68.20	-11.87	3	Vertical	281	2.96	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8238G	124.16	Inf	-Inf	3	Vertical	281	2.96	-
5825MHz	Pass	PK	5.9282G	56.13	68.20	-12.07	3	Vertical	281	2.96	-
5825MHz	Pass	AV	5.8238G	103.94	Inf	-Inf	3	Horizontal	129	1.01	-
5825MHz	Pass	PK	5.639G	54.97	68.20	-13.23	3	Horizontal	129	1.01	-
5825MHz	Pass	PK	5.8226G	113.30	Inf	-Inf	3	Horizontal	129	1.01	-
5825MHz	Pass	PK	5.9546G	55.77	68.20	-12.43	3	Horizontal	129	1.01	-
5825MHz	Pass	AV	11.64745G	45.77	54.00	-8.23	3	Vertical	108	3.00	-
5825MHz	Pass	PK	11.64898G	61.76	74.00	-12.24	3	Vertical	108	3.00	-
5825MHz	Pass	PK	17.47083G	61.97	68.20	-6.23	3	Vertical	85	1.01	-
5825MHz	Pass	AV	11.6509G	43.64	54.00	-10.36	3	Horizontal	122	2.00	-
5825MHz	Pass	PK	11.65357G	59.09	74.00	-14.91	3	Horizontal	122	2.00	-
5825MHz	Pass	PK	17.46993G	63.23	68.20	-4.97	3	Horizontal	179	2.08	-
802.11ac VHT20_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	50.35	54.00	-3.65	3	Vertical	262	2.92	-
5180MHz	Pass	AV	5.18G	108.88	Inf	-Inf	3	Vertical	262	2.92	-
5180MHz	Pass	PK	5.1486G	65.10	74.00	-8.90	3	Vertical	262	2.92	-
5180MHz	Pass	PK	5.176G	115.60	Inf	-Inf	3	Vertical	262	2.92	-
5180MHz	Pass	AV	5.1452G	46.67	54.00	-7.33	3	Horizontal	154	1.03	-
5180MHz	Pass	AV	5.18G	101.18	Inf	-Inf	3	Horizontal	154	1.03	-
5180MHz	Pass	PK	5.1494G	58.92	74.00	-15.08	3	Horizontal	154	1.03	-
5180MHz	Pass	PK	5.18G	108.16	Inf	-Inf	3	Horizontal	154	1.03	-
5180MHz	Pass	AV	15.54524G	39.80	54.00	-14.20	3	Vertical	191	2.00	-
5180MHz	Pass	PK	10.35976G	57.49	68.20	-10.71	3	Vertical	226	2.95	-
5180MHz	Pass	PK	15.53124G	52.36	74.00	-21.64	3	Vertical	191	2.00	-
5180MHz	Pass	AV	15.54072G	40.13	54.00	-13.87	3	Horizontal	317	2.71	-
5180MHz	Pass	PK	10.35304G	54.32	68.20	-13.88	3	Horizontal	147	1.02	-
5180MHz	Pass	PK	15.54716G	51.88	74.00	-22.12	3	Horizontal	317	2.71	-
5200MHz	Pass	AV	5.1496G	47.85	54.00	-6.15	3	Vertical	240	2.10	-
5200MHz	Pass	AV	5.2032G	107.52	Inf	-Inf	3	Vertical	240	2.10	-
5200MHz	Pass	PK	5.1496G	59.04	74.00	-14.96	3	Vertical	240	2.10	-
5200MHz	Pass	PK	5.2024G	116.59	Inf	-Inf	3	Vertical	240	2.10	-
5200MHz	Pass	AV	5.1032G	46.16	54.00	-7.84	3	Horizontal	166	2.59	-
5200MHz	Pass	AV	5.2028G	100.28	Inf	-Inf	3	Horizontal	166	2.59	-
5200MHz	Pass	PK	5.1324G	58.29	74.00	-15.71	3	Horizontal	166	2.59	-
5200MHz	Pass	PK	5.2016G	109.23	Inf	-Inf	3	Horizontal	166	2.59	-
5200MHz	Pass	AV	15.60096G	49.75	54.00	-4.25	3	Vertical	319	2.49	-
5200MHz	Pass	PK	10.39648G	58.68	68.20	-9.52	3	Vertical	223	3.00	-
5200MHz	Pass	PK	15.60632G	64.57	74.00	-9.43	3	Vertical	319	2.49	-
5200MHz	Pass	AV	15.60012G	42.71	54.00	-11.29	3	Horizontal	4	1.50	-
5200MHz	Pass	PK	10.39864G	56.68	68.20	-11.52	3	Horizontal	175	2.74	-
5200MHz	Pass	PK	15.6062G	56.49	74.00	-17.51	3	Horizontal	4	1.50	-
5240MHz	Pass	AV	5.144G	50.22	54.00	-3.78	3	Vertical	260	3.00	-
5240MHz	Pass	AV	5.24G	110.43	Inf	-Inf	3	Vertical	260	3.00	-
5240MHz	Pass	AV	5.384G	46.09	54.00	-7.91	3	Vertical	260	3.00	-
5240MHz	Pass	PK	5.1428G	60.01	74.00	-13.99	3	Vertical	260	3.00	-
5240MHz	Pass	PK	5.2364G	119.97	Inf	-Inf	3	Vertical	260	3.00	-
5240MHz	Pass	PK	5.3564G	57.91	74.00	-16.09	3	Vertical	260	3.00	-
5240MHz	Pass	AV	5.144G	46.82	54.00	-7.18	3	Horizontal	151	1.01	-
5240MHz	Pass	AV	5.2406G	103.75	Inf	-Inf	3	Horizontal	151	1.01	-
5240MHz	Pass	AV	5.381G	44.99	54.00	-9.01	3	Horizontal	151	1.01	-
5240MHz	Pass	PK	5.096G	59.03	74.00	-14.97	3	Horizontal	151	1.01	-
5240MHz	Pass	PK	5.2418G	112.69	Inf	-Inf	3	Horizontal	151	1.01	-
5240MHz	Pass	PK	5.366G	57.09	74.00	-16.91	3	Horizontal	151	1.01	-
5240MHz	Pass	AV	15.72316G	50.07	54.00	-3.93	3	Vertical	321	2.61	-
5240MHz	Pass	PK	10.47424G	59.11	68.20	-9.09	3	Vertical	225	3.00	-
5240MHz	Pass	PK	15.72644G	65.93	74.00	-8.07	3	Vertical	321	2.61	-
5240MHz	Pass	AV	15.72052G	42.32	54.00	-11.68	3	Horizontal	347	1.57	-
5240MHz	Pass	PK	10.47864G	55.24	68.20	-12.96	3	Horizontal	147	1.03	-
5240MHz	Pass	PK	15.72388G	55.52	74.00	-18.48	3	Horizontal	347	1.57	-
5745MHz	Pass	AV	5.7414G	101.74	Inf	-Inf	3	Vertical	263	2.95	-
5745MHz	Pass	PK	5.6466G	58.38	68.20	-9.82	3	Vertical	263	2.95	-
5745MHz	Pass	PK	5.7414G	111.26	Inf	-Inf	3	Vertical	263	2.95	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.9622G	58.85	68.20	-9.35	3	Vertical	263	2.95	-
5745MHz	Pass	AV	5.7426G	96.78	Inf	-Inf	3	Horizontal	333	2.96	-
5745MHz	Pass	PK	5.469G	58.03	68.20	-10.17	3	Horizontal	333	2.96	-
5745MHz	Pass	PK	5.7414G	105.56	Inf	-Inf	3	Horizontal	333	2.96	-
5745MHz	Pass	PK	5.943G	57.95	68.20	-10.25	3	Horizontal	333	2.96	-
5745MHz	Pass	AV	11.48872G	50.98	54.00	-3.02	3	Vertical	212	2.97	-
5745MHz	Pass	PK	11.48796G	66.03	74.00	-7.97	3	Vertical	212	2.97	-
5745MHz	Pass	PK	17.24128G	61.29	68.20	-6.91	3	Vertical	324	2.65	-
5745MHz	Pass	AV	11.48956G	49.78	54.00	-4.22	3	Horizontal	162	2.87	-
5745MHz	Pass	PK	11.48796G	63.98	74.00	-10.02	3	Horizontal	162	2.87	-
5745MHz	Pass	PK	17.24188G	56.58	68.20	-11.62	3	Horizontal	284	2.21	-
5785MHz	Pass	AV	5.7826G	99.28	Inf	-Inf	3	Vertical	292	2.11	-
5785MHz	Pass	PK	5.503G	57.77	68.20	-10.43	3	Vertical	292	2.11	-
5785MHz	Pass	PK	5.7814G	108.64	Inf	-Inf	3	Vertical	292	2.11	-
5785MHz	Pass	PK	5.9494G	58.50	68.20	-9.70	3	Vertical	292	2.11	-
5785MHz	Pass	AV	5.7838G	95.61	Inf	-Inf	3	Horizontal	337	2.94	-
5785MHz	Pass	PK	5.6206G	57.39	68.20	-10.81	3	Horizontal	337	2.94	-
5785MHz	Pass	PK	5.7814G	104.35	Inf	-Inf	3	Horizontal	337	2.94	-
5785MHz	Pass	PK	5.9734G	58.63	68.20	-9.57	3	Horizontal	337	2.94	-
5785MHz	Pass	AV	11.56476G	50.92	54.00	-3.08	3	Vertical	213	3.00	-
5785MHz	Pass	PK	11.56408G	65.14	74.00	-8.86	3	Vertical	213	3.00	-
5785MHz	Pass	PK	17.36412G	57.02	68.20	-11.18	3	Vertical	125	1.71	-
5785MHz	Pass	AV	11.57328G	49.87	54.00	-4.13	3	Horizontal	158	2.61	-
5785MHz	Pass	PK	11.56796G	64.03	74.00	-9.97	3	Horizontal	158	2.61	-
5785MHz	Pass	PK	17.36276G	56.72	68.20	-11.48	3	Horizontal	296	2.96	-
5825MHz	Pass	AV	5.8214G	100.36	Inf	-Inf	3	Vertical	291	2.02	-
5825MHz	Pass	PK	5.5478G	58.90	68.20	-9.30	3	Vertical	291	2.02	-
5825MHz	Pass	PK	5.8226G	109.17	Inf	-Inf	3	Vertical	291	2.02	-
5825MHz	Pass	PK	5.975G	58.12	68.20	-10.08	3	Vertical	291	2.02	-
5825MHz	Pass	AV	5.8214G	91.67	Inf	-Inf	3	Horizontal	33	1.01	-
5825MHz	Pass	PK	5.5502G	57.43	68.20	-10.77	3	Horizontal	33	1.01	-
5825MHz	Pass	PK	5.8214G	101.67	Inf	-Inf	3	Horizontal	33	1.01	-
5825MHz	Pass	PK	5.9558G	58.55	68.20	-9.65	3	Horizontal	33	1.01	-
5825MHz	Pass	AV	11.64616G	48.94	54.00	-5.06	3	Vertical	265	2.10	-
5825MHz	Pass	PK	11.64772G	64.09	74.00	-9.91	3	Vertical	265	2.10	-
5825MHz	Pass	PK	17.476G	58.28	68.20	-9.92	3	Vertical	186	1.50	-
5825MHz	Pass	AV	11.64592G	50.84	54.00	-3.16	3	Horizontal	151	2.94	-
5825MHz	Pass	PK	11.64778G	65.16	74.00	-8.84	3	Horizontal	151	2.94	-
5825MHz	Pass	PK	17.47476G	57.88	68.20	-10.32	3	Horizontal	181	1.93	-
802.11ac VHT40_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	50.75	54.00	-3.25	3	Vertical	261	2.00	-
5190MHz	Pass	AV	5.19G	107.02	Inf	-Inf	3	Vertical	261	2.00	-
5190MHz	Pass	PK	5.1444G	65.49	74.00	-8.51	3	Vertical	261	2.00	-
5190MHz	Pass	PK	5.19G	110.87	Inf	-Inf	3	Vertical	261	2.00	-
5190MHz	Pass	AV	5.1316G	46.76	54.00	-7.24	3	Horizontal	160	1.50	-
5190MHz	Pass	AV	5.19G	94.81	Inf	-Inf	3	Horizontal	160	1.50	-
5190MHz	Pass	PK	5.1492G	59.41	74.00	-14.59	3	Horizontal	160	1.50	-
5190MHz	Pass	PK	5.19G	99.30	Inf	-Inf	3	Horizontal	160	1.50	-
5190MHz	Pass	AV	15.57014G	41.02	54.00	-12.98	3	Vertical	262	2.26	-
5190MHz	Pass	PK	10.37036G	54.86	68.20	-13.34	3	Vertical	231	1.50	-
5190MHz	Pass	PK	15.5714G	52.84	74.00	-21.16	3	Vertical	262	2.26	-
5190MHz	Pass	AV	15.56904G	40.64	54.00	-13.36	3	Horizontal	354	1.94	-
5190MHz	Pass	PK	10.37997G	55.33	68.20	-12.87	3	Horizontal	89	2.03	-
5190MHz	Pass	PK	15.5675G	52.69	74.00	-21.31	3	Horizontal	354	1.94	-
5230MHz	Pass	AV	5.134G	50.07	54.00	-3.93	3	Vertical	240	2.24	-
5230MHz	Pass	AV	5.2316G	108.83	Inf	-Inf	3	Vertical	240	2.24	-
5230MHz	Pass	PK	5.1476G	64.50	74.00	-9.50	3	Vertical	240	2.24	-
5230MHz	Pass	PK	5.2248G	117.49	Inf	-Inf	3	Vertical	240	2.24	-
5230MHz	Pass	AV	5.1444G	46.80	54.00	-7.20	3	Horizontal	163	2.41	-
5230MHz	Pass	AV	5.2232G	100.40	Inf	-Inf	3	Horizontal	163	2.41	-
5230MHz	Pass	PK	5.1492G	57.97	74.00	-16.03	3	Horizontal	163	2.41	-
5230MHz	Pass	PK	5.232G	108.54	Inf	-Inf	3	Horizontal	163	2.41	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	15.6937G	50.28	54.00	-3.72	3	Vertical	260	2.29	-
5230MHz	Pass	PK	10.45248G	56.73	68.20	-11.47	3	Vertical	235	1.69	-
5230MHz	Pass	PK	15.6853G	61.34	74.00	-12.66	3	Vertical	260	2.29	-
5230MHz	Pass	AV	15.692G	42.12	54.00	-11.88	3	Horizontal	238	1.50	-
5230MHz	Pass	PK	10.46026G	54.89	68.20	-13.31	3	Horizontal	91	2.06	-
5230MHz	Pass	PK	15.6905G	53.79	74.00	-20.21	3	Horizontal	238	1.50	-
5755MHz	Pass	AV	5.7646G	97.96	Inf	-Inf	3	Vertical	292	2.14	-
5755MHz	Pass	PK	5.6026G	58.77	68.20	-9.43	3	Vertical	292	2.14	-
5755MHz	Pass	PK	5.7526G	106.07	Inf	-Inf	3	Vertical	292	2.14	-
5755MHz	Pass	PK	5.9374G	57.71	68.20	-10.49	3	Vertical	292	2.14	-
5755MHz	Pass	AV	5.7598G	93.07	Inf	-Inf	3	Horizontal	28	2.38	-
5755MHz	Pass	PK	5.5114G	57.48	68.20	-10.72	3	Horizontal	28	2.38	-
5755MHz	Pass	PK	5.7502G	101.77	Inf	-Inf	3	Horizontal	28	2.38	-
5755MHz	Pass	PK	5.9602G	57.99	68.20	-10.21	3	Horizontal	28	2.38	-
5755MHz	Pass	AV	11.51008G	50.93	54.00	-3.07	3	Vertical	234	1.99	-
5755MHz	Pass	PK	11.50976G	62.09	74.00	-11.91	3	Vertical	234	1.99	-
5755MHz	Pass	PK	17.261G	56.85	68.20	-11.35	3	Vertical	169	1.50	-
5755MHz	Pass	AV	11.50996G	49.54	54.00	-4.46	3	Horizontal	150	2.85	-
5755MHz	Pass	PK	11.50636G	60.75	74.00	-13.25	3	Horizontal	150	2.85	-
5755MHz	Pass	PK	17.2637G	56.41	68.20	-11.79	3	Horizontal	281	1.50	-
5795MHz	Pass	AV	5.7938G	100.19	Inf	-Inf	3	Vertical	291	1.95	-
5795MHz	Pass	PK	5.6354G	59.72	68.20	-8.48	3	Vertical	291	1.95	-
5795MHz	Pass	PK	5.7926G	108.42	Inf	-Inf	3	Vertical	291	1.95	-
5795MHz	Pass	PK	5.9534G	58.16	68.20	-10.04	3	Vertical	291	1.95	-
5795MHz	Pass	AV	5.789G	91.73	Inf	-Inf	3	Horizontal	36	1.00	-
5795MHz	Pass	PK	5.585G	57.69	68.20	-10.51	3	Horizontal	36	1.00	-
5795MHz	Pass	PK	5.789G	99.83	Inf	-Inf	3	Horizontal	36	1.00	-
5795MHz	Pass	PK	5.9426G	57.75	68.20	-10.45	3	Horizontal	36	1.00	-
5795MHz	Pass	AV	11.5898G	50.96	54.00	-3.04	3	Vertical	228	2.08	-
5795MHz	Pass	PK	11.58648G	62.80	74.00	-11.20	3	Vertical	228	2.08	-
5795MHz	Pass	PK	17.38106G	56.76	68.20	-11.44	3	Vertical	239	1.03	-
5795MHz	Pass	AV	11.58992G	50.78	54.00	-3.22	3	Horizontal	150	2.94	-
5795MHz	Pass	PK	11.5886G	62.48	74.00	-11.52	3	Horizontal	150	2.94	-
5795MHz	Pass	PK	17.38116G	56.95	68.20	-11.25	3	Horizontal	77	2.36	-
802.11ac VHT80_Nss1_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.138G	50.93	54.00	-3.07	3	Vertical	280	2.04	-
5210MHz	Pass	AV	5.189G	95.64	Inf	-Inf	3	Vertical	280	2.04	-
5210MHz	Pass	AV	5.354G	47.10	54.00	-6.90	3	Vertical	280	2.04	-
5210MHz	Pass	PK	5.127G	61.05	74.00	-12.95	3	Vertical	280	2.04	-
5210MHz	Pass	PK	5.208G	103.86	Inf	-Inf	3	Vertical	280	2.04	-
5210MHz	Pass	PK	5.357G	56.94	74.00	-17.06	3	Vertical	280	2.04	-
5210MHz	Pass	AV	5.145G	46.62	54.00	-7.38	3	Horizontal	164	1.50	-
5210MHz	Pass	AV	5.222G	85.13	Inf	-Inf	3	Horizontal	164	1.50	-
5210MHz	Pass	AV	5.456G	45.80	54.00	-8.20	3	Horizontal	164	1.50	-
5210MHz	Pass	PK	5.105G	57.89	74.00	-16.11	3	Horizontal	164	1.50	-
5210MHz	Pass	PK	5.221G	93.98	Inf	-Inf	3	Horizontal	164	1.50	-
5210MHz	Pass	PK	5.432G	58.04	74.00	-15.96	3	Horizontal	164	1.50	-
5210MHz	Pass	AV	15.63576G	40.02	54.00	-13.98	3	Vertical	275	1.50	-
5210MHz	Pass	PK	10.41984G	54.41	68.20	-13.79	3	Vertical	288	2.96	-
5210MHz	Pass	PK	15.63544G	51.76	74.00	-22.24	3	Vertical	275	1.50	-
5210MHz	Pass	AV	15.65816G	39.97	54.00	-14.03	3	Horizontal	6	1.50	-
5210MHz	Pass	PK	10.4368G	55.06	68.20	-13.14	3	Horizontal	103	2.95	-
5210MHz	Pass	PK	15.66264G	52.47	74.00	-21.53	3	Horizontal	6	1.50	-
5775MHz	Pass	AV	5.76G	101.22	Inf	-Inf	3	Vertical	289	2.14	-
5775MHz	Pass	PK	5.642G	64.60	68.20	-3.60	3	Vertical	289	2.14	-
5775MHz	Pass	PK	5.763G	111.05	Inf	-Inf	3	Vertical	289	2.14	-
5775MHz	Pass	PK	5.928G	61.55	68.20	-6.65	3	Vertical	289	2.14	-
5775MHz	Pass	AV	5.757G	95.39	Inf	-Inf	3	Horizontal	29	2.61	-
5775MHz	Pass	PK	5.583G	58.12	68.20	-10.08	3	Horizontal	29	2.61	-
5775MHz	Pass	PK	5.748G	105.16	Inf	-Inf	3	Horizontal	29	2.61	-
5775MHz	Pass	PK	5.953G	58.13	68.20	-10.07	3	Horizontal	29	2.61	-
5775MHz	Pass	AV	11.54984G	50.44	54.00	-3.56	3	Vertical	232	2.18	-




RSE TX above 1GHz_Case 3

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	11.5172G	62.87	74.00	-11.13	3	Vertical	232	2.18	-
5775MHz	Pass	PK	17.30804G	59.45	68.20	-8.75	3	Vertical	249	3.00	-
5775MHz	Pass	AV	11.54968G	48.61	54.00	-5.39	3	Horizontal	147	2.70	-
5775MHz	Pass	PK	11.5188G	60.99	74.00	-13.01	3	Horizontal	147	2.70	-
5775MHz	Pass	PK	17.30772G	57.16	68.20	-11.04	3	Horizontal	5	2.32	-

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1324G	50.99	54.00	-3.01	5.46	3	Vertical	249	2.00	-	45.53	31.94	7.57	34.05
AV	5.1804G	113.81	Inf	-Inf	5.26	3	Vertical	249	2.00	-	108.55	31.72	7.59	34.05
PK	5.1476G	63.67	74.00	-10.33	5.42	3	Vertical	249	2.00	-	58.25	31.90	7.57	34.05
PK	5.1808G	124.36	Inf	-Inf	5.26	3	Vertical	249	2.00	-	119.10	31.72	7.59	34.05

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.53	54.00	-7.47	5.42	3	Horizontal	178	3.00	-	41.11	31.90	7.57	34.05
AV	5.1804G	104.72	Inf	-Inf	5.26	3	Horizontal	178	3.00	-	99.46	31.72	7.59	34.05
PK	5.1376G	59.40	74.00	-14.60	5.44	3	Horizontal	178	3.00	-	53.96	31.92	7.57	34.05
PK	5.1804G	116.05	Inf	-Inf	5.26	3	Horizontal	178	3.00	-	110.79	31.72	7.59	34.05

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5414G	50.36	54.00	-3.64	7.23	3	Vertical	265	1.91	-	43.13	38.33	10.91	42.01
PK	10.36048G	62.46	68.20	-5.74	6.01	3	Vertical	341	2.97	-	56.45	39.44	9.69	43.12
PK	15.54224G	67.66	74.00	-6.34	7.23	3	Vertical	265	1.91	-	60.43	38.33	10.91	42.01

11a-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54064G	46.32	54.00	-7.68	7.24	3	Horizontal	0	3.00	-	39.08	38.34	10.91	42.01
PK	10.363G	57.30	68.20	-10.90	6.02	3	Horizontal	191	3.00	-	51.28	39.45	9.69	43.12
PK	15.5414G	63.40	74.00	-10.60	7.23	3	Horizontal	0	3.00	-	56.17	38.33	10.91	42.01

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1044G	49.83	54.00	-4.17	5.49	3	Vertical	249	2.01	-	44.34	31.99	7.55	34.05
AV	5.2004G	113.23	Inf	-Inf	5.15	3	Vertical	249	2.01	-	108.08	31.60	7.60	34.05
PK	5.1472G	61.88	74.00	-12.12	5.43	3	Vertical	249	2.01	-	56.45	31.91	7.57	34.05
PK	5.2004G	124.93	Inf	-Inf	5.15	3	Vertical	249	2.01	-	119.78	31.60	7.60	34.05

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1048G	46.13	54.00	-7.87	5.49	3	Horizontal	169	3.00	-	40.64	31.99	7.55	34.05
AV	5.2004G	104.29	Inf	-Inf	5.15	3	Horizontal	169	3.00	-	99.14	31.60	7.60	34.05
PK	5.1464G	58.67	74.00	-15.33	5.43	3	Horizontal	169	3.00	-	53.24	31.91	7.57	34.05
PK	5.2008G	114.81	Inf	-Inf	5.15	3	Horizontal	169	3.00	-	109.66	31.60	7.60	34.05

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60148G	49.84	54.00	-4.16	6.97	3	Vertical	261	2.68	-	42.87	38.10	10.92	42.05
PK	10.40128G	60.83	68.20	-7.37	6.17	3	Vertical	302	2.87	-	54.66	39.60	9.70	43.13
PK	15.60172G	67.39	74.00	-6.61	6.97	3	Vertical	261	2.68	-	60.42	38.10	10.92	42.05

11a-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60104G	43.61	54.00	-10.39	6.97	3	Horizontal	297	3.00	-	36.64	38.10	10.92	42.05
PK	10.40164G	59.59	68.20	-8.61	6.17	3	Horizontal	180	2.94	-	53.42	39.60	9.70	43.13
PK	15.60212G	59.36	74.00	-14.64	6.97	3	Horizontal	297	3.00	-	52.39	38.10	10.92	42.05

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	49.20	54.00	-4.80	5.43	3	Vertical	250	2.08	-	43.77	31.91	7.57	34.05
AV	5.2412G	114.05	Inf	-Inf	4.92	3	Vertical	250	2.08	-	109.13	31.35	7.62	34.05
AV	5.3846G	43.80	54.00	-10.20	5.04	3	Vertical	250	2.08	-	38.76	31.41	7.69	34.06
PK	5.1446G	59.19	74.00	-14.81	5.43	3	Vertical	250	2.08	-	53.76	31.91	7.57	34.05
PK	5.24G	124.41	Inf	-Inf	4.93	3	Vertical	250	2.08	-	119.48	31.36	7.62	34.05
PK	5.3648G	56.18	74.00	-17.82	4.91	3	Vertical	250	2.08	-	51.27	31.29	7.68	34.06

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1116G	45.44	54.00	-8.56	5.49	3	Horizontal	173	2.17	-	39.95	31.98	7.56	34.05
AV	5.24G	104.90	Inf	-Inf	4.93	3	Horizontal	173	2.17	-	99.97	31.36	7.62	34.05
AV	5.36G	43.63	54.00	-10.37	4.88	3	Horizontal	173	2.17	-	38.75	31.26	7.68	34.06
PK	5.12G	58.15	74.00	-15.85	5.47	3	Horizontal	173	2.17	-	52.68	31.96	7.56	34.05
PK	5.2406G	115.01	Inf	-Inf	4.93	3	Horizontal	173	2.17	-	110.08	31.36	7.62	34.05
PK	5.3642G	56.78	74.00	-17.22	4.91	3	Horizontal	173	2.17	-	51.87	31.29	7.68	34.06

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72116G	49.71	54.00	-4.29	6.68	3	Vertical	262	2.65	-	43.03	37.86	10.94	42.12
PK	10.479G	63.56	68.20	-4.64	6.25	3	Vertical	28	2.69	-	57.31	39.68	9.72	43.15
PK	15.71972G	65.19	74.00	-8.81	6.68	3	Vertical	262	2.65	-	58.51	37.86	10.94	42.12

11a-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7214G	44.29	54.00	-9.71	6.68	3	Horizontal	341	1.92	-	37.61	37.86	10.94	42.12
PK	10.48032G	59.49	68.20	-8.71	6.25	3	Horizontal	173	3.00	-	53.24	39.68	9.72	43.15
PK	15.72148G	58.71	74.00	-15.29	6.68	3	Horizontal	341	1.92	-	52.03	37.86	10.94	42.12

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	101.79	Inf	-Inf	5.69	3	Vertical	254	2.11	-	96.10	31.89	7.87	34.07
PK	5.6502G	59.43	68.35	-8.92	5.46	3	Vertical	254	2.11	-	53.97	31.70	7.83	34.07
PK	5.7474G	112.15	Inf	-Inf	5.69	3	Vertical	254	2.11	-	106.46	31.89	7.87	34.07
PK	5.955G	58.55	68.20	-9.65	6.30	3	Vertical	254	2.11	-	52.25	32.40	7.98	34.08

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	98.50	Inf	-Inf	5.69	3	Horizontal	205	2.31	-	92.81	31.89	7.87	34.07
PK	5.625G	57.25	68.20	-10.95	5.39	3	Horizontal	205	2.31	-	51.86	31.65	7.81	34.07
PK	5.745G	108.42	Inf	-Inf	5.69	3	Horizontal	205	2.31	-	102.73	31.89	7.87	34.07
PK	5.9742G	58.04	68.20	-10.16	6.31	3	Horizontal	205	2.31	-	51.73	32.40	7.99	34.08

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49048G	50.94	54.00	-3.06	7.24	3	Vertical	0	2.87	-	43.70	39.89	9.97	42.62
PK	11.49036G	63.91	74.00	-10.09	7.24	3	Vertical	0	2.87	-	56.67	39.89	9.97	42.62
PK	17.23416G	58.33	68.20	-9.87	11.09	3	Vertical	312	3.00	-	47.24	40.20	11.56	40.67

11a-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49064G	49.86	54.00	-4.14	7.24	3	Horizontal	87	2.86	-	42.62	39.89	9.97	42.62
PK	11.4918G	62.64	74.00	-11.36	7.24	3	Horizontal	87	2.86	-	55.40	39.89	9.97	42.62
PK	17.24384G	55.52	68.20	-12.68	11.13	3	Horizontal	234	1.50	-	44.39	40.23	11.56	40.66

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.785G	100.12	Inf	-Inf	5.85	3	Vertical	233	1.50	-	94.27	32.04	7.89	34.08
PK	5.6494G	57.31	68.20	-10.89	5.45	3	Vertical	233	1.50	-	51.86	31.70	7.82	34.07
PK	5.785G	110.91	Inf	-Inf	5.85	3	Vertical	233	1.50	-	105.06	32.04	7.89	34.08
PK	5.9566G	58.48	68.20	-9.72	6.30	3	Vertical	233	1.50	-	52.18	32.40	7.98	34.08

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.785G	97.78	Inf	-Inf	5.85	3	Horizontal	199	2.41	-	91.93	32.04	7.89	34.08
PK	5.6134G	57.82	68.20	-10.38	5.37	3	Horizontal	199	2.41	-	52.45	31.63	7.81	34.07
PK	5.7862G	107.59	Inf	-Inf	5.85	3	Horizontal	199	2.41	-	101.74	32.04	7.89	34.08
PK	5.9398G	58.10	68.20	-10.10	6.29	3	Horizontal	199	2.41	-	51.81	32.40	7.97	34.08

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57104G	50.84	54.00	-3.16	7.24	3	Vertical	238	2.83	-	43.60	39.83	9.99	42.58
PK	11.57G	64.66	74.00	-9.34	7.24	3	Vertical	238	2.83	-	57.42	39.83	9.99	42.58
PK	17.36136G	57.11	68.20	-11.09	11.83	3	Vertical	0	1.15	-	45.28	40.77	11.61	40.55

11a-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57072G	50.08	54.00	-3.92	7.24	3	Horizontal	151	2.77	-	42.84	39.83	9.99	42.58
PK	11.56976G	64.06	74.00	-9.94	7.23	3	Horizontal	151	2.77	-	56.83	39.83	9.99	42.59
PK	17.36492G	56.84	68.20	-11.36	11.85	3	Horizontal	23	3.00	-	44.99	40.79	11.61	40.55

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.825G	99.37	Inf	-Inf	6.03	3	Vertical	242	1.54	-	93.34	32.20	7.91	34.08
PK	5.5358G	56.89	68.20	-11.31	5.43	3	Vertical	242	1.54	-	51.46	31.73	7.77	34.07
PK	5.825G	109.51	Inf	-Inf	6.03	3	Vertical	242	1.54	-	103.48	32.20	7.91	34.08
PK	5.9786G	58.55	68.20	-9.65	6.31	3	Vertical	242	1.54	-	52.24	32.40	7.99	34.08

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8262G	96.50	Inf	-Inf	6.03	3	Horizontal	198	2.36	-	90.47	32.20	7.91	34.08
PK	5.5514G	57.84	68.20	-10.36	5.41	3	Horizontal	198	2.36	-	52.43	31.70	7.78	34.07
PK	5.825G	107.27	Inf	-Inf	6.03	3	Horizontal	198	2.36	-	101.24	32.20	7.91	34.08
PK	5.9654G	58.94	68.20	-9.26	6.30	3	Horizontal	198	2.36	-	52.64	32.40	7.98	34.08

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65072G	50.82	54.00	-3.18	6.97	3	Vertical	237	2.92	-	43.85	39.50	10.01	42.54
PK	11.65104G	64.52	74.00	-9.48	6.96	3	Vertical	237	2.92	-	57.56	39.49	10.01	42.54
PK	17.47734G	57.94	68.20	-10.26	12.68	3	Vertical	207	1.50	-	45.26	41.46	11.66	40.44

11a-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65092G	49.25	54.00	-4.75	6.96	3	Horizontal	151	3.00	-	42.29	39.49	10.01	42.54
PK	11.65104G	62.66	74.00	-11.34	6.96	3	Horizontal	151	3.00	-	55.70	39.49	10.01	42.54
PK	17.48514G	58.30	68.20	-9.90	12.75	3	Horizontal	162	1.50	-	45.55	41.51	11.67	40.43

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	50.95	54.00	-3.05	5.42	3	Vertical	255	2.02	-	45.53	31.90	7.57	34.05
AV	5.18G	110.64	Inf	-Inf	5.26	3	Vertical	255	2.02	-	105.38	31.72	7.59	34.05
PK	5.1442G	64.03	74.00	-9.97	5.43	3	Vertical	255	2.02	-	58.60	31.91	7.57	34.05
PK	5.18G	120.86	Inf	-Inf	5.26	3	Vertical	255	2.02	-	115.60	31.72	7.59	34.05

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1318G	45.17	54.00	-8.83	5.46	3	Horizontal	239	1.29	-	39.71	31.94	7.57	34.05
AV	5.1796G	95.32	Inf	-Inf	5.26	3	Horizontal	239	1.29	-	90.06	31.72	7.59	34.05
PK	5.1348G	58.50	74.00	-15.50	5.45	3	Horizontal	239	1.29	-	53.05	31.93	7.57	34.05
PK	5.1798G	106.20	Inf	-Inf	5.26	3	Horizontal	239	1.29	-	100.94	31.72	7.59	34.05

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54122G	41.04	54.00	-12.96	7.24	3	Vertical	178	1.19	-	33.80	38.34	10.91	42.01
PK	10.35864G	60.12	68.20	-8.08	6.00	3	Vertical	280	3.00	-	54.12	39.43	9.69	43.12
PK	15.5428G	54.71	74.00	-19.29	7.23	3	Vertical	178	1.19	-	47.48	38.33	10.91	42.01

11a-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54146G	39.83	54.00	-14.17	7.23	3	Horizontal	0	2.97	-	32.60	38.33	10.91	42.01
PK	10.35922G	54.09	68.20	-14.11	6.01	3	Horizontal	291	1.00	-	48.08	39.44	9.69	43.12
PK	15.54028G	54.47	74.00	-19.53	7.24	3	Horizontal	0	2.97	-	47.23	38.34	10.91	42.01

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.104G	48.85	54.00	-5.15	5.49	3	Vertical	254	2.22	-	43.36	31.99	7.55	34.05
AV	5.2012G	113.62	Inf	-Inf	5.14	3	Vertical	254	2.22	-	108.48	31.59	7.60	34.05
PK	5.1496G	61.48	74.00	-12.52	5.42	3	Vertical	254	2.22	-	56.06	31.90	7.57	34.05
PK	5.2012G	123.90	Inf	-Inf	5.14	3	Vertical	254	2.22	-	118.76	31.59	7.60	34.05

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	45.48	54.00	-8.52	5.49	3	Horizontal	170	2.66	-	39.99	31.99	7.55	34.05
AV	5.1988G	105.60	Inf	-Inf	5.16	3	Horizontal	170	2.66	-	100.44	31.61	7.60	34.05
PK	5.1424G	58.55	74.00	-15.45	5.44	3	Horizontal	170	2.66	-	53.11	31.92	7.57	34.05
PK	5.2012G	116.69	Inf	-Inf	5.14	3	Horizontal	170	2.66	-	111.55	31.59	7.60	34.05

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59914G	50.29	54.00	-3.71	6.97	3	Vertical	177	1.50	-	43.32	38.10	10.92	42.05
PK	10.39922G	58.05	68.20	-10.15	6.17	3	Vertical	223	2.23	-	51.88	39.60	9.70	43.13
PK	15.60392G	67.17	74.00	-6.83	6.96	3	Vertical	177	1.50	-	60.21	38.09	10.92	42.05

11a-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60074G	46.77	54.00	-7.23	6.97	3	Horizontal	3	1.64	-	39.80	38.10	10.92	42.05
PK	10.40108G	57.23	68.20	-10.97	6.17	3	Horizontal	189	2.14	-	51.06	39.60	9.70	43.13
PK	15.59796G	62.29	74.00	-11.71	6.98	3	Horizontal	3	1.64	-	55.31	38.11	10.92	42.05

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	49.28	54.00	-4.72	5.43	3	Vertical	254	2.20	-	43.85	31.91	7.57	34.05
AV	5.24G	113.50	Inf	-Inf	4.93	3	Vertical	254	2.20	-	108.57	31.36	7.62	34.05
AV	5.384G	44.55	54.00	-9.45	5.03	3	Vertical	254	2.20	-	39.52	31.40	7.69	34.06
PK	5.144G	60.24	74.00	-13.76	5.43	3	Vertical	254	2.20	-	54.81	31.91	7.57	34.05
PK	5.2388G	124.37	Inf	-Inf	4.94	3	Vertical	254	2.20	-	119.43	31.37	7.62	34.05
PK	5.3888G	57.24	74.00	-16.76	5.06	3	Vertical	254	2.20	-	52.18	31.43	7.69	34.06

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.40	54.00	-8.60	5.43	3	Horizontal	155	2.29	-	39.97	31.91	7.57	34.05
AV	5.2412G	104.84	Inf	-Inf	4.92	3	Horizontal	155	2.29	-	99.92	31.35	7.62	34.05
AV	5.3534G	43.32	54.00	-10.68	4.84	3	Horizontal	155	2.29	-	38.48	31.22	7.68	34.06
PK	5.1188G	58.16	74.00	-15.84	5.47	3	Horizontal	155	2.29	-	52.69	31.96	7.56	34.05
PK	5.2388G	115.81	Inf	-Inf	4.94	3	Horizontal	155	2.29	-	110.87	31.37	7.62	34.05
PK	5.3552G	56.37	74.00	-17.63	4.85	3	Horizontal	155	2.29	-	51.52	31.23	7.68	34.06

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71979G	50.11	54.00	-3.89	6.68	3	Vertical	275	2.65	-	43.43	37.86	10.94	42.12
PK	10.48176G	57.79	68.20	-10.41	6.24	3	Vertical	243	2.17	-	51.55	39.68	9.72	43.16
PK	15.72195G	67.12	74.00	-6.88	6.68	3	Vertical	275	2.65	-	60.44	37.86	10.94	42.12

11a-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72042G	45.41	54.00	-8.59	6.68	3	Horizontal	356	3.00	-	38.73	37.86	10.94	42.12
PK	10.48084G	56.16	68.20	-12.04	6.24	3	Horizontal	150	1.00	-	49.92	39.68	9.72	43.16
PK	15.7222G	61.50	74.00	-12.50	6.68	3	Horizontal	356	3.00	-	54.82	37.86	10.94	42.12

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	112.30	Inf	-Inf	2.95	3	Vertical	301	2.17	-	109.35	32.08	5.80	34.93
PK	5.649G	57.19	68.20	-11.01	2.70	3	Vertical	301	2.17	-	54.49	31.80	5.80	34.90
PK	5.7462G	122.15	Inf	-Inf	2.95	3	Vertical	301	2.17	-	119.20	32.08	5.80	34.93
PK	5.9298G	55.47	68.20	-12.73	3.43	3	Vertical	301	2.17	-	52.04	32.56	5.86	34.99

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	105.96	Inf	-Inf	2.95	3	Horizontal	167	1.00	-	103.01	32.08	5.80	34.93
PK	5.523G	55.28	68.20	-12.92	2.79	3	Horizontal	167	1.00	-	52.49	31.90	5.76	34.87
PK	5.7462G	115.81	Inf	-Inf	2.95	3	Horizontal	167	1.00	-	112.86	32.08	5.80	34.93
PK	5.931G	55.89	68.20	-12.31	3.44	3	Horizontal	167	1.00	-	52.45	32.56	5.87	34.99

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49072G	50.96	54.00	-3.04	13.67	3	Vertical	96	2.02	-	37.29	40.09	8.32	34.74
PK	11.49306G	64.80	74.00	-9.20	13.67	3	Vertical	96	2.02	-	51.13	40.09	8.32	34.74
PK	17.23692G	63.83	68.20	-4.37	15.77	3	Vertical	328	2.03	-	48.06	40.11	10.27	34.61

11a-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48918G	46.32	54.00	-7.68	13.66	3	Horizontal	190	1.01	-	32.66	40.09	8.32	34.75
PK	11.4892G	59.55	74.00	-14.45	13.66	3	Horizontal	190	1.01	-	45.89	40.09	8.32	34.75
PK	17.237G	59.93	68.20	-8.27	15.77	3	Horizontal	142	2.03	-	44.16	40.11	10.27	34.61

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	110.42	Inf	-Inf	4.92	3	Vertical	79	2.79	-	105.50	34.07	5.80	34.95
PK	5.491G	57.54	68.20	-10.66	5.13	3	Vertical	79	2.79	-	52.41	34.24	5.75	34.86
PK	5.7874G	120.88	Inf	-Inf	4.92	3	Vertical	79	2.79	-	115.96	34.07	5.80	34.95
PK	6.0586G	57.18	68.20	-11.02	5.41	3	Vertical	79	2.79	-	51.77	34.48	5.93	35.00

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7838G	105.07	Inf	-Inf	4.92	3	Horizontal	31	2.52	-	100.15	34.07	5.80	34.95
PK	5.5798G	57.61	68.20	-10.59	5.09	3	Horizontal	31	2.52	-	52.52	34.18	5.79	34.88
PK	5.785G	115.22	Inf	-Inf	4.92	3	Horizontal	31	2.52	-	110.30	34.07	5.80	34.95
PK	6.0334G	57.57	68.20	-10.63	5.41	3	Horizontal	31	2.52	-	52.16	34.50	5.92	35.01

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57048G	50.27	54.00	-3.73	15.80	3	Vertical	264	2.15	-	34.47	42.21	8.35	34.76
PK	11.57046G	65.96	74.00	-8.04	15.80	3	Vertical	264	2.15	-	50.16	42.21	8.35	34.76
PK	17.35744G	64.52	68.20	-3.68	20.48	3	Vertical	273	2.54	-	44.04	44.84	10.31	34.67

11a-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5704G	45.62	54.00	-8.38	15.80	3	Horizontal	267	1.97	-	29.82	42.21	8.35	34.76
PK	11.57292G	60.11	74.00	-13.89	15.81	3	Horizontal	267	1.97	-	44.30	42.22	8.35	34.76
PK	17.35591G	64.53	68.20	-3.67	20.48	3	Horizontal	360	1.92	-	44.05	44.84	10.31	34.67

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.32	Inf	-Inf	3.15	3	Vertical	302	2.01	-	108.17	32.30	5.81	34.96
PK	5.6342G	56.32	68.20	-11.88	2.70	3	Vertical	302	2.01	-	53.62	31.80	5.80	34.90
PK	5.8262G	122.35	Inf	-Inf	3.15	3	Vertical	302	2.01	-	119.20	32.30	5.81	34.96
PK	6.0926G	55.59	68.20	-12.61	3.54	3	Vertical	302	2.01	-	52.05	32.59	5.95	35.00

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	102.49	Inf	-Inf	3.15	3	Horizontal	170	3.00	-	99.34	32.30	5.81	34.96
PK	5.615G	55.39	68.20	-12.81	2.71	3	Horizontal	170	3.00	-	52.68	31.80	5.80	34.89
PK	5.8238G	112.50	Inf	-Inf	3.15	3	Horizontal	170	3.00	-	109.35	32.30	5.81	34.96
PK	6.0086G	55.84	68.20	-12.36	3.39	3	Horizontal	170	3.00	-	52.45	32.50	5.90	35.01

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.649G	50.84	54.00	-3.16	13.15	3	Vertical	42	2.12	-	37.69	39.55	8.38	34.78
PK	11.6468G	65.78	74.00	-8.22	13.17	3	Vertical	42	2.12	-	52.61	39.57	8.38	34.78
PK	17.47686G	63.47	68.20	-4.73	17.09	3	Vertical	327	2.74	-	46.38	41.48	10.34	34.73

11a-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.65066G	46.81	54.00	-7.19	13.15	3	Horizontal	153	1.02	-	33.66	39.55	8.38	34.78
PK	11.64566G	61.22	74.00	-12.78	13.18	3	Horizontal	153	1.02	-	48.04	39.57	8.38	34.77
PK	17.47656G	60.49	68.20	-7.71	17.09	3	Horizontal	153	1.90	-	43.40	41.48	10.34	34.73

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	50.82	54.00	-3.18	5.42	3	Vertical	266	2.94	-	45.40	31.90	7.57	34.05
AV	5.18G	108.79	Inf	-Inf	5.26	3	Vertical	266	2.94	-	103.53	31.72	7.59	34.05
PK	5.1448G	65.21	74.00	-8.79	5.43	3	Vertical	266	2.94	-	59.78	31.91	7.57	34.05
PK	5.18G	116.01	Inf	-Inf	5.26	3	Vertical	266	2.94	-	110.75	31.72	7.59	34.05

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	46.41	54.00	-7.59	5.44	3	Horizontal	151	1.20	-	40.97	31.92	7.57	34.05
AV	5.18G	100.76	Inf	-Inf	5.26	3	Horizontal	151	1.20	-	95.50	31.72	7.59	34.05
PK	5.1352G	58.74	74.00	-15.26	5.45	3	Horizontal	151	1.20	-	53.29	31.93	7.57	34.05
PK	5.1798G	107.29	Inf	-Inf	5.26	3	Horizontal	151	1.20	-	102.03	31.72	7.59	34.05

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54124G	40.13	54.00	-13.87	7.24	3	Vertical	17	2.65	-	32.89	38.34	10.91	42.01
PK	10.35816G	56.47	68.20	-11.73	6.00	3	Vertical	232	1.78	-	50.47	39.43	9.69	43.12
PK	15.53808G	52.48	74.00	-21.52	7.25	3	Vertical	17	2.65	-	45.23	38.35	10.91	42.01

11a-20M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5428G	39.45	54.00	-14.55	7.23	3	Horizontal	0	1.50	-	32.22	38.33	10.91	42.01
PK	10.35992G	55.34	68.20	-12.86	6.01	3	Horizontal	266	3.00	-	49.33	39.44	9.69	43.12
PK	15.54816G	51.94	74.00	-22.06	7.20	3	Horizontal	0	1.50	-	44.74	38.31	10.91	42.02

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.02	54.00	-6.98	5.42	3	Vertical	223	1.50	-	41.60	31.90	7.57	34.05
AV	5.2008G	106.55	Inf	-Inf	5.15	3	Vertical	223	1.50	-	101.40	31.60	7.60	34.05
PK	5.1384G	58.43	74.00	-15.57	5.44	3	Vertical	223	1.50	-	52.99	31.92	7.57	34.05
PK	5.1968G	115.73	Inf	-Inf	5.17	3	Vertical	223	1.50	-	110.56	31.62	7.60	34.05

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	46.06	54.00	-7.94	5.49	3	Horizontal	152	1.00	-	40.57	31.99	7.55	34.05
AV	5.1972G	103.76	Inf	-Inf	5.17	3	Horizontal	152	1.00	-	98.59	31.62	7.60	34.05
PK	5.1412G	58.18	74.00	-15.82	5.44	3	Horizontal	152	1.00	-	52.74	31.92	7.57	34.05
PK	5.1972G	113.21	Inf	-Inf	5.17	3	Horizontal	152	1.00	-	108.04	31.62	7.60	34.05

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60312G	49.73	54.00	-4.27	6.96	3	Vertical	322	2.56	-	42.77	38.09	10.92	42.05
PK	10.40188G	59.24	68.20	-8.96	6.17	3	Vertical	226	1.89	-	53.07	39.60	9.70	43.13
PK	15.60588G	64.13	74.00	-9.87	6.96	3	Vertical	322	2.56	-	57.17	38.09	10.92	42.05

11a-20M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60156G	42.84	54.00	-11.16	6.97	3	Horizontal	17	2.09	-	35.87	38.10	10.92	42.05
PK	10.40164G	56.88	68.20	-11.32	6.17	3	Horizontal	177	2.47	-	50.71	39.60	9.70	43.13
PK	15.59652G	55.61	74.00	-18.39	6.98	3	Horizontal	17	2.09	-	48.63	38.11	10.92	42.05

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	48.92	54.00	-5.08	5.43	3	Vertical	261	2.85	-	43.49	31.91	7.57	34.05
AV	5.2406G	110.30	Inf	-Inf	4.93	3	Vertical	261	2.85	-	105.37	31.36	7.62	34.05
AV	5.384G	45.45	54.00	-8.55	5.03	3	Vertical	261	2.85	-	40.42	31.40	7.69	34.06
PK	5.12G	58.75	74.00	-15.25	5.47	3	Vertical	261	2.85	-	53.28	31.96	7.56	34.05
PK	5.2358G	119.57	Inf	-Inf	4.96	3	Vertical	261	2.85	-	114.61	31.39	7.62	34.05
PK	5.3714G	56.83	74.00	-17.17	4.96	3	Vertical	261	2.85	-	51.87	31.33	7.69	34.06

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1194G	45.79	54.00	-8.21	5.47	3	Horizontal	155	1.02	-	40.32	31.96	7.56	34.05
AV	5.24G	102.34	Inf	-Inf	4.93	3	Horizontal	155	1.02	-	97.41	31.36	7.62	34.05
AV	5.3624G	43.94	54.00	-10.06	4.89	3	Horizontal	155	1.02	-	39.05	31.27	7.68	34.06
PK	5.1464G	57.92	74.00	-16.08	5.43	3	Horizontal	155	1.02	-	52.49	31.91	7.57	34.05
PK	5.2394G	110.92	Inf	-Inf	4.93	3	Horizontal	155	1.02	-	105.99	31.36	7.62	34.05
PK	5.3858G	56.22	74.00	-17.78	5.04	3	Horizontal	155	1.02	-	51.18	31.41	7.69	34.06

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72048G	48.90	54.00	-5.10	6.68	3	Vertical	320	2.54	-	42.22	37.86	10.94	42.12
PK	10.4778G	58.91	68.20	-9.29	6.25	3	Vertical	224	3.00	-	52.66	39.68	9.72	43.15
PK	15.71508G	62.19	74.00	-11.81	6.70	3	Vertical	320	2.54	-	55.49	37.87	10.94	42.11

11a-20M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72064G	42.73	54.00	-11.27	6.68	3	Horizontal	346	1.55	-	36.05	37.86	10.94	42.12
PK	10.47772G	55.56	68.20	-12.64	6.25	3	Horizontal	147	1.01	-	49.31	39.68	9.72	43.15
PK	15.7256G	55.76	74.00	-18.24	6.68	3	Horizontal	346	1.55	-	49.08	37.85	10.95	42.12

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7486G	98.86	Inf	-Inf	5.70	3	Vertical	262	1.50	-	93.16	31.90	7.87	34.07
PK	5.649G	58.22	68.20	-9.98	5.45	3	Vertical	262	1.50	-	52.77	31.70	7.82	34.07
PK	5.7498G	106.81	Inf	-Inf	5.70	3	Vertical	262	1.50	-	101.11	31.90	7.87	34.07
PK	5.9394G	58.19	68.20	-10.01	6.29	3	Vertical	262	1.50	-	51.90	32.40	7.97	34.08

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	94.94	Inf	-Inf	5.69	3	Horizontal	183	1.00	-	89.25	31.89	7.87	34.07
PK	5.6262G	58.41	68.20	-9.79	5.39	3	Horizontal	183	1.00	-	53.02	31.65	7.81	34.07
PK	5.7414G	104.25	Inf	-Inf	5.68	3	Horizontal	183	1.00	-	98.57	31.88	7.87	34.07
PK	5.9586G	57.38	68.20	-10.82	6.30	3	Horizontal	183	1.00	-	51.08	32.40	7.98	34.08

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48844G	50.89	54.00	-3.11	7.24	3	Vertical	3	3.00	-	43.65	39.89	9.97	42.62
PK	11.48428G	63.46	74.00	-10.54	7.23	3	Vertical	3	3.00	-	56.23	39.88	9.97	42.62
PK	17.2414G	57.55	68.20	-10.65	11.12	3	Vertical	319	3.00	-	46.43	40.22	11.56	40.66

11a-20M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48984G	49.10	54.00	-4.90	7.24	3	Horizontal	222	2.86	-	41.86	39.89	9.97	42.62
PK	11.49056G	61.64	74.00	-12.36	7.24	3	Horizontal	222	2.86	-	54.40	39.89	9.97	42.62
PK	17.22524G	56.10	68.20	-12.10	11.05	3	Horizontal	69	1.96	-	45.05	40.18	11.55	40.68

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7826G	102.58	Inf	-Inf	5.84	3	Vertical	255	2.66	-	96.74	32.03	7.89	34.08
PK	5.6422G	58.18	68.20	-10.02	5.43	3	Vertical	255	2.66	-	52.75	31.68	7.82	34.07
PK	5.7826G	112.12	Inf	-Inf	5.84	3	Vertical	255	2.66	-	106.28	32.03	7.89	34.08
PK	5.929G	60.48	68.20	-7.72	6.28	3	Vertical	255	2.66	-	54.20	32.40	7.96	34.08

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7838G	95.36	Inf	-Inf	5.85	3	Horizontal	180	1.00	-	89.51	32.04	7.89	34.08
PK	5.5366G	57.90	68.20	-10.30	5.43	3	Horizontal	180	1.00	-	52.47	31.73	7.77	34.07
PK	5.7814G	104.29	Inf	-Inf	5.84	3	Horizontal	180	1.00	-	98.45	32.03	7.89	34.08
PK	5.9722G	58.03	68.20	-10.17	6.31	3	Horizontal	180	1.00	-	51.72	32.40	7.99	34.08

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57008G	50.66	54.00	-3.34	7.24	3	Vertical	210	3.00	-	43.42	39.83	9.99	42.58
PK	11.5706G	63.18	74.00	-10.82	7.24	3	Vertical	210	3.00	-	55.94	39.83	9.99	42.58
PK	17.3624G	56.97	68.20	-11.23	11.83	3	Vertical	236	1.50	-	45.14	40.77	11.61	40.55

11a-20M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.568G	46.02	54.00	-7.98	7.23	3	Horizontal	176	2.13	-	38.79	39.83	9.99	42.59
PK	11.57208G	58.69	74.00	-15.31	7.24	3	Horizontal	176	2.13	-	51.45	39.83	9.99	42.58
PK	17.34712G	57.24	68.20	-10.96	11.73	3	Horizontal	24	1.50	-	45.51	40.68	11.61	40.56

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	102.61	Inf	-Inf	6.04	3	Vertical	259	2.75	-	96.57	32.21	7.91	34.08
PK	5.633G	58.44	68.20	-9.76	5.42	3	Vertical	259	2.75	-	53.02	31.67	7.82	34.07
PK	5.8238G	112.24	Inf	-Inf	6.03	3	Vertical	259	2.75	-	106.21	32.20	7.91	34.08
PK	5.9414G	59.13	68.20	-9.07	6.29	3	Vertical	259	2.75	-	52.84	32.40	7.97	34.08

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8262G	93.51	Inf	-Inf	6.03	3	Horizontal	182	1.00	-	87.48	32.20	7.91	34.08
PK	5.5586G	57.91	68.20	-10.29	5.39	3	Horizontal	182	1.00	-	52.52	31.68	7.78	34.07
PK	5.8214G	102.62	Inf	-Inf	6.02	3	Horizontal	182	1.00	-	96.60	32.19	7.91	34.08
PK	5.9618G	59.21	68.20	-8.99	6.30	3	Horizontal	182	1.00	-	52.91	32.40	7.98	34.08

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.648G	50.61	54.00	-3.39	6.97	3	Vertical	223	3.00	-	43.64	39.51	10.01	42.55
PK	11.64744G	62.75	74.00	-11.25	6.98	3	Vertical	223	3.00	-	55.77	39.52	10.01	42.55
PK	17.47332G	58.82	68.20	-9.38	12.65	3	Vertical	321	2.89	-	46.17	41.44	11.66	40.45

11a-20M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64796G	46.94	54.00	-7.06	6.97	3	Horizontal	173	1.00	-	39.97	39.51	10.01	42.55
PK	11.65164G	59.14	74.00	-14.86	6.96	3	Horizontal	173	1.00	-	52.18	39.49	10.01	42.54
PK	17.48324G	57.70	68.20	-10.50	12.73	3	Horizontal	22	2.81	-	44.97	41.50	11.67	40.44

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1326G	50.31	54.00	-3.69	2.55	3	Vertical	305	2.13	-	47.76	32.00	5.47	34.92
AV	5.18G	116.11	Inf	-Inf	2.40	3	Vertical	305	2.13	-	113.71	31.82	5.49	34.91
PK	5.1422G	63.52	74.00	-10.48	2.55	3	Vertical	305	2.13	-	60.97	32.00	5.47	34.92
PK	5.1796G	125.36	Inf	-Inf	2.40	3	Vertical	305	2.13	-	122.96	31.82	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1322G	44.50	54.00	-9.50	2.55	3	Horizontal	192	1.50	-	41.95	32.00	5.47	34.92
AV	5.181G	106.52	Inf	-Inf	2.39	3	Horizontal	192	1.50	-	104.13	31.81	5.49	34.91
PK	5.1478G	56.97	74.00	-17.03	2.55	3	Horizontal	192	1.50	-	54.42	32.00	5.47	34.92
PK	5.1812G	116.87	Inf	-Inf	2.39	3	Horizontal	192	1.50	-	114.48	31.81	5.49	34.91

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54151G	50.55	54.00	-3.45	13.17	3	Vertical	309	2.48	-	37.38	38.49	9.79	35.11
PK	10.36105G	55.49	68.20	-12.71	12.17	3	Vertical	36	2.10	-	43.32	39.48	7.93	35.24
PK	15.53903G	66.46	74.00	-7.54	13.17	3	Vertical	309	2.48	-	53.29	38.50	9.78	35.11

11n-5M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54152G	50.26	54.00	-3.74	13.17	3	Horizontal	320	1.00	-	37.09	38.49	9.79	35.11
PK	10.35943G	54.25	68.20	-13.95	12.17	3	Horizontal	0	1.50	-	42.08	39.48	7.93	35.24
PK	15.5423G	66.89	74.00	-7.11	13.17	3	Horizontal	320	1.00	-	53.72	38.49	9.79	35.11

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.97	54.00	-5.03	2.55	3	Vertical	287	2.20	-	46.42	32.00	5.47	34.92
AV	5.2G	115.63	Inf	-Inf	2.29	3	Vertical	287	2.20	-	113.34	31.70	5.50	34.91
PK	5.15G	61.60	74.00	-12.40	2.55	3	Vertical	287	2.20	-	59.05	32.00	5.47	34.92
PK	5.2G	125.27	Inf	-Inf	2.29	3	Vertical	287	2.20	-	122.98	31.70	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1044G	43.70	54.00	-10.30	2.53	3	Horizontal	31	1.00	-	41.17	32.00	5.45	34.92
AV	5.2004G	106.47	Inf	-Inf	2.29	3	Horizontal	31	1.00	-	104.18	31.70	5.50	34.91
PK	5.138G	56.86	74.00	-17.14	2.55	3	Horizontal	31	1.00	-	54.31	32.00	5.47	34.92
PK	5.2008G	116.97	Inf	-Inf	2.29	3	Horizontal	31	1.00	-	114.68	31.70	5.50	34.91

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60118G	49.79	54.00	-4.21	12.85	3	Vertical	179	1.60	-	36.94	38.20	9.80	35.15
PK	10.40138G	56.23	68.20	-11.97	12.35	3	Vertical	54	2.17	-	43.88	39.60	7.94	35.19
PK	15.60091G	67.25	74.00	-6.75	12.85	3	Vertical	179	1.60	-	54.40	38.20	9.80	35.15

11n-5M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6015G	50.53	54.00	-3.47	12.85	3	Horizontal	319	1.04	-	37.68	38.20	9.80	35.15
PK	10.39921G	54.56	68.20	-13.64	12.35	3	Horizontal	173	1.17	-	42.21	39.60	7.94	35.19
PK	15.6003G	67.07	74.00	-6.93	12.85	3	Horizontal	319	1.04	-	54.22	38.20	9.80	35.15

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	47.42	54.00	-6.58	2.55	3	Vertical	272	3.00	-	44.87	32.00	5.47	34.92
AV	5.2394G	111.56	Inf	-Inf	2.10	3	Vertical	272	3.00	-	109.46	31.46	5.54	34.90
AV	5.3846G	44.24	54.00	-9.76	2.31	3	Vertical	272	3.00	-	41.93	31.51	5.68	34.88
PK	5.1326G	58.52	74.00	-15.48	2.55	3	Vertical	272	3.00	-	55.97	32.00	5.47	34.92
PK	5.24G	121.77	Inf	-Inf	2.10	3	Vertical	272	3.00	-	119.67	31.46	5.54	34.90
PK	5.3564G	56.46	74.00	-17.54	2.12	3	Vertical	272	3.00	-	54.34	31.34	5.66	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	42.89	54.00	-11.11	2.55	3	Horizontal	34	1.06	-	40.34	32.00	5.47	34.92
AV	5.2406G	101.11	Inf	-Inf	2.10	3	Horizontal	34	1.06	-	99.01	31.46	5.54	34.90
AV	5.3894G	41.46	54.00	-12.54	2.35	3	Horizontal	34	1.06	-	39.11	31.54	5.69	34.88
PK	5.102G	55.63	74.00	-18.37	2.53	3	Horizontal	34	1.06	-	53.10	32.00	5.45	34.92
PK	5.2412G	112.11	Inf	-Inf	2.09	3	Horizontal	34	1.06	-	110.02	31.45	5.54	34.90
PK	5.3816G	54.55	74.00	-19.45	2.29	3	Horizontal	34	1.06	-	52.26	31.49	5.68	34.88

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72114G	49.66	54.00	-4.34	12.79	3	Vertical	199	1.01	-	36.87	38.19	9.83	35.23
PK	10.48218G	56.88	68.20	-11.32	12.73	3	Vertical	53	2.12	-	44.15	39.85	7.97	35.09
PK	15.72011G	67.20	74.00	-6.80	12.80	3	Vertical	199	1.01	-	54.40	38.20	9.83	35.23

11n-5M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72208G	50.64	54.00	-3.36	12.78	3	Horizontal	281	1.98	-	37.86	38.19	9.83	35.24
PK	10.48083G	55.17	68.20	-13.03	12.72	3	Horizontal	168	1.00	-	42.45	39.84	7.97	35.09
PK	15.72009G	69.81	74.00	-4.19	12.80	3	Horizontal	281	1.98	-	57.01	38.20	9.83	35.23

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.745G	109.01	Inf	-Inf	2.95	3	Vertical	260	1.07	-	106.06	32.08	5.80	34.93
PK	5.6298G	57.12	68.20	-11.08	2.70	3	Vertical	260	1.07	-	54.42	31.80	5.80	34.90
PK	5.7462G	120.59	Inf	-Inf	2.95	3	Vertical	260	1.07	-	117.64	32.08	5.80	34.93
PK	5.9382G	56.25	68.20	-11.95	3.46	3	Vertical	260	1.07	-	52.79	32.58	5.87	34.99

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	104.52	Inf	-Inf	2.95	3	Horizontal	176	2.88	-	101.57	32.08	5.80	34.93
PK	5.6298G	56.07	68.20	-12.13	2.70	3	Horizontal	176	2.88	-	53.37	31.80	5.80	34.90
PK	5.745G	117.06	Inf	-Inf	2.95	3	Horizontal	176	2.88	-	114.11	32.08	5.80	34.93
PK	6.003G	56.10	68.20	-12.10	3.39	3	Horizontal	176	2.88	-	52.71	32.50	5.90	35.01

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49018G	50.16	54.00	-3.84	13.66	3	Vertical	94	2.40	-	36.50	40.09	8.32	34.75
PK	11.48998G	63.58	74.00	-10.42	13.66	3	Vertical	94	2.40	-	49.92	40.09	8.32	34.75
PK	17.23511G	64.63	68.20	-3.57	15.77	3	Vertical	187	1.90	-	48.86	40.11	10.27	34.61

11n-5M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48967G	46.25	54.00	-7.75	13.66	3	Horizontal	297	2.02	-	32.59	40.09	8.32	34.75
PK	11.4894G	59.76	74.00	-14.24	13.66	3	Horizontal	297	2.02	-	46.10	40.09	8.32	34.75
PK	17.23602G	64.07	68.20	-4.13	15.77	3	Horizontal	184	1.00	-	48.30	40.11	10.27	34.61

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	112.96	Inf	-Inf	3.02	3	Vertical	271	3.00	-	109.94	32.17	5.80	34.95
PK	5.5102G	56.98	68.20	-11.22	2.80	3	Vertical	271	3.00	-	54.18	31.90	5.76	34.86
PK	5.7862G	123.36	Inf	-Inf	3.02	3	Vertical	271	3.00	-	120.34	32.17	5.80	34.95
PK	6.0334G	56.18	68.20	-12.02	3.41	3	Vertical	271	3.00	-	52.77	32.50	5.92	35.01

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	105.14	Inf	-Inf	3.02	3	Horizontal	174	2.60	-	102.12	32.17	5.80	34.95
PK	5.5174G	55.68	68.20	-12.52	2.79	3	Horizontal	174	2.60	-	52.89	31.90	5.76	34.87
PK	5.7862G	116.79	Inf	-Inf	3.02	3	Horizontal	174	2.60	-	113.77	32.17	5.80	34.95
PK	6.0334G	55.78	68.20	-12.42	3.41	3	Horizontal	174	2.60	-	52.37	32.50	5.92	35.01

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57005G	48.57	54.00	-5.43	13.48	3	Vertical	109	1.49	-	35.09	39.89	8.35	34.76
PK	11.56954G	62.39	74.00	-11.61	13.48	3	Vertical	109	1.49	-	48.91	39.89	8.35	34.76
PK	17.35346G	63.47	68.20	-4.73	16.37	3	Vertical	323	2.25	-	47.10	40.73	10.31	34.67

11n-5M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57011G	46.39	54.00	-7.61	13.48	3	Horizontal	296	2.09	-	32.91	39.89	8.35	34.76
PK	11.5697G	59.32	74.00	-14.68	13.48	3	Horizontal	296	2.09	-	45.84	39.89	8.35	34.76
PK	17.35434G	64.73	68.20	-3.47	16.37	3	Horizontal	184	1.86	-	48.36	40.73	10.31	34.67

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	114.19	Inf	-Inf	3.16	3	Vertical	284	2.95	-	111.03	32.31	5.81	34.96
PK	5.6306G	56.77	68.20	-11.43	2.70	3	Vertical	284	2.95	-	54.07	31.80	5.80	34.90
PK	5.825G	125.55	Inf	-Inf	3.15	3	Vertical	284	2.95	-	122.40	32.30	5.81	34.96
PK	5.9642G	56.92	68.20	-11.28	3.45	3	Vertical	284	2.95	-	53.47	32.57	5.88	35.00

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	103.95	Inf	-Inf	3.15	3	Horizontal	282	1.10	-	100.80	32.30	5.81	34.96
PK	5.874G	55.67	68.20	-12.53	2.73	3	Horizontal	282	1.10	-	52.94	31.83	5.79	34.89
PK	5.8262G	114.26	Inf	-Inf	3.15	3	Horizontal	282	1.10	-	111.11	32.30	5.81	34.96
PK	5.9342G	55.83	68.20	-12.37	3.45	3	Horizontal	282	1.10	-	52.38	32.57	5.87	34.99

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64988G	45.51	54.00	-8.49	13.15	3	Vertical	111	1.50	-	32.36	39.55	8.38	34.78
PK	11.64952G	58.61	74.00	-15.39	13.15	3	Vertical	111	1.50	-	45.46	39.55	8.38	34.78
PK	17.47732G	63.44	68.20	-4.76	17.10	3	Vertical	323	2.42	-	46.34	41.49	10.34	34.73

11n-5M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6491G	42.67	54.00	-11.33	13.15	3	Horizontal	158	1.00	-	29.52	39.55	8.38	34.78
PK	11.6449G	55.45	74.00	-18.55	13.19	3	Horizontal	158	1.00	-	42.26	39.58	8.38	34.77
PK	17.47366G	64.63	68.20	-3.57	17.08	3	Horizontal	181	1.86	-	47.55	41.47	10.34	34.73

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.132G	49.76	54.00	-4.24	2.55	3	Vertical	302	2.15	-	47.21	32.00	5.47	34.92
AV	5.1792G	111.19	Inf	-Inf	2.40	3	Vertical	302	2.15	-	108.79	31.82	5.49	34.91
PK	5.1392G	61.20	74.00	-12.80	2.55	3	Vertical	302	2.15	-	58.65	32.00	5.47	34.92
PK	5.1792G	121.97	Inf	-Inf	2.40	3	Vertical	302	2.15	-	119.57	31.82	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.132G	43.76	54.00	-10.24	2.55	3	Horizontal	181	2.97	-	41.21	32.00	5.47	34.92
AV	5.1812G	100.86	Inf	-Inf	2.39	3	Horizontal	181	2.97	-	98.47	31.81	5.49	34.91
PK	5.1348G	56.44	74.00	-17.56	2.55	3	Horizontal	181	2.97	-	53.89	32.00	5.47	34.92
PK	5.1806G	111.63	Inf	-Inf	2.40	3	Horizontal	181	2.97	-	109.23	31.82	5.49	34.91

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54052G	43.43	54.00	-10.57	13.18	3	Vertical	178	1.50	-	30.25	38.50	9.79	35.11
PK	10.36176G	55.14	68.20	-13.06	12.18	3	Vertical	35	2.26	-	42.96	39.49	7.93	35.24
PK	15.53828G	57.30	74.00	-16.70	13.18	3	Vertical	178	1.50	-	44.12	38.51	9.78	35.11

11n-10M_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5391G	44.29	54.00	-9.71	13.17	3	Horizontal	281	1.87	-	31.12	38.50	9.78	35.11
PK	10.36172G	54.17	68.20	-14.03	12.18	3	Horizontal	156	2.76	-	41.99	39.49	7.93	35.24
PK	15.54304G	59.21	74.00	-14.79	13.16	3	Horizontal	281	1.87	-	46.05	38.48	9.79	35.11

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	44.64	54.00	-9.36	2.55	3	Vertical	32	1.50	-	42.09	32.00	5.47	34.92
AV	5.1988G	108.55	Inf	-Inf	2.30	3	Vertical	32	1.50	-	106.25	31.71	5.50	34.91
PK	5.1496G	57.02	74.00	-16.98	2.55	3	Vertical	32	1.50	-	54.47	32.00	5.47	34.92
PK	5.1984G	119.49	Inf	-Inf	2.30	3	Vertical	32	1.50	-	117.19	31.71	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	43.29	54.00	-10.71	2.55	3	Horizontal	189	1.26	-	40.74	32.00	5.47	34.92
AV	5.1992G	102.34	Inf	-Inf	2.29	3	Horizontal	189	1.26	-	100.05	31.70	5.50	34.91
PK	5.11G	56.64	74.00	-17.36	2.54	3	Horizontal	189	1.26	-	54.10	32.00	5.46	34.92
PK	5.1976G	112.16	Inf	-Inf	2.30	3	Horizontal	189	1.26	-	109.86	31.71	5.50	34.91

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59892G	46.06	54.00	-7.94	12.86	3	Vertical	177	1.50	-	33.20	38.21	9.80	35.15
PK	10.40438G	55.48	68.20	-12.72	12.37	3	Vertical	307	1.89	-	43.11	39.61	7.94	35.18
PK	15.59892G	61.73	74.00	-12.27	12.86	3	Vertical	177	1.50	-	48.87	38.21	9.80	35.15

11n-10M_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59996G	47.99	54.00	-6.01	12.85	3	Horizontal	316	1.00	-	35.14	38.20	9.80	35.15
PK	10.4026G	54.75	68.20	-13.45	12.36	3	Horizontal	168	1.00	-	42.39	39.61	7.94	35.19
PK	15.59998G	63.70	74.00	-10.30	12.85	3	Horizontal	316	1.00	-	50.85	38.20	9.80	35.15

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1458G	46.06	54.00	-7.94	2.55	3	Vertical	283	2.10	-	43.51	32.00	5.47	34.92
AV	5.2382G	114.20	Inf	-Inf	2.11	3	Vertical	283	2.10	-	112.09	31.47	5.54	34.90
AV	5.384G	42.72	54.00	-11.28	2.30	3	Vertical	283	2.10	-	40.42	31.50	5.68	34.88
PK	5.1458G	58.25	74.00	-15.75	2.55	3	Vertical	283	2.10	-	55.70	32.00	5.47	34.92
PK	5.2382G	124.31	Inf	-Inf	2.11	3	Vertical	283	2.10	-	122.20	31.47	5.54	34.90
PK	5.3888G	54.85	74.00	-19.15	2.34	3	Vertical	283	2.10	-	52.51	31.53	5.69	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1152G	42.60	54.00	-11.40	2.54	3	Horizontal	165	1.50	-	40.06	32.00	5.46	34.92
AV	5.2388G	103.27	Inf	-Inf	2.11	3	Horizontal	165	1.50	-	101.16	31.47	5.54	34.90
AV	5.39G	41.36	54.00	-12.64	2.35	3	Horizontal	165	1.50	-	39.01	31.54	5.69	34.88
PK	5.1356G	55.29	74.00	-18.71	2.55	3	Horizontal	165	1.50	-	52.74	32.00	5.47	34.92
PK	5.2382G	112.99	Inf	-Inf	2.11	3	Horizontal	165	1.50	-	110.88	31.47	5.54	34.90
PK	5.3642G	54.25	74.00	-19.75	2.17	3	Horizontal	165	1.50	-	52.08	31.39	5.66	34.88

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71864G	50.80	54.00	-3.20	12.81	3	Vertical	268	2.49	-	37.99	38.21	9.83	35.23
PK	10.48052G	55.95	68.20	-12.25	12.72	3	Vertical	50	2.19	-	43.23	39.84	7.97	35.09
PK	15.71928G	66.52	74.00	-7.48	12.80	3	Vertical	268	2.49	-	53.72	38.20	9.83	35.23

11n-10M_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72006G	47.23	54.00	-6.77	12.80	3	Horizontal	134	2.77	-	34.43	38.20	9.83	35.23
PK	10.48196G	55.06	68.20	-13.14	12.73	3	Horizontal	183	2.87	-	42.33	39.85	7.97	35.09
PK	15.72134G	62.12	74.00	-11.88	12.79	3	Horizontal	134	2.77	-	49.33	38.19	9.83	35.23

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	111.31	Inf	-Inf	2.95	3	Vertical	261	1.08	-	108.36	32.08	5.80	34.93
PK	5.565G	56.37	68.20	-11.83	2.77	3	Vertical	261	1.08	-	53.60	31.87	5.78	34.88
PK	5.7426G	120.16	Inf	-Inf	2.94	3	Vertical	261	1.08	-	117.22	32.07	5.80	34.93
PK	5.955G	56.23	68.20	-11.97	3.47	3	Vertical	261	1.08	-	52.76	32.59	5.88	35.00

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.96	Inf	-Inf	2.95	3	Horizontal	197	2.25	-	102.01	32.08	5.80	34.93
PK	5.6214G	55.66	68.20	-12.54	2.70	3	Horizontal	197	2.25	-	52.96	31.80	5.80	34.90
PK	5.7426G	115.84	Inf	-Inf	2.94	3	Horizontal	197	2.25	-	112.90	32.07	5.80	34.93
PK	6.0366G	55.71	68.20	-12.49	3.41	3	Horizontal	197	2.25	-	52.30	32.50	5.92	35.01

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48769G	50.84	54.00	-3.16	13.66	3	Vertical	75	2.14	-	37.18	40.09	8.32	34.75
PK	11.4879G	64.25	74.00	-9.75	13.66	3	Vertical	75	2.14	-	50.59	40.09	8.32	34.75
PK	17.23413G	61.31	68.20	-6.89	15.76	3	Vertical	304	2.23	-	45.55	40.10	10.27	34.61

11n-10M_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4927G	44.59	54.00	-9.41	13.67	3	Horizontal	304	1.93	-	30.92	40.09	8.32	34.74
PK	11.49234G	58.07	74.00	-15.93	13.67	3	Horizontal	304	1.93	-	44.40	40.09	8.32	34.74
PK	17.2302G	61.04	68.20	-7.16	15.75	3	Horizontal	180	1.00	-	45.29	40.09	10.27	34.61

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.785G	111.98	Inf	-Inf	3.02	3	Vertical	280	3.00	-	108.96	32.17	5.80	34.95
PK	5.5954G	56.40	68.20	-11.80	2.72	3	Vertical	280	3.00	-	53.68	31.81	5.80	34.89
PK	5.7886G	122.46	Inf	-Inf	3.03	3	Vertical	280	3.00	-	119.43	32.18	5.80	34.95
PK	5.9518G	55.76	68.20	-12.44	3.48	3	Vertical	280	3.00	-	52.28	32.60	5.88	35.00

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7862G	103.01	Inf	-Inf	3.02	3	Horizontal	171	2.60	-	99.99	32.17	5.80	34.95
PK	5.6026G	55.27	68.20	-12.93	2.71	3	Horizontal	171	2.60	-	52.56	31.80	5.80	34.89
PK	5.785G	115.40	Inf	-Inf	3.02	3	Horizontal	171	2.60	-	112.38	32.17	5.80	34.95
PK	5.9338G	55.96	68.20	-12.24	3.45	3	Horizontal	171	2.60	-	52.51	32.57	5.87	34.99

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56745G	46.18	54.00	-7.82	13.49	3	Vertical	106	1.46	-	32.69	39.90	8.35	34.76
PK	11.56697G	61.01	74.00	-12.99	13.49	3	Vertical	106	1.46	-	47.52	39.90	8.35	34.76
PK	17.35527G	64.68	68.20	-3.52	16.38	3	Vertical	272	1.98	-	48.30	40.74	10.31	34.67

11n-10M_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56703G	43.99	54.00	-10.01	13.49	3	Horizontal	293	2.11	-	30.50	39.90	8.35	34.76
PK	11.56649G	58.66	74.00	-15.34	13.49	3	Horizontal	293	2.11	-	45.17	39.90	8.35	34.76
PK	17.35065G	64.92	68.20	-3.28	16.35	3	Horizontal	178	1.00	-	48.57	40.71	10.31	34.67

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.27	Inf	-Inf	3.15	3	Vertical	281	2.96	-	108.12	32.30	5.81	34.96
PK	5.5874G	56.33	68.20	-11.87	2.73	3	Vertical	281	2.96	-	53.60	31.83	5.79	34.89
PK	5.8238G	124.16	Inf	-Inf	3.15	3	Vertical	281	2.96	-	121.01	32.30	5.81	34.96
PK	5.9282G	56.13	68.20	-12.07	3.43	3	Vertical	281	2.96	-	52.70	32.56	5.86	34.99

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	103.94	Inf	-Inf	3.15	3	Horizontal	129	1.01	-	100.79	32.30	5.81	34.96
PK	5.639G	54.97	68.20	-13.23	2.70	3	Horizontal	129	1.01	-	52.27	31.80	5.80	34.90
PK	5.8226G	113.30	Inf	-Inf	3.14	3	Horizontal	129	1.01	-	110.16	32.29	5.81	34.96
PK	5.9546G	55.77	68.20	-12.43	3.47	3	Horizontal	129	1.01	-	52.30	32.59	5.88	35.00

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64745G	45.77	54.00	-8.23	13.16	3	Vertical	108	3.00	-	32.61	39.56	8.38	34.78
PK	11.64898G	61.76	74.00	-12.24	13.16	3	Vertical	108	3.00	-	48.60	39.56	8.38	34.78
PK	17.47083G	61.97	68.20	-6.23	17.06	3	Vertical	85	1.01	-	44.91	41.45	10.34	34.73

11n-10M_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6509G	43.64	54.00	-10.36	13.15	3	Horizontal	122	2.00	-	30.49	39.55	8.38	34.78
PK	11.65357G	59.09	74.00	-14.91	13.13	3	Horizontal	122	2.00	-	45.96	39.53	8.38	34.78
PK	17.46993G	63.23	68.20	-4.97	17.06	3	Horizontal	179	2.08	-	46.17	41.45	10.34	34.73

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	50.35	54.00	-3.65	5.42	3	Vertical	262	2.92	-	44.93	31.90	7.57	34.05
AV	5.18G	108.88	Inf	-Inf	5.26	3	Vertical	262	2.92	-	103.62	31.72	7.59	34.05
PK	5.1486G	65.10	74.00	-8.90	5.42	3	Vertical	262	2.92	-	59.68	31.90	7.57	34.05
PK	5.176G	115.60	Inf	-Inf	5.28	3	Vertical	262	2.92	-	110.32	31.74	7.59	34.05

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	46.67	54.00	-7.33	5.43	3	Horizontal	154	1.03	-	41.24	31.91	7.57	34.05
AV	5.18G	101.18	Inf	-Inf	5.26	3	Horizontal	154	1.03	-	95.92	31.72	7.59	34.05
PK	5.1494G	58.92	74.00	-15.08	5.42	3	Horizontal	154	1.03	-	53.50	31.90	7.57	34.05
PK	5.18G	108.16	Inf	-Inf	5.26	3	Horizontal	154	1.03	-	102.90	31.72	7.59	34.05

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54524G	39.80	54.00	-14.20	7.21	3	Vertical	191	2.00	-	32.59	38.32	10.91	42.02
PK	10.35976G	57.49	68.20	-10.71	6.01	3	Vertical	226	2.95	-	51.48	39.44	9.69	43.12
PK	15.53124G	52.36	74.00	-21.64	7.28	3	Vertical	191	2.00	-	45.08	38.38	10.91	42.01

802.11ac VHT20_Nss1_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.54072G	40.13	54.00	-13.87	7.24	3	Horizontal	317	2.71	-	32.89	38.34	10.91	42.01
PK	10.35304G	54.32	68.20	-13.88	5.98	3	Horizontal	147	1.02	-	48.34	39.41	9.69	43.12
PK	15.54716G	51.88	74.00	-22.12	7.20	3	Horizontal	317	2.71	-	44.68	38.31	10.91	42.02

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.85	54.00	-6.15	5.42	3	Vertical	240	2.10	-	42.43	31.90	7.57	34.05
AV	5.2032G	107.52	Inf	-Inf	5.13	3	Vertical	240	2.10	-	102.39	31.58	7.60	34.05
PK	5.1496G	59.04	74.00	-14.96	5.42	3	Vertical	240	2.10	-	53.62	31.90	7.57	34.05
PK	5.2024G	116.59	Inf	-Inf	5.14	3	Vertical	240	2.10	-	111.45	31.59	7.60	34.05

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1032G	46.16	54.00	-7.84	5.49	3	Horizontal	166	2.59	-	40.67	31.99	7.55	34.05
AV	5.2028G	100.28	Inf	-Inf	5.13	3	Horizontal	166	2.59	-	95.15	31.58	7.60	34.05
PK	5.1324G	58.29	74.00	-15.71	5.46	3	Horizontal	166	2.59	-	52.83	31.94	7.57	34.05
PK	5.2016G	109.23	Inf	-Inf	5.14	3	Horizontal	166	2.59	-	104.09	31.59	7.60	34.05

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60096G	49.75	54.00	-4.25	6.97	3	Vertical	319	2.49	-	42.78	38.10	10.92	42.05
PK	10.39648G	58.68	68.20	-9.52	6.16	3	Vertical	223	3.00	-	52.52	39.59	9.70	43.13
PK	15.60632G	64.57	74.00	-9.43	6.96	3	Vertical	319	2.49	-	57.61	38.09	10.92	42.05

802.11ac VHT20_Nss1_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60012G	42.71	54.00	-11.29	6.97	3	Horizontal	4	1.50	-	35.74	38.10	10.92	42.05
PK	10.39864G	56.68	68.20	-11.52	6.16	3	Horizontal	175	2.74	-	50.52	39.59	9.70	43.13
PK	15.6062G	56.49	74.00	-17.51	6.96	3	Horizontal	4	1.50	-	49.53	38.09	10.92	42.05

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.144G	50.22	54.00	-3.78	5.43	3	Vertical	260	3.00	-	44.79	31.91	7.57	34.05
AV	5.24G	110.43	Inf	-Inf	4.93	3	Vertical	260	3.00	-	105.50	31.36	7.62	34.05
AV	5.384G	46.09	54.00	-7.91	5.03	3	Vertical	260	3.00	-	41.06	31.40	7.69	34.06
PK	5.1428G	60.01	74.00	-13.99	5.43	3	Vertical	260	3.00	-	54.58	31.91	7.57	34.05
PK	5.2364G	119.97	Inf	-Inf	4.95	3	Vertical	260	3.00	-	115.02	31.38	7.62	34.05
PK	5.3564G	57.91	74.00	-16.09	4.86	3	Vertical	260	3.00	-	53.05	31.24	7.68	34.06

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.82	54.00	-7.18	5.43	3	Horizontal	151	1.01	-	41.39	31.91	7.57	34.05
AV	5.2406G	103.75	Inf	-Inf	4.93	3	Horizontal	151	1.01	-	98.82	31.36	7.62	34.05
AV	5.381G	44.99	54.00	-9.01	5.02	3	Horizontal	151	1.01	-	39.97	31.39	7.69	34.06
PK	5.096G	59.03	74.00	-14.97	5.49	3	Horizontal	151	1.01	-	53.54	31.99	7.55	34.05
PK	5.2418G	112.69	Inf	-Inf	4.92	3	Horizontal	151	1.01	-	107.77	31.35	7.62	34.05
PK	5.366G	57.09	74.00	-16.91	4.92	3	Horizontal	151	1.01	-	52.17	31.30	7.68	34.06

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72316G	50.07	54.00	-3.93	6.67	3	Vertical	321	2.61	-	43.40	37.85	10.94	42.12
PK	10.47424G	59.11	68.20	-9.09	6.24	3	Vertical	225	3.00	-	52.87	39.67	9.72	43.15
PK	15.72644G	65.93	74.00	-8.07	6.68	3	Vertical	321	2.61	-	59.25	37.85	10.95	42.12

802.11ac VHT20_Nss1_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.72052G	42.32	54.00	-11.68	6.68	3	Horizontal	347	1.57	-	35.64	37.86	10.94	42.12
PK	10.47864G	55.24	68.20	-12.96	6.25	3	Horizontal	147	1.03	-	48.99	39.68	9.72	43.15
PK	15.72388G	55.52	74.00	-18.48	6.67	3	Horizontal	347	1.57	-	48.85	37.85	10.94	42.12

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7414G	101.74	Inf	-Inf	5.68	3	Vertical	263	2.95	-	96.06	31.88	7.87	34.07
PK	5.6466G	58.38	68.20	-9.82	5.44	3	Vertical	263	2.95	-	52.94	31.69	7.82	34.07
PK	5.7414G	111.26	Inf	-Inf	5.68	3	Vertical	263	2.95	-	105.58	31.88	7.87	34.07
PK	5.9622G	58.85	68.20	-9.35	6.30	3	Vertical	263	2.95	-	52.55	32.40	7.98	34.08

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	96.78	Inf	-Inf	5.69	3	Horizontal	333	2.96	-	91.09	31.89	7.87	34.07
PK	5.469G	58.03	68.20	-10.17	5.34	3	Horizontal	333	2.96	-	52.69	31.68	7.73	34.07
PK	5.7414G	105.56	Inf	-Inf	5.68	3	Horizontal	333	2.96	-	99.88	31.88	7.87	34.07
PK	5.943G	57.95	68.20	-10.25	6.29	3	Horizontal	333	2.96	-	51.66	32.40	7.97	34.08

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48872G	50.98	54.00	-3.02	7.24	3	Vertical	212	2.97	-	43.74	39.89	9.97	42.62
PK	11.48796G	66.03	74.00	-7.97	7.24	3	Vertical	212	2.97	-	58.79	39.89	9.97	42.62
PK	17.24128G	61.29	68.20	-6.91	11.12	3	Vertical	324	2.65	-	50.17	40.22	11.56	40.66

802.11ac VHT20_Nss1_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48956G	49.78	54.00	-4.22	7.24	3	Horizontal	162	2.87	-	42.54	39.89	9.97	42.62
PK	11.48796G	63.98	74.00	-10.02	7.24	3	Horizontal	162	2.87	-	56.74	39.89	9.97	42.62
PK	17.24188G	56.58	68.20	-11.62	11.13	3	Horizontal	284	2.21	-	45.45	40.23	11.56	40.66

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	99.28	Inf	-Inf	5.84	3	Vertical	292	2.11	-	93.44	32.03	7.89	34.08
PK	5.503G	57.77	68.20	-10.43	5.47	3	Vertical	292	2.11	-	52.30	31.79	7.75	34.07
PK	5.7814G	108.64	Inf	-Inf	5.84	3	Vertical	292	2.11	-	102.80	32.03	7.89	34.08
PK	5.9494G	58.50	68.20	-9.70	6.29	3	Vertical	292	2.11	-	52.21	32.40	7.97	34.08

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	95.61	Inf	-Inf	5.85	3	Horizontal	337	2.94	-	89.76	32.04	7.89	34.08
PK	5.6206G	57.39	68.20	-10.81	5.38	3	Horizontal	337	2.94	-	52.01	31.64	7.81	34.07
PK	5.7814G	104.35	Inf	-Inf	5.84	3	Horizontal	337	2.94	-	98.51	32.03	7.89	34.08
PK	5.9734G	58.63	68.20	-9.57	6.31	3	Horizontal	337	2.94	-	52.32	32.40	7.99	34.08

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56476G	50.92	54.00	-3.08	7.24	3	Vertical	213	3.00	-	43.68	39.84	9.99	42.59
PK	11.56408G	65.14	74.00	-8.86	7.24	3	Vertical	213	3.00	-	57.90	39.84	9.99	42.59
PK	17.36412G	57.02	68.20	-11.18	11.84	3	Vertical	125	1.71	-	45.18	40.78	11.61	40.55

802.11ac VHT20_Nss1_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57328G	49.87	54.00	-4.13	7.24	3	Horizontal	158	2.61	-	42.63	39.83	9.99	42.58
PK	11.56796G	64.03	74.00	-9.97	7.23	3	Horizontal	158	2.61	-	56.80	39.83	9.99	42.59
PK	17.36276G	56.72	68.20	-11.48	11.84	3	Horizontal	296	2.96	-	44.88	40.78	11.61	40.55

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	100.36	Inf	-Inf	6.02	3	Vertical	291	2.02	-	94.34	32.19	7.91	34.08
PK	5.5478G	58.90	68.20	-9.30	5.40	3	Vertical	291	2.02	-	53.50	31.70	7.77	34.07
PK	5.8226G	109.17	Inf	-Inf	6.02	3	Vertical	291	2.02	-	103.15	32.19	7.91	34.08
PK	5.975G	58.12	68.20	-10.08	6.31	3	Vertical	291	2.02	-	51.81	32.40	7.99	34.08

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8214G	91.67	Inf	-Inf	6.02	3	Horizontal	33	1.01	-	85.65	32.19	7.91	34.08
PK	5.5502G	57.43	68.20	-10.77	5.41	3	Horizontal	33	1.01	-	52.02	31.70	7.78	34.07
PK	5.8214G	101.67	Inf	-Inf	6.02	3	Horizontal	33	1.01	-	95.65	32.19	7.91	34.08
PK	5.9558G	58.55	68.20	-9.65	6.30	3	Horizontal	33	1.01	-	52.25	32.40	7.98	34.08

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64616G	48.94	54.00	-5.06	6.98	3	Vertical	265	2.10	-	41.96	39.52	10.01	42.55
PK	11.64772G	64.09	74.00	-9.91	6.97	3	Vertical	265	2.10	-	57.12	39.51	10.01	42.55
PK	17.476G	58.28	68.20	-9.92	12.68	3	Vertical	186	1.50	-	45.60	41.46	11.66	40.44

802.11ac VHT20_Nss1_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64592G	50.84	54.00	-3.16	6.98	3	Horizontal	151	2.94	-	43.86	39.52	10.01	42.55
PK	11.64778G	65.16	74.00	-8.84	6.97	3	Horizontal	151	2.94	-	58.19	39.51	10.01	42.55
PK	17.47476G	57.88	68.20	-10.32	12.67	3	Horizontal	181	1.93	-	45.21	41.45	11.66	40.44

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	50.75	54.00	-3.25	5.43	3	Vertical	261	2.00	-	45.32	31.91	7.57	34.05
AV	5.19G	107.02	Inf	-Inf	5.20	3	Vertical	261	2.00	-	101.82	31.66	7.59	34.05
PK	5.1444G	65.49	74.00	-8.51	5.43	3	Vertical	261	2.00	-	60.06	31.91	7.57	34.05
PK	5.19G	110.87	Inf	-Inf	5.20	3	Vertical	261	2.00	-	105.67	31.66	7.59	34.05

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1316G	46.76	54.00	-7.24	5.46	3	Horizontal	160	1.50	-	41.30	31.94	7.57	34.05
AV	5.19G	94.81	Inf	-Inf	5.20	3	Horizontal	160	1.50	-	89.61	31.66	7.59	34.05
PK	5.1492G	59.41	74.00	-14.59	5.42	3	Horizontal	160	1.50	-	53.99	31.90	7.57	34.05
PK	5.19G	99.30	Inf	-Inf	5.20	3	Horizontal	160	1.50	-	94.10	31.66	7.59	34.05

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57014G	41.02	54.00	-12.98	7.10	3	Vertical	262	2.26	-	33.92	38.22	10.91	42.03
PK	10.37036G	54.86	68.20	-13.34	6.04	3	Vertical	231	1.50	-	48.82	39.48	9.69	43.13
PK	15.5714G	52.84	74.00	-21.16	7.09	3	Vertical	262	2.26	-	45.75	38.21	10.91	42.03

802.11ac VHT40_Nss1_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56904G	40.64	54.00	-13.36	7.10	3	Horizontal	354	1.94	-	33.54	38.22	10.91	42.03
PK	10.37997G	55.33	68.20	-12.87	6.08	3	Horizontal	89	2.03	-	49.25	39.52	9.69	43.13
PK	15.5675G	52.69	74.00	-21.31	7.11	3	Horizontal	354	1.94	-	45.58	38.23	10.91	42.03

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	50.07	54.00	-3.93	5.45	3	Vertical	240	2.24	-	44.62	31.93	7.57	34.05
AV	5.2316G	108.83	Inf	-Inf	4.98	3	Vertical	240	2.24	-	103.85	31.41	7.62	34.05
PK	5.1476G	64.50	74.00	-9.50	5.42	3	Vertical	240	2.24	-	59.08	31.90	7.57	34.05
PK	5.2248G	117.49	Inf	-Inf	5.01	3	Vertical	240	2.24	-	112.48	31.45	7.61	34.05

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	46.80	54.00	-7.20	5.43	3	Horizontal	163	2.41	-	41.37	31.91	7.57	34.05
AV	5.2232G	100.40	Inf	-Inf	5.02	3	Horizontal	163	2.41	-	95.38	31.46	7.61	34.05
PK	5.1492G	57.97	74.00	-16.03	5.42	3	Horizontal	163	2.41	-	52.55	31.90	7.57	34.05
PK	5.232G	108.54	Inf	-Inf	4.98	3	Horizontal	163	2.41	-	103.56	31.41	7.62	34.05

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6937G	50.28	54.00	-3.72	6.75	3	Vertical	260	2.29	-	43.53	37.91	10.94	42.10
PK	10.45248G	56.73	68.20	-11.47	6.21	3	Vertical	235	1.69	-	50.52	39.65	9.71	43.15
PK	15.6853G	61.34	74.00	-12.66	6.77	3	Vertical	260	2.29	-	54.57	37.93	10.94	42.10

802.11ac VHT40_Nss1_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.692G	42.12	54.00	-11.88	6.76	3	Horizontal	238	1.50	-	35.36	37.92	10.94	42.10
PK	10.46026G	54.89	68.20	-13.31	6.23	3	Horizontal	91	2.06	-	48.66	39.66	9.72	43.15
PK	15.6905G	53.79	74.00	-20.21	6.76	3	Horizontal	238	1.50	-	47.03	37.92	10.94	42.10

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7646G	97.96	Inf	-Inf	5.76	3	Vertical	292	2.14	-	92.20	31.96	7.88	34.08
PK	5.6026G	58.77	68.20	-9.43	5.34	3	Vertical	292	2.14	-	53.43	31.61	7.80	34.07
PK	5.7526G	106.07	Inf	-Inf	5.71	3	Vertical	292	2.14	-	100.36	31.91	7.88	34.08
PK	5.9374G	57.71	68.20	-10.49	6.29	3	Vertical	292	2.14	-	51.42	32.40	7.97	34.08

802.11ac VHT40_Nss1_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7598G	93.07	Inf	-Inf	5.74	3	Horizontal	28	2.38	-	87.33	31.94	7.88	34.08
PK	5.5114G	57.48	68.20	-10.72	5.47	3	Horizontal	28	2.38	-	52.01	31.78	7.76	34.07
PK	5.7502G	101.77	Inf	-Inf	5.70	3	Horizontal	28	2.38	-	96.07	31.90	7.88	34.08
PK	5.9602G	57.99	68.20	-10.21	6.30	3	Horizontal	28	2.38	-	51.69	32.40	7.98	34.08

802.11ac VHT40_Nss1_2TX

5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51008G	50.93	54.00	-3.07	7.26	3	Vertical	234	1.99	-	43.67	39.89	9.98	42.61
PK	11.50976G	62.09	74.00	-11.91	7.25	3	Vertical	234	1.99	-	54.84	39.89	9.98	42.62
PK	17.261G	56.85	68.20	-11.35	11.21	3	Vertical	169	1.50	-	45.64	40.28	11.57	40.64