




802.11ac VHT20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4514G	47.83	54.00	-6.17	6.78	3	Vertical	341	1.53	-	41.05	31.70	9.34	34.26
AV	5.5054G	104.90	Inf	-Inf	6.92	3	Vertical	341	1.53	-	97.98	31.80	9.38	34.26
PK	5.4696G	67.41	68.20	-0.79	6.84	3	Vertical	341	1.53	-	60.57	31.74	9.36	34.26
PK	5.5042G	115.51	Inf	-Inf	6.92	3	Vertical	341	1.53	-	108.59	31.80	9.38	34.26



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	47.35	54.00	-6.65	6.80	3	Horizontal	310	1.05	-	40.55	31.71	9.35	34.26
AV	5.496G	102.52	Inf	-Inf	6.91	3	Horizontal	310	1.05	-	95.61	31.79	9.38	34.26
PK	5.47G	66.47	68.20	-1.73	6.84	3	Horizontal	310	1.05	-	59.63	31.74	9.36	34.26
PK	5.4962G	113.69	Inf	-Inf	6.91	3	Horizontal	310	1.05	-	106.78	31.79	9.38	34.26



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00002G	44.46	54.00	-9.54	18.74	3	Vertical	21	1.37	-	25.72	40.30	12.63	34.19
PK	11.00026G	57.85	74.00	-16.15	18.74	3	Vertical	21	1.37	-	39.11	40.30	12.63	34.19
PK	16.49388G	61.27	68.20	-6.93	19.53	3	Vertical	70	1.50	-	41.74	38.57	15.24	34.28
PK	21.99984G	35.50	68.20	-32.70	-8.98	3	Vertical	26	1.79	-	44.48	38.90	17.56	55.90



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99998G	42.42	54.00	-11.58	18.74	3	Horizontal	0	3.00	-	23.68	40.30	12.63	34.19
PK	11.00077G	55.12	74.00	-18.88	18.74	3	Horizontal	0	3.00	-	36.38	40.30	12.63	34.19
PK	16.5G	61.33	68.20	-6.87	19.57	3	Horizontal	291	1.50	-	41.76	38.60	15.24	34.27
PK	22.00002G	34.36	68.20	-33.84	-8.98	3	Horizontal	66	2.02	-	43.34	38.90	17.56	55.90



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	45.69	54.00	-8.31	6.79	3	Vertical	301	1.50	-	38.90	31.71	9.34	34.26
AV	5.5812G	107.50	Inf	-Inf	6.91	3	Vertical	301	1.50	-	100.59	31.74	9.44	34.27
PK	5.4678G	57.62	68.20	-10.58	6.83	3	Vertical	301	1.50	-	50.79	31.74	9.35	34.26
PK	5.5836G	118.23	Inf	-Inf	6.91	3	Vertical	301	1.50	-	111.32	31.73	9.45	34.27
PK	5.7282G	57.17	68.20	-11.03	7.18	3	Vertical	301	1.50	-	49.99	31.96	9.50	34.28



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	46.67	54.00	-7.33	6.77	3	Horizontal	316	1.50	-	39.90	31.70	9.33	34.26
AV	5.5818G	104.71	Inf	-Inf	6.92	3	Horizontal	316	1.50	-	97.79	31.74	9.45	34.27
PK	5.4696G	57.48	68.20	-10.72	6.84	3	Horizontal	316	1.50	-	50.64	31.74	9.36	34.26
PK	5.5824G	115.14	Inf	-Inf	6.92	3	Horizontal	316	1.50	-	108.22	31.74	9.45	34.27
PK	5.7258G	57.80	68.20	-10.40	7.17	3	Horizontal	316	1.50	-	50.63	31.95	9.50	34.28



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15994G	43.24	54.00	-10.76	18.18	3	Vertical	0	2.00	-	25.06	39.66	12.70	34.18
AV	22.31996G	40.49	54.00	-13.51	-8.66	3	Vertical	18	1.50	-	49.15	38.93	17.66	55.71
PK	11.15442G	55.95	74.00	-18.05	18.19	3	Vertical	0	2.00	-	37.76	39.68	12.69	34.18
PK	16.743G	62.12	68.20	-6.08	20.92	3	Vertical	205	2.29	-	41.20	39.37	15.38	33.83
PK	22.32228G	52.22	74.00	-21.78	-8.66	3	Vertical	18	1.50	-	60.88	38.93	17.66	55.71



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16612G	42.73	54.00	-11.27	18.16	3	Horizontal	351	2.23	-	24.57	39.64	12.70	34.18
AV	22.3196G	47.33	54.00	-6.67	-8.66	3	Horizontal	315	1.21	-	55.99	38.93	17.66	55.71
PK	11.15118G	55.76	74.00	-18.24	18.21	3	Horizontal	351	2.23	-	37.55	39.70	12.69	34.18
PK	16.74228G	62.49	68.20	-5.71	20.92	3	Horizontal	354	1.85	-	41.57	39.37	15.38	33.83
PK	22.32036G	66.69	74.00	-7.31	-8.66	3	Horizontal	315	1.21	-	75.35	38.93	17.66	55.71





802.11ac VHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	105.36	Inf	-Inf	7.11	3	Vertical	298	1.79	-	98.25	31.90	9.49	34.28
PK	5.7024G	116.08	Inf	-Inf	7.11	3	Vertical	298	1.79	-	108.97	31.90	9.49	34.28
PK	5.7264G	67.01	68.20	-1.19	7.17	3	Vertical	298	1.79	-	59.84	31.95	9.50	34.28



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	103.02	Inf	-Inf	7.11	3	Horizontal	307	1.75	-	95.91	31.90	9.49	34.28
PK	5.7052G	113.67	Inf	-Inf	7.12	3	Horizontal	307	1.75	-	106.55	31.91	9.49	34.28
PK	5.7252G	65.64	68.20	-2.56	7.17	3	Horizontal	307	1.75	-	58.47	31.95	9.50	34.28



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40007G	41.45	54.00	-12.55	18.53	3	Vertical	0	1.27	-	22.92	39.90	12.80	34.17
AV	22.79998G	24.61	54.00	-29.39	-8.40	3	Vertical	27	1.50	-	33.01	39.36	17.80	56.02
PK	11.39888G	55.71	74.00	-18.29	18.53	3	Vertical	0	1.27	-	37.18	39.90	12.80	34.17
PK	17.09952G	63.04	68.20	-5.16	21.96	3	Vertical	356	1.72	-	41.08	39.70	15.59	33.33
PK	22.8001G	36.38	74.00	-37.62	-8.40	3	Vertical	27	1.50	-	44.78	39.36	17.80	56.02



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40002G	41.79	54.00	-12.21	18.53	3	Horizontal	339	1.49	-	23.26	39.90	12.80	34.17
AV	22.79996G	28.72	54.00	-25.28	-8.40	3	Horizontal	36	2.19	-	37.12	39.36	17.80	56.02
PK	11.40053G	56.46	74.00	-17.54	18.53	3	Horizontal	339	1.49	-	37.93	39.90	12.80	34.17
PK	17.09564G	63.70	68.20	-4.50	21.96	3	Horizontal	101	1.57	-	41.74	39.70	15.59	33.33
PK	22.7999G	38.05	74.00	-35.95	-8.40	3	Horizontal	36	2.19	-	46.45	39.36	17.80	56.02



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	107.10	Inf	-Inf	7.21	3	Vertical	309	1.69	-	99.89	31.99	9.50	34.28
PK	5.5614G	59.04	68.20	-9.16	6.94	3	Vertical	309	1.69	-	52.10	31.78	9.43	34.27
PK	5.7474G	117.42	Inf	-Inf	7.21	3	Vertical	309	1.69	-	110.21	31.99	9.50	34.28
PK	6.0186G	58.39	68.20	-9.81	7.88	3	Vertical	309	1.69	-	50.51	32.50	9.69	34.31



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	104.50	Inf	-Inf	7.21	3	Horizontal	313	1.71	-	97.29	31.99	9.50	34.28
PK	5.5842G	59.07	68.20	-9.13	6.91	3	Horizontal	313	1.71	-	52.16	31.73	9.45	34.27
PK	5.7462G	114.36	Inf	-Inf	7.21	3	Horizontal	313	1.71	-	107.15	31.99	9.50	34.28
PK	6.0174G	58.09	68.20	-10.11	7.88	3	Horizontal	313	1.71	-	50.21	32.50	9.69	34.31



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49006G	43.13	54.00	-10.87	18.76	3	Vertical	3	1.14	-	24.37	40.08	12.84	34.16
AV	22.98384G	40.66	54.00	-13.34	-8.38	3	Vertical	49	1.90	-	49.04	39.58	17.86	56.28
PK	11.49162G	56.02	74.00	-17.98	18.76	3	Vertical	3	1.14	-	37.26	40.08	12.84	34.16
PK	17.23578G	65.94	68.20	-2.26	21.93	3	Vertical	2	1.58	-	44.01	39.54	15.67	33.28
PK	22.98472G	56.53	74.00	-17.47	-8.38	3	Vertical	49	1.90	-	64.91	39.58	17.86	56.28



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49006G	45.10	54.00	-8.90	18.76	3	Horizontal	354	2.10	-	26.34	40.08	12.84	34.16
AV	22.97364G	38.65	54.00	-15.35	-8.37	3	Horizontal	2	1.85	-	47.02	39.57	17.86	56.26
PK	11.48826G	56.90	74.00	-17.10	18.76	3	Horizontal	354	2.10	-	38.14	40.08	12.84	34.16
PK	17.23536G	64.60	68.20	-3.60	21.93	3	Horizontal	16	1.50	-	42.67	39.54	15.67	33.28
PK	22.9772G	55.27	74.00	-18.73	-8.38	3	Horizontal	2	1.85	-	63.65	39.57	17.86	56.27





802.11ac VHT20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	105.60	Inf	-Inf	7.28	3	Vertical	302	1.74	-	98.32	32.06	9.51	34.29
PK	5.641G	58.40	68.20	-9.80	6.82	3	Vertical	302	1.74	-	51.58	31.62	9.47	34.27
PK	5.7802G	116.16	Inf	-Inf	7.28	3	Vertical	302	1.74	-	108.88	32.06	9.51	34.29
PK	5.9278G	58.22	68.20	-9.98	7.82	3	Vertical	302	1.74	-	50.40	32.50	9.62	34.30



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	103.52	Inf	-Inf	7.28	3	Horizontal	310	1.70	-	96.24	32.06	9.51	34.29
PK	5.551G	57.63	68.20	-10.57	6.95	3	Horizontal	310	1.70	-	50.68	31.80	9.42	34.27
PK	5.7778G	112.90	Inf	-Inf	7.28	3	Horizontal	310	1.70	-	105.62	32.06	9.51	34.29
PK	6.049G	58.14	68.20	-10.06	7.91	3	Horizontal	310	1.70	-	50.23	32.50	9.72	34.31



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56993G	41.78	54.00	-12.22	18.57	3	Vertical	360	1.22	-	23.21	39.89	12.87	34.19
PK	11.56991G	54.99	74.00	-19.01	18.57	3	Vertical	360	1.22	-	36.42	39.89	12.87	34.19
PK	17.36412G	67.87	68.20	-0.33	22.75	3	Vertical	320	1.46	-	45.12	40.24	15.75	33.24
PK	23.13844G	35.98	68.20	-32.22	-8.14	3	Vertical	-0	1.62	-	44.12	39.82	17.91	56.33



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	42.39	54.00	-11.61	18.57	3	Horizontal	57	1.21	-	23.82	39.89	12.87	34.19
PK	11.57012G	55.43	74.00	-18.57	18.57	3	Horizontal	57	1.21	-	36.86	39.89	12.87	34.19
PK	17.35386G	67.79	68.20	-0.41	22.64	3	Horizontal	55	1.62	-	45.15	40.14	15.74	33.24
PK	23.14162G	37.36	68.20	-30.84	-8.13	3	Horizontal	59	1.94	-	45.49	39.83	17.91	56.33



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	104.28	Inf	-Inf	7.41	3	Vertical	24	1.60	-	96.87	32.17	9.53	34.29
PK	5.579G	57.81	68.20	-10.39	6.91	3	Vertical	24	1.60	-	50.90	31.74	9.44	34.27
PK	5.8214G	114.04	Inf	-Inf	7.44	3	Vertical	24	1.60	-	106.60	32.19	9.54	34.29
PK	5.993G	58.56	68.20	-9.64	7.86	3	Vertical	24	1.60	-	50.70	32.50	9.67	34.31



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	102.71	Inf	-Inf	7.46	3	Horizontal	317	1.60	-	95.25	32.21	9.54	34.29
PK	5.603G	57.71	68.20	-10.49	6.88	3	Horizontal	317	1.60	-	50.83	31.69	9.46	34.27
PK	5.8274G	112.83	Inf	-Inf	7.46	3	Horizontal	317	1.60	-	105.37	32.21	9.54	34.29
PK	6.0374G	58.01	68.20	-10.19	7.90	3	Horizontal	317	1.60	-	50.11	32.50	9.71	34.31



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65006G	41.43	54.00	-12.57	18.17	3	Vertical	36	1.60	-	23.26	39.50	12.90	34.23
PK	11.64776G	55.08	74.00	-18.92	18.18	3	Vertical	36	1.60	-	36.90	39.51	12.90	34.23
PK	17.48652G	67.53	68.20	-0.67	23.49	3	Vertical	320	1.50	-	44.04	40.86	15.82	33.19
PK	23.30462G	37.93	68.20	-30.27	-8.01	3	Vertical	37	1.94	-	45.94	39.93	17.96	56.36



802.11ac VHT20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64996G	41.33	54.00	-12.67	18.17	3	Horizontal	340	1.50	-	23.16	39.50	12.90	34.23
PK	11.6476G	55.17	74.00	-18.83	18.18	3	Horizontal	340	1.50	-	36.99	39.51	12.90	34.23
PK	17.46696G	67.79	68.20	-0.41	23.41	3	Horizontal	58	1.57	-	44.38	40.80	15.81	33.20
PK	23.30042G	38.24	68.20	-29.96	-8.00	3	Horizontal	40	2.14	-	46.24	39.94	17.96	56.36





802.11ac VHT40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.01	54.00	-1.99	6.74	3	Vertical	306	1.82	-	45.27	31.90	9.07	34.23
AV	5.188G	102.77	Inf	-Inf	6.59	3	Vertical	306	1.82	-	96.18	31.75	9.08	34.24
PK	5.148G	63.86	74.00	-10.14	6.74	3	Vertical	306	1.82	-	57.12	31.90	9.07	34.23
PK	5.1888G	112.19	Inf	-Inf	6.58	3	Vertical	306	1.82	-	105.61	31.74	9.08	34.24



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.94	54.00	-6.06	6.74	3	Horizontal	309	1.62	-	41.20	31.90	9.07	34.23
AV	5.1888G	96.84	Inf	-Inf	6.58	3	Horizontal	309	1.62	-	90.26	31.74	9.08	34.24
PK	5.1464G	59.10	74.00	-14.90	6.74	3	Horizontal	309	1.62	-	52.36	31.90	9.07	34.23
PK	5.1888G	106.48	Inf	-Inf	6.58	3	Horizontal	309	1.62	-	99.90	31.74	9.08	34.24



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57056G	46.41	54.00	-7.59	18.19	3	Vertical	343	1.73	-	28.22	37.78	14.81	34.40
AV	20.75999G	43.00	54.00	-11.00	-8.66	3	Vertical	66	1.73	-	51.66	38.12	16.92	54.16
PK	10.37987G	55.46	68.20	-12.74	17.13	3	Vertical	336	1.88	-	38.33	39.42	12.37	34.66
PK	15.56944G	59.84	74.00	-14.16	18.19	3	Vertical	343	1.73	-	41.65	37.78	14.81	34.40
PK	20.75996G	48.61	74.00	-25.39	-8.66	3	Vertical	66	1.73	-	57.27	38.12	16.92	54.16



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57085G	46.45	54.00	-7.55	18.17	3	Horizontal	39	1.16	-	28.28	37.77	14.81	34.41
AV	20.75999G	43.41	54.00	-10.59	-8.66	3	Horizontal	15	2.04	-	52.07	38.12	16.92	54.16
PK	10.38025G	55.03	68.20	-13.17	17.13	3	Horizontal	355	1.13	-	37.90	39.42	12.37	34.66
PK	15.57005G	59.29	74.00	-14.71	18.19	3	Horizontal	39	1.16	-	41.10	37.78	14.81	34.40
PK	20.75978G	49.10	74.00	-24.90	-8.66	3	Horizontal	15	2.04	-	57.76	38.12	16.92	54.16



802.11ac VHT40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.19	54.00	-1.81	6.74	3	Vertical	308	1.69	-	45.45	31.90	9.07	34.23
AV	5.2372G	105.30	Inf	-Inf	6.36	3	Vertical	308	1.69	-	98.94	31.48	9.12	34.24
PK	5.146G	64.80	74.00	-9.20	6.74	3	Vertical	308	1.69	-	58.06	31.90	9.07	34.23
PK	5.2388G	115.03	Inf	-Inf	6.35	3	Vertical	308	1.69	-	108.68	31.47	9.12	34.24

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5230MHz\_TX




Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	47.85	54.00	-6.15	6.74	3	Horizontal	309	1.70	-	41.11	31.90	9.07	34.23
AV	5.2388G	100.98	Inf	-Inf	6.35	3	Horizontal	309	1.70	-	94.63	31.47	9.12	34.24
PK	5.1424G	60.59	74.00	-13.41	6.74	3	Horizontal	309	1.70	-	53.85	31.90	9.07	34.23
PK	5.2396G	111.15	Inf	-Inf	6.34	3	Horizontal	309	1.70	-	104.81	31.46	9.12	34.24



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.689G	45.59	54.00	-8.41	18.03	3	Vertical	116	2.38	-	27.56	37.69	14.85	34.51
AV	20.92003G	45.94	54.00	-8.06	-8.42	3	Vertical	43	1.74	-	54.36	38.44	17.00	54.32
PK	10.46016G	55.04	68.20	-13.16	17.42	3	Vertical	0	1.27	-	37.62	39.62	12.40	34.60
PK	15.69064G	58.47	74.00	-15.53	18.02	3	Vertical	116	2.38	-	40.45	37.69	14.85	34.52
PK	20.92003G	52.85	74.00	-21.15	-8.42	3	Vertical	43	1.74	-	61.27	38.44	17.00	54.32



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69138G	45.50	54.00	-8.50	18.02	3	Horizontal	200	1.58	-	27.48	37.69	14.85	34.52
AV	20.92002G	44.64	54.00	-9.36	-8.42	3	Horizontal	3	1.79	-	53.06	38.44	17.00	54.32
PK	10.46023G	56.61	68.20	-11.59	17.42	3	Horizontal	22	1.50	-	39.19	39.62	12.40	34.60
PK	15.69123G	58.61	74.00	-15.39	18.02	3	Horizontal	200	1.58	-	40.59	37.69	14.85	34.52
PK	20.92004G	51.96	74.00	-22.04	-8.42	3	Horizontal	3	1.79	-	60.38	38.44	17.00	54.32





802.11ac VHT40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.278G	106.73	Inf	-Inf	6.27	3	Vertical	52	1.66	-	100.46	31.34	9.17	34.24
AV	5.3564G	51.45	54.00	-2.55	6.35	3	Vertical	52	1.66	-	45.10	31.35	9.25	34.25
PK	5.2784G	115.45	Inf	-Inf	6.27	3	Vertical	52	1.66	-	109.18	31.34	9.17	34.24
PK	5.3588G	65.54	74.00	-8.46	6.37	3	Vertical	52	1.66	-	59.17	31.37	9.25	34.25



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2752G	101.47	Inf	-Inf	6.27	3	Horizontal	298	1.05	-	95.20	31.35	9.16	34.24
AV	5.3512G	49.84	54.00	-4.16	6.31	3	Horizontal	298	1.05	-	43.53	31.31	9.25	34.25
PK	5.256G	111.29	Inf	-Inf	6.29	3	Horizontal	298	1.05	-	105.00	31.39	9.14	34.24
PK	5.3504G	64.43	74.00	-9.57	6.30	3	Horizontal	298	1.05	-	58.13	31.30	9.25	34.25



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81131G	44.54	54.00	-9.46	17.43	3	Vertical	342	2.02	-	27.11	37.17	14.89	34.63
AV	21.08G	48.48	54.00	-5.52	-8.26	3	Vertical	77	1.91	-	56.74	38.60	17.08	54.40
PK	10.54004G	55.55	68.20	-12.65	17.60	3	Vertical	360	1.03	-	37.95	39.70	12.44	34.54
PK	15.80852G	57.52	74.00	-16.48	17.44	3	Vertical	342	2.02	-	40.08	37.17	14.89	34.62
PK	21.08002G	54.40	74.00	-19.60	-8.26	3	Vertical	77	1.91	-	62.66	38.60	17.08	54.40



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8106G	44.56	54.00	-9.44	17.43	3	Horizontal	230	1.42	-	27.13	37.17	14.89	34.63
AV	21.07994G	43.87	54.00	-10.13	-8.26	3	Horizontal	56	1.52	-	52.13	38.60	17.08	54.40
PK	10.5401G	56.36	68.20	-11.84	17.60	3	Horizontal	22	1.50	-	38.76	39.70	12.44	34.54
PK	15.80944G	57.88	74.00	-16.12	17.44	3	Horizontal	230	1.42	-	40.44	37.17	14.89	34.62
PK	21.08005G	52.35	74.00	-21.65	-8.26	3	Horizontal	56	1.52	-	60.61	38.60	17.08	54.40



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	102.18	Inf	-Inf	6.26	3	Vertical	57	1.74	-	95.92	31.30	9.20	34.24
AV	5.35G	53.40	54.00	-0.60	6.30	3	Vertical	57	1.74	-	47.10	31.30	9.25	34.25
PK	5.3084G	111.74	Inf	-Inf	6.26	3	Vertical	57	1.74	-	105.48	31.30	9.20	34.24
PK	5.3516G	64.15	74.00	-9.85	6.31	3	Vertical	57	1.74	-	57.84	31.31	9.25	34.25



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	99.23	Inf	-Inf	6.25	3	Horizontal	307	1.87	-	92.98	31.30	9.19	34.24
AV	5.35G	50.78	54.00	-3.22	6.30	3	Horizontal	307	1.87	-	44.48	31.30	9.25	34.25
PK	5.3024G	108.72	Inf	-Inf	6.25	3	Horizontal	307	1.87	-	102.47	31.30	9.19	34.24
PK	5.3588G	63.21	74.00	-10.79	6.37	3	Horizontal	307	1.87	-	56.84	31.37	9.25	34.25



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61997G	46.91	54.00	-7.09	17.69	3	Vertical	350	1.03	-	29.22	39.70	12.47	34.48
AV	15.92472G	45.61	54.00	-8.39	17.15	3	Vertical	160	1.14	-	28.46	36.95	14.93	34.73
AV	21.23996G	45.28	54.00	-8.72	-8.18	3	Vertical	44	1.90	-	53.46	38.60	17.16	54.40
PK	10.62001G	56.15	74.00	-17.85	17.69	3	Vertical	350	1.03	-	38.46	39.70	12.47	34.48
PK	15.93336G	59.19	74.00	-14.81	17.16	3	Vertical	160	1.14	-	42.03	36.97	14.93	34.74
PK	21.23987G	50.38	74.00	-23.62	-8.18	3	Vertical	44	1.90	-	58.56	38.60	17.16	54.40



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62003G	44.49	54.00	-9.51	17.69	3	Horizontal	25	1.38	-	26.80	39.70	12.47	34.48
AV	15.9328G	45.81	54.00	-8.19	17.16	3	Horizontal	236	1.50	-	28.65	36.97	14.93	34.74
AV	21.23999G	42.06	54.00	-11.94	-8.18	3	Horizontal	56	1.50	-	50.24	38.60	17.16	54.40
PK	10.61992G	55.84	74.00	-18.16	17.69	3	Horizontal	25	1.38	-	38.15	39.70	12.47	34.48
PK	15.92288G	59.00	74.00	-15.00	17.15	3	Horizontal	236	1.50	-	41.85	36.95	14.93	34.73
PK	21.23997G	49.12	74.00	-24.88	-8.18	3	Horizontal	56	1.50	-	57.30	38.60	17.16	54.40





802.11ac VHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.68	54.00	-6.32	6.81	3	Vertical	337	1.62	-	40.87	31.72	9.35	34.26
AV	5.5124G	99.81	Inf	-Inf	6.93	3	Vertical	337	1.62	-	92.88	31.80	9.39	34.26
PK	5.47G	66.88	68.20	-1.32	6.84	3	Vertical	337	1.62	-	60.04	31.74	9.36	34.26
PK	5.5144G	109.30	Inf	-Inf	6.93	3	Vertical	337	1.62	-	102.37	31.80	9.39	34.26



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.67	54.00	-6.33	6.81	3	Horizontal	310	1.57	-	40.86	31.72	9.35	34.26
AV	5.502G	97.30	Inf	-Inf	6.92	3	Horizontal	310	1.57	-	90.38	31.80	9.38	34.26
PK	5.468G	62.79	68.20	-5.41	6.83	3	Horizontal	310	1.57	-	55.96	31.74	9.35	34.26
PK	5.5016G	107.51	Inf	-Inf	6.92	3	Horizontal	310	1.57	-	100.59	31.80	9.38	34.26



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0193G	42.59	54.00	-11.41	18.67	3	Vertical	356	1.60	-	23.92	40.22	12.64	34.19
AV	22.03997G	39.45	54.00	-14.55	-8.95	3	Vertical	28	1.83	-	48.40	38.90	17.57	55.88
PK	11.01805G	55.49	74.00	-18.51	18.68	3	Vertical	356	1.60	-	36.81	40.23	12.64	34.19
PK	16.52996G	62.11	68.20	-6.09	19.52	3	Vertical	251	1.96	-	42.59	38.48	15.26	34.22
PK	22.03986G	46.64	74.00	-27.36	-8.95	3	Vertical	28	1.83	-	55.59	38.90	17.57	55.88



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02104G	42.59	54.00	-11.41	18.67	3	Horizontal	2	1.86	-	23.92	40.22	12.64	34.19
AV	22.04G	38.38	54.00	-15.62	-8.95	3	Horizontal	83	1.81	-	47.33	38.90	17.57	55.88
PK	11.02113G	57.30	74.00	-16.70	18.67	3	Horizontal	2	1.86	-	38.63	40.22	12.64	34.19
PK	16.53151G	62.09	68.20	-6.11	19.52	3	Horizontal	233	1.73	-	42.57	38.47	15.26	34.21
PK	22.03989G	46.65	74.00	-27.35	-8.95	3	Horizontal	83	1.81	-	55.60	38.90	17.57	55.88



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.01	54.00	-3.99	6.81	3	Vertical	337	1.50	-	43.20	31.72	9.35	34.26
AV	5.5424G	105.57	Inf	-Inf	6.95	3	Vertical	337	1.50	-	98.62	31.80	9.41	34.26
PK	5.4644G	66.66	68.20	-1.54	6.82	3	Vertical	337	1.50	-	59.84	31.73	9.35	34.26
PK	5.5424G	115.58	Inf	-Inf	6.95	3	Vertical	337	1.50	-	108.63	31.80	9.41	34.26



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.93	54.00	-5.07	6.81	3	Horizontal	308	1.74	-	42.12	31.72	9.35	34.26
AV	5.552G	103.65	Inf	-Inf	6.95	3	Horizontal	308	1.74	-	96.70	31.80	9.42	34.27
PK	5.4692G	66.36	68.20	-1.84	6.84	3	Horizontal	308	1.74	-	59.52	31.74	9.36	34.26
PK	5.5516G	113.58	Inf	-Inf	6.95	3	Horizontal	308	1.74	-	106.63	31.80	9.42	34.27



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10029G	41.79	54.00	-12.21	18.39	3	Vertical	91	1.16	-	23.40	39.90	12.67	34.18
AV	22.19997G	43.25	54.00	-10.75	-8.80	3	Vertical	30	1.69	-	52.05	38.90	17.62	55.78
PK	11.09839G	54.80	74.00	-19.20	18.40	3	Vertical	91	1.16	-	36.40	39.91	12.67	34.18
PK	16.6697G	60.58	68.20	-7.62	20.28	3	Vertical	301	1.27	-	40.30	38.90	15.34	33.96
PK	22.20004G	51.09	74.00	-22.91	-8.80	3	Vertical	30	1.69	-	59.89	38.90	17.62	55.78



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10005G	42.04	54.00	-11.96	18.39	3	Horizontal	197	1.02	-	23.65	39.90	12.67	34.18
AV	22.20005G	34.85	54.00	-19.15	-8.80	3	Horizontal	16	1.58	-	43.65	38.90	17.62	55.78
PK	11.1001G	54.74	74.00	-19.26	18.39	3	Horizontal	197	1.02	-	36.35	39.90	12.67	34.18
PK	16.666G	60.96	68.20	-7.24	20.23	3	Horizontal	360	2.06	-	40.73	38.86	15.34	33.97
PK	22.20009G	46.46	74.00	-27.54	-8.80	3	Horizontal	16	1.58	-	55.26	38.90	17.62	55.78





802.11ac VHT40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6628G	103.38	Inf	-Inf	6.88	3	Vertical	25	1.63	-	96.50	31.68	9.48	34.28
PK	5.661G	113.35	Inf	-Inf	6.87	3	Vertical	25	1.63	-	106.48	31.67	9.48	34.28
PK	5.7252G	66.94	68.20	-1.26	7.17	3	Vertical	25	1.63	-	59.77	31.95	9.50	34.28



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




21/10/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	101.30	Inf	-Inf	6.94	3	Horizontal	305	1.69	-	94.36	31.74	9.48	34.28
PK	5.6724G	111.09	Inf	-Inf	6.93	3	Horizontal	305	1.69	-	104.16	31.73	9.48	34.28
PK	5.7336G	64.67	68.20	-3.53	7.19	3	Horizontal	305	1.69	-	57.48	31.97	9.50	34.28



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3435G	42.62	54.00	-11.38	18.33	3	Vertical	360	1.81	-	24.29	39.73	12.77	34.17
AV	22.67999G	39.77	54.00	-14.23	-8.40	3	Vertical	18	1.93	-	48.17	39.22	17.77	55.85
PK	11.3609G	55.65	74.00	-18.35	18.39	3	Vertical	360	1.81	-	37.26	39.78	12.78	34.17
PK	17.0039G	63.76	68.20	-4.44	21.78	3	Vertical	59	2.95	-	41.98	39.60	15.54	33.36
PK	22.67986G	48.51	74.00	-25.49	-8.40	3	Vertical	18	1.93	-	56.91	39.22	17.77	55.85



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3534G	42.55	54.00	-11.45	18.37	3	Horizontal	326	1.80	-	24.18	39.76	12.78	34.17
AV	22.67999G	37.93	54.00	-16.07	-8.40	3	Horizontal	56	1.82	-	46.33	39.22	17.77	55.85
PK	11.3537G	55.25	74.00	-18.75	18.37	3	Horizontal	326	1.80	-	36.88	39.76	12.78	34.17
PK	17.0238G	63.68	68.20	-4.52	21.82	3	Horizontal	17	2.62	-	41.86	39.62	15.55	33.35
PK	22.67997G	47.26	74.00	-26.74	-8.40	3	Horizontal	56	1.82	-	55.66	39.22	17.77	55.85



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	105.35	Inf	-Inf	7.23	3	Vertical	309	1.54	-	98.12	32.01	9.51	34.29
PK	5.6446G	59.63	68.20	-8.57	6.81	3	Vertical	309	1.54	-	52.82	31.61	9.47	34.27
PK	5.7574G	114.60	Inf	-Inf	7.23	3	Vertical	309	1.54	-	107.37	32.01	9.51	34.29
PK	6.0394G	58.46	68.20	-9.74	7.90	3	Vertical	309	1.54	-	50.56	32.50	9.71	34.31



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	102.97	Inf	-Inf	7.23	3	Horizontal	315	1.80	-	95.74	32.01	9.51	34.29
PK	5.6494G	61.82	68.20	-6.38	6.80	3	Horizontal	315	1.80	-	55.02	31.60	9.47	34.27
PK	5.7562G	112.33	Inf	-Inf	7.23	3	Horizontal	315	1.80	-	105.10	32.01	9.51	34.29
PK	5.9458G	58.44	68.20	-9.76	7.84	3	Horizontal	315	1.80	-	50.60	32.50	9.64	34.30



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51112G	43.37	54.00	-10.63	18.74	3	Vertical	174	2.30	-	24.63	40.07	12.84	34.17
AV	23.01756G	40.51	54.00	-13.49	-8.34	3	Vertical	58	1.72	-	48.85	39.63	17.87	56.30
PK	11.49112G	56.70	74.00	-17.30	18.76	3	Vertical	174	2.30	-	37.94	40.08	12.84	34.16
PK	17.26204G	65.11	68.20	-3.09	21.98	3	Vertical	0	1.57	-	43.13	39.56	15.69	33.27
PK	23.02192G	54.52	74.00	-19.48	-8.33	3	Vertical	58	1.72	-	62.85	39.64	17.87	56.30



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49008G	45.18	54.00	-8.82	18.76	3	Horizontal	9	2.20	-	26.42	40.08	12.84	34.16
AV	23.01508G	41.82	54.00	-12.18	-8.35	3	Horizontal	0	1.85	-	50.17	39.62	17.87	56.30
PK	11.49968G	56.89	74.00	-17.11	18.78	3	Horizontal	9	2.20	-	38.11	40.10	12.84	34.16
PK	17.26732G	64.36	68.20	-3.84	21.99	3	Horizontal	60	1.50	-	42.37	39.57	15.69	33.27
PK	23.01804G	54.93	74.00	-19.07	-8.34	3	Horizontal	0	1.85	-	63.27	39.63	17.87	56.30





802.11ac VHT40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	104.60	Inf	-Inf	7.31	3	Vertical	24	1.40	-	97.29	32.08	9.52	34.29
PK	5.5454G	58.32	68.20	-9.88	6.96	3	Vertical	24	1.40	-	51.36	31.80	9.42	34.26
PK	5.7878G	114.85	Inf	-Inf	7.31	3	Vertical	24	1.40	-	107.54	32.08	9.52	34.29
PK	5.9474G	58.36	68.20	-9.84	7.84	3	Vertical	24	1.40	-	50.52	32.50	9.64	34.30



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	103.08	Inf	-Inf	7.32	3	Horizontal	311	1.62	-	95.76	32.09	9.52	34.29
PK	5.5574G	58.27	68.20	-9.93	6.95	3	Horizontal	311	1.62	-	51.32	31.79	9.43	34.27
PK	5.7986G	112.61	Inf	-Inf	7.33	3	Horizontal	311	1.62	-	105.28	32.10	9.52	34.29
PK	6.0146G	58.96	68.20	-9.24	7.88	3	Horizontal	311	1.62	-	51.08	32.50	9.69	34.31



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59015G	42.28	54.00	-11.72	18.51	3	Vertical	0	1.17	-	23.77	39.83	12.88	34.20
PK	11.58994G	55.47	74.00	-18.53	18.51	3	Vertical	0	1.17	-	36.96	39.83	12.88	34.20
PK	17.3828G	67.78	68.20	-0.42	22.96	3	Vertical	360	1.63	-	44.82	40.43	15.76	33.23
PK	23.18368G	56.19	68.20	-12.01	-8.07	3	Vertical	39	1.94	-	64.26	39.89	17.92	56.34



802.11ac VHT40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58988G	42.80	54.00	-11.20	18.51	3	Horizontal	59	1.33	-	24.29	39.83	12.88	34.20
PK	11.58966G	55.21	74.00	-18.79	18.51	3	Horizontal	59	1.33	-	36.70	39.83	12.88	34.20
PK	17.3815G	66.59	68.20	-1.61	22.94	3	Horizontal	320	1.48	-	43.65	40.41	15.76	33.23
PK	23.18104G	53.40	68.20	-14.80	-8.07	3	Horizontal	23	1.81	-	61.47	39.89	17.92	56.34



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.35	54.00	-0.65	6.84	3	Vertical	322	2.41	-	46.51	31.90	9.07	34.13
AV	5.188G	94.82	Inf	-Inf	6.70	3	Vertical	322	2.41	-	88.12	31.75	9.08	34.13
AV	5.37G	45.80	54.00	-8.20	6.56	3	Vertical	322	2.41	-	39.24	31.46	9.27	34.17
PK	5.147G	65.28	74.00	-8.72	6.84	3	Vertical	322	2.41	-	58.44	31.90	9.07	34.13
PK	5.188G	103.64	Inf	-Inf	6.70	3	Vertical	322	2.41	-	96.94	31.75	9.08	34.13
PK	5.448G	56.86	74.00	-17.14	6.86	3	Vertical	322	2.41	-	50.00	31.70	9.34	34.18



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.25	54.00	-4.75	6.84	3	Horizontal	357	2.96	-	42.41	31.90	9.07	34.13
AV	5.212G	91.54	Inf	-Inf	6.58	3	Horizontal	357	2.96	-	84.96	31.63	9.09	34.14
AV	5.367G	45.62	54.00	-8.38	6.53	3	Horizontal	357	2.96	-	39.09	31.44	9.26	34.17
PK	5.149G	60.01	74.00	-13.99	6.84	3	Horizontal	357	2.96	-	53.17	31.90	9.07	34.13
PK	5.213G	101.10	Inf	-Inf	6.57	3	Horizontal	357	2.96	-	94.53	31.62	9.09	34.14
PK	5.381G	56.68	74.00	-17.32	6.66	3	Horizontal	357	2.96	-	50.02	31.55	9.28	34.17



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59064G	46.20	54.00	-7.80	18.02	3	Vertical	346	1.49	-	28.18	37.66	14.82	34.46
AV	20.84024G	43.69	54.00	-10.31	-8.54	3	Vertical	9	1.70	-	52.23	38.28	16.96	54.24
PK	10.42848G	54.46	68.20	-13.74	17.41	3	Vertical	121	1.00	-	37.05	39.56	12.39	34.54
PK	15.59048G	58.79	74.00	-15.21	18.02	3	Vertical	346	1.49	-	40.77	37.66	14.82	34.46
PK	20.84016G	48.64	74.00	-25.36	-8.54	3	Vertical	9	1.70	-	57.18	38.28	16.96	54.24



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61256G	46.21	54.00	-7.79	17.97	3	Horizontal	88	1.50	-	28.24	37.61	14.83	34.47
AV	20.84016G	46.29	54.00	-7.71	-8.54	3	Horizontal	148	1.85	-	54.83	38.28	16.96	54.24
PK	10.42736G	54.73	68.20	-13.47	17.40	3	Horizontal	244	1.50	-	37.33	39.55	12.39	34.54
PK	15.67G	58.51	74.00	-15.49	18.01	3	Horizontal	88	1.50	-	40.50	37.67	14.85	34.51
PK	20.84024G	50.24	74.00	-23.76	-8.54	3	Horizontal	148	1.85	-	58.78	38.28	16.96	54.24





802.11ac VHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	46.68	54.00	-7.32	6.84	3	Vertical	318	2.86	-	39.84	31.90	9.07	34.13
AV	5.288G	92.78	Inf	-Inf	6.35	3	Vertical	318	2.86	-	86.43	31.32	9.18	34.15
AV	5.35G	53.83	54.00	-0.17	6.39	3	Vertical	318	2.86	-	47.44	31.30	9.25	34.16
PK	5.147G	58.06	74.00	-15.94	6.84	3	Vertical	318	2.86	-	51.22	31.90	9.07	34.13
PK	5.286G	101.40	Inf	-Inf	6.35	3	Vertical	318	2.86	-	95.05	31.33	9.17	34.15
PK	5.351G	65.62	74.00	-8.38	6.40	3	Vertical	318	2.86	-	59.22	31.31	9.25	34.16



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	45.91	54.00	-8.09	6.84	3	Horizontal	24	2.68	-	39.07	31.90	9.07	34.13
AV	5.293G	91.14	Inf	-Inf	6.34	3	Horizontal	24	2.68	-	84.80	31.31	9.18	34.15
AV	5.352G	52.84	54.00	-1.16	6.41	3	Horizontal	24	2.68	-	46.43	31.32	9.25	34.16
PK	5.15G	57.28	74.00	-16.72	6.84	3	Horizontal	24	2.68	-	50.44	31.90	9.07	34.13
PK	5.292G	99.60	Inf	-Inf	6.35	3	Horizontal	24	2.68	-	93.25	31.32	9.18	34.15
PK	5.352G	65.42	74.00	-8.58	6.41	3	Horizontal	24	2.68	-	59.01	31.32	9.25	34.16



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90904G	45.53	54.00	-8.47	17.20	3	Vertical	333	1.50	-	28.33	36.92	14.92	34.64
AV	21.16016G	45.13	54.00	-8.87	-8.22	3	Vertical	128	1.44	-	53.35	38.60	17.12	54.40
PK	10.58592G	54.50	68.20	-13.70	17.75	3	Vertical	111	3.00	-	36.75	39.70	12.46	34.41
PK	15.85464G	58.49	74.00	-15.51	17.33	3	Vertical	333	1.50	-	41.16	37.04	14.90	34.61
PK	21.16008G	49.58	74.00	-24.42	-8.22	3	Vertical	128	1.44	-	57.80	38.60	17.12	54.40



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89304G	45.64	54.00	-8.36	17.21	3	Horizontal	191	1.50	-	28.43	36.92	14.92	34.63
AV	21.16024G	41.16	54.00	-12.84	-8.22	3	Horizontal	157	2.01	-	49.38	38.60	17.12	54.40
PK	10.54768G	55.31	68.20	-12.89	17.69	3	Horizontal	96	2.85	-	37.62	39.70	12.44	34.45
PK	15.8796G	58.56	74.00	-15.44	17.25	3	Horizontal	191	1.50	-	41.31	36.96	14.91	34.62
PK	21.16016G	47.78	74.00	-26.22	-8.22	3	Horizontal	157	2.01	-	56.00	38.60	17.12	54.40



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	53.63	54.00	-0.37	6.86	3	Vertical	327	1.00	-	46.77	31.70	9.34	34.18
AV	5.513G	93.92	Inf	-Inf	7.00	3	Vertical	327	1.00	-	86.92	31.80	9.39	34.19
PK	5.47G	67.53	68.20	-0.67	6.92	3	Vertical	327	1.00	-	60.61	31.74	9.36	34.18
PK	5.513G	103.42	Inf	-Inf	7.00	3	Vertical	327	1.00	-	96.42	31.80	9.39	34.19
PK	5.729G	56.75	68.20	-11.45	7.26	3	Vertical	327	1.00	-	49.49	31.96	9.50	34.20



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.51	54.00	-4.49	6.89	3	Horizontal	14	2.83	-	42.62	31.72	9.35	34.18
AV	5.505G	90.86	Inf	-Inf	6.99	3	Horizontal	14	2.83	-	83.87	31.80	9.38	34.19
PK	5.466G	63.64	68.20	-4.56	6.90	3	Horizontal	14	2.83	-	56.74	31.73	9.35	34.18
PK	5.506G	99.76	Inf	-Inf	6.99	3	Horizontal	14	2.83	-	92.77	31.80	9.38	34.19
PK	5.726G	56.95	68.20	-11.25	7.25	3	Horizontal	14	2.83	-	49.70	31.95	9.50	34.20



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06016G	43.27	54.00	-10.73	18.68	3	Vertical	120	1.50	-	24.59	40.06	12.66	34.04
AV	22.12024G	42.99	54.00	-11.01	-8.87	3	Vertical	133	1.30	-	51.86	38.90	17.60	55.83
PK	11.02096G	55.48	74.00	-18.52	18.82	3	Vertical	120	1.50	-	36.66	40.22	12.64	34.04
PK	16.55896G	60.40	68.20	-7.80	19.40	3	Vertical	281	1.50	-	41.00	38.36	15.28	34.24
PK	22.12016G	49.35	74.00	-24.65	-8.87	3	Vertical	133	1.30	-	58.22	38.90	17.60	55.83



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03648G	43.13	54.00	-10.87	18.76	3	Horizontal	307	2.86	-	24.37	40.15	12.65	34.04
AV	22.12024G	40.18	54.00	-13.82	-8.87	3	Horizontal	40	1.40	-	49.05	38.90	17.60	55.83
PK	11.03424G	55.15	74.00	-18.85	18.76	3	Horizontal	307	2.86	-	36.39	40.16	12.64	34.04
PK	16.55432G	60.41	68.20	-7.79	19.40	3	Horizontal	146	1.50	-	41.01	38.38	15.27	34.25
PK	22.12024G	47.43	74.00	-26.57	-8.87	3	Horizontal	40	1.40	-	56.30	38.90	17.60	55.83





802.11ac VHT80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.16	54.00	-1.84	6.89	3	Vertical	316	3.00	-	45.27	31.72	9.35	34.18
AV	5.582G	99.03	Inf	-Inf	7.00	3	Vertical	316	3.00	-	92.03	31.74	9.45	34.19
PK	5.463G	66.87	68.20	-1.33	6.90	3	Vertical	316	3.00	-	59.97	31.73	9.35	34.18
PK	5.601G	108.45	Inf	-Inf	6.96	3	Vertical	316	3.00	-	101.49	31.70	9.46	34.20
PK	5.726G	67.41	68.20	-0.79	7.25	3	Vertical	316	3.00	-	60.16	31.95	9.50	34.20



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.72	54.00	-4.28	6.89	3	Horizontal	0	2.89	-	42.83	31.72	9.35	34.18
AV	5.602G	96.40	Inf	-Inf	6.96	3	Horizontal	0	2.89	-	89.44	31.70	9.46	34.20
PK	5.462G	64.49	68.20	-3.71	6.89	3	Horizontal	0	2.89	-	57.60	31.72	9.35	34.18
PK	5.601G	105.77	Inf	-Inf	6.96	3	Horizontal	0	2.89	-	98.81	31.70	9.46	34.20
PK	5.74G	64.67	68.20	-3.53	7.28	3	Horizontal	0	2.89	-	57.39	31.98	9.50	34.20



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19328G	42.70	54.00	-11.30	18.19	3	Vertical	336	1.50	-	24.51	39.53	12.71	34.05
AV	22.44032G	39.02	54.00	-14.98	-8.51	3	Vertical	18	1.70	-	47.53	38.98	17.69	55.64
PK	11.1904G	54.87	74.00	-19.13	18.20	3	Vertical	336	1.50	-	36.67	39.54	12.71	34.05
PK	16.80984G	61.82	68.20	-6.38	21.27	3	Vertical	284	1.48	-	40.55	39.57	15.42	33.72
PK	22.44024G	48.49	74.00	-25.51	-8.51	3	Vertical	18	1.70	-	57.00	38.98	17.69	55.64



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18448G	42.58	54.00	-11.42	18.22	3	Horizontal	120	1.49	-	24.36	39.56	12.71	34.05
AV	22.4404G	39.88	54.00	-14.12	-8.51	3	Horizontal	28	1.40	-	48.39	38.98	17.69	55.64
PK	11.23456G	55.32	74.00	-18.68	18.21	3	Horizontal	120	1.49	-	37.11	39.53	12.73	34.05
PK	16.86616G	61.87	68.20	-6.33	21.25	3	Horizontal	25	1.26	-	40.62	39.40	15.46	33.61
PK	22.44016G	47.27	74.00	-26.73	-8.51	3	Horizontal	28	1.40	-	55.78	38.98	17.69	55.64



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	99.26	Inf	-Inf	7.30	3	Vertical	149	2.92	-	91.96	32.00	9.51	34.21
PK	5.649G	67.29	68.20	-0.91	6.87	3	Vertical	149	2.92	-	60.42	31.60	9.47	34.20
PK	5.751G	108.44	Inf	-Inf	7.30	3	Vertical	149	2.92	-	101.14	32.00	9.51	34.21
PK	5.9286G	64.01	68.20	-4.19	7.90	3	Vertical	149	2.92	-	56.11	32.50	9.62	34.22



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	97.05	Inf	-Inf	7.35	3	Horizontal	48	2.89	-	89.70	32.05	9.51	34.21
PK	5.6346G	63.74	68.20	-4.46	6.90	3	Horizontal	48	2.89	-	56.84	31.63	9.47	34.20
PK	5.7798G	105.87	Inf	-Inf	7.36	3	Horizontal	48	2.89	-	98.51	32.06	9.51	34.21
PK	5.9358G	62.13	68.20	-6.07	7.91	3	Horizontal	48	2.89	-	54.22	32.50	9.63	34.22



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51944G	43.19	54.00	-10.81	18.82	3	Vertical	335	1.50	-	24.37	40.04	12.85	34.07
AV	23.10032G	38.53	54.00	-15.47	-8.20	3	Vertical	17	1.31	-	46.73	39.76	17.90	56.32
PK	11.54728G	56.83	74.00	-17.17	18.73	3	Vertical	335	1.50	-	38.10	39.96	12.86	34.09
PK	17.35764G	64.02	68.20	-4.18	22.68	3	Vertical	140	2.58	-	41.34	40.18	15.74	33.24
PK	23.10048G	51.79	74.00	-22.21	-8.20	3	Vertical	17	1.31	-	59.99	39.76	17.90	56.32



802.11ac VHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5364G	43.23	54.00	-10.77	18.77	3	Horizontal	0	1.50	-	24.46	39.99	12.86	34.08
AV	23.10032G	36.25	54.00	-17.75	-8.20	3	Horizontal	70	1.31	-	44.45	39.76	17.90	56.32
PK	11.51976G	55.94	74.00	-18.06	18.82	3	Horizontal	0	1.50	-	37.12	40.04	12.85	34.07
PK	17.33156G	64.31	68.20	-3.89	22.41	3	Horizontal	300	2.94	-	41.90	39.92	15.73	33.24
PK	23.07984G	46.93	74.00	-27.07	-8.24	3	Horizontal	70	1.31	-	55.17	39.73	17.89	56.32





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	55.22M	36.91	40.00	-3.09	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	55.22M	36.91	40.00	-3.09	3	Vertical	0	1.00	-
5775MHz	Pass	PK	94.02M	37.18	43.50	-6.32	3	Vertical	0	1.00	-
5775MHz	Pass	PK	381.14M	27.60	46.00	-18.40	3	Vertical	0	1.00	-
5775MHz	Pass	PK	487.84M	29.07	46.00	-16.93	3	Vertical	0	1.00	-
5775MHz	Pass	PK	623.64M	30.43	46.00	-15.57	3	Vertical	0	1.00	-
5775MHz	Pass	QP	41.64M	33.81	40.00	-6.19	3	Vertical	240	1.00	-
5775MHz	Pass	PK	45.52M	34.52	40.00	-5.48	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	113.42M	29.87	43.50	-13.63	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	210.42M	34.68	43.50	-8.82	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	367.56M	28.25	46.00	-17.75	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	485.9M	28.62	46.00	-17.38	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	590.66M	30.85	46.00	-15.15	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	92.08M	31.44	43.50	-12.06	3	Vertical	0	1.00	-
5775MHz	Pass	PK	272.5M	27.18	46.00	-18.82	3	Vertical	0	1.00	-
5775MHz	Pass	PK	346.22M	31.52	46.00	-14.48	3	Vertical	0	1.00	-
5775MHz	Pass	PK	491.72M	30.58	46.00	-15.42	3	Vertical	0	1.00	-
5775MHz	Pass	PK	650.8M	31.52	46.00	-14.48	3	Vertical	0	1.00	-
5775MHz	Pass	QP	41.64M	35.64	40.00	-4.36	3	Vertical	175	1.00	-
5775MHz	Pass	PK	39.7M	35.95	40.00	-4.05	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	105.66M	31.22	43.50	-12.28	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	212.36M	33.67	43.50	-9.83	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	330.7M	37.01	46.00	-8.99	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	507.24M	32.10	46.00	-13.90	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	615.88M	32.11	46.00	-13.89	3	Horizontal	360	1.00	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

#### 5775MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	55.22M	36.91	40.00	-3.09	-14.62	3	Vertical	0	1.00	-	51.53	12.01	1.10	27.73
PK	94.02M	37.18	43.50	-6.32	-11.48	3	Vertical	0	1.00	-	48.66	14.92	1.38	27.78
PK	381.14M	27.60	46.00	-18.40	-4.77	3	Vertical	0	1.00	-	32.37	20.17	2.67	27.61
PK	487.84M	29.07	46.00	-16.93	-2.51	3	Vertical	0	1.00	-	31.58	22.73	3.04	28.28
PK	623.64M	30.43	46.00	-15.57	-0.63	3	Vertical	0	1.00	-	31.06	24.28	3.41	28.32
QP	41.64M	33.81	40.00	-6.19	-9.66	3	Vertical	240	1.00	-	43.47	16.80	0.98	27.44



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

### 5775MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	34.52	40.00	-5.48	-11.58	3	Horizontal	360	1.00	-	46.10	14.97	1.03	27.58
PK	113.42M	29.87	43.50	-13.63	-9.02	3	Horizontal	360	1.00	-	38.89	17.27	1.50	27.79
PK	210.42M	34.68	43.50	-8.82	-10.98	3	Horizontal	360	1.00	-	45.66	14.28	2.00	27.26
PK	367.56M	28.25	46.00	-17.75	-4.89	3	Horizontal	360	1.00	-	33.14	19.98	2.62	27.49
PK	485.9M	28.62	46.00	-17.38	-2.50	3	Horizontal	360	1.00	-	31.12	22.74	3.03	28.27
PK	590.66M	30.85	46.00	-15.15	-1.20	3	Horizontal	360	1.00	-	32.05	23.87	3.34	28.41



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

#### 5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	92.08M	31.44	43.50	-12.06	-11.89	3	Vertical	0	1.00	-	43.33	14.55	1.37	27.81
PK	272.5M	27.18	46.00	-18.82	-6.78	3	Vertical	0	1.00	-	33.96	18.02	2.24	27.04
PK	346.22M	31.52	46.00	-14.48	-5.35	3	Vertical	0	1.00	-	36.87	19.42	2.54	27.31
PK	491.72M	30.58	46.00	-15.42	-2.54	3	Vertical	0	1.00	-	33.12	22.71	3.05	28.30
PK	650.8M	31.52	46.00	-14.48	-0.56	3	Vertical	0	1.00	-	32.08	24.19	3.45	28.20
QP	41.64M	35.64	40.00	-4.36	-9.66	3	Vertical	175	1.00	-	45.30	16.80	0.98	27.44



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

#### 5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	35.95	40.00	-4.05	-8.49	3	Horizontal	360	1.00	-	44.44	17.92	0.96	27.37
PK	105.66M	31.22	43.50	-12.28	-9.56	3	Horizontal	360	1.00	-	40.78	16.77	1.45	27.78
PK	212.36M	33.67	43.50	-9.83	-11.03	3	Horizontal	360	1.00	-	44.70	14.21	2.01	27.25
PK	330.7M	37.01	46.00	-8.99	-5.86	3	Horizontal	360	1.00	-	42.87	18.89	2.48	27.23
PK	507.24M	32.10	46.00	-13.90	-2.55	3	Horizontal	360	1.00	-	34.65	22.70	3.10	28.35
PK	615.88M	32.11	46.00	-13.89	-0.83	3	Horizontal	360	1.00	-	32.94	24.13	3.40	28.36



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.43	54.00	-1.57	3	Vertical	60	1.50	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.52	54.00	-0.48	3	Vertical	310	1.82	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.146G	51.72	54.00	-2.28	3	Horizontal	141	1.04	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	52.41	54.00	-1.59	3	Vertical	55	1.62	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	51.63	54.00	-2.37	3	Vertical	64	1.90	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.351G	53.42	54.00	-0.58	3	Vertical	314	1.01	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.82	68.20	-0.38	3	Vertical	336	1.54	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4692G	67.38	68.20	-0.82	3	Horizontal	309	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.468G	66.02	68.20	-2.18	3	Horizontal	26	1.12	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4654G	62.36	68.20	-5.84	3	Horizontal	316	1.68	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	6.041G	62.39	68.20	-5.81	3	Vertical	24	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.5266G	59.06	68.20	-9.14	3	Horizontal	120	1.24	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.43	54.00	-1.57	3	Vertical	60	1.50	-
5180MHz	Pass	AV	5.1822G	102.59	Inf	-Inf	3	Vertical	60	1.50	-
5180MHz	Pass	PK	5.1494G	67.05	74.00	-6.95	3	Vertical	60	1.50	-
5180MHz	Pass	PK	5.181G	113.32	Inf	-Inf	3	Vertical	60	1.50	-
5180MHz	Pass	AV	5.1498G	50.50	54.00	-3.50	3	Horizontal	297	1.00	-
5180MHz	Pass	AV	5.1822G	99.31	Inf	-Inf	3	Horizontal	297	1.00	-
5180MHz	Pass	PK	5.148G	66.09	74.00	-7.91	3	Horizontal	297	1.00	-
5180MHz	Pass	PK	5.1776G	111.28	Inf	-Inf	3	Horizontal	297	1.00	-
5180MHz	Pass	PK	10.35982G	58.00	68.20	-10.20	3	Vertical	351	1.28	-
5180MHz	Pass	PK	10.36174G	58.52	68.20	-11.68	3	Horizontal	79	1.26	-
5200MHz	Pass	AV	5.15G	50.82	54.00	-3.18	3	Vertical	310	1.81	-
5200MHz	Pass	AV	5.1936G	106.72	Inf	-Inf	3	Vertical	310	1.81	-
5200MHz	Pass	PK	5.1468G	64.88	74.00	-9.12	3	Vertical	310	1.81	-
5200MHz	Pass	PK	5.1968G	116.69	Inf	-Inf	3	Vertical	310	1.81	-
5200MHz	Pass	AV	5.148G	48.96	54.00	-5.04	3	Horizontal	305	1.74	-
5200MHz	Pass	AV	5.198G	102.68	Inf	-Inf	3	Horizontal	305	1.74	-
5200MHz	Pass	PK	5.15G	61.97	74.00	-12.03	3	Horizontal	305	1.74	-
5200MHz	Pass	PK	5.2028G	113.15	Inf	-Inf	3	Horizontal	305	1.74	-
5200MHz	Pass	PK	10.39982G	56.90	68.20	-11.30	3	Vertical	38	1.33	-
5200MHz	Pass	PK	10.4G	56.47	68.20	-11.73	3	Horizontal	19	1.50	-
5240MHz	Pass	AV	5.15G	48.89	54.00	-5.11	3	Vertical	330	1.50	-
5240MHz	Pass	AV	5.2412G	102.44	Inf	-Inf	3	Vertical	330	1.50	-
5240MHz	Pass	AV	5.3648G	48.34	54.00	-5.66	3	Vertical	330	1.50	-
5240MHz	Pass	PK	5.1308G	60.59	74.00	-13.41	3	Vertical	330	1.50	-
5240MHz	Pass	PK	5.2382G	113.62	Inf	-Inf	3	Vertical	330	1.50	-
5240MHz	Pass	PK	5.3756G	59.94	74.00	-14.06	3	Vertical	330	1.50	-
5240MHz	Pass	AV	5.141G	48.49	54.00	-5.51	3	Horizontal	308	1.72	-
5240MHz	Pass	AV	5.2376G	102.45	Inf	-Inf	3	Horizontal	308	1.72	-
5240MHz	Pass	AV	5.3756G	48.41	54.00	-5.59	3	Horizontal	308	1.72	-
5240MHz	Pass	PK	5.1302G	60.31	74.00	-13.69	3	Horizontal	308	1.72	-
5240MHz	Pass	PK	5.243G	112.53	Inf	-Inf	3	Horizontal	308	1.72	-
5240MHz	Pass	PK	5.384G	60.22	74.00	-13.78	3	Horizontal	308	1.72	-
5240MHz	Pass	PK	10.48024G	58.20	68.20	-10.00	3	Vertical	1	2.37	-
5240MHz	Pass	PK	10.48318G	56.71	68.20	-11.49	3	Horizontal	8	1.50	-
5260MHz	Pass	AV	5.146G	49.04	54.00	-4.96	3	Vertical	58	1.72	-
5260MHz	Pass	AV	5.2624G	105.29	Inf	-Inf	3	Vertical	58	1.72	-
5260MHz	Pass	AV	5.3644G	48.60	54.00	-5.40	3	Vertical	58	1.72	-
5260MHz	Pass	PK	5.1322G	60.45	74.00	-13.55	3	Vertical	58	1.72	-
5260MHz	Pass	PK	5.2624G	115.77	Inf	-Inf	3	Vertical	58	1.72	-
5260MHz	Pass	PK	5.3896G	61.33	74.00	-12.67	3	Vertical	58	1.72	-
5260MHz	Pass	AV	5.1436G	48.49	54.00	-5.51	3	Horizontal	306	1.90	-
5260MHz	Pass	AV	5.2624G	103.07	Inf	-Inf	3	Horizontal	306	1.90	-
5260MHz	Pass	AV	5.3902G	48.56	54.00	-5.44	3	Horizontal	306	1.90	-
5260MHz	Pass	PK	5.15G	60.41	74.00	-13.59	3	Horizontal	306	1.90	-
5260MHz	Pass	PK	5.2618G	113.69	Inf	-Inf	3	Horizontal	306	1.90	-
5260MHz	Pass	PK	5.3686G	60.44	74.00	-13.56	3	Horizontal	306	1.90	-
5260MHz	Pass	PK	10.52G	57.22	68.20	-10.98	3	Vertical	-0	2.96	-
5260MHz	Pass	PK	10.51334G	57.13	68.20	-11.07	3	Horizontal	7	2.58	-
5300MHz	Pass	AV	5.302G	105.54	Inf	-Inf	3	Vertical	55	1.64	-
5300MHz	Pass	AV	5.35G	49.54	54.00	-4.46	3	Vertical	55	1.64	-
5300MHz	Pass	PK	5.3024G	115.72	Inf	-Inf	3	Vertical	55	1.64	-
5300MHz	Pass	PK	5.3504G	62.33	74.00	-11.67	3	Vertical	55	1.64	-
5300MHz	Pass	AV	5.3024G	103.90	Inf	-Inf	3	Horizontal	304	1.79	-
5300MHz	Pass	AV	5.3504G	48.80	54.00	-5.20	3	Horizontal	304	1.79	-
5300MHz	Pass	PK	5.3012G	114.20	Inf	-Inf	3	Horizontal	304	1.79	-
5300MHz	Pass	PK	5.35G	62.47	74.00	-11.53	3	Horizontal	304	1.79	-
5300MHz	Pass	AV	10.60006G	46.88	54.00	-7.12	3	Vertical	7	2.93	-
5300MHz	Pass	PK	10.6G	57.58	68.20	-10.62	3	Vertical	7	2.93	-
5300MHz	Pass	AV	10.60012G	44.34	54.00	-9.66	3	Horizontal	331	1.49	-
5300MHz	Pass	PK	10.60702G	56.46	74.00	-17.54	3	Horizontal	331	1.49	-





### RSE TX above 1GHz\_Beamforming

### Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	5.322G	103.10	Inf	-Inf	3	Vertical	55	1.62	-
5320MHz	Pass	AV	5.3504G	52.41	54.00	-1.59	3	Vertical	55	1.62	-
5320MHz	Pass	PK	5.3188G	115.02	Inf	-Inf	3	Vertical	55	1.62	-
5320MHz	Pass	PK	5.3506G	70.46	74.00	-3.54	3	Vertical	55	1.62	-
5320MHz	Pass	AV	5.3224G	101.60	Inf	-Inf	3	Horizontal	307	1.74	-
5320MHz	Pass	AV	5.3504G	51.82	54.00	-2.18	3	Horizontal	307	1.74	-
5320MHz	Pass	PK	5.3246G	112.28	Inf	-Inf	3	Horizontal	307	1.74	-
5320MHz	Pass	PK	5.3502G	68.13	74.00	-5.87	3	Horizontal	307	1.74	-
5320MHz	Pass	AV	10.64012G	46.52	54.00	-7.48	3	Vertical	6	1.37	-
5320MHz	Pass	PK	10.64018G	57.30	74.00	-16.70	3	Vertical	6	1.37	-
5320MHz	Pass	AV	10.64006G	44.53	54.00	-9.47	3	Horizontal	45	1.50	-
5320MHz	Pass	PK	10.63958G	57.12	74.00	-16.88	3	Horizontal	45	1.50	-
5500MHz	Pass	AV	5.458G	49.64	54.00	-4.36	3	Vertical	336	1.54	-
5500MHz	Pass	AV	5.498G	101.19	Inf	-Inf	3	Vertical	336	1.54	-
5500MHz	Pass	PK	5.47G	67.82	68.20	-0.38	3	Vertical	336	1.54	-
5500MHz	Pass	PK	5.5024G	113.10	Inf	-Inf	3	Vertical	336	1.54	-
5500MHz	Pass	AV	5.4584G	49.00	54.00	-5.00	3	Horizontal	312	1.68	-
5500MHz	Pass	AV	5.5022G	100.51	Inf	-Inf	3	Horizontal	312	1.68	-
5500MHz	Pass	PK	5.47G	67.80	68.20	-0.40	3	Horizontal	312	1.68	-
5500MHz	Pass	PK	5.5024G	111.01	Inf	-Inf	3	Horizontal	312	1.68	-
5500MHz	Pass	AV	11.00012G	46.59	54.00	-7.41	3	Vertical	19	1.23	-
5500MHz	Pass	PK	10.99994G	58.07	74.00	-15.93	3	Vertical	19	1.23	-
5500MHz	Pass	AV	10.99982G	44.63	54.00	-9.37	3	Horizontal	347	1.49	-
5500MHz	Pass	PK	10.99022G	57.02	74.00	-16.98	3	Horizontal	347	1.49	-
5580MHz	Pass	AV	5.4414G	48.73	54.00	-5.27	3	Vertical	308	1.50	-
5580MHz	Pass	AV	5.577G	103.72	Inf	-Inf	3	Vertical	308	1.50	-
5580MHz	Pass	PK	5.4666G	60.32	68.20	-7.88	3	Vertical	308	1.50	-
5580MHz	Pass	PK	5.583G	114.56	Inf	-Inf	3	Vertical	308	1.50	-
5580MHz	Pass	PK	5.727G	60.34	68.20	-7.86	3	Vertical	308	1.50	-
5580MHz	Pass	AV	5.4588G	48.71	54.00	-5.29	3	Horizontal	306	1.83	-
5580MHz	Pass	AV	5.5824G	104.11	Inf	-Inf	3	Horizontal	306	1.83	-
5580MHz	Pass	PK	5.469G	61.58	68.20	-6.62	3	Horizontal	306	1.83	-
5580MHz	Pass	PK	5.5728G	114.24	Inf	-Inf	3	Horizontal	306	1.83	-
5580MHz	Pass	PK	5.7282G	60.49	68.20	-7.71	3	Horizontal	306	1.83	-
5580MHz	Pass	AV	11.16006G	45.28	54.00	-8.72	3	Vertical	356	2.05	-
5580MHz	Pass	PK	11.16G	58.56	74.00	-15.44	3	Vertical	356	2.05	-
5580MHz	Pass	AV	11.17398G	43.82	54.00	-10.18	3	Horizontal	86	2.26	-
5580MHz	Pass	PK	11.17434G	56.86	74.00	-17.14	3	Horizontal	86	2.26	-
5700MHz	Pass	AV	5.698G	101.11	Inf	-Inf	3	Vertical	26	1.43	-
5700MHz	Pass	PK	5.7012G	112.45	Inf	-Inf	3	Vertical	26	1.43	-
5700MHz	Pass	PK	5.7256G	66.76	68.20	-1.44	3	Vertical	26	1.43	-
5700MHz	Pass	AV	5.7024G	99.04	Inf	-Inf	3	Horizontal	309	1.85	-
5700MHz	Pass	PK	5.6988G	110.60	Inf	-Inf	3	Horizontal	309	1.85	-
5700MHz	Pass	PK	5.7252G	65.45	68.20	-2.75	3	Horizontal	309	1.85	-
5700MHz	Pass	AV	11.39988G	44.51	54.00	-9.49	3	Vertical	0	1.72	-
5700MHz	Pass	PK	11.40024G	57.24	74.00	-16.76	3	Vertical	0	1.72	-
5700MHz	Pass	AV	11.39154G	43.92	54.00	-10.08	3	Horizontal	98	1.50	-
5700MHz	Pass	PK	11.38656G	57.00	74.00	-17.00	3	Horizontal	98	1.50	-
5745MHz	Pass	AV	5.7474G	103.60	Inf	-Inf	3	Vertical	25	1.50	-
5745MHz	Pass	PK	5.5926G	61.54	68.20	-6.66	3	Vertical	25	1.50	-
5745MHz	Pass	PK	5.7486G	114.82	Inf	-Inf	3	Vertical	25	1.50	-
5745MHz	Pass	PK	5.9442G	61.97	68.20	-6.23	3	Vertical	25	1.50	-
5745MHz	Pass	AV	5.7426G	103.59	Inf	-Inf	3	Horizontal	316	1.68	-
5745MHz	Pass	PK	5.4654G	62.36	68.20	-5.84	3	Horizontal	316	1.68	-
5745MHz	Pass	PK	5.7426G	114.59	Inf	-Inf	3	Horizontal	316	1.68	-
5745MHz	Pass	PK	5.9322G	61.71	68.20	-6.49	3	Horizontal	316	1.68	-
5745MHz	Pass	AV	11.48988G	44.87	54.00	-9.13	3	Vertical	56	1.50	-
5745MHz	Pass	PK	11.47806G	57.30	74.00	-16.70	3	Vertical	56	1.50	-
5745MHz	Pass	AV	11.49006G	44.80	54.00	-9.20	3	Horizontal	50	3.00	-
5745MHz	Pass	PK	11.48328G	57.14	74.00	-16.86	3	Horizontal	50	3.00	-
5785MHz	Pass	AV	5.791G	104.18	Inf	-Inf	3	Vertical	298	1.69	-
5785MHz	Pass	PK	5.5378G	60.97	68.20	-7.23	3	Vertical	298	1.69	-



RSE TX above 1GHz\_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.791G	115.03	Inf	-Inf	3	Vertical	298	1.69	-
5785MHz	Pass	PK	6.0382G	61.23	68.20	-6.97	3	Vertical	298	1.69	-
5785MHz	Pass	AV	5.7826G	103.76	Inf	-Inf	3	Horizontal	316	1.65	-
5785MHz	Pass	PK	5.4934G	60.68	68.20	-7.52	3	Horizontal	316	1.65	-
5785MHz	Pass	PK	5.7874G	113.98	Inf	-Inf	3	Horizontal	316	1.65	-
5785MHz	Pass	PK	6.0142G	61.11	68.20	-7.09	3	Horizontal	316	1.65	-
5785MHz	Pass	AV	11.57012G	44.15	54.00	-9.85	3	Vertical	57	1.11	-
5785MHz	Pass	PK	11.57996G	56.25	74.00	-17.75	3	Vertical	57	1.11	-
5785MHz	Pass	AV	11.57012G	44.28	54.00	-9.72	3	Horizontal	55	1.17	-
5785MHz	Pass	PK	11.58494G	56.65	74.00	-17.35	3	Horizontal	55	1.17	-
5825MHz	Pass	AV	5.8274G	103.66	Inf	-Inf	3	Vertical	20	1.48	-
5825MHz	Pass	PK	5.5274G	60.53	68.20	-7.67	3	Vertical	20	1.48	-
5825MHz	Pass	PK	5.8286G	113.47	Inf	-Inf	3	Vertical	20	1.48	-
5825MHz	Pass	PK	6.1046G	61.57	68.20	-6.63	3	Vertical	20	1.48	-
5825MHz	Pass	AV	5.8226G	103.92	Inf	-Inf	3	Horizontal	318	1.68	-
5825MHz	Pass	PK	5.6294G	60.91	68.20	-7.29	3	Horizontal	318	1.68	-
5825MHz	Pass	PK	5.8202G	113.48	Inf	-Inf	3	Horizontal	318	1.68	-
5825MHz	Pass	PK	6.1118G	61.11	68.20	-7.09	3	Horizontal	318	1.68	-
5825MHz	Pass	AV	11.65008G	44.13	54.00	-9.87	3	Vertical	39	1.59	-
5825MHz	Pass	PK	11.64312G	56.61	74.00	-17.39	3	Vertical	39	1.59	-
5825MHz	Pass	AV	11.65004G	43.95	54.00	-10.05	3	Horizontal	15	2.52	-
5825MHz	Pass	PK	11.65G	57.28	74.00	-16.72	3	Horizontal	15	2.52	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.91	54.00	-2.09	3	Vertical	304	2.30	-
5190MHz	Pass	AV	5.1976G	101.28	Inf	-Inf	3	Vertical	304	2.30	-
5190MHz	Pass	PK	5.1484G	67.09	74.00	-6.91	3	Vertical	304	2.30	-
5190MHz	Pass	PK	5.1928G	112.56	Inf	-Inf	3	Vertical	304	2.30	-
5190MHz	Pass	AV	5.1496G	49.82	54.00	-4.18	3	Horizontal	306	1.00	-
5190MHz	Pass	AV	5.2056G	95.94	Inf	-Inf	3	Horizontal	306	1.00	-
5190MHz	Pass	PK	5.1452G	65.00	74.00	-9.00	3	Horizontal	306	1.00	-
5190MHz	Pass	PK	5.2012G	105.56	Inf	-Inf	3	Horizontal	306	1.00	-
5190MHz	Pass	PK	10.38736G	57.16	68.20	-11.04	3	Vertical	22	1.50	-
5190MHz	Pass	PK	10.36016G	56.86	68.20	-11.34	3	Horizontal	335	2.27	-
5230MHz	Pass	AV	5.15G	53.52	54.00	-0.48	3	Vertical	310	1.82	-
5230MHz	Pass	AV	5.2176G	104.97	Inf	-Inf	3	Vertical	310	1.82	-
5230MHz	Pass	PK	5.1472G	68.49	74.00	-5.51	3	Vertical	310	1.82	-
5230MHz	Pass	PK	5.2176G	113.16	Inf	-Inf	3	Vertical	310	1.82	-
5230MHz	Pass	AV	5.1492G	50.36	54.00	-3.64	3	Horizontal	306	1.71	-
5230MHz	Pass	AV	5.2124G	100.87	Inf	-Inf	3	Horizontal	306	1.71	-
5230MHz	Pass	PK	5.1464G	65.42	74.00	-8.58	3	Horizontal	306	1.71	-
5230MHz	Pass	PK	5.2256G	112.93	Inf	-Inf	3	Horizontal	306	1.71	-
5230MHz	Pass	PK	10.45984G	57.12	68.20	-11.08	3	Vertical	39	2.33	-
5230MHz	Pass	PK	10.47376G	56.81	68.20	-11.39	3	Horizontal	8	1.50	-
5270MHz	Pass	AV	5.2528G	103.80	Inf	-Inf	3	Vertical	52	1.67	-
5270MHz	Pass	AV	5.35G	50.77	54.00	-3.23	3	Vertical	52	1.67	-
5270MHz	Pass	PK	5.2616G	116.71	Inf	-Inf	3	Vertical	52	1.67	-
5270MHz	Pass	PK	5.352G	64.54	74.00	-9.46	3	Vertical	52	1.67	-
5270MHz	Pass	AV	5.2656G	102.34	Inf	-Inf	3	Horizontal	306	1.90	-
5270MHz	Pass	AV	5.35G	50.79	54.00	-3.21	3	Horizontal	306	1.90	-
5270MHz	Pass	PK	5.2608G	114.95	Inf	-Inf	3	Horizontal	306	1.90	-
5270MHz	Pass	PK	5.3516G	64.62	74.00	-9.38	3	Horizontal	306	1.90	-
5270MHz	Pass	PK	10.54008G	57.73	68.20	-10.47	3	Vertical	4	2.95	-
5270MHz	Pass	PK	10.53496G	57.04	68.20	-11.16	3	Horizontal	17	1.44	-
5310MHz	Pass	AV	5.302G	97.64	Inf	-Inf	3	Vertical	64	1.90	-
5310MHz	Pass	AV	5.35G	51.63	54.00	-2.37	3	Vertical	64	1.90	-
5310MHz	Pass	PK	5.3064G	111.27	Inf	-Inf	3	Vertical	64	1.90	-
5310MHz	Pass	PK	5.352G	65.74	74.00	-8.26	3	Vertical	64	1.90	-
5310MHz	Pass	AV	5.3072G	96.07	Inf	-Inf	3	Horizontal	301	1.50	-
5310MHz	Pass	AV	5.35G	50.79	54.00	-3.21	3	Horizontal	301	1.50	-
5310MHz	Pass	PK	5.3012G	108.12	Inf	-Inf	3	Horizontal	301	1.50	-
5310MHz	Pass	PK	5.3516G	65.80	74.00	-8.20	3	Horizontal	301	1.50	-
5310MHz	Pass	AV	10.62008G	45.99	54.00	-8.01	3	Vertical	3	1.50	-



RSE TX above 1GHz\_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	10.60784G	57.53	74.00	-16.47	3	Vertical	3	1.50	-
5310MHz	Pass	AV	10.61992G	45.07	54.00	-8.93	3	Horizontal	19	1.13	-
5310MHz	Pass	PK	10.62128G	57.02	74.00	-16.98	3	Horizontal	19	1.13	-
5510MHz	Pass	AV	5.4596G	50.81	54.00	-3.19	3	Vertical	335	1.50	-
5510MHz	Pass	AV	5.5008G	101.45	Inf	-Inf	3	Vertical	335	1.50	-
5510MHz	Pass	PK	5.4696G	66.69	68.20	-1.51	3	Vertical	335	1.50	-
5510MHz	Pass	PK	5.5124G	108.59	Inf	-Inf	3	Vertical	335	1.50	-
5510MHz	Pass	AV	5.46G	49.98	54.00	-4.02	3	Horizontal	309	1.50	-
5510MHz	Pass	AV	5.4976G	98.20	Inf	-Inf	3	Horizontal	309	1.50	-
5510MHz	Pass	PK	5.4692G	67.38	68.20	-0.82	3	Horizontal	309	1.50	-
5510MHz	Pass	PK	5.4924G	110.53	Inf	-Inf	3	Horizontal	309	1.50	-
5510MHz	Pass	AV	11.02008G	45.44	54.00	-8.56	3	Vertical	24	1.50	-
5510MHz	Pass	PK	11.01968G	57.24	74.00	-16.76	3	Vertical	24	1.50	-
5510MHz	Pass	AV	11.0124G	44.27	54.00	-9.73	3	Horizontal	357	1.50	-
5510MHz	Pass	PK	11.03248G	57.00	74.00	-17.00	3	Horizontal	357	1.50	-
5550MHz	Pass	AV	5.4592G	50.72	54.00	-3.28	3	Vertical	348	2.83	-
5550MHz	Pass	AV	5.552G	101.90	Inf	-Inf	3	Vertical	348	2.83	-
5550MHz	Pass	PK	5.4668G	65.17	68.20	-3.03	3	Vertical	348	2.83	-
5550MHz	Pass	PK	5.5428G	115.03	Inf	-Inf	3	Vertical	348	2.83	-
5550MHz	Pass	AV	5.46G	50.85	54.00	-3.15	3	Horizontal	309	1.76	-
5550MHz	Pass	AV	5.5368G	102.67	Inf	-Inf	3	Horizontal	309	1.76	-
5550MHz	Pass	PK	5.4692G	66.71	68.20	-1.49	3	Horizontal	309	1.76	-
5550MHz	Pass	PK	5.538G	114.46	Inf	-Inf	3	Horizontal	309	1.76	-
5550MHz	Pass	AV	11.1G	44.81	54.00	-9.19	3	Vertical	19	2.98	-
5550MHz	Pass	PK	11.10048G	57.30	74.00	-16.70	3	Vertical	19	2.98	-
5550MHz	Pass	AV	11.1G	44.31	54.00	-9.69	3	Horizontal	0	1.95	-
5550MHz	Pass	PK	11.11376G	57.14	74.00	-16.86	3	Horizontal	0	1.95	-
5670MHz	Pass	AV	5.6628G	101.49	Inf	-Inf	3	Vertical	25	1.46	-
5670MHz	Pass	PK	5.6754G	109.77	Inf	-Inf	3	Vertical	25	1.46	-
5670MHz	Pass	PK	5.7276G	66.77	68.20	-1.43	3	Vertical	25	1.46	-
5670MHz	Pass	AV	5.6622G	98.38	Inf	-Inf	3	Horizontal	305	1.90	-
5670MHz	Pass	PK	5.667G	110.65	Inf	-Inf	3	Horizontal	305	1.90	-
5670MHz	Pass	PK	5.7264G	65.19	68.20	-3.01	3	Horizontal	305	1.90	-
5670MHz	Pass	AV	11.33992G	44.92	54.00	-9.08	3	Vertical	0	1.72	-
5670MHz	Pass	PK	11.34632G	57.56	74.00	-16.44	3	Vertical	0	1.72	-
5670MHz	Pass	AV	11.3464G	44.19	54.00	-9.81	3	Horizontal	143	1.26	-
5670MHz	Pass	PK	11.32184G	57.19	74.00	-16.81	3	Horizontal	143	1.26	-
5755MHz	Pass	AV	5.749G	101.43	Inf	-Inf	3	Vertical	28	1.34	-
5755MHz	Pass	PK	5.617G	62.08	68.20	-6.12	3	Vertical	28	1.34	-
5755MHz	Pass	PK	5.7406G	112.29	Inf	-Inf	3	Vertical	28	1.34	-
5755MHz	Pass	PK	6.0238G	61.53	68.20	-6.67	3	Vertical	28	1.34	-
5755MHz	Pass	AV	5.7634G	99.63	Inf	-Inf	3	Horizontal	306	1.00	-
5755MHz	Pass	PK	5.5162G	61.56	68.20	-6.64	3	Horizontal	306	1.00	-
5755MHz	Pass	PK	5.7526G	110.34	Inf	-Inf	3	Horizontal	306	1.00	-
5755MHz	Pass	PK	5.9566G	61.64	68.20	-6.56	3	Horizontal	306	1.00	-
5755MHz	Pass	AV	11.50992G	44.82	54.00	-9.18	3	Vertical	51	1.48	-
5755MHz	Pass	PK	11.49688G	57.42	74.00	-16.58	3	Vertical	51	1.48	-
5755MHz	Pass	AV	11.49008G	45.84	54.00	-8.16	3	Horizontal	4	2.95	-
5755MHz	Pass	PK	11.52856G	57.93	74.00	-16.07	3	Horizontal	4	2.95	-
5795MHz	Pass	AV	5.7914G	101.26	Inf	-Inf	3	Vertical	24	1.50	-
5795MHz	Pass	PK	5.645G	61.64	68.20	-6.56	3	Vertical	24	1.50	-
5795MHz	Pass	PK	5.8058G	112.44	Inf	-Inf	3	Vertical	24	1.50	-
5795MHz	Pass	PK	6.041G	62.39	68.20	-5.81	3	Vertical	24	1.50	-
5795MHz	Pass	AV	5.7866G	101.18	Inf	-Inf	3	Horizontal	314	1.63	-
5795MHz	Pass	PK	5.4974G	61.85	68.20	-6.35	3	Horizontal	314	1.63	-
5795MHz	Pass	PK	5.801G	111.40	Inf	-Inf	3	Horizontal	314	1.63	-
5795MHz	Pass	PK	5.9318G	61.90	68.20	-6.30	3	Horizontal	314	1.63	-
5795MHz	Pass	AV	11.59008G	44.58	54.00	-9.42	3	Vertical	57	1.87	-
5795MHz	Pass	PK	11.58072G	56.96	74.00	-17.04	3	Vertical	57	1.87	-
5795MHz	Pass	AV	11.58432G	44.15	54.00	-9.85	3	Horizontal	170	1.50	-
5795MHz	Pass	PK	11.58224G	56.91	74.00	-17.09	3	Horizontal	170	1.50	-
802.11ac VHT80-BF_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz\_Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.149G	49.79	54.00	-4.21	3	Vertical	140	1.49	-
5210MHz	Pass	AV	5.178G	88.43	Inf	-Inf	3	Vertical	140	1.49	-
5210MHz	Pass	AV	5.367G	45.46	54.00	-8.54	3	Vertical	140	1.49	-
5210MHz	Pass	PK	5.137G	63.96	74.00	-10.04	3	Vertical	140	1.49	-
5210MHz	Pass	PK	5.202G	99.16	Inf	-Inf	3	Vertical	140	1.49	-
5210MHz	Pass	PK	5.367G	57.58	74.00	-16.42	3	Vertical	140	1.49	-
5210MHz	Pass	AV	5.146G	51.72	54.00	-2.28	3	Horizontal	141	1.04	-
5210MHz	Pass	AV	5.178G	88.43	Inf	-Inf	3	Horizontal	141	1.04	-
5210MHz	Pass	AV	5.387G	45.54	54.00	-8.46	3	Horizontal	141	1.04	-
5210MHz	Pass	PK	5.145G	65.47	74.00	-8.53	3	Horizontal	141	1.04	-
5210MHz	Pass	PK	5.194G	100.26	Inf	-Inf	3	Horizontal	141	1.04	-
5210MHz	Pass	PK	5.398G	58.35	74.00	-15.65	3	Horizontal	141	1.04	-
5210MHz	Pass	PK	10.42366G	55.28	68.20	-12.92	3	Vertical	18	1.81	-
5210MHz	Pass	PK	10.4149G	55.12	68.20	-13.08	3	Horizontal	285	2.87	-
5290MHz	Pass	AV	5.149G	46.34	54.00	-7.66	3	Vertical	314	1.01	-
5290MHz	Pass	AV	5.302G	90.25	Inf	-Inf	3	Vertical	314	1.01	-
5290MHz	Pass	AV	5.351G	53.42	54.00	-0.58	3	Vertical	314	1.01	-
5290MHz	Pass	PK	5.149G	58.83	74.00	-15.17	3	Vertical	314	1.01	-
5290MHz	Pass	PK	5.328G	101.28	Inf	-Inf	3	Vertical	314	1.01	-
5290MHz	Pass	PK	5.352G	70.61	74.00	-3.39	3	Vertical	314	1.01	-
5290MHz	Pass	AV	5.148G	45.58	54.00	-8.42	3	Horizontal	20	1.50	-
5290MHz	Pass	AV	5.322G	87.68	Inf	-Inf	3	Horizontal	20	1.50	-
5290MHz	Pass	AV	5.352G	52.45	54.00	-1.55	3	Horizontal	20	1.50	-
5290MHz	Pass	PK	5.134G	57.64	74.00	-16.36	3	Horizontal	20	1.50	-
5290MHz	Pass	PK	5.321G	99.58	Inf	-Inf	3	Horizontal	20	1.50	-
5290MHz	Pass	PK	5.357G	67.62	74.00	-6.38	3	Horizontal	20	1.50	-
5290MHz	Pass	PK	10.57484G	54.93	68.20	-13.27	3	Vertical	360	2.31	-
5290MHz	Pass	PK	10.5872G	55.93	68.20	-12.27	3	Horizontal	215	1.39	-
5530MHz	Pass	AV	5.453G	51.24	54.00	-2.76	3	Vertical	116	1.27	-
5530MHz	Pass	AV	5.498G	92.47	Inf	-Inf	3	Vertical	116	1.27	-
5530MHz	Pass	PK	5.462G	65.16	68.20	-3.04	3	Vertical	116	1.27	-
5530MHz	Pass	PK	5.494G	104.05	Inf	-Inf	3	Vertical	116	1.27	-
5530MHz	Pass	PK	5.736G	58.23	68.20	-9.97	3	Vertical	116	1.27	-
5530MHz	Pass	AV	5.456G	51.51	54.00	-2.49	3	Horizontal	26	1.12	-
5530MHz	Pass	AV	5.493G	91.24	Inf	-Inf	3	Horizontal	26	1.12	-
5530MHz	Pass	PK	5.468G	66.02	68.20	-2.18	3	Horizontal	26	1.12	-
5530MHz	Pass	PK	5.503G	101.94	Inf	-Inf	3	Horizontal	26	1.12	-
5530MHz	Pass	PK	5.779G	57.60	68.20	-10.60	3	Horizontal	26	1.12	-
5530MHz	Pass	AV	11.0232G	43.05	54.00	-10.95	3	Vertical	193	2.12	-
5530MHz	Pass	PK	11.05008G	56.10	74.00	-17.90	3	Vertical	193	2.12	-
5530MHz	Pass	AV	11.02736G	42.89	54.00	-11.11	3	Horizontal	271	2.06	-
5530MHz	Pass	PK	11.05504G	55.91	74.00	-18.09	3	Horizontal	271	2.06	-
5610MHz	Pass	AV	5.454G	49.46	54.00	-4.54	3	Vertical	330	1.00	-
5610MHz	Pass	AV	5.573G	100.76	Inf	-Inf	3	Vertical	330	1.00	-
5610MHz	Pass	PK	5.467G	62.18	68.20	-6.02	3	Vertical	330	1.00	-
5610MHz	Pass	PK	5.584G	111.16	Inf	-Inf	3	Vertical	330	1.00	-
5610MHz	Pass	PK	5.729G	64.68	68.20	-3.52	3	Vertical	330	1.00	-
5610MHz	Pass	AV	5.46G	47.10	54.00	-6.90	3	Horizontal	33	2.70	-
5610MHz	Pass	AV	5.583G	96.25	Inf	-Inf	3	Horizontal	33	2.70	-
5610MHz	Pass	PK	5.469G	59.90	68.20	-8.30	3	Horizontal	33	2.70	-
5610MHz	Pass	PK	5.578G	108.07	Inf	-Inf	3	Horizontal	33	2.70	-
5610MHz	Pass	PK	5.734G	62.02	68.20	-6.18	3	Horizontal	33	2.70	-
5610MHz	Pass	AV	11.18416G	42.76	54.00	-11.24	3	Vertical	38	1.95	-
5610MHz	Pass	PK	11.19072G	55.75	74.00	-18.25	3	Vertical	38	1.95	-
5610MHz	Pass	AV	11.18528G	42.60	54.00	-11.40	3	Horizontal	223	1.83	-
5610MHz	Pass	PK	11.20048G	55.42	74.00	-18.58	3	Horizontal	223	1.83	-
5775MHz	Pass	AV	5.739G	86.29	Inf	-Inf	3	Vertical	132	1.00	-
5775MHz	Pass	PK	5.6226G	58.65	68.20	-9.55	3	Vertical	132	1.00	-
5775MHz	Pass	PK	5.7402G	90.92	Inf	-Inf	3	Vertical	132	1.00	-
5775MHz	Pass	PK	6.0174G	58.42	68.20	-9.78	3	Vertical	132	1.00	-
5775MHz	Pass	AV	5.7426G	83.13	Inf	-Inf	3	Horizontal	120	1.24	-
5775MHz	Pass	PK	5.5266G	59.06	68.20	-9.14	3	Horizontal	120	1.24	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.7462G	89.82	Inf	-Inf	3	Horizontal	120	1.24	-
5775MHz	Pass	PK	6.0126G	58.68	68.20	-9.52	3	Horizontal	120	1.24	-
5775MHz	Pass	AV	11.53944G	43.08	54.00	-10.92	3	Vertical	181	2.32	-
5775MHz	Pass	PK	11.52888G	55.63	74.00	-18.37	3	Vertical	181	2.32	-
5775MHz	Pass	AV	11.52632G	43.04	54.00	-10.96	3	Horizontal	207	1.19	-
5775MHz	Pass	PK	11.52584G	56.03	74.00	-17.97	3	Horizontal	207	1.19	-



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.43	54.00	-1.57	10.80	3	Vertical	60	1.50	-	41.63	31.90	9.07	30.17
AV	5.1822G	102.59	Inf	-Inf	10.69	3	Vertical	60	1.50	-	91.90	31.77	9.08	30.16
PK	5.1494G	67.05	74.00	-6.95	10.80	3	Vertical	60	1.50	-	56.25	31.90	9.07	30.17
PK	5.181G	113.32	Inf	-Inf	10.70	3	Vertical	60	1.50	-	102.62	31.78	9.08	30.16

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

#### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	50.50	54.00	-3.50	10.80	3	Horizontal	297	1.00	-	39.70	31.90	9.07	30.17
AV	5.1822G	99.31	Inf	-Inf	10.69	3	Horizontal	297	1.00	-	88.62	31.77	9.08	30.16
PK	5.148G	66.09	74.00	-7.91	10.80	3	Horizontal	297	1.00	-	55.29	31.90	9.07	30.17
PK	5.1776G	111.28	Inf	-Inf	10.71	3	Horizontal	297	1.00	-	100.57	31.79	9.08	30.16



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35982G	58.00	68.20	-10.20	20.77	3	Vertical	351	1.28	-	37.23	39.34	12.36	30.93





802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36174G	56.52	68.20	-11.68	20.78	3	Horizontal	79	1.26	-	35.74	39.35	12.36	30.93

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.82	54.00	-3.18	10.80	3	Vertical	310	1.81	-	40.02	31.90	9.07	30.17
AV	5.1936G	106.72	Inf	-Inf	10.65	3	Vertical	310	1.81	-	96.07	31.73	9.08	30.16
PK	5.1468G	64.88	74.00	-9.12	10.80	3	Vertical	310	1.81	-	54.08	31.90	9.07	30.17
PK	5.1968G	116.69	Inf	-Inf	10.63	3	Vertical	310	1.81	-	106.06	31.71	9.08	30.16

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.96	54.00	-5.04	10.80	3	Horizontal	305	1.74	-	38.16	31.90	9.07	30.17
AV	5.198G	102.68	Inf	-Inf	10.63	3	Horizontal	305	1.74	-	92.05	31.71	9.08	30.16
PK	5.15G	61.97	74.00	-12.03	10.80	3	Horizontal	305	1.74	-	51.17	31.90	9.07	30.17
PK	5.2028G	113.15	Inf	-Inf	10.60	3	Horizontal	305	1.74	-	102.55	31.68	9.08	30.16



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39982G	56.90	68.20	-11.30	20.95	3	Vertical	38	1.33	-	35.95	39.50	12.38	30.93



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4G	56.47	68.20	-11.73	20.95	3	Horizontal	19	1.50	-	35.52	39.50	12.38	30.93

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.89	54.00	-5.11	10.80	3	Vertical	330	1.50	-	38.09	31.90	9.07	30.17
AV	5.2412G	102.44	Inf	-Inf	10.43	3	Vertical	330	1.50	-	92.01	31.45	9.13	30.15
AV	5.3648G	48.34	54.00	-5.66	10.55	3	Vertical	330	1.50	-	37.79	31.42	9.26	30.13
PK	5.1308G	60.59	74.00	-13.41	10.80	3	Vertical	330	1.50	-	49.79	31.90	9.07	30.17
PK	5.2382G	113.62	Inf	-Inf	10.44	3	Vertical	330	1.50	-	103.18	31.47	9.12	30.15
PK	5.3756G	59.94	74.00	-14.06	10.64	3	Vertical	330	1.50	-	49.30	31.50	9.27	30.13

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	48.49	54.00	-5.51	10.80	3	Horizontal	308	1.72	-	37.69	31.90	9.07	30.17
AV	5.2376G	102.45	Inf	-Inf	10.44	3	Horizontal	308	1.72	-	92.01	31.47	9.12	30.15
AV	5.3756G	48.41	54.00	-5.59	10.64	3	Horizontal	308	1.72	-	37.77	31.50	9.27	30.13
PK	5.1302G	60.31	74.00	-13.69	10.80	3	Horizontal	308	1.72	-	49.51	31.90	9.07	30.17
PK	5.243G	112.53	Inf	-Inf	10.42	3	Horizontal	308	1.72	-	102.11	31.44	9.13	30.15
PK	5.384G	60.22	74.00	-13.78	10.72	3	Horizontal	308	1.72	-	49.50	31.57	9.28	30.13



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48024G	58.20	68.20	-10.00	21.13	3	Vertical	1	2.37	-	37.07	39.66	12.41	30.94





802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48318G	56.71	68.20	-11.49	21.14	3	Horizontal	8	1.50	-	35.57	39.67	12.41	30.94

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	49.04	54.00	-4.96	10.80	3	Vertical	58	1.72	-	38.24	31.90	9.07	30.17
AV	5.2624G	105.29	Inf	-Inf	10.38	3	Vertical	58	1.72	-	94.91	31.38	9.15	30.15
AV	5.3644G	48.60	54.00	-5.40	10.55	3	Vertical	58	1.72	-	38.05	31.42	9.26	30.13
PK	5.1322G	60.45	74.00	-13.55	10.80	3	Vertical	58	1.72	-	49.65	31.90	9.07	30.17
PK	5.2624G	115.77	Inf	-Inf	10.38	3	Vertical	58	1.72	-	105.39	31.38	9.15	30.15
PK	5.3896G	61.33	74.00	-12.67	10.78	3	Vertical	58	1.72	-	50.55	31.62	9.29	30.13

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

#### 5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	48.49	54.00	-5.51	10.80	3	Horizontal	306	1.90	-	37.69	31.90	9.07	30.17
AV	5.2624G	103.07	Inf	-Inf	10.38	3	Horizontal	306	1.90	-	92.69	31.38	9.15	30.15
AV	5.3902G	48.56	54.00	-5.44	10.78	3	Horizontal	306	1.90	-	37.78	31.62	9.29	30.13
PK	5.15G	60.41	74.00	-13.59	10.80	3	Horizontal	306	1.90	-	49.61	31.90	9.07	30.17
PK	5.2618G	113.69	Inf	-Inf	10.38	3	Horizontal	306	1.90	-	103.31	31.38	9.15	30.15
PK	5.3686G	60.44	74.00	-13.56	10.59	3	Horizontal	306	1.90	-	49.85	31.45	9.27	30.13



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52G	57.22	68.20	-10.98	21.18	3	Vertical	0	2.96	-	36.04	39.70	12.43	30.95



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51334G	57.13	68.20	-11.07	21.19	3	Horizontal	7	2.58	-	35.94	39.70	12.43	30.94

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	105.54	Inf	-Inf	10.35	3	Vertical	55	1.64	-	95.19	31.30	9.19	30.14
AV	5.35G	49.54	54.00	-4.46	10.42	3	Vertical	55	1.64	-	39.12	31.30	9.25	30.13
PK	5.3024G	115.72	Inf	-Inf	10.35	3	Vertical	55	1.64	-	105.37	31.30	9.19	30.14
PK	5.3504G	62.33	74.00	-11.67	10.42	3	Vertical	55	1.64	-	51.91	31.30	9.25	30.13

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	103.90	Inf	-Inf	10.35	3	Horizontal	304	1.79	-	93.55	31.30	9.19	30.14
AV	5.3504G	48.80	54.00	-5.20	10.42	3	Horizontal	304	1.79	-	38.38	31.30	9.25	30.13
PK	5.3012G	114.20	Inf	-Inf	10.35	3	Horizontal	304	1.79	-	103.85	31.30	9.19	30.14
PK	5.35G	62.47	74.00	-11.53	10.42	3	Horizontal	304	1.79	-	52.05	31.30	9.25	30.13



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60006G	46.88	54.00	-7.12	21.19	3	Vertical	7	2.93	-	25.69	39.70	12.46	30.97
PK	10.6G	57.58	68.20	-10.62	21.19	3	Vertical	7	2.93	-	36.39	39.70	12.46	30.97





802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60012G	44.34	54.00	-9.66	21.19	3	Horizontal	331	1.49	-	23.15	39.70	12.46	30.97
PK	10.60702G	56.46	74.00	-17.54	21.19	3	Horizontal	331	1.49	-	35.27	39.70	12.46	30.97

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	103.10	Inf	-Inf	10.37	3	Vertical	55	1.62	-	92.73	31.30	9.21	30.14
AV	5.3504G	52.41	54.00	-1.59	10.42	3	Vertical	55	1.62	-	41.99	31.30	9.25	30.13
PK	5.3188G	115.02	Inf	-Inf	10.37	3	Vertical	55	1.62	-	104.65	31.30	9.21	30.14
PK	5.3506G	70.46	74.00	-3.54	10.42	3	Vertical	55	1.62	-	60.04	31.30	9.25	30.13

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3224G	101.60	Inf	-Inf	10.37	3	Horizontal	307	1.74	-	91.23	31.30	9.21	30.14
AV	5.3504G	51.82	54.00	-2.18	10.42	3	Horizontal	307	1.74	-	41.40	31.30	9.25	30.13
PK	5.3246G	112.28	Inf	-Inf	10.38	3	Horizontal	307	1.74	-	101.90	31.30	9.22	30.14
PK	5.3502G	68.13	74.00	-5.87	10.42	3	Horizontal	307	1.74	-	57.71	31.30	9.25	30.13



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64012G	46.52	54.00	-7.48	21.20	3	Vertical	6	1.37	-	25.32	39.70	12.48	30.98
PK	10.64018G	57.30	74.00	-16.70	21.20	3	Vertical	6	1.37	-	36.10	39.70	12.48	30.98



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64006G	44.53	54.00	-9.47	21.20	3	Horizontal	45	1.50	-	23.33	39.70	12.48	30.98
PK	10.63958G	57.12	74.00	-16.88	21.20	3	Horizontal	45	1.50	-	35.92	39.70	12.48	30.98



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.64	54.00	-4.36	10.95	3	Vertical	336	1.54	-	38.69	31.72	9.35	30.12
AV	5.498G	101.19	Inf	-Inf	11.07	3	Vertical	336	1.54	-	90.12	31.80	9.38	30.11
PK	5.47G	67.82	68.20	-0.38	10.99	3	Vertical	336	1.54	-	56.83	31.74	9.36	30.11
PK	5.5024G	113.10	Inf	-Inf	11.07	3	Vertical	336	1.54	-	102.03	31.80	9.38	30.11

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

### 5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.00	54.00	-5.00	10.95	3	Horizontal	312	1.68	-	38.05	31.72	9.35	30.12
AV	5.5022G	100.51	Inf	-Inf	11.07	3	Horizontal	312	1.68	-	89.44	31.80	9.38	30.11
PK	5.47G	67.80	68.20	-0.40	10.99	3	Horizontal	312	1.68	-	56.81	31.74	9.36	30.11
PK	5.5024G	111.01	Inf	-Inf	11.07	3	Horizontal	312	1.68	-	99.94	31.80	9.38	30.11



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00012G	46.59	54.00	-7.41	21.85	3	Vertical	19	1.23	-	24.74	40.30	12.63	31.08
PK	10.99994G	58.07	74.00	-15.93	21.85	3	Vertical	19	1.23	-	36.22	40.30	12.63	31.08





802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99982G	44.63	54.00	-9.37	21.85	3	Horizontal	347	1.49	-	22.78	40.30	12.63	31.08
PK	10.99022G	57.02	74.00	-16.98	21.83	3	Horizontal	347	1.49	-	35.19	40.28	12.63	31.08

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4414G	48.73	54.00	-5.27	10.91	3	Vertical	308	1.50	-	37.82	31.70	9.33	30.12
AV	5.577G	103.72	Inf	-Inf	11.05	3	Vertical	308	1.50	-	92.67	31.75	9.44	30.14
PK	5.4666G	60.32	68.20	-7.88	10.96	3	Vertical	308	1.50	-	49.36	31.73	9.35	30.12
PK	5.583G	114.56	Inf	-Inf	11.04	3	Vertical	308	1.50	-	103.52	31.73	9.45	30.14
PK	5.727G	60.34	68.20	-7.86	11.25	3	Vertical	308	1.50	-	49.09	31.95	9.50	30.20

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.71	54.00	-5.29	10.95	3	Horizontal	306	1.83	-	37.76	31.72	9.35	30.12
AV	5.5824G	104.11	Inf	-Inf	11.05	3	Horizontal	306	1.83	-	93.06	31.74	9.45	30.14
PK	5.469G	61.58	68.20	-6.62	10.99	3	Horizontal	306	1.83	-	50.59	31.74	9.36	30.11
PK	5.5728G	114.24	Inf	-Inf	11.05	3	Horizontal	306	1.83	-	103.19	31.75	9.44	30.14
PK	5.7282G	60.49	68.20	-7.71	11.26	3	Horizontal	306	1.83	-	49.23	31.96	9.50	30.20



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16006G	45.28	54.00	-8.72	21.32	3	Vertical	356	2.05	-	23.96	39.66	12.70	31.04
PK	11.16G	58.56	74.00	-15.44	21.32	3	Vertical	356	2.05	-	37.24	39.66	12.70	31.04



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17398G	43.82	54.00	-10.18	21.27	3	Horizontal	86	2.26	-	22.55	39.60	12.70	31.03
PK	11.17434G	56.86	74.00	-17.14	21.27	3	Horizontal	86	2.26	-	35.59	39.60	12.70	31.03

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	101.11	Inf	-Inf	11.19	3	Vertical	26	1.43	-	89.92	31.89	9.49	30.19
PK	5.7012G	112.45	Inf	-Inf	11.20	3	Vertical	26	1.43	-	101.25	31.90	9.49	30.19
PK	5.7256G	66.76	68.20	-1.44	11.25	3	Vertical	26	1.43	-	55.51	31.95	9.50	30.20

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	99.04	Inf	-Inf	11.20	3	Horizontal	309	1.85	-	87.84	31.90	9.49	30.19
PK	5.6988G	110.60	Inf	-Inf	11.19	3	Horizontal	309	1.85	-	99.41	31.89	9.49	30.19
PK	5.7252G	65.45	68.20	-2.75	11.25	3	Horizontal	309	1.85	-	54.20	31.95	9.50	30.20



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39988G	44.51	54.00	-9.49	21.72	3	Vertical	0	1.72	-	22.79	39.90	12.80	30.98
PK	11.40024G	57.24	74.00	-16.76	21.72	3	Vertical	0	1.72	-	35.52	39.90	12.80	30.98





802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39154G	43.92	54.00	-10.08	21.68	3	Horizontal	98	1.50	-	22.24	39.87	12.79	30.98
PK	11.38656G	57.00	74.00	-17.00	21.67	3	Horizontal	98	1.50	-	35.33	39.86	12.79	30.98



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	103.60	Inf	-Inf	11.28	3	Vertical	25	1.50	-	92.32	31.99	9.50	30.21
PK	5.5926G	61.54	68.20	-6.66	11.01	3	Vertical	25	1.50	-	50.53	31.71	9.45	30.15
PK	5.7486G	114.82	Inf	-Inf	11.29	3	Vertical	25	1.50	-	103.53	32.00	9.50	30.21
PK	5.9442G	61.97	68.20	-6.23	11.85	3	Vertical	25	1.50	-	50.12	32.50	9.64	30.29

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

#### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	103.59	Inf	-Inf	11.28	3	Horizontal	316	1.68	-	92.31	31.99	9.50	30.21
PK	5.4654G	62.36	68.20	-5.84	10.96	3	Horizontal	316	1.68	-	51.40	31.73	9.35	30.12
PK	5.7426G	114.59	Inf	-Inf	11.28	3	Horizontal	316	1.68	-	103.31	31.99	9.50	30.21
PK	5.9322G	61.71	68.20	-6.49	11.85	3	Horizontal	316	1.68	-	49.86	32.50	9.63	30.28



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48988G	44.87	54.00	-9.13	21.97	3	Vertical	56	1.50	-	22.90	40.08	12.84	30.95
PK	11.47806G	57.30	74.00	-16.70	21.93	3	Vertical	56	1.50	-	35.37	40.06	12.83	30.96



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49006G	44.80	54.00	-9.20	21.97	3	Horizontal	50	3.00	-	22.83	40.08	12.84	30.95
PK	11.48328G	57.14	74.00	-16.86	21.95	3	Horizontal	50	3.00	-	35.19	40.07	12.83	30.95

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	104.18	Inf	-Inf	11.37	3	Vertical	298	1.69	-	92.81	32.08	9.52	30.23
PK	5.5378G	60.97	68.20	-7.23	11.08	3	Vertical	298	1.69	-	49.89	31.80	9.41	30.13
PK	5.791G	115.03	Inf	-Inf	11.37	3	Vertical	298	1.69	-	103.66	32.08	9.52	30.23
PK	6.0382G	61.23	68.20	-6.97	11.88	3	Vertical	298	1.69	-	49.35	32.50	9.71	30.33

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

#### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	103.76	Inf	-Inf	11.36	3	Horizontal	316	1.65	-	92.40	32.07	9.51	30.22
PK	5.4934G	60.68	68.20	-7.52	11.05	3	Horizontal	316	1.65	-	49.63	31.79	9.37	30.11
PK	5.7874G	113.98	Inf	-Inf	11.37	3	Horizontal	316	1.65	-	102.61	32.07	9.52	30.22
PK	6.0142G	61.11	68.20	-7.09	11.87	3	Horizontal	316	1.65	-	49.24	32.50	9.69	30.32



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	44.15	54.00	-9.85	21.81	3	Vertical	57	1.11	-	22.34	39.89	12.87	30.95
PK	11.57996G	56.25	74.00	-17.75	21.78	3	Vertical	57	1.11	-	34.47	39.86	12.87	30.95





802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	44.28	54.00	-9.72	21.81	3	Horizontal	55	1.17	-	22.47	39.89	12.87	30.95
PK	11.58494G	56.65	74.00	-17.35	21.78	3	Horizontal	55	1.17	-	34.87	39.85	12.88	30.95



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	103.66	Inf	-Inf	11.51	3	Vertical	20	1.48	-	92.15	32.21	9.54	30.24
PK	5.5274G	60.53	68.20	-7.67	11.08	3	Vertical	20	1.48	-	49.45	31.80	9.40	30.12
PK	5.8286G	113.47	Inf	-Inf	11.51	3	Vertical	20	1.48	-	101.96	32.21	9.54	30.24
PK	6.1046G	61.57	68.20	-6.63	11.81	3	Vertical	20	1.48	-	49.76	32.42	9.76	30.37



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	103.92	Inf	-Inf	11.49	3	Horizontal	318	1.68	-	92.43	32.19	9.54	30.24
PK	5.6294G	60.91	68.20	-7.29	10.95	3	Horizontal	318	1.68	-	49.96	31.64	9.47	30.16
PK	5.8202G	113.48	Inf	-Inf	11.48	3	Horizontal	318	1.68	-	102.00	32.18	9.54	30.24
PK	6.1118G	61.11	68.20	-7.09	11.85	3	Horizontal	318	1.68	-	49.26	32.45	9.77	30.37



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65008G	44.13	54.00	-9.87	21.45	3	Vertical	39	1.59	-	22.68	39.50	12.90	30.95
PK	11.64312G	56.61	74.00	-17.39	21.49	3	Vertical	39	1.59	-	35.12	39.54	12.90	30.95



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65004G	43.95	54.00	-10.05	21.45	3	Horizontal	15	2.52	-	22.50	39.50	12.90	30.95
PK	11.65G	57.28	74.00	-16.72	21.45	3	Horizontal	15	2.52	-	35.83	39.50	12.90	30.95

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.91	54.00	-2.09	10.80	3	Vertical	304	2.30	-	41.11	31.90	9.07	30.17
AV	5.1976G	101.28	Inf	-Inf	10.63	3	Vertical	304	2.30	-	90.65	31.71	9.08	30.16
PK	5.1484G	67.09	74.00	-6.91	10.80	3	Vertical	304	2.30	-	56.29	31.90	9.07	30.17
PK	5.1928G	112.56	Inf	-Inf	10.65	3	Vertical	304	2.30	-	101.91	31.73	9.08	30.16

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

#### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.82	54.00	-4.18	10.80	3	Horizontal	306	1.00	-	39.02	31.90	9.07	30.17
AV	5.2056G	95.94	Inf	-Inf	10.60	3	Horizontal	306	1.00	-	85.34	31.67	9.09	30.16
PK	5.1452G	65.00	74.00	-9.00	10.80	3	Horizontal	306	1.00	-	54.20	31.90	9.07	30.17
PK	5.2012G	105.56	Inf	-Inf	10.61	3	Horizontal	306	1.00	-	94.95	31.69	9.08	30.16



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.387366	57.16	68.20	-11.04	20.89	3	Vertical	22	1.50	-	36.27	39.45	12.37	30.93





802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36016G	56.86	68.20	-11.34	20.77	3	Horizontal	335	2.27	-	36.09	39.34	12.36	30.93

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.52	54.00	-0.48	10.80	3	Vertical	310	1.82	-	42.72	31.90	9.07	30.17
AV	5.2176G	104.97	Inf	-Inf	10.53	3	Vertical	310	1.82	-	94.44	31.59	9.10	30.16
PK	5.1472G	68.49	74.00	-5.51	10.80	3	Vertical	310	1.82	-	57.69	31.90	9.07	30.17
PK	5.2176G	113.16	Inf	-Inf	10.53	3	Vertical	310	1.82	-	102.63	31.59	9.10	30.16

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

#### 5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.36	54.00	-3.64	10.80	3	Horizontal	306	1.71	-	39.56	31.90	9.07	30.17
AV	5.2124G	100.87	Inf	-Inf	10.56	3	Horizontal	306	1.71	-	90.31	31.63	9.09	30.16
PK	5.1464G	65.42	74.00	-8.58	10.80	3	Horizontal	306	1.71	-	54.62	31.90	9.07	30.17
PK	5.2256G	112.93	Inf	-Inf	10.51	3	Horizontal	306	1.71	-	102.42	31.55	9.11	30.15



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45984G	57.12	68.20	-11.08	21.08	3	Vertical	39	2.33	-	36.04	39.62	12.40	30.94



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.473766	56.81	68.20	-11.39	21.12	3	Horizontal	8	1.50	-	35.69	39.65	12.41	30.94

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2528G	103.80	Inf	-Inf	10.38	3	Vertical	52	1.67	-	93.42	31.39	9.14	30.15
AV	5.35G	50.77	54.00	-3.23	10.42	3	Vertical	52	1.67	-	40.35	31.30	9.25	30.13
PK	5.2616G	116.71	Inf	-Inf	10.38	3	Vertical	52	1.67	-	106.33	31.38	9.15	30.15
PK	5.352G	64.54	74.00	-9.46	10.44	3	Vertical	52	1.67	-	54.10	31.32	9.25	30.13



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2656G	102.34	Inf	-Inf	10.37	3	Horizontal	306	1.90	-	91.97	31.37	9.15	30.15
AV	5.35G	50.79	54.00	-3.21	10.42	3	Horizontal	306	1.90	-	40.37	31.30	9.25	30.13
PK	5.2608G	114.95	Inf	-Inf	10.38	3	Horizontal	306	1.90	-	104.57	31.38	9.15	30.15
PK	5.3516G	64.62	74.00	-9.38	10.43	3	Horizontal	306	1.90	-	54.19	31.31	9.25	30.13



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54008G	57.73	68.20	-10.47	21.19	3	Vertical	4	2.95	-	36.54	39.70	12.44	30.95





802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53496G	57.04	68.20	-11.16	21.18	3	Horizontal	17	1.44	-	35.86	39.70	12.43	30.95



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	97.64	Inf	-Inf	10.35	3	Vertical	64	1.90	-	87.29	31.30	9.19	30.14
AV	5.35G	51.63	54.00	-2.37	10.42	3	Vertical	64	1.90	-	41.21	31.30	9.25	30.13
PK	5.3064G	111.27	Inf	-Inf	10.36	3	Vertical	64	1.90	-	100.91	31.30	9.20	30.14
PK	5.352G	65.74	74.00	-8.26	10.44	3	Vertical	64	1.90	-	55.30	31.32	9.25	30.13

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3072G	96.07	Inf	-Inf	10.36	3	Horizontal	301	1.50	-	85.71	31.30	9.20	30.14
AV	5.35G	50.79	54.00	-3.21	10.42	3	Horizontal	301	1.50	-	40.37	31.30	9.25	30.13
PK	5.3012G	108.12	Inf	-Inf	10.35	3	Horizontal	301	1.50	-	97.77	31.30	9.19	30.14
PK	5.3516G	65.80	74.00	-8.20	10.43	3	Horizontal	301	1.50	-	55.37	31.31	9.25	30.13



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62008G	45.99	54.00	-8.01	21.20	3	Vertical	3	1.50	-	24.79	39.70	12.47	30.97
PK	10.60784G	57.53	74.00	-16.47	21.20	3	Vertical	3	1.50	-	36.33	39.70	12.47	30.97



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61992G	45.07	54.00	-8.93	21.20	3	Horizontal	19	1.13	-	23.87	39.70	12.47	30.97
PK	10.62128G	57.02	74.00	-16.98	21.20	3	Horizontal	19	1.13	-	35.82	39.70	12.47	30.97



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.81	54.00	-3.19	10.95	3	Vertical	335	1.50	-	39.86	31.72	9.35	30.12
AV	5.5008G	101.45	Inf	-Inf	11.07	3	Vertical	335	1.50	-	90.38	31.80	9.38	30.11
PK	5.4696G	66.69	68.20	-1.51	10.99	3	Vertical	335	1.50	-	55.70	31.74	9.36	30.11
PK	5.5124G	108.59	Inf	-Inf	11.08	3	Vertical	335	1.50	-	97.51	31.80	9.39	30.11

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.98	54.00	-4.02	10.95	3	Horizontal	309	1.50	-	39.03	31.72	9.35	30.12
AV	5.4976G	98.20	Inf	-Inf	11.07	3	Horizontal	309	1.50	-	87.13	31.80	9.38	30.11
PK	5.4692G	67.38	68.20	-0.82	10.99	3	Horizontal	309	1.50	-	56.39	31.74	9.36	30.11
PK	5.4924G	110.53	Inf	-Inf	11.04	3	Horizontal	309	1.50	-	99.49	31.78	9.37	30.11



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02008G	45.44	54.00	-8.56	21.79	3	Vertical	24	1.50	-	23.65	40.22	12.64	31.07
PK	11.01968G	57.24	74.00	-16.76	21.79	3	Vertical	24	1.50	-	35.45	40.22	12.64	31.07





802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0124G	44.27	54.00	-9.73	21.81	3	Horizontal	357	1.50	-	22.46	40.25	12.64	31.08
PK	11.03248G	57.00	74.00	-17.00	21.74	3	Horizontal	357	1.50	-	35.26	40.17	12.64	31.07

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.72	54.00	-3.28	10.95	3	Vertical	348	2.83	-	39.77	31.72	9.35	30.12
AV	5.552G	101.90	Inf	-Inf	11.09	3	Vertical	348	2.83	-	90.81	31.80	9.42	30.13
PK	5.4668G	65.17	68.20	-3.03	10.96	3	Vertical	348	2.83	-	54.21	31.73	9.35	30.12
PK	5.5428G	115.03	Inf	-Inf	11.08	3	Vertical	348	2.83	-	103.95	31.80	9.41	30.13



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.85	54.00	-3.15	10.95	3	Horizontal	309	1.76	-	39.90	31.72	9.35	30.12
AV	5.5368G	102.67	Inf	-Inf	11.09	3	Horizontal	309	1.76	-	91.58	31.80	9.41	30.12
PK	5.4692G	66.71	68.20	-1.49	10.99	3	Horizontal	309	1.76	-	55.72	31.74	9.36	30.11
PK	5.538G	114.46	Inf	-Inf	11.08	3	Horizontal	309	1.76	-	103.38	31.80	9.41	30.13



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	44.81	54.00	-9.19	21.52	3	Vertical	19	2.98	-	23.29	39.90	12.67	31.05
PK	11.10048G	57.30	74.00	-16.70	21.52	3	Vertical	19	2.98	-	35.78	39.90	12.67	31.05



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	44.31	54.00	-9.69	21.52	3	Horizontal	0	1.95	-	22.79	39.90	12.67	31.05
PK	11.11376G	57.14	74.00	-16.86	21.47	3	Horizontal	0	1.95	-	35.67	39.84	12.68	31.05

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6628G	101.49	Inf	-Inf	10.98	3	Vertical	25	1.46	-	90.51	31.68	9.48	30.18
PK	5.6754G	109.77	Inf	-Inf	11.05	3	Vertical	25	1.46	-	98.72	31.75	9.48	30.18
PK	5.7276G	66.77	68.20	-1.43	11.26	3	Vertical	25	1.46	-	55.51	31.96	9.50	30.20

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6622G	98.38	Inf	-Inf	10.98	3	Horizontal	305	1.90	-	87.40	31.67	9.48	30.17
PK	5.667G	110.65	Inf	-Inf	11.00	3	Horizontal	305	1.90	-	99.65	31.70	9.48	30.18
PK	5.7264G	65.19	68.20	-3.01	11.25	3	Horizontal	305	1.90	-	53.94	31.95	9.50	30.20



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33992G	44.92	54.00	-9.08	21.50	3	Vertical	0	1.72	-	23.42	39.72	12.77	30.99
PK	11.34632G	57.56	74.00	-16.44	21.53	3	Vertical	0	1.72	-	36.03	39.74	12.78	30.99





802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3464G	44.19	54.00	-9.81	21.53	3	Horizontal	143	1.26	-	22.66	39.74	12.78	30.99
PK	11.32184G	57.19	74.00	-16.81	21.44	3	Horizontal	143	1.26	-	35.75	39.67	12.77	31.00



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	101.43	Inf	-Inf	11.29	3	Vertical	28	1.34	-	90.14	32.00	9.50	30.21
PK	5.617G	62.08	68.20	-6.12	10.98	3	Vertical	28	1.34	-	51.10	31.67	9.47	30.16
PK	5.7406G	112.29	Inf	-Inf	11.27	3	Vertical	28	1.34	-	101.02	31.98	9.50	30.21
PK	6.0238G	61.53	68.20	-6.67	11.88	3	Vertical	28	1.34	-	49.65	32.50	9.70	30.32

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7634G	99.63	Inf	-Inf	11.32	3	Horizontal	306	1.00	-	88.31	32.03	9.51	30.22
PK	5.5162G	61.56	68.20	-6.64	11.07	3	Horizontal	306	1.00	-	50.49	31.80	9.39	30.12
PK	5.7526G	110.34	Inf	-Inf	11.31	3	Horizontal	306	1.00	-	99.03	32.01	9.51	30.21
PK	5.9566G	61.64	68.20	-6.56	11.86	3	Horizontal	306	1.00	-	49.78	32.50	9.65	30.29



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50992G	44.82	54.00	-9.18	21.96	3	Vertical	51	1.48	-	22.86	40.07	12.84	30.95
PK	11.49688G	57.42	74.00	-16.58	21.98	3	Vertical	51	1.48	-	35.44	40.09	12.84	30.95



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49008G	45.84	54.00	-8.16	21.97	3	Horizontal	4	2.95	-	23.87	40.08	12.84	30.95
PK	11.52856G	57.93	74.00	-16.07	21.91	3	Horizontal	4	2.95	-	36.02	40.01	12.85	30.95



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	101.26	Inf	-Inf	11.37	3	Vertical	24	1.50	-	89.89	32.08	9.52	30.23
PK	5.645G	61.64	68.20	-6.56	10.91	3	Vertical	24	1.50	-	50.73	31.61	9.47	30.17
PK	5.8058G	112.44	Inf	-Inf	11.41	3	Vertical	24	1.50	-	101.03	32.12	9.52	30.23
PK	6.041G	62.39	68.20	-5.81	11.88	3	Vertical	24	1.50	-	50.51	32.50	9.71	30.33

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

#### 5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	101.18	Inf	-Inf	11.37	3	Horizontal	314	1.63	-	89.81	32.07	9.52	30.22
PK	5.4974G	61.85	68.20	-6.35	11.06	3	Horizontal	314	1.63	-	50.79	31.79	9.38	30.11
PK	5.801G	111.40	Inf	-Inf	11.39	3	Horizontal	314	1.63	-	100.01	32.10	9.52	30.23
PK	5.9318G	61.90	68.20	-6.30	11.85	3	Horizontal	314	1.63	-	50.05	32.50	9.63	30.28



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59008G	44.58	54.00	-9.42	21.76	3	Vertical	57	1.87	-	22.82	39.83	12.88	30.95
PK	11.58072G	56.96	74.00	-17.04	21.78	3	Vertical	57	1.87	-	35.18	39.86	12.87	30.95





802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58432G	44.15	54.00	-9.85	21.78	3	Horizontal	170	1.50	-	22.37	39.85	12.88	30.95
PK	11.58224G	56.91	74.00	-17.09	21.77	3	Horizontal	170	1.50	-	35.14	39.85	12.87	30.95



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.79	54.00	-4.21	6.84	3	Vertical	140	1.49	-	42.95	31.90	9.07	34.13
AV	5.178G	88.43	Inf	-Inf	6.74	3	Vertical	140	1.49	-	81.69	31.79	9.08	34.13
AV	5.367G	45.46	54.00	-8.54	6.53	3	Vertical	140	1.49	-	38.93	31.44	9.26	34.17
PK	5.137G	63.96	74.00	-10.04	6.85	3	Vertical	140	1.49	-	57.11	31.90	9.07	34.12
PK	5.202G	99.16	Inf	-Inf	6.63	3	Vertical	140	1.49	-	92.53	31.69	9.08	34.14
PK	5.367G	57.58	74.00	-16.42	6.53	3	Vertical	140	1.49	-	51.05	31.44	9.26	34.17

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

#### 5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	51.72	54.00	-2.28	6.84	3	Horizontal	141	1.04	-	44.88	31.90	9.07	34.13
AV	5.178G	88.43	Inf	-Inf	6.74	3	Horizontal	141	1.04	-	81.69	31.79	9.08	34.13
AV	5.387G	45.54	54.00	-8.46	6.72	3	Horizontal	141	1.04	-	38.82	31.60	9.29	34.17
PK	5.145G	65.47	74.00	-8.53	6.84	3	Horizontal	141	1.04	-	58.63	31.90	9.07	34.13
PK	5.194G	100.26	Inf	-Inf	6.67	3	Horizontal	141	1.04	-	93.59	31.72	9.08	34.13
PK	5.398G	58.35	74.00	-15.65	6.81	3	Horizontal	141	1.04	-	51.54	31.68	9.30	34.17



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.423666G	55.28	68.20	-12.92	17.40	3	Vertical	18	1.81	-	37.88	39.55	12.39	34.54



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4149G	55.12	68.20	-13.08	17.36	3	Horizontal	285	2.87	-	37.76	39.53	12.38	34.55



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

### 5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.34	54.00	-7.66	6.84	3	Vertical	314	1.01	-	39.50	31.90	9.07	34.13
AV	5.302G	90.25	Inf	-Inf	6.34	3	Vertical	314	1.01	-	83.91	31.30	9.19	34.15
AV	5.351G	53.42	54.00	-0.58	6.40	3	Vertical	314	1.01	-	47.02	31.31	9.25	34.16
PK	5.149G	58.83	74.00	-15.17	6.84	3	Vertical	314	1.01	-	51.99	31.90	9.07	34.13
PK	5.328G	101.28	Inf	-Inf	6.36	3	Vertical	314	1.01	-	94.92	31.30	9.22	34.16
PK	5.352G	70.61	74.00	-3.39	6.41	3	Vertical	314	1.01	-	64.20	31.32	9.25	34.16



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	45.58	54.00	-8.42	6.84	3	Horizontal	20	1.50	-	38.74	31.90	9.07	34.13
AV	5.322G	87.68	Inf	-Inf	6.35	3	Horizontal	20	1.50	-	81.33	31.30	9.21	34.16
AV	5.352G	52.45	54.00	-1.55	6.41	3	Horizontal	20	1.50	-	46.04	31.32	9.25	34.16
PK	5.134G	57.64	74.00	-16.36	6.85	3	Horizontal	20	1.50	-	50.79	31.90	9.07	34.12
PK	5.321G	99.58	Inf	-Inf	6.35	3	Horizontal	20	1.50	-	93.23	31.30	9.21	34.16
PK	5.357G	67.62	74.00	-6.38	6.45	3	Horizontal	20	1.50	-	61.17	31.36	9.25	34.16



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57484G	54.93	68.20	-13.27	17.73	3	Vertical	360	2.31	-	37.20	39.70	12.45	34.42





802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5872G	55.93	68.20	-12.27	17.75	3	Horizontal	215	1.39	-	38.18	39.70	12.46	34.41



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	51.24	54.00	-2.76	6.87	3	Vertical	116	1.27	-	44.37	31.71	9.34	34.18
AV	5.498G	92.47	Inf	-Inf	6.99	3	Vertical	116	1.27	-	85.48	31.80	9.38	34.19
PK	5.462G	65.16	68.20	-3.04	6.89	3	Vertical	116	1.27	-	58.27	31.72	9.35	34.18
PK	5.494G	104.05	Inf	-Inf	6.98	3	Vertical	116	1.27	-	97.07	31.79	9.38	34.19
PK	5.736G	58.23	68.20	-9.97	7.27	3	Vertical	116	1.27	-	50.96	31.97	9.50	34.20

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	51.51	54.00	-2.49	6.87	3	Horizontal	26	1.12	-	44.64	31.71	9.34	34.18
AV	5.493G	91.24	Inf	-Inf	6.97	3	Horizontal	26	1.12	-	84.27	31.79	9.37	34.19
PK	5.468G	66.02	68.20	-2.18	6.91	3	Horizontal	26	1.12	-	59.11	31.74	9.35	34.18
PK	5.503G	101.94	Inf	-Inf	6.99	3	Horizontal	26	1.12	-	94.95	31.80	9.38	34.19
PK	5.779G	57.60	68.20	-10.60	7.36	3	Horizontal	26	1.12	-	50.24	32.06	9.51	34.21

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0232G	43.05	54.00	-10.95	18.81	3	Vertical	193	2.12	-	24.24	40.21	12.64	34.04
PK	11.05008G	56.10	74.00	-17.90	18.71	3	Vertical	193	2.12	-	37.39	40.10	12.65	34.04

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02736G	42.89	54.00	-11.11	18.79	3	Horizontal	271	2.06	-	24.10	40.19	12.64	34.04
PK	11.05504G	55.91	74.00	-18.09	18.69	3	Horizontal	271	2.06	-	37.22	40.08	12.65	34.04



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	49.46	54.00	-4.54	6.87	3	Vertical	330	1.00	-	42.59	31.71	9.34	34.18
AV	5.573G	100.76	Inf	-Inf	7.00	3	Vertical	330	1.00	-	93.76	31.75	9.44	34.19
PK	5.467G	62.18	68.20	-6.02	6.90	3	Vertical	330	1.00	-	55.28	31.73	9.35	34.18
PK	5.584G	111.16	Inf	-Inf	6.98	3	Vertical	330	1.00	-	104.18	31.73	9.45	34.20
PK	5.729G	64.68	68.20	-3.52	7.26	3	Vertical	330	1.00	-	57.42	31.96	9.50	34.20



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.10	54.00	-6.90	6.89	3	Horizontal	33	2.70	-	40.21	31.72	9.35	34.18
AV	5.583G	96.25	Inf	-Inf	6.99	3	Horizontal	33	2.70	-	89.26	31.73	9.45	34.19
PK	5.469G	59.90	68.20	-8.30	6.92	3	Horizontal	33	2.70	-	52.98	31.74	9.36	34.18
PK	5.578G	108.07	Inf	-Inf	6.99	3	Horizontal	33	2.70	-	101.08	31.74	9.44	34.19
PK	5.734G	62.02	68.20	-6.18	7.27	3	Horizontal	33	2.70	-	54.75	31.97	9.50	34.20

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18416G	42.76	54.00	-11.24	18.22	3	Vertical	38	1.95	-	24.54	39.56	12.71	34.05
PK	11.19072G	55.75	74.00	-18.25	18.20	3	Vertical	38	1.95	-	37.55	39.54	12.71	34.05





802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18528G	42.60	54.00	-11.40	18.22	3	Horizontal	223	1.83	-	24.38	39.56	12.71	34.05
PK	11.20048G	55.42	74.00	-18.58	18.16	3	Horizontal	223	1.83	-	37.26	39.50	12.71	34.05



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	86.29	Inf	-Inf	7.28	3	Vertical	132	1.00	-	79.01	31.98	9.50	34.20
PK	5.6226G	58.65	68.20	-9.55	6.92	3	Vertical	132	1.00	-	51.73	31.65	9.47	34.20
PK	5.7402G	90.92	Inf	-Inf	7.28	3	Vertical	132	1.00	-	83.64	31.98	9.50	34.20
PK	6.0174G	58.42	68.20	-9.78	7.97	3	Vertical	132	1.00	-	50.45	32.50	9.69	34.22

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	83.13	Inf	-Inf	7.29	3	Horizontal	120	1.24	-	75.84	31.99	9.50	34.20
PK	5.5266G	59.06	68.20	-9.14	7.01	3	Horizontal	120	1.24	-	52.05	31.80	9.40	34.19
PK	5.7462G	89.82	Inf	-Inf	7.29	3	Horizontal	120	1.24	-	82.53	31.99	9.50	34.20
PK	6.0126G	58.68	68.20	-9.52	7.97	3	Horizontal	120	1.24	-	50.71	32.50	9.69	34.22



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53944G	43.08	54.00	-10.92	18.76	3	Vertical	181	2.32	-	24.32	39.98	12.86	34.08
PK	11.52888G	55.63	74.00	-18.37	18.78	3	Vertical	181	2.32	-	36.85	40.01	12.85	34.08



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52632G	43.04	54.00	-10.96	18.80	3	Horizontal	207	1.19	-	24.24	40.02	12.85	34.07
PK	11.52584G	56.03	74.00	-17.97	18.80	3	Horizontal	207	1.19	-	37.23	40.02	12.85	34.07