




Channel 52:




Channel 60:




Channel 64:




Channel 100:



Channel 120:



Channel 140:




Product : 802.11 a/b/g/n, 2.4G/5G 3T3R Wireless Module
 Test Item : Peak Power Spectral Density
 Test Site : No.3 OATS
 Test Mode : Mode 2: Transmitter (802.11n-20BW 21.7Mbps)

Channel Number	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Measurement Level (dBm)	Required Limit (dBm)	Result
36	5180	-2.202	-0.990	-1.015	3.405	<4	Pass
44	5220	-1.540	-0.860	-1.968	3.339	<4	Pass
48	5240	-1.389	-0.930	-2.436	3.231	<4	Pass
52	5260	4.200	4.680	3.750	8.998	<11	Pass
60	5300	4.100	4.940	3.480	8.986	<11	Pass
64	5320	1.540	3.220	1.090	6.821	<11	Pass
100	5500	1.840	4.140	2.730	7.779	<11	Pass
120	5600	3.920	5.190	4.610	9.375	<11	Pass
140	5700	3.600	4.640	4.940	9.201	<11	Pass


Note:

1. Measurement Level (dBm) = 10LOG (Chain A Power (mW)+ Chain B Power (mW)+ Chain C Power (mW))


Channel 36 – Chain A




Channel 44 – Chain A




Channel 48 – Chain A




Channel 52 – Chain A




Channel 60 – Chain A




Channel 64 – Chain A




Channel 100 – Chain A




Channel 120 – Chain A




Channel 140 – Chain A




Channel 36 – Chain B




Channel 44 – Chain B




Channel 48 – Chain B




Channel 52 – Chain B




Channel 60 – Chain B




Channel 64 – Chain B




Channel 100 – Chain B




Channel 120 – Chain B




Channel 140 – Chain B




Channel 36 – Chain C




Channel 44 – Chain C




Channel 48 – Chain C




Channel 52 – Chain C




Channel 60 – Chain C




Channel 64 – Chain C




Channel 100 – Chain C



Channel 120 – Chain C



Channel 140 – Chain C




Product : 802.11 a/b/g/n, 2.4G/5G 3T3R Wireless Module
 Test Item : Peak Power Spectral Density
 Test Site : No.3 OATS
 Test Mode : Mode 3: Transmitter (802.11n-40BW 45Mbps)

Channel Number	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Measurement Level (dBm)	Required Limit (dBm)	Result
38	5190	-3.019	-3.349	-3.053	1.633	<4	Pass
46	5230	-2.292	-2.899	-3.241	1.978	<4	Pass
54	5270	1.030	1.500	0.700	5.860	<11	Pass
62	5310	-4.460	-3.460	-5.570	0.359	<11	Pass
102	5510	-5.010	-2.330	-3.950	1.149	<11	Pass
118	5590	0.110	1.590	0.780	5.640	<11	Pass
134	5670	0.480	1.600	2.020	6.185	<11	Pass


Note:

1. Measurement Level (dBm) = 10LOG (Chain A Power (mW)+ Chain B Power (mW)+ Chain C Power (mW))


Channel 38 – Chain A




Channel 46 – Chain A




Channel 54 – Chain A



Channel 62 – Chain A



Channel 102 – Chain A



Channel 118 – Chain A

