






# Label & Label Location



<p><b>Model:WP8331 802.11a/n/ac + b/g/n</b></p> <p>Input(PoE 802.3at): 48V<math>\overline{=}</math>,400mA          Input(DC Jack): 12V<math>\overline{=}</math>,1.5A          SN: 88B1E1XXXXXX</p>  <p>Registration Key: XXXXXXXXXXXXX</p>  <p>Ethernet MAC Addr: 88:B1:E1:XX:XX:XX</p> 	<p><b>FC</b> <b>UL</b> <b>US</b> <b>R-UIS</b></p> <p>FCC ID: PPQ-WP8331          IC: 4491A-WP8331</p> <p><b>LISTED</b>  <b>I.T.E.</b>  <b>E152043</b></p> <p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.          Complies with CANADA.RSS-247/CNR-247,CLASS B. Protected by one or more U.S.and international patents. Please see <a href="http://www.mojonetworks.com/resources/legal-patent">www.mojonetworks.com/resources/legal-patent</a> for more details.          Mojo Networks and its logo are trademarks and Air Tight is a registered trademarks of Mojo Networks, Inc.</p>	<p><b>CE</b> Usage restrictions apply. See documentation. This equipment may be operated in</p>  <table border="1"> <tr> <td>AT</td><td>BE</td><td>CY</td><td>CZ</td><td>DK</td><td>EE</td><td>FI</td><td>FR</td> </tr> <tr> <td>DE</td><td>GR</td><td>HU</td><td>IE</td><td>IT</td><td>LV</td><td>LT</td><td>LU</td> </tr> <tr> <td>MT</td><td>NL</td><td>PL</td><td>PT</td><td>SK</td><td>SI</td><td>ES</td><td>SE</td> </tr> <tr> <td>GB</td><td>IS</td><td>LI</td><td>NO</td><td>CH</td><td>BG</td><td>RO</td><td>TR</td> </tr> </table> <p>Assembled in USA of foreign components</p> <p><b>mojo</b></p>	AT	BE	CY	CZ	DK	EE	FI	FR	DE	GR	HU	IE	IT	LV	LT	LU	MT	NL	PL	PT	SK	SI	ES	SE	GB	IS	LI	NO	CH	BG	RO	TR
AT	BE	CY	CZ	DK	EE	FI	FR																											
DE	GR	HU	IE	IT	LV	LT	LU																											
MT	NL	PL	PT	SK	SI	ES	SE																											
GB	IS	LI	NO	CH	BG	RO	TR																											

Model: **AP220 802.11a/n/ac + b/g/n**

Input(PoE 802.3at): 48V $\overline{=}$ ,400mA

Input(DC Jack): 12V $\overline{=}$ ,1.5A

SN: 88B1E1XXXXXX



Registration Key: XXXXXXXXXXXXX




Ethernet MAC Addr: 88:B1:E1:XX:XX:XX



**Complies with  
IDMA Standards  
DBXXXXXX**

XXXX/SDPPI/YYYY  
XXXXXX



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  
Complies with CANADA.RSS-247/CNR-247, CLASS B.



AT	BE	CY	CZ	DK	EE	FI	FR
DE	GR	HU	IE	IT	LV	LT	LU
MT	NL	PL	PT	SK	SI	ES	SE
GB	IS	LI	NO	CH	BG	RO	TR



IFETEL:XXXXXXXXXX  
Consumo de energia: XX,XXX Wh  
En modo de espera:X,XXX Wh

Assembled in USA of foreign components





Model:C-100 802.11a/n/ac + b/g/n

Input(PoE 802.3at): 48V=,400mA

Input(DC Jack): 12V=,1.5A

SN: 88B1E1XXXXXX



Registration Key: XXXXXXXXXXXXX



Ethernet MAC Addr: 88:B1:E1:XX:XX:XX




Agência Nacional de Telecomunicações  
XXXXX-XX-XXXXX  
CNC ID: XX-XXXXX



MSIP-XXX-XXX-XXXXXXXXXXXX ABCD12345678

*Complies with  
IDMA Standards  
DBXXXXXX*

XXXX/SDPPI/YYYY  
XXXXXX



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  
Complies with CANADA.RSS-247/CNR-247,CLASS B.



AT	BE	CY	CZ	DK	EE	FI	FR
DE	GR	HU	IE	IT	LV	LT	LU
MT	NL	PL	PT	SK	SI	ES	SE
GB	IS	LI	NO	CH	BG	RO	TR





XXXXXX  
IFETEL:XXXXXXXXXX  
Consumo de energia: XX,XXX Wh  
En modo de espera:X,XXX Wh

Assembled in USA of foreign components



Model:C-100 802.11a/n/ac + b/g/n

Input(PoE 802.3at): 48V ,400mA

Input(DC Jack): 12V ,1.5A



SN: 88B1E1XXXXXX

MSIP-XXX-XXX-XXXXXXXXXXXX




Registration Key: XXXXXXXXXXXXX





Ethernet MAC Addr: 88:B1:E1:XX:XX:XX




**FC**  
FCC ID: PPQ-WP8331  
IC: 4491A-WP8331

 **RIS**

 R-NZ

 **UL** US  
**LISTED**  
I.T.E.  
E152043

 XXXXXXXXXXXXXXXXXXXX  
CMIIT ID:XXXXXXXXXXXXXXXXXX

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:  
(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  
Complies with CANADA.RSS-247/CNR-247,CLASS B.  
Protected by one or more U.S.and international patents. Please see [www.mojonetworks.com/resources/legal-patent](http://www.mojonetworks.com/resources/legal-patent) for more details.  
Mojo Networks and its logo are trademarks and Air Tight is a registered trademarks of Mojo Networks, Inc. XXXXXX

**CE**  

Usage restrictions apply. See documentation. This equipment may be operated in

AT	BE	CY	CZ	DK	EE	FI	FR
DE	GR	HU	IE	IT	LV	LT	LU
MT	NL	PL	PT	SK	SI	ES	SE
GB	IS	LI	NO	CH	BG	RO	TR

Assembled in USA of foreign components





Model:WP8331 802.11a/n/ac + b/g/n

Input(PoE 802.3at): 48V=,400mA

Input(DC Jack): 12V=,1.5A

SN: 88B1E1XXXXXX


MSIP-XXX-XXX-XXXXXXXXXXXX



Registration Key: XXXXXXXXXXXXXXX



Ethernet MAC Addr: 88:B1:E1:XX:XX:XX



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:  
 (1) this device may not cause harmful interference,  
 and (2) this device must accept any interference received,including interference that may cause undesired operation.

Complies with CANADA.RSS-247/CNR-247,CLASS B.



AT	BE	CY	CZ	DK	EE	FI	FR
DE	GR	HU	IE	IT	LV	LT	LU
MT	NL	PL	PT	SK	SI	ES	SE
GB	IS	LI	NO	CH	BG	RO	TR

Assembled in USA of foreign components



LITEON