


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	98.51	Inf	-Inf	13.46	3	Vertical	79	1.34	85.05	36.20	5.77	28.51
AV	7.1381G	55.00	68.20	-13.20	14.11	3	Vertical	79	1.34	40.89	36.85	5.82	28.56
PK	7.0397G	111.63	Inf	-Inf	13.54	3	Vertical	79	1.34	98.09	36.28	5.78	28.52
PK	7.1399G	68.58	88.20	-19.62	14.12	3	Vertical	79	1.34	54.46	36.86	5.82	28.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9911G	97.19	Inf	-Inf	13.46	3	Horizontal	345	1.50	83.73	36.20	5.76	28.50
AV	7.1312G	55.21	68.20	-12.99	14.09	3	Horizontal	345	1.50	41.12	36.82	5.82	28.55
PK	7.0538G	111.00	Inf	-Inf	13.59	3	Horizontal	345	1.50	97.41	36.33	5.79	28.53
PK	7.1324G	68.32	88.20	-19.88	14.09	3	Horizontal	345	1.50	54.23	36.83	5.82	28.56

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0532G	41.27	68.20	-26.93	6.47	3	Vertical	263	2.08	34.80	40.41	9.10	43.04
PK	14.03592G	54.30	88.20	-33.90	6.44	3	Vertical	263	2.08	47.86	40.40	9.09	43.05

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05144G	39.93	68.20	-28.27	6.46	3	Horizontal	313	1.50	33.47	40.40	9.10	43.04
PK	14.05448G	52.93	88.20	-35.27	6.47	3	Horizontal	313	1.50	46.46	40.41	9.10	43.04

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.956G	97.33	Inf	-Inf	13.47	3	Vertical	81	1.50	83.86	36.20	5.74	28.47
AV	7.138G	67.05	68.20	-1.15	14.11	3	Vertical	81	1.50	52.94	36.85	5.82	28.56
PK	6.9555G	111.40	Inf	-Inf	13.47	3	Vertical	81	1.50	97.93	36.20	5.74	28.47
PK	7.133G	84.80	88.20	-3.40	14.09	3	Vertical	81	1.50	70.71	36.83	5.82	28.56

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.991G	95.92	Inf	-Inf	13.46	3	Horizontal	344	1.50	82.46	36.20	5.76	28.50
AV	7.131G	66.52	68.20	-1.68	14.09	3	Horizontal	344	1.50	52.43	36.82	5.82	28.55
PK	6.95G	109.12	Inf	-Inf	13.47	3	Horizontal	344	1.50	95.65	36.20	5.73	28.46
PK	7.1325G	81.48	88.20	-6.72	14.09	3	Horizontal	344	1.50	67.39	36.83	5.82	28.56

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9748G	40.90	68.20	-27.30	6.37	3	Vertical	268	2.07	34.53	40.35	9.06	43.04
PK	13.97416G	53.98	88.20	-34.22	6.38	3	Vertical	268	2.07	47.60	40.35	9.06	43.03

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97192G	39.65	68.20	-28.55	6.36	3	Horizontal	311	1.50	33.29	40.34	9.05	43.03
PK	13.94824G	53.35	88.20	-34.85	6.34	3	Horizontal	311	1.50	47.01	40.30	9.04	43.00



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9211G	53.00	68.20	-15.20	3	Vertical	143	1.65
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.93272G	36.69	54.00	-17.31	3	Vertical	27	2.21
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.923G	57.35	68.20	-10.85	3	Vertical	62	2.41
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	58.85	68.20	-9.35	3	Vertical	145	1.78
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	63.50	68.20	-4.70	3	Vertical	144	1.34
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.94424G	38.34	68.20	-29.86	3	Horizontal	266	2.01
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.95688G	38.11	68.20	-30.09	3	Horizontal	136	1.58
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.92568G	38.10	68.20	-30.10	3	Vertical	204	2.72
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.93128G	38.01	68.20	-30.19	3	Vertical	27	1.30
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	13.14582G	38.11	68.20	-30.09	3	Horizontal	312	1.42
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.45784G	38.86	68.20	-29.34	3	Horizontal	86	2.40
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37912G	38.09	54.00	-15.91	3	Vertical	7	1.13
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.26584G	38.06	54.00	-15.94	3	Vertical	10	2.31
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.34856G	38.23	54.00	-15.77	3	Horizontal	315	1.01
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1294G	64.87	68.20	-3.33	3	Vertical	78	1.50
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	66.20	68.20	-2.00	3	Horizontal	342	1.59
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	52.25	68.20	-15.95	3	Vertical	100	1.82
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	57.35	68.20	-10.85	3	Vertical	104	1.76
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.126G	61.94	68.20	-6.26	3	Vertical	93	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9211G	53.00	68.20	-15.20	3	Vertical	143	1.65
5955MHz	Pass	AV	5.9577G	97.48	Inf	-Inf	3	Vertical	143	1.65
5955MHz	Pass	PK	5.9034G	67.01	88.20	-21.19	3	Vertical	143	1.65
5955MHz	Pass	PK	5.9586G	110.77	Inf	-Inf	3	Vertical	143	1.65
5955MHz	Pass	AV	5.8974G	52.91	68.20	-15.29	3	Horizontal	356	2.38
5955MHz	Pass	AV	5.9637G	96.71	Inf	-Inf	3	Horizontal	356	2.38
5955MHz	Pass	PK	5.8767G	67.35	88.20	-20.85	3	Horizontal	356	2.38
5955MHz	Pass	PK	5.964G	109.88	Inf	-Inf	3	Horizontal	356	2.38
5955MHz	Pass	AV	12.06936G	37.15	54.00	-16.85	3	Vertical	292	2.29
5955MHz	Pass	PK	12.05976G	50.64	74.00	-23.36	3	Vertical	292	2.29
5955MHz	Pass	AV	12.07G	37.14	54.00	-16.86	3	Horizontal	278	2.18
5955MHz	Pass	PK	12.00856G	50.16	74.00	-23.84	3	Horizontal	278	2.18
6195MHz	Pass	AV	12.24216G	37.20	54.00	-16.80	3	Vertical	171	1.58
6195MHz	Pass	PK	12.24664G	49.78	74.00	-24.22	3	Vertical	171	1.58
6195MHz	Pass	AV	12.24024G	37.30	54.00	-16.70	3	Horizontal	23	1.83
6195MHz	Pass	PK	12.26008G	49.63	74.00	-24.37	3	Horizontal	23	1.83
6415MHz	Pass	AV	12.98808G	38.28	68.20	-29.92	3	Vertical	210	1.41
6415MHz	Pass	PK	12.92664G	50.14	88.20	-38.06	3	Vertical	210	1.41
6415MHz	Pass	AV	12.92024G	38.18	68.20	-30.02	3	Horizontal	220	2.62
6415MHz	Pass	PK	12.894G	50.00	88.20	-38.20	3	Horizontal	220	2.62
6435MHz	Pass	AV	12.9148G	38.29	68.20	-29.91	3	Vertical	107	2.71
6435MHz	Pass	PK	12.94232G	52.25	88.20	-35.95	3	Vertical	107	2.71
6435MHz	Pass	AV	12.96664G	38.12	68.20	-30.08	3	Horizontal	1	2.50
6435MHz	Pass	PK	12.88472G	51.36	88.20	-36.84	3	Horizontal	1	2.50
6475MHz	Pass	AV	12.91224G	38.20	68.20	-30.00	3	Vertical	299	1.58
6475MHz	Pass	PK	12.89176G	51.63	88.20	-36.57	3	Vertical	299	1.58
6475MHz	Pass	AV	12.97432G	38.18	68.20	-30.02	3	Horizontal	118	1.88
6475MHz	Pass	PK	13.0236G	51.73	88.20	-36.47	3	Horizontal	118	1.88
6515MHz	Pass	AV	13.17642G	38.27	68.20	-29.93	3	Vertical	187	1.10
6515MHz	Pass	PK	13.17656G	51.22	88.20	-36.98	3	Vertical	187	1.10
6515MHz	Pass	AV	12.94424G	38.34	68.20	-29.86	3	Horizontal	266	2.01
6515MHz	Pass	PK	13.04984G	51.80	88.20	-36.40	3	Horizontal	266	2.01
6535MHz	Pass	AV	13.1835G	38.38	68.20	-29.82	3	Vertical	249	2.29
6535MHz	Pass	PK	13.1852G	51.54	88.20	-36.66	3	Vertical	249	2.29
6535MHz	Pass	AV	13.21516G	38.45	68.20	-29.75	3	Horizontal	10	2.67
6535MHz	Pass	PK	13.21528G	51.98	88.20	-36.22	3	Horizontal	10	2.67
6695MHz	Pass	AV	13.51096G	38.79	68.20	-29.41	3	Vertical	1	1.47
6695MHz	Pass	PK	13.4668G	51.85	88.20	-36.35	3	Vertical	1	1.47
6695MHz	Pass	AV	13.45784G	38.86	68.20	-29.34	3	Horizontal	86	2.40
6695MHz	Pass	PK	13.518G	52.08	88.20	-36.12	3	Horizontal	86	2.40
6875MHz	Pass	AV	13.74196G	38.75	68.20	-29.45	3	Vertical	203	1.02
6875MHz	Pass	PK	13.75668G	52.38	88.20	-35.82	3	Vertical	203	1.02
6875MHz	Pass	AV	13.75548G	38.79	68.20	-29.41	3	Horizontal	116	1.61
6875MHz	Pass	PK	13.74568G	52.30	88.20	-35.90	3	Horizontal	116	1.61
6895MHz	Pass	AV	13.781G	38.82	68.20	-29.38	3	Vertical	228	2.86
6895MHz	Pass	PK	13.78472G	51.73	88.20	-36.47	3	Vertical	228	2.86
6895MHz	Pass	AV	13.78008G	38.74	68.20	-29.46	3	Horizontal	302	2.62
6895MHz	Pass	PK	13.78176G	53.44	88.20	-34.76	3	Horizontal	302	2.62
6995MHz	Pass	AV	13.997G	38.35	68.20	-29.85	3	Vertical	41	2.43
6995MHz	Pass	PK	13.98328G	51.80	88.20	-36.40	3	Vertical	41	2.43
6995MHz	Pass	AV	13.98908G	38.37	68.20	-29.83	3	Horizontal	252	1.16
6995MHz	Pass	PK	13.99108G	51.96	88.20	-36.24	3	Horizontal	252	1.16
7095MHz	Pass	AV	7.0872G	96.33	Inf	-Inf	3	Vertical	253	1.84
7095MHz	Pass	AV	7.239G	51.63	68.20	-16.57	3	Vertical	253	1.84
7095MHz	Pass	PK	7.086G	109.85	Inf	-Inf	3	Vertical	253	1.84
7095MHz	Pass	PK	7.1472G	64.88	88.20	-23.32	3	Vertical	253	1.84
7095MHz	Pass	AV	7.0866G	94.35	Inf	-Inf	3	Horizontal	356	1.50
7095MHz	Pass	AV	7.2438G	51.60	68.20	-16.60	3	Horizontal	356	1.50
7095MHz	Pass	PK	7.0872G	106.72	Inf	-Inf	3	Horizontal	356	1.50
7095MHz	Pass	PK	7.2348G	64.86	88.20	-23.34	3	Horizontal	356	1.50



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18036G	38.87	68.20	-29.33	3	Vertical	219	1.94
7095MHz	Pass	PK	14.1856G	53.83	88.20	-34.37	3	Vertical	219	1.94
7095MHz	Pass	AV	14.18272G	38.84	68.20	-29.36	3	Horizontal	104	1.13
7095MHz	Pass	PK	14.18328G	52.06	88.20	-36.14	3	Horizontal	104	1.13
7115MHz	Pass	AV	7.1065G	100.68	Inf	-Inf	3	Vertical	203	1.03
7115MHz	Pass	AV	7.1255G	64.87	68.20	-3.33	3	Vertical	203	1.03
7115MHz	Pass	PK	7.1065G	106.37	Inf	-Inf	3	Vertical	203	1.03
7115MHz	Pass	PK	7.1255G	74.51	88.20	-13.69	3	Vertical	203	1.03
7115MHz	Pass	AV	7.1065G	99.20	Inf	-Inf	3	Horizontal	342	1.59
7115MHz	Pass	AV	7.1255G	66.20	68.20	-2.00	3	Horizontal	342	1.59
7115MHz	Pass	PK	7.1065G	104.82	Inf	-Inf	3	Horizontal	342	1.59
7115MHz	Pass	PK	7.1255G	77.08	88.20	-11.12	3	Horizontal	342	1.59
7115MHz	Pass	AV	14.22488G	38.73	68.20	-29.47	3	Vertical	42	1.01
7115MHz	Pass	PK	14.23064G	51.21	88.20	-36.99	3	Vertical	42	1.01
7115MHz	Pass	AV	14.22116G	38.84	68.20	-29.36	3	Horizontal	33	2.87
7115MHz	Pass	PK	14.223G	50.49	88.20	-37.71	3	Horizontal	33	2.87
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	48.46	68.20	-19.74	3	Vertical	142	1.65
5965MHz	Pass	AV	5.9836G	97.46	Inf	-Inf	3	Vertical	142	1.65
5965MHz	Pass	PK	5.9188G	66.45	88.20	-21.75	3	Vertical	142	1.65
5965MHz	Pass	PK	5.9824G	110.24	Inf	-Inf	3	Vertical	142	1.65
5965MHz	Pass	AV	5.9128G	48.26	68.20	-19.94	3	Horizontal	360	1.44
5965MHz	Pass	AV	5.9608G	93.73	Inf	-Inf	3	Horizontal	360	1.44
5965MHz	Pass	PK	5.9116G	62.02	88.20	-26.18	3	Horizontal	360	1.44
5965MHz	Pass	PK	5.9602G	107.28	Inf	-Inf	3	Horizontal	360	1.44
5965MHz	Pass	AV	11.93272G	36.69	54.00	-17.31	3	Vertical	27	2.21
5965MHz	Pass	PK	11.92936G	50.08	74.00	-23.92	3	Vertical	27	2.21
5965MHz	Pass	AV	11.93184G	36.63	54.00	-17.37	3	Horizontal	94	2.89
5965MHz	Pass	PK	11.91456G	49.85	74.00	-24.15	3	Horizontal	94	2.89
6205MHz	Pass	AV	12.3916G	35.88	54.00	-18.12	3	Vertical	281	1.01
6205MHz	Pass	PK	12.40944G	50.65	74.00	-23.35	3	Vertical	281	1.01
6205MHz	Pass	AV	12.39264G	35.87	54.00	-18.13	3	Horizontal	340	1.39
6205MHz	Pass	PK	12.42768G	49.69	74.00	-24.31	3	Horizontal	340	1.39
6405MHz	Pass	AV	12.82952G	37.46	68.20	-30.74	3	Vertical	285	2.33
6405MHz	Pass	PK	12.80048G	50.77	88.20	-37.43	3	Vertical	285	2.33
6405MHz	Pass	AV	12.82976G	37.51	68.20	-30.69	3	Horizontal	111	2.96
6405MHz	Pass	PK	12.82592G	51.22	88.20	-36.98	3	Horizontal	111	2.96
6445MHz	Pass	AV	12.90728G	37.95	68.20	-30.25	3	Vertical	62	1.35
6445MHz	Pass	PK	12.90784G	51.67	88.20	-36.53	3	Vertical	62	1.35
6445MHz	Pass	AV	12.9092G	37.90	68.20	-30.30	3	Horizontal	181	1.06
6445MHz	Pass	PK	12.90912G	51.53	88.20	-36.67	3	Horizontal	181	1.06
6485MHz	Pass	AV	12.954G	38.04	68.20	-30.16	3	Vertical	305	2.05
6485MHz	Pass	PK	12.98856G	52.05	88.20	-36.15	3	Vertical	305	2.05
6485MHz	Pass	AV	12.95688G	38.11	68.20	-30.09	3	Horizontal	136	1.58
6485MHz	Pass	PK	12.95656G	51.33	88.20	-36.87	3	Horizontal	136	1.58
6525MHz	Pass	AV	13.06512G	37.99	68.20	-30.21	3	Vertical	316	1.49
6525MHz	Pass	PK	13.06328G	51.67	88.20	-36.53	3	Vertical	316	1.49
6525MHz	Pass	AV	13.038G	37.94	68.20	-30.26	3	Horizontal	21	2.40
6525MHz	Pass	PK	13.052G	52.19	88.20	-36.01	3	Horizontal	21	2.40
6565MHz	Pass	AV	13.14936G	37.99	68.20	-30.21	3	Vertical	283	2.64
6565MHz	Pass	PK	13.13192G	51.86	88.20	-36.34	3	Vertical	283	2.64
6565MHz	Pass	AV	13.14752G	38.07	68.20	-30.13	3	Horizontal	35	1.31
6565MHz	Pass	PK	13.12224G	51.63	88.20	-36.57	3	Horizontal	35	1.31
6685MHz	Pass	AV	13.37912G	38.09	54.00	-15.91	3	Vertical	7	1.13
6685MHz	Pass	PK	13.35224G	51.57	74.00	-22.43	3	Vertical	7	1.13
6685MHz	Pass	AV	13.37408G	38.03	54.00	-15.97	3	Horizontal	180	1.42
6685MHz	Pass	PK	13.35192G	51.10	74.00	-22.90	3	Horizontal	180	1.42
6885MHz	Pass	AV	13.7764G	38.66	68.20	-29.54	3	Vertical	172	1.55
6885MHz	Pass	PK	13.7536G	52.07	88.20	-36.13	3	Vertical	172	1.55
6885MHz	Pass	AV	13.77624G	38.53	68.20	-29.67	3	Horizontal	89	1.62
6885MHz	Pass	PK	13.78368G	51.72	88.20	-36.48	3	Horizontal	89	1.62
6925MHz	Pass	AV	13.86232G	38.28	68.20	-29.92	3	Vertical	248	1.56



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84888G	51.86	88.20	-36.34	3	Vertical	248	1.56
6925MHz	Pass	AV	13.83992G	38.32	68.20	-29.88	3	Horizontal	223	1.27
6925MHz	Pass	PK	13.86624G	52.08	88.20	-36.12	3	Horizontal	223	1.27
7005MHz	Pass	AV	14.00664G	38.23	68.20	-29.97	3	Vertical	253	2.46
7005MHz	Pass	PK	14.01248G	51.65	88.20	-36.55	3	Vertical	253	2.46
7005MHz	Pass	AV	14.0056G	38.32	68.20	-29.88	3	Horizontal	229	1.01
7005MHz	Pass	PK	14.02792G	51.61	88.20	-36.59	3	Horizontal	229	1.01
7085MHz	Pass	AV	7.067G	97.30	Inf	-Inf	3	Vertical	100	1.82
7085MHz	Pass	AV	7.1252G	52.25	68.20	-15.95	3	Vertical	100	1.82
7085MHz	Pass	PK	7.067G	110.13	Inf	-Inf	3	Vertical	100	1.82
7085MHz	Pass	PK	7.1252G	66.02	88.20	-22.18	3	Vertical	100	1.82
7085MHz	Pass	AV	7.079G	95.30	Inf	-Inf	3	Horizontal	347	1.50
7085MHz	Pass	AV	7.2332G	51.41	68.20	-16.79	3	Horizontal	347	1.50
7085MHz	Pass	PK	7.0802G	108.10	Inf	-Inf	3	Horizontal	347	1.50
7085MHz	Pass	PK	7.2014G	65.71	88.20	-22.49	3	Horizontal	347	1.50
7085MHz	Pass	AV	14.17904G	38.65	68.20	-29.55	3	Vertical	290	1.77
7085MHz	Pass	PK	14.16272G	52.16	88.20	-36.04	3	Vertical	290	1.77
7085MHz	Pass	AV	14.17792G	38.64	68.20	-29.56	3	Horizontal	250	2.37
7085MHz	Pass	PK	14.18304G	52.51	88.20	-35.69	3	Horizontal	250	2.37
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.923G	57.35	68.20	-10.85	3	Vertical	62	2.41
5985MHz	Pass	AV	6G	96.48	Inf	-Inf	3	Vertical	62	2.41
5985MHz	Pass	PK	5.923G	74.19	88.20	-14.01	3	Vertical	62	2.41
5985MHz	Pass	PK	6.001G	111.23	Inf	-Inf	3	Vertical	62	2.41
5985MHz	Pass	AV	5.925G	50.28	68.20	-17.92	3	Horizontal	44	1.23
5985MHz	Pass	AV	5.986G	97.74	Inf	-Inf	3	Horizontal	44	1.23
5985MHz	Pass	PK	5.921G	65.45	88.20	-22.75	3	Horizontal	44	1.23
5985MHz	Pass	PK	5.983G	110.51	Inf	-Inf	3	Horizontal	44	1.23
5985MHz	Pass	AV	11.9588G	36.80	54.00	-17.20	3	Vertical	45	2.52
5985MHz	Pass	PK	11.98456G	51.03	74.00	-22.97	3	Vertical	45	2.52
5985MHz	Pass	AV	11.96328G	36.83	54.00	-17.17	3	Horizontal	283	2.65
5985MHz	Pass	PK	12.00728G	50.50	74.00	-23.50	3	Horizontal	283	2.65
6225MHz	Pass	AV	12.48808G	36.07	54.00	-17.93	3	Vertical	196	1.83
6225MHz	Pass	PK	12.47384G	49.12	74.00	-24.88	3	Vertical	196	1.83
6225MHz	Pass	AV	12.48808G	36.08	54.00	-17.92	3	Horizontal	92	1.59
6225MHz	Pass	PK	12.44648G	49.95	74.00	-24.05	3	Horizontal	92	1.59
6385MHz	Pass	AV	12.77896G	37.19	68.20	-31.01	3	Vertical	254	1.73
6385MHz	Pass	PK	12.7916G	50.28	88.20	-37.92	3	Vertical	254	1.73
6385MHz	Pass	AV	12.80984G	37.37	68.20	-30.83	3	Horizontal	288	1.58
6385MHz	Pass	PK	12.77224G	50.43	88.20	-37.77	3	Horizontal	288	1.58
6465MHz	Pass	AV	12.92568G	38.10	68.20	-30.10	3	Vertical	204	2.72
6465MHz	Pass	PK	12.93848G	51.94	88.20	-36.26	3	Vertical	204	2.72
6465MHz	Pass	AV	12.91112G	38.06	68.20	-30.14	3	Horizontal	269	2.57
6465MHz	Pass	PK	12.89768G	51.91	88.20	-36.29	3	Horizontal	269	2.57
6545MHz	Pass	AV	13.10104G	38.00	68.20	-30.20	3	Vertical	2	1.40
6545MHz	Pass	PK	13.09832G	51.34	88.20	-36.86	3	Vertical	2	1.40
6545MHz	Pass	AV	13.08728G	37.93	68.20	-30.27	3	Horizontal	290	1.47
6545MHz	Pass	PK	13.0804G	51.29	88.20	-36.91	3	Horizontal	290	1.47
6625MHz	Pass	AV	13.26584G	38.06	54.00	-15.94	3	Vertical	10	2.31
6625MHz	Pass	PK	13.21352G	52.33	88.20	-35.87	3	Vertical	10	2.31
6625MHz	Pass	AV	13.26504G	37.99	54.00	-16.01	3	Horizontal	122	2.21
6625MHz	Pass	PK	13.23128G	51.87	88.20	-36.33	3	Horizontal	122	2.21
6705MHz	Pass	AV	13.44696G	38.52	68.20	-29.68	3	Vertical	203	1.10
6705MHz	Pass	PK	13.42008G	51.92	88.20	-36.28	3	Vertical	203	1.10
6705MHz	Pass	AV	13.44536G	38.56	68.20	-29.64	3	Horizontal	322	2.99
6705MHz	Pass	PK	13.37736G	52.09	74.00	-21.91	3	Horizontal	322	2.99
6785MHz	Pass	AV	13.55432G	38.74	68.20	-29.46	3	Vertical	301	1.58
6785MHz	Pass	PK	13.53656G	52.62	88.20	-35.58	3	Vertical	301	1.58
6785MHz	Pass	AV	13.55048G	38.76	68.20	-29.44	3	Horizontal	277	2.00
6785MHz	Pass	PK	13.60344G	52.85	88.20	-35.35	3	Horizontal	277	2.00
6865MHz	Pass	AV	13.74584G	38.63	68.20	-29.57	3	Vertical	287	1.80
6865MHz	Pass	PK	13.74824G	52.58	88.20	-35.62	3	Vertical	287	1.80



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.72712G	38.60	68.20	-29.60	3	Horizontal	308	2.95
6865MHz	Pass	PK	13.71928G	52.22	88.20	-35.98	3	Horizontal	308	2.95
6945MHz	Pass	AV	13.8588G	38.38	68.20	-29.82	3	Vertical	29	2.87
6945MHz	Pass	PK	13.8724G	51.91	88.20	-36.29	3	Vertical	29	2.87
6945MHz	Pass	AV	13.85976G	38.26	68.20	-29.94	3	Horizontal	167	2.19
6945MHz	Pass	PK	13.85624G	51.46	88.20	-36.74	3	Horizontal	167	2.19
7025MHz	Pass	AV	7.0259G	97.86	Inf	-Inf	3	Vertical	104	1.76
7025MHz	Pass	AV	7.1252G	57.35	68.20	-10.85	3	Vertical	104	1.76
7025MHz	Pass	PK	7.0262G	110.83	Inf	-Inf	3	Vertical	104	1.76
7025MHz	Pass	PK	7.1252G	73.08	88.20	-15.12	3	Vertical	104	1.76
7025MHz	Pass	AV	7.0202G	95.80	Inf	-Inf	3	Horizontal	150	1.50
7025MHz	Pass	AV	7.1252G	54.87	68.20	-13.33	3	Horizontal	150	1.50
7025MHz	Pass	PK	7.0286G	109.19	Inf	-Inf	3	Horizontal	150	1.50
7025MHz	Pass	PK	7.1336G	68.86	88.20	-19.34	3	Horizontal	150	1.50
7025MHz	Pass	AV	14.08536G	38.73	68.20	-29.47	3	Vertical	161	2.85
7025MHz	Pass	PK	14.03688G	52.39	88.20	-35.81	3	Vertical	161	2.85
7025MHz	Pass	AV	14.08632G	38.50	68.20	-29.70	3	Horizontal	171	2.54
7025MHz	Pass	PK	14.05256G	52.49	88.20	-35.71	3	Horizontal	171	2.54
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	58.85	68.20	-9.35	3	Vertical	145	1.78
6025MHz	Pass	AV	6.05G	95.12	Inf	-Inf	3	Vertical	145	1.78
6025MHz	Pass	PK	5.922G	73.42	88.20	-14.78	3	Vertical	145	1.78
6025MHz	Pass	PK	6.045G	108.30	Inf	-Inf	3	Vertical	145	1.78
6025MHz	Pass	AV	5.925G	57.10	68.20	-11.10	3	Horizontal	189	1.50
6025MHz	Pass	AV	6.044G	91.14	Inf	-Inf	3	Horizontal	189	1.50
6025MHz	Pass	PK	5.919G	71.32	88.20	-16.88	3	Horizontal	189	1.50
6025MHz	Pass	PK	6.041G	104.76	Inf	-Inf	3	Horizontal	189	1.50
6025MHz	Pass	AV	12.07784G	37.11	54.00	-16.89	3	Vertical	257	1.70
6025MHz	Pass	PK	12.04552G	50.94	74.00	-23.06	3	Vertical	257	1.70
6025MHz	Pass	AV	12.08904G	37.16	54.00	-16.84	3	Horizontal	319	2.37
6025MHz	Pass	PK	11.99944G	50.72	74.00	-23.28	3	Horizontal	319	2.37
6185MHz	Pass	AV	12.29192G	36.38	54.00	-17.62	3	Vertical	246	2.65
6185MHz	Pass	PK	12.29704G	50.19	74.00	-23.81	3	Vertical	246	2.65
6185MHz	Pass	AV	12.2916G	36.45	54.00	-17.55	3	Horizontal	333	2.12
6185MHz	Pass	PK	12.34056G	49.74	74.00	-24.26	3	Horizontal	333	2.12
6345MHz	Pass	AV	12.762G	36.95	68.20	-31.25	3	Vertical	54	1.43
6345MHz	Pass	PK	12.74376G	51.01	88.20	-37.19	3	Vertical	54	1.43
6345MHz	Pass	AV	12.76648G	37.01	68.20	-31.19	3	Horizontal	33	2.15
6345MHz	Pass	PK	12.69G	50.30	74.00	-23.70	3	Horizontal	33	2.15
6505MHz	Pass	AV	12.93128G	38.01	68.20	-30.19	3	Vertical	27	1.30
6505MHz	Pass	PK	12.94568G	51.29	88.20	-36.91	3	Vertical	27	1.30
6505MHz	Pass	AV	12.95464G	38.00	68.20	-30.20	3	Horizontal	11	2.36
6505MHz	Pass	PK	12.97672G	51.35	88.20	-36.85	3	Horizontal	11	2.36
6665MHz	Pass	AV	13.30152G	38.10	54.00	-15.90	3	Vertical	338	1.08
6665MHz	Pass	PK	13.34216G	52.19	74.00	-21.81	3	Vertical	338	1.08
6665MHz	Pass	AV	13.34856G	38.23	54.00	-15.77	3	Horizontal	315	1.01
6665MHz	Pass	PK	13.3764G	51.64	74.00	-22.36	3	Horizontal	315	1.01
6825MHz	Pass	AV	13.57096G	38.49	68.20	-29.71	3	Vertical	134	1.06
6825MHz	Pass	PK	13.5716G	52.25	88.20	-35.95	3	Vertical	134	1.06
6825MHz	Pass	AV	13.57032G	38.41	68.20	-29.79	3	Horizontal	183	1.76
6825MHz	Pass	PK	13.6052G	53.46	88.20	-34.74	3	Horizontal	183	1.76
6985MHz	Pass	AV	6.932G	95.42	Inf	-Inf	3	Vertical	93	1.50
6985MHz	Pass	AV	7.126G	61.94	68.20	-6.26	3	Vertical	93	1.50
6985MHz	Pass	PK	6.929G	108.89	Inf	-Inf	3	Vertical	93	1.50
6985MHz	Pass	PK	7.139G	79.00	88.20	-9.20	3	Vertical	93	1.50
6985MHz	Pass	AV	6.907G	93.82	Inf	-Inf	3	Horizontal	330	3.00
6985MHz	Pass	AV	7.125G	59.45	68.20	-8.75	3	Horizontal	330	3.00
6985MHz	Pass	PK	6.935G	106.44	Inf	-Inf	3	Horizontal	330	3.00
6985MHz	Pass	PK	7.133G	74.35	88.20	-13.85	3	Horizontal	330	3.00
6985MHz	Pass	AV	14.00968G	38.35	68.20	-29.85	3	Vertical	277	1.57
6985MHz	Pass	PK	14.01G	52.46	88.20	-35.74	3	Vertical	277	1.57
6985MHz	Pass	AV	14.00744G	38.34	68.20	-29.86	3	Horizontal	320	2.61




RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.94888G	51.86	88.20	-36.34	3	Horizontal	320	2.61
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	63.50	68.20	-4.70	3	Vertical	144	1.34
6105MHz	Pass	AV	6.041G	92.68	Inf	-Inf	3	Vertical	144	1.34
6105MHz	Pass	PK	5.913G	77.06	88.20	-11.14	3	Vertical	144	1.34
6105MHz	Pass	PK	6.091G	105.79	Inf	-Inf	3	Vertical	144	1.34
6105MHz	Pass	AV	5.925G	62.15	68.20	-6.05	3	Horizontal	35	1.97
6105MHz	Pass	AV	6.111G	93.20	Inf	-Inf	3	Horizontal	35	1.97
6105MHz	Pass	PK	5.919G	76.06	88.20	-12.14	3	Horizontal	35	1.97
6105MHz	Pass	PK	6.107G	107.65	Inf	-Inf	3	Horizontal	35	1.97
6105MHz	Pass	AV	12.09864G	37.26	54.00	-16.74	3	Vertical	208	2.88
6105MHz	Pass	PK	12.13G	50.84	74.00	-23.16	3	Vertical	208	2.88
6105MHz	Pass	AV	12.0852G	37.36	54.00	-16.64	3	Horizontal	157	1.43
6105MHz	Pass	PK	12.0756G	50.53	74.00	-23.47	3	Horizontal	157	1.43
6265MHz	Pass	AV	12.66568G	36.61	54.00	-17.39	3	Vertical	74	2.40
6265MHz	Pass	PK	12.64776G	50.44	74.00	-23.56	3	Vertical	74	2.40
6265MHz	Pass	AV	12.67848G	36.58	54.00	-17.42	3	Horizontal	290	1.07
6265MHz	Pass	PK	12.68424G	50.11	74.00	-23.89	3	Horizontal	290	1.07
6425MHz	Pass	AV	12.91976G	37.96	68.20	-30.24	3	Vertical	24	1.83
6425MHz	Pass	PK	12.93G	52.09	88.20	-36.11	3	Vertical	24	1.83
6425MHz	Pass	AV	12.97352G	37.94	68.20	-30.26	3	Horizontal	235	2.40
6425MHz	Pass	PK	12.96456G	50.91	88.20	-37.29	3	Horizontal	235	2.40
6585MHz	Pass	AV	13.12723G	38.08	68.20	-30.12	3	Vertical	108	1.00
6585MHz	Pass	PK	13.12712G	51.74	88.20	-36.46	3	Vertical	108	1.00
6585MHz	Pass	AV	13.14582G	38.11	68.20	-30.09	3	Horizontal	312	1.42
6585MHz	Pass	PK	13.14568G	51.40	88.20	-36.80	3	Horizontal	312	1.42
6745MHz	Pass	AV	13.48232G	38.67	68.20	-29.53	3	Vertical	186	1.53
6745MHz	Pass	PK	13.53288G	52.65	88.20	-35.55	3	Vertical	186	1.53
6745MHz	Pass	AV	13.33593G	38.69	68.20	-29.51	3	Horizontal	285	1.48
6745MHz	Pass	PK	13.33576G	52.44	74.00	-21.56	3	Horizontal	285	1.48
6905MHz	Pass	AV	6.9602G	93.19	Inf	-Inf	3	Vertical	78	1.50
6905MHz	Pass	AV	7.1294G	64.87	68.20	-3.33	3	Vertical	78	1.50
6905MHz	Pass	PK	6.9614G	106.97	Inf	-Inf	3	Vertical	78	1.50
6905MHz	Pass	PK	7.1714G	79.02	88.20	-9.18	3	Vertical	78	1.50
6905MHz	Pass	AV	6.9794G	91.47	Inf	-Inf	3	Horizontal	349	1.50
6905MHz	Pass	AV	7.1366G	62.94	68.20	-5.26	3	Horizontal	349	1.50
6905MHz	Pass	PK	6.8006G	104.82	Inf	-Inf	3	Horizontal	349	1.50
6905MHz	Pass	PK	7.1846G	78.32	88.20	-9.88	3	Horizontal	349	1.50
6905MHz	Pass	AV	13.72808G	38.53	68.20	-29.67	3	Vertical	251	2.44
6905MHz	Pass	PK	13.81512G	52.02	88.20	-36.18	3	Vertical	251	2.44
6905MHz	Pass	AV	13.94542G	38.59	68.20	-29.61	3	Horizontal	66	2.66
6905MHz	Pass	PK	13.94568G	51.39	88.20	-36.81	3	Horizontal	66	2.66

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9211G	53.00	68.20	-15.20	12.22	3	Vertical	143	1.65	40.78	34.46	5.11	27.35
AV	5.9577G	97.48	Inf	-Inf	12.13	3	Vertical	143	1.65	85.35	34.40	5.09	27.36
PK	5.9034G	67.01	88.20	-21.19	12.27	3	Vertical	143	1.65	54.74	34.49	5.12	27.34
PK	5.9586G	110.77	Inf	-Inf	12.13	3	Vertical	143	1.65	98.64	34.40	5.09	27.36

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8974G	52.91	68.20	-15.29	12.28	3	Horizontal	356	2.38	40.63	34.49	5.13	27.34
AV	5.9637G	96.71	Inf	-Inf	12.12	3	Horizontal	356	2.38	84.59	34.40	5.09	27.37
PK	5.8767G	67.35	88.20	-20.85	12.22	3	Horizontal	356	2.38	55.13	34.41	5.14	27.33
PK	5.964G	109.88	Inf	-Inf	12.12	3	Horizontal	356	2.38	97.76	34.40	5.09	27.37

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.06936G	37.15	54.00	-16.85	5.23	3	Vertical	292	2.29	31.92	39.44	8.03	42.24
PK	12.05976G	50.64	74.00	-23.36	5.20	3	Vertical	292	2.29	45.44	39.42	8.02	42.24

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.07G	37.14	54.00	-16.86	5.23	3	Horizontal	278	2.18	31.91	39.44	8.03	42.24
PK	12.00856G	50.16	74.00	-23.84	4.99	3	Horizontal	278	2.18	45.17	39.23	7.99	42.23

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.46	68.20	-19.74	12.21	3	Vertical	142	1.65	36.25	34.45	5.11	27.35
AV	5.9836G	97.46	Inf	-Inf	12.11	3	Vertical	142	1.65	85.35	34.40	5.08	27.37
PK	5.9188G	66.45	88.20	-21.75	12.22	3	Vertical	142	1.65	54.23	34.46	5.11	27.35
PK	5.9824G	110.24	Inf	-Inf	12.11	3	Vertical	142	1.65	98.13	34.40	5.08	27.37

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9128G	48.26	68.20	-19.94	12.24	3	Horizontal	360	1.44	36.02	34.47	5.12	27.35
AV	5.9608G	93.73	Inf	-Inf	12.12	3	Horizontal	360	1.44	81.61	34.40	5.09	27.37
PK	5.9116G	62.02	88.20	-26.18	12.25	3	Horizontal	360	1.44	49.77	34.48	5.12	27.35
PK	5.9602G	107.28	Inf	-Inf	12.13	3	Horizontal	360	1.44	95.15	34.40	5.09	27.36

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93272G	36.69	54.00	-17.31	4.96	3	Vertical	27	2.21	31.73	39.17	7.96	42.17
PK	11.92936G	50.08	74.00	-23.92	4.95	3	Vertical	27	2.21	45.13	39.16	7.96	42.17

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93184G	36.63	54.00	-17.37	4.95	3	Horizontal	94	2.89	31.68	39.16	7.96	42.17
PK	11.91456G	49.85	74.00	-24.15	4.93	3	Horizontal	94	2.89	44.92	39.13	7.95	42.15

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	57.35	68.20	-10.85	12.21	3	Vertical	62	2.41	45.14	34.45	5.11	27.35
AV	6G	96.48	Inf	-Inf	12.09	3	Vertical	62	2.41	84.39	34.40	5.07	27.38
PK	5.923G	74.19	88.20	-14.01	12.21	3	Vertical	62	2.41	61.98	34.45	5.11	27.35
PK	6.001G	111.23	Inf	-Inf	12.09	3	Vertical	62	2.41	99.14	34.40	5.07	27.38

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.28	68.20	-17.92	12.21	3	Horizontal	44	1.23	38.07	34.45	5.11	27.35
AV	5.986G	97.74	Inf	-Inf	12.11	3	Horizontal	44	1.23	85.63	34.40	5.08	27.37
PK	5.921G	65.45	88.20	-22.75	12.22	3	Horizontal	44	1.23	53.23	34.46	5.11	27.35
PK	5.983G	110.51	Inf	-Inf	12.11	3	Horizontal	44	1.23	98.40	34.40	5.08	27.37

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9588G	36.80	54.00	-17.20	4.98	3	Vertical	45	2.52	31.82	39.20	7.97	42.19
PK	11.98456G	51.03	74.00	-22.97	4.96	3	Vertical	45	2.52	46.07	39.20	7.98	42.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96328G	36.83	54.00	-17.17	4.97	3	Horizontal	283	2.65	31.86	39.20	7.97	42.20
PK	12.00728G	50.50	74.00	-23.50	4.99	3	Horizontal	283	2.65	45.51	39.23	7.99	42.23

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	58.85	68.20	-9.35	12.21	3	Vertical	145	1.78	46.64	34.45	5.11	27.35
AV	6.05G	95.12	Inf	-Inf	12.07	3	Vertical	145	1.78	83.05	34.40	5.11	27.44
PK	5.922G	73.42	88.20	-14.78	12.22	3	Vertical	145	1.78	61.20	34.46	5.11	27.35
PK	6.045G	108.30	Inf	-Inf	12.07	3	Vertical	145	1.78	96.23	34.40	5.11	27.44

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	57.10	68.20	-11.10	12.21	3	Horizontal	189	1.50	44.89	34.45	5.11	27.35
AV	6.044G	91.14	Inf	-Inf	12.07	3	Horizontal	189	1.50	79.07	34.40	5.11	27.44
PK	5.919G	71.32	88.20	-16.88	12.22	3	Horizontal	189	1.50	59.10	34.46	5.11	27.35
PK	6.041G	104.76	Inf	-Inf	12.07	3	Horizontal	189	1.50	92.69	34.40	5.10	27.43

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.07784G	37.11	54.00	-16.89	5.25	3	Vertical	257	1.70	31.86	39.46	8.03	42.24
PK	12.04552G	50.94	74.00	-23.06	5.15	3	Vertical	257	1.70	45.79	39.38	8.01	42.24

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.08904G	37.16	54.00	-16.84	5.28	3	Horizontal	319	2.37	31.88	39.48	8.04	42.24
PK	11.99944G	50.72	74.00	-23.28	4.96	3	Horizontal	319	2.37	45.76	39.20	7.99	42.23

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	63.50	68.20	-4.70	12.21	3	Vertical	144	1.34	51.29	34.45	5.11	27.35
AV	6.041G	92.68	Inf	-Inf	12.07	3	Vertical	144	1.34	80.61	34.40	5.10	27.43
PK	5.913G	77.06	88.20	-11.14	12.24	3	Vertical	144	1.34	64.82	34.47	5.12	27.35
PK	6.091G	105.79	Inf	-Inf	11.97	3	Vertical	144	1.34	93.82	34.32	5.14	27.49

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	62.15	68.20	-6.05	12.21	3	Horizontal	35	1.97	49.94	34.45	5.11	27.35
AV	6.111G	93.20	Inf	-Inf	11.98	3	Horizontal	35	1.97	81.22	34.34	5.16	27.52
PK	5.919G	76.06	88.20	-12.14	12.22	3	Horizontal	35	1.97	63.84	34.46	5.11	27.35
PK	6.107G	107.65	Inf	-Inf	11.98	3	Horizontal	35	1.97	95.67	34.33	5.16	27.51

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.09864G	37.26	54.00	-16.74	5.30	3	Vertical	208	2.88	31.96	39.50	8.04	42.24
PK	12.13G	50.84	74.00	-23.16	5.25	3	Vertical	208	2.88	45.59	39.44	8.06	42.25

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0852G	37.36	54.00	-16.64	5.27	3	Horizontal	157	1.43	32.09	39.47	8.04	42.24
PK	12.0756G	50.53	74.00	-23.47	5.24	3	Horizontal	157	1.43	45.29	39.45	8.03	42.24

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.17642G	38.27	68.20	-29.93	5.98	3	Vertical	187	1.10	32.29	39.70	8.63	42.35
PK	13.17656G	51.22	88.20	-36.98	5.98	3	Vertical	187	1.10	45.24	39.70	8.63	42.35

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94424G	38.34	68.20	-29.86	6.15	3	Horizontal	266	2.01	32.19	39.99	8.50	42.34
PK	13.04984G	51.80	88.20	-36.40	5.92	3	Horizontal	266	2.01	45.88	39.70	8.56	42.34

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.954G	38.04	68.20	-30.16	6.16	3	Vertical	305	2.05	31.88	39.99	8.51	42.34
PK	12.98856G	52.05	88.20	-36.15	6.10	3	Vertical	305	2.05	45.95	39.92	8.52	42.34

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95688G	38.11	68.20	-30.09	6.16	3	Horizontal	136	1.58	31.95	39.99	8.51	42.34
PK	12.95656G	51.33	88.20	-36.87	6.16	3	Horizontal	136	1.58	45.17	39.99	8.51	42.34

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92568G	38.10	68.20	-30.10	6.11	3	Vertical	204	2.72	31.99	39.95	8.49	42.33
PK	12.93848G	51.94	88.20	-36.26	6.14	3	Vertical	204	2.72	45.80	39.98	8.50	42.34

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.91112G	38.06	68.20	-30.14	6.07	3	Horizontal	269	2.57	31.99	39.92	8.48	42.33
PK	12.89768G	51.91	88.20	-36.29	6.04	3	Horizontal	269	2.57	45.87	39.90	8.47	42.33

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95464G	38.00	68.20	-30.20	6.16	3	Horizontal	11	2.36	31.84	39.99	8.51	42.34
PK	12.97672G	51.35	88.20	-36.85	6.13	3	Horizontal	11	2.36	45.22	39.95	8.52	42.34

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93128G	38.01	68.20	-30.19	6.12	3	Vertical	27	1.30	31.89	39.96	8.49	42.33
PK	12.94568G	51.29	88.20	-36.91	6.15	3	Vertical	27	1.30	45.14	39.99	8.50	42.34

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12723G	38.08	68.20	-30.12	5.90	3	Vertical	108	1.00	32.18	39.65	8.60	42.35
PK	13.12712G	51.74	88.20	-36.46	5.90	3	Vertical	108	1.00	45.84	39.65	8.60	42.35

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14582G	38.11	68.20	-30.09	5.95	3	Horizontal	312	1.42	32.16	39.69	8.61	42.35
PK	13.14568G	51.40	88.20	-36.80	5.95	3	Horizontal	312	1.42	45.45	39.69	8.61	42.35

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.51096G	38.79	68.20	-29.41	6.73	3	Vertical	1	1.47	32.06	40.32	8.81	42.40
PK	13.4668G	51.85	88.20	-36.35	6.70	3	Vertical	1	1.47	45.15	40.30	8.78	42.38

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45784G	38.86	68.20	-29.34	6.70	3	Horizontal	86	2.40	32.16	40.30	8.78	42.38
PK	13.518G	52.08	88.20	-36.12	6.75	3	Horizontal	86	2.40	45.33	40.34	8.81	42.40

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37912G	38.09	54.00	-15.91	6.46	3	Vertical	7	1.13	31.63	40.10	8.73	42.37
PK	13.35224G	51.57	74.00	-22.43	6.45	3	Vertical	7	1.13	45.12	40.10	8.72	42.37

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37408G	38.03	54.00	-15.97	6.46	3	Horizontal	180	1.42	31.57	40.10	8.73	42.37
PK	13.35192G	51.10	74.00	-22.90	6.45	3	Horizontal	180	1.42	44.65	40.10	8.72	42.37

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.26584G	38.06	54.00	-15.94	6.17	3	Vertical	10	2.31	31.89	39.86	8.67	42.36
PK	13.21352G	52.33	88.20	-35.87	6.02	3	Vertical	10	2.31	46.31	39.73	8.65	42.36

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.26504G	37.99	54.00	-16.01	6.17	3	Horizontal	122	2.21	31.82	39.86	8.67	42.36
PK	13.23128G	51.87	88.20	-36.33	6.05	3	Horizontal	122	2.21	45.82	39.76	8.65	42.36

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.30152G	38.10	54.00	-15.90	6.33	3	Vertical	338	1.08	31.77	40.00	8.69	42.36
PK	13.34216G	52.19	74.00	-21.81	6.42	3	Vertical	338	1.08	45.77	40.08	8.71	42.37

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.34856G	38.23	54.00	-15.77	6.45	3	Horizontal	315	1.01	31.78	40.10	8.72	42.37
PK	13.3764G	51.64	74.00	-22.36	6.46	3	Horizontal	315	1.01	45.18	40.10	8.73	42.37

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9602G	93.19	Inf	-Inf	13.47	3	Vertical	78	1.50	79.72	36.20	5.74	28.47
AV	7.1294G	64.87	68.20	-3.33	14.09	3	Vertical	78	1.50	50.78	36.82	5.82	28.55
PK	6.9614G	106.97	Inf	-Inf	13.47	3	Vertical	78	1.50	93.50	36.20	5.74	28.47
PK	7.1714G	79.02	88.20	-9.18	14.25	3	Vertical	78	1.50	64.77	36.99	5.83	28.57

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9794G	91.47	Inf	-Inf	13.47	3	Horizontal	349	1.50	78.00	36.20	5.76	28.49
AV	7.1366G	62.94	68.20	-5.26	14.11	3	Horizontal	349	1.50	48.83	36.85	5.82	28.56
PK	6.8006G	104.82	Inf	-Inf	13.62	3	Horizontal	349	1.50	91.20	36.30	5.63	28.31
PK	7.1846G	78.32	88.20	-9.88	14.30	3	Horizontal	349	1.50	64.02	37.04	5.83	28.57

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72808G	38.53	68.20	-29.67	6.33	3	Vertical	251	2.44	32.20	40.10	8.92	42.69
PK	13.81512G	52.02	88.20	-36.18	6.16	3	Vertical	251	2.44	45.86	40.00	8.97	42.81

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.94542G	38.59	68.20	-29.61	6.31	3	Horizontal	66	2.66	32.28	40.10	8.93	42.72
PK	13.94568G	51.39	88.20	-36.81	6.33	3	Horizontal	66	2.66	45.06	40.29	9.04	43.00

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	100.68	Inf	-Inf	13.99	3	Vertical	203	1.03	86.69	36.73	5.81	28.55
AV	7.1255G	64.87	68.20	-3.33	14.06	3	Vertical	203	1.03	50.81	36.80	5.81	28.55
PK	7.1065G	106.37	Inf	-Inf	13.99	3	Vertical	203	1.03	92.38	36.73	5.81	28.55
PK	7.1255G	74.51	88.20	-13.69	14.06	3	Vertical	203	1.03	60.45	36.80	5.81	28.55

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	99.20	Inf	-Inf	13.99	3	Horizontal	342	1.59	85.21	36.73	5.81	28.55
AV	7.1255G	66.20	68.20	-2.00	14.06	3	Horizontal	342	1.59	52.14	36.80	5.81	28.55
PK	7.1065G	104.82	Inf	-Inf	13.99	3	Horizontal	342	1.59	90.83	36.73	5.81	28.55
PK	7.1255G	77.08	88.20	-11.12	14.06	3	Horizontal	342	1.59	63.02	36.80	5.81	28.55

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22488G	38.73	68.20	-29.47	6.64	3	Vertical	42	1.01	32.09	40.40	9.18	42.94
PK	14.23064G	51.21	88.20	-36.99	6.63	3	Vertical	42	1.01	44.58	40.38	9.19	42.94

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22116G	38.84	68.20	-29.36	6.65	3	Horizontal	33	2.87	32.19	40.42	9.18	42.95
PK	14.223G	50.49	88.20	-37.71	6.64	3	Horizontal	33	2.87	43.85	40.41	9.18	42.95

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.067G	97.30	Inf	-Inf	13.70	3	Vertical	100	1.82	83.60	36.44	5.79	28.53
AV	7.1252G	52.25	68.20	-15.95	14.06	3	Vertical	100	1.82	38.19	36.80	5.81	28.55
PK	7.067G	110.13	Inf	-Inf	13.70	3	Vertical	100	1.82	96.43	36.44	5.79	28.53
PK	7.1252G	66.02	88.20	-22.18	14.06	3	Vertical	100	1.82	51.96	36.80	5.81	28.55

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.079G	95.30	Inf	-Inf	13.79	3	Horizontal	347	1.50	81.51	36.53	5.80	28.54
AV	7.2332G	51.41	68.20	-16.79	14.52	3	Horizontal	347	1.50	36.89	37.23	5.88	28.59
PK	7.0802G	108.10	Inf	-Inf	13.80	3	Horizontal	347	1.50	94.30	36.54	5.80	28.54
PK	7.2014G	65.71	88.20	-22.49	14.37	3	Horizontal	347	1.50	51.34	37.11	5.84	28.58

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17904G	38.65	68.20	-29.55	6.69	3	Vertical	290	1.77	31.96	40.50	9.16	42.97
PK	14.16272G	52.16	88.20	-36.04	6.67	3	Vertical	290	1.77	45.49	40.50	9.15	42.98

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17792G	38.64	68.20	-29.56	6.69	3	Horizontal	250	2.37	31.95	40.50	9.16	42.97
PK	14.18304G	52.51	88.20	-35.69	6.69	3	Horizontal	250	2.37	45.82	40.50	9.16	42.97

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0259G	97.86	Inf	-Inf	13.51	3	Vertical	104	1.76	84.35	36.25	5.78	28.52
AV	7.1252G	57.35	68.20	-10.85	14.06	3	Vertical	104	1.76	43.29	36.80	5.81	28.55
PK	7.0262G	110.83	Inf	-Inf	13.51	3	Vertical	104	1.76	97.32	36.25	5.78	28.52
PK	7.1252G	73.08	88.20	-15.12	14.06	3	Vertical	104	1.76	59.02	36.80	5.81	28.55

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0202G	95.80	Inf	-Inf	13.50	3	Horizontal	150	1.50	82.30	36.24	5.78	28.52
AV	7.1252G	54.87	68.20	-13.33	14.06	3	Horizontal	150	1.50	40.81	36.80	5.81	28.55
PK	7.0286G	109.19	Inf	-Inf	13.52	3	Horizontal	150	1.50	95.67	36.26	5.78	28.52
PK	7.1336G	68.86	88.20	-19.34	14.09	3	Horizontal	150	1.50	54.77	36.83	5.82	28.56

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.08536G	38.73	68.20	-29.47	6.56	3	Vertical	161	2.85	32.17	40.47	9.11	43.02
PK	14.03688G	52.39	88.20	-35.81	6.44	3	Vertical	161	2.85	45.95	40.40	9.09	43.05

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.08632G	38.50	68.20	-29.70	6.56	3	Horizontal	171	2.54	31.94	40.47	9.11	43.02
PK	14.05256G	52.49	88.20	-35.71	6.47	3	Horizontal	171	2.54	46.02	40.41	9.10	43.04

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.932G	95.42	Inf	-Inf	13.48	3	Vertical	93	1.50	81.94	36.20	5.72	28.44
AV	7.126G	61.94	68.20	-6.26	14.06	3	Vertical	93	1.50	47.88	36.80	5.81	28.55
PK	6.929G	108.89	Inf	-Inf	13.48	3	Vertical	93	1.50	95.41	36.20	5.72	28.44
PK	7.139G	79.00	88.20	-9.20	14.12	3	Vertical	93	1.50	64.88	36.86	5.82	28.56

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.907G	93.82	Inf	-Inf	13.48	3	Horizontal	330	3.00	80.34	36.20	5.70	28.42
AV	7.125G	59.45	68.20	-8.75	14.06	3	Horizontal	330	3.00	45.39	36.80	5.81	28.55
PK	6.935G	106.44	Inf	-Inf	13.47	3	Horizontal	330	3.00	92.97	36.20	5.72	28.45
PK	7.133G	74.35	88.20	-13.85	14.09	3	Horizontal	330	3.00	60.26	36.83	5.82	28.56

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00968G	38.35	68.20	-29.85	6.41	3	Vertical	277	1.57	31.94	40.40	9.07	43.06
PK	14.01G	52.46	88.20	-35.74	6.42	3	Vertical	277	1.57	46.04	40.40	9.08	43.06

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00744G	38.34	68.20	-29.86	6.40	3	Horizontal	320	2.61	31.94	40.40	9.07	43.07
PK	13.94888G	51.86	88.20	-36.34	6.34	3	Horizontal	320	2.61	45.52	40.30	9.04	43.00



Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
3.19			


Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.19	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-76.19	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-70.19	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-62.19	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-76.19	OFF	10	100	90	Pass
				Center	6105	-73.19	OFF	10	100	90	Pass
				High edge	6260	-71.19	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-73.19	OFF	10	100	90	Pass
				Center	6425	-73.19	OFF	10	100	90	Pass
				High edge	6580	-73.69	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-75.19	OFF	10	100	90	Pass
				Center	6585	-74.69	OFF	10	100	90	Pass
				High edge	6740	-73.69	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-75.69	OFF	10	100	90	Pass
				Center	6905	-74.69	OFF	10	100	90	Pass
				High edge	7060	-75.69	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Inteference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.00	3.19	-71.19	≤ -62
						Minimal	-72.00	3.19	-75.19	≤ -62
						ON	-73.00	3.19	-76.19	≤ -62
6	101	20	6455	Center	6455	OFF	-73.00	3.19	-76.19	≤ -62
						Minimal	-74.00	3.19	-77.19	≤ -62
						ON	-74.50	3.19	-77.69	≤ -62
7	149	20	6695	Center	6695	OFF	-67.00	3.19	-70.19	≤ -62
						Minimal	-73.00	3.19	-76.19	≤ -62
						ON	-74.00	3.19	-77.19	≤ -62
8	213	20	7015	Center	7015	OFF	-59.00	3.19	-62.19	≤ -62
						Minimal	-75.00	3.19	-78.19	≤ -62
						ON	-76.00	3.19	-79.19	≤ -62

Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-73.00	3.19	-76.19	≤ -62
						Minimal	-75.00	3.19	-78.19	≤ -62
						ON	-76.00	3.19	-79.19	≤ -62
				Center	6105	OFF	-70.00	3.19	-73.19	≤ -62
						Minimal	-74.00	3.19	-77.19	≤ -62
						ON	-75.00	3.19	-78.19	≤ -62
				High edge	6260	OFF	-68.00	3.19	-71.19	≤ -62
						Minimal	-71.00	3.19	-74.19	≤ -62
						ON	-72.00	3.19	-75.19	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-70.00	3.19	-73.19	≤ -62
						Minimal	-72.00	3.19	-75.19	≤ -62
						ON	-72.50	3.19	-75.69	≤ -62
				Center	6425	OFF	-70.00	3.19	-73.19	≤ -62
						Minimal	-73.00	3.19	-76.19	≤ -62
						ON	-73.50	3.19	-76.69	≤ -62
				High edge	6580	OFF	-70.50	3.19	-73.69	≤ -62
						Minimal	-71.50	3.19	-74.69	≤ -62
						ON	-72.00	3.19	-75.19	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-72.00	3.19	-75.19	≤ -62
						Minimal	-72.50	3.19	-75.69	≤ -62
						ON	-73.50	3.19	-76.69	≤ -62
				Center	6585	OFF	-71.50	3.19	-74.69	≤ -62
						Minimal	-72.50	3.19	-75.69	≤ -62
						ON	-73.00	3.19	-76.19	≤ -62
				High edge	6740	OFF	-70.50	3.19	-73.69	≤ -62
						Minimal	-71.00	3.19	-74.19	≤ -62
						ON	-71.00	3.19	-74.19	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-72.50	3.19	-75.69	≤ -62
						Minimal	-73.00	3.19	-76.19	≤ -62
						ON	-73.50	3.19	-76.69	≤ -62
				Center	6905	OFF	-71.50	3.19	-74.69	≤ -62
						Minimal	-72.50	3.19	-75.69	≤ -62
						ON	-72.50	3.19	-75.69	≤ -62
				High edge	7060	OFF	-72.50	3.19	-75.69	≤ -62
						Minimal	-73.00	3.19	-76.19	≤ -62
						ON	-73.00	3.19	-76.19	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz




Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.7875ms

All TX Sample

7663

Duty Cycle

0.957755

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.05ms

All TX Sample

7364

Duty Cycle

0.920385

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main




Sample Time

12.5us	
All TX Time	
93.1375ms	
All TX Sample	
7451	
Duty Cycle	
0.931259	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis


Main




Sample Time

12.5us	
All TX Time	
92.75ms	
All TX Sample	
7420	
Duty Cycle	
0.927384	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz




Bandwidth 320MHz: Traffic Loading Plot - 6270MHz



Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

91.5ms

All TX Sample

7320

Duty Cycle

0.914886

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

91.7875ms

All TX Sample

7343

Duty Cycle

0.91776


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz




Bandwidth 320MHz: Traffic Loading Plot - 6585MHz



Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

90.95ms

All TX Sample

7276

Duty Cycle

0.909386

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.475ms

All TX Sample

7478

Duty Cycle

0.934633

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.225ms

All TX Sample

7458

Duty Cycle

0.932133

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

91.6875ms

All TX Sample

7335

Duty Cycle

0.91676


T1[s] T2[s]



NaNs NaNs



T3[s] T4[s]



NaNs NaNs



1. Incumbent signal (AWGN) Plot

















2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz

Time Analysis




Sample Time	1us
All TX Time	870.946ms
All TX Sample	870946
Duty Cycle	0.870945
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Sample Time	1us
All TX Time	870.978ms
All TX Sample	870978
Duty Cycle	0.870977
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz

Time Analysis




Sample Time	1us
All TX Time	373.525ms
All TX Sample	373525
Duty Cycle	0.373525
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz

Time Analysis




Sample Time	1us
All TX Time	479.259ms
All TX Sample	479259
Duty Cycle	0.479259
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz

Time Analysis




Sample Time	1us
All TX Time	258.721ms
All TX Sample	258721
Duty Cycle	0.258721
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis



Sample Time	1us
All TX Time	209.016ms
All TX Sample	209016
Duty Cycle	0.209016
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -72 dBm)


Time Analysis



Sample Time	1us
All TX Time	947.599ms
All TX Sample	947599
Duty Cycle	0.947598
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -73dBm)

Time Analysis




Sample Time	1us
All TX Time	948.952ms
All TX Sample	948952
Duty Cycle	0.948951
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 5950 MHz (Threshold Level: -75dBm)


Time Analysis



Sample Time	1us
All TX Time	547.399ms
All TX Sample	547399
Duty Cycle	0.547398
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 5950 MHz (Threshold Level: -76dBm)

Time Analysis




Sample Time	1us
All TX Time	643.433ms
All TX Sample	643433
Duty Cycle	0.643432
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6105 MHz (Threshold Level: -74dBm)


Time Analysis



Sample Time	1us
All TX Time	917.769ms
All TX Sample	917769
Duty Cycle	0.917768
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6105 MHz (Threshold Level: -75dBm)

Time Analysis




Sample Time	1us
All TX Time	917.173ms
All TX Sample	917173
Duty Cycle	0.917172
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)

Time Analysis





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	12.53192G	35.81	54.00	-18.19	Horizontal
Mode 2	Pass	AV	7.31156G	53.71	54.00	-0.29	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.8132G	25.32	54.00	-28.68	3	Vertical	13	2.46
Mode 1	Pass	AV	4.87948G	26.01	54.00	-27.99	3	Vertical	0	1.63
Mode 1	Pass	AV	7.3108G	31.76	54.00	-22.24	3	Vertical	360	1.50
Mode 1	Pass	AV	10.47564G	37.11	68.20	-31.09	3	Vertical	279	1.52
Mode 1	Pass	AV	12.52192G	35.79	54.00	-18.21	3	Vertical	289	1.97
Mode 1	Pass	PK	4.81356G	39.44	74.00	-34.56	3	Vertical	13	2.46
Mode 1	Pass	PK	4.8642G	39.09	74.00	-34.91	3	Vertical	0	1.63
Mode 1	Pass	PK	7.30644G	44.76	74.00	-29.24	3	Vertical	360	1.50
Mode 1	Pass	PK	10.47528G	50.79	88.20	-37.41	3	Vertical	279	1.52
Mode 1	Pass	PK	12.53844G	48.97	74.00	-25.03	3	Vertical	289	1.97
Mode 1	Pass	AV	4.8134G	25.45	54.00	-28.55	3	Horizontal	217	1.09
Mode 1	Pass	AV	4.86792G	25.88	54.00	-28.12	3	Horizontal	206	1.13
Mode 1	Pass	AV	7.31848G	31.70	54.00	-22.30	3	Horizontal	5	1.39
Mode 1	Pass	AV	10.48024G	37.44	68.20	-30.76	3	Horizontal	127	1.72
Mode 1	Pass	AV	12.53192G	35.81	54.00	-18.19	3	Horizontal	236	1.06
Mode 1	Pass	PK	4.80756G	38.76	74.00	-35.24	3	Horizontal	217	1.09
Mode 1	Pass	PK	4.87272G	39.07	74.00	-34.93	3	Horizontal	206	1.13
Mode 1	Pass	PK	7.31812G	45.11	74.00	-28.89	3	Horizontal	5	1.39
Mode 1	Pass	PK	10.48012G	50.96	88.20	-37.24	3	Horizontal	127	1.72
Mode 1	Pass	PK	12.53652G	49.18	74.00	-24.82	3	Horizontal	236	1.06
Mode 2	Pass	AV	4.81104G	30.60	54.00	-23.40	3	Vertical	262	1.79
Mode 2	Pass	AV	4.87392G	41.93	54.00	-12.07	3	Vertical	98	2.89
Mode 2	Pass	AV	7.31156G	53.71	54.00	-0.29	3	Vertical	272	3.00
Mode 2	Pass	AV	10.482G	40.03	68.20	-28.17	3	Vertical	39	1.61
Mode 2	Pass	AV	12.508G	39.06	54.00	-14.94	3	Vertical	286	2.92
Mode 2	Pass	PK	4.8108G	40.07	74.00	-33.93	3	Vertical	263	1.98
Mode 2	Pass	PK	4.87408G	51.96	74.00	-22.04	3	Vertical	98	2.89
Mode 2	Pass	PK	7.30596G	65.18	74.00	-8.82	3	Vertical	267	3.00
Mode 2	Pass	PK	10.482G	50.32	88.20	-37.88	3	Vertical	39	1.61
Mode 2	Pass	PK	12.5712G	50.11	74.00	-23.89	3	Vertical	286	1.37
Mode 2	Pass	AV	4.81284G	34.30	54.00	-19.70	3	Horizontal	158	2.10
Mode 2	Pass	AV	4.87384G	43.83	54.00	-10.17	3	Horizontal	120	2.18
Mode 2	Pass	AV	7.31028G	52.37	54.00	-1.63	3	Horizontal	205	1.00
Mode 2	Pass	AV	10.4817G	39.46	68.20	-28.74	3	Horizontal	54	1.83
Mode 2	Pass	AV	12.53G	39.71	54.00	-14.29	3	Horizontal	253	1.55
Mode 2	Pass	PK	4.81016G	41.44	74.00	-32.56	3	Horizontal	158	2.02
Mode 2	Pass	PK	4.87424G	54.41	74.00	-19.59	3	Horizontal	120	2.18
Mode 2	Pass	PK	7.30588G	64.26	74.00	-9.74	3	Horizontal	205	1.00
Mode 2	Pass	PK	10.4565G	50.44	88.20	-37.76	3	Horizontal	54	2.43
Mode 2	Pass	PK	12.5288G	51.10	74.00	-22.90	3	Horizontal	253	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8132G	25.32	54.00	-28.68	-6.94	3	Vertical	13	2.46	32.26	32.55	4.57	44.06
AV	4.87948G	26.01	54.00	-27.99	-6.60	3	Vertical	0	1.63	32.61	32.82	4.63	44.05
AV	7.3108G	31.76	54.00	-22.24	-0.60	3	Vertical	360	1.50	32.36	37.16	5.98	43.74
AV	10.47564G	37.11	68.20	-31.09	4.17	3	Vertical	279	1.52	32.94	38.75	7.35	41.93
AV	12.52192G	35.79	54.00	-18.21	5.21	3	Vertical	289	1.97	30.58	39.24	8.27	42.30
PK	4.81356G	39.44	74.00	-34.56	-6.94	3	Vertical	13	2.46	46.38	32.55	4.57	44.06
PK	4.8642G	39.09	74.00	-34.91	-6.68	3	Vertical	0	1.63	45.77	32.76	4.61	44.05
PK	7.30644G	44.76	74.00	-29.24	-0.60	3	Vertical	360	1.50	45.36	37.17	5.98	43.75
PK	10.47528G	50.79	88.20	-37.41	4.17	3	Vertical	279	1.52	46.62	38.75	7.35	41.93
PK	12.53844G	48.97	74.00	-25.03	5.26	3	Vertical	289	1.97	43.71	39.28	8.28	42.30

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8134G	25.45	54.00	-28.55	-6.94	3	Horizontal	217	1.09	32.39	32.55	4.57	44.06
AV	4.86792G	25.88	54.00	-28.12	-6.66	3	Horizontal	206	1.13	32.54	32.77	4.62	44.05
AV	7.31848G	31.70	54.00	-22.30	-0.61	3	Horizontal	5	1.39	32.31	37.13	5.99	43.73
AV	10.48024G	37.44	68.20	-30.76	4.16	3	Horizontal	127	1.72	33.28	38.74	7.35	41.93
AV	12.53192G	35.81	54.00	-18.19	5.24	3	Horizontal	236	1.06	30.57	39.26	8.28	42.30
PK	4.80756G	38.76	74.00	-35.24	-6.96	3	Horizontal	217	1.09	45.72	32.53	4.57	44.06
PK	4.87272G	39.07	74.00	-34.93	-6.64	3	Horizontal	206	1.13	45.71	32.79	4.62	44.05
PK	7.31812G	45.11	74.00	-28.89	-0.61	3	Horizontal	5	1.39	45.72	37.13	5.99	43.73
PK	10.48012G	50.96	88.20	-37.24	4.16	3	Horizontal	127	1.72	46.80	38.74	7.35	41.93
PK	12.53652G	49.18	74.00	-24.82	5.25	3	Horizontal	236	1.06	43.93	39.27	8.28	42.30

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81104G	30.60	54.00	-23.40	-1.45	3	Vertical	262	1.79	32.05	32.57	4.21	38.23
AV	4.87392G	41.93	54.00	-12.07	-1.17	3	Vertical	98	2.89	43.10	32.80	4.24	38.21
AV	7.31156G	53.71	54.00	-0.29	6.28	3	Vertical	272	3.00	47.43	37.25	6.00	36.97
AV	10.482G	40.03	68.20	-28.17	9.11	3	Vertical	39	1.61	30.92	39.04	7.63	37.56
AV	12.508G	39.06	54.00	-14.94	9.70	3	Vertical	286	2.92	29.36	39.22	8.68	38.20
PK	4.8108G	40.07	74.00	-33.93	-1.46	3	Vertical	263	1.98	41.53	32.56	4.21	38.23
PK	4.87408G	51.96	74.00	-22.04	-1.17	3	Vertical	98	2.89	53.13	32.80	4.24	38.21
PK	7.30596G	65.18	74.00	-8.82	6.29	3	Vertical	267	3.00	58.89	37.28	5.99	36.98
PK	10.482G	50.32	88.20	-37.88	9.11	3	Vertical	39	1.61	41.21	39.04	7.63	37.56
PK	12.5712G	50.11	74.00	-23.89	9.81	3	Vertical	286	1.37	40.30	39.34	8.72	38.25

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81284G	34.30	54.00	-19.70	-1.43	3	Horizontal	158	2.10	35.73	32.58	4.22	38.23
AV	4.87384G	43.83	54.00	-10.17	-1.17	3	Horizontal	120	2.18	45.00	32.80	4.24	38.21
AV	7.31028G	52.37	54.00	-1.63	6.29	3	Horizontal	205	1.00	46.08	37.26	6.00	36.97
AV	10.4817G	39.46	68.20	-28.74	9.11	3	Horizontal	54	1.83	30.35	39.04	7.63	37.56
AV	12.53G	39.71	54.00	-14.29	9.74	3	Horizontal	253	1.55	29.97	39.26	8.70	38.22
PK	4.81016G	41.44	74.00	-32.56	-1.46	3	Horizontal	158	2.02	42.90	32.56	4.21	38.23
PK	4.87424G	54.41	74.00	-19.59	-1.17	3	Horizontal	120	2.18	55.58	32.80	4.24	38.21
PK	7.30588G	64.26	74.00	-9.74	6.29	3	Horizontal	205	1.00	57.97	37.28	5.99	36.98
PK	10.4565G	50.44	88.20	-37.76	9.13	3	Horizontal	54	2.43	41.31	39.09	7.61	37.57
PK	12.5288G	51.10	74.00	-22.90	9.74	3	Horizontal	253	1.50	41.36	39.26	8.70	38.22