

Model: LS4530 G3 NA


This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC ID: P05-LS4530G3
Contact FCC on ZNA via TCR@MCCI.COM, P05-MCCI@mcg.com

Lyngbyne Systems A/S - Lyngby Alle 3, DK-5600 Aars, Denmark

LPN in barcode
YYYYMM4550ABC

Input Power Requirements:
110-240Vac, 50-60Hz,
0.5A, max 45W



FCCID: PQG-MERCURY6E-M
IC: 4113A-MERCURY6E-M
Model: LS-M6E-M



Lyngsoe
Systems

TCB46

AT&S

Global PCB Sup
AT&S Austria Technologie & Syst





AT&S


Global PCB Sup

Lyngsee Systems Ltd.
Supervisory Board SUP46
Cmp. Assy. 351867 Rev 00

SN

U090069


501024



AT&S

Global PCB Supplier for Adv

AT&S Austria Technologie & Systemtechnik AG / Fabriksgass



13-22
ECI M-D
94V-0



Global PCB Supplier for Adv

AT&S Austria Technologie & Systemtechnik AG / Fabriksgasse


lyngsoesystems.com
CPU46 PCB LSPN 351727 rev.0-1

AT&S

Global PCB Supplier for



AT&S Austria Technologie & Systemtechnik AG / Fabriksgasse 13 / 8700 Leoben / Tel. +



AT&S

Global PCB Supplier for Advanced Technology

AT&S Austria Technologie & Systemtechnik AG / Fabriksgasse 13 / 8700 Leoben / Tel. +43 3042