


Model: LS4550 G3 NA
This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference from radio transmitting devices.

LS4550 G3
RTLS Portal
P/N: 600358
Rev 0-0 NA
S/N: XXXXXX
Life in barcode

RTLS Portal
Input Power Requirements:
110-240Vac, 50-60Hz,
0.5A, max 45W

LPN in barcode
YYYNMM4550ABC



FCCID: PQG-MERCURY6E-M
IC: 4113A-MERCURY6E-M
Model: LS-M6E-M



Lyngsoe
Systems

ANT1

CCL2

CCL1

ANT2

GP102

GP102

GP102

GP102

GP102

GP102

GP102

GP102

RS1 SH10

351817R0-1

AT&S


Global PCB Sup
AT&S Austria Technologie & Syst



AT&S

Global PCB Sup





SEI510 7044-00

RD846

LS Assy 500977 0-0
Lyngsoe Systems

S/N
U084500

M2234



CON2




Global PCB Supplier for A

Lyngsee Systems Ltd.
Supervisory Board SUP46
Cmp. Assy. 351867 Rev 00

SN

U090069


501024



AT&S

Global PCB Supplier for Adv

AT&S Austria Technologie & Systemtechnik AG / Fabriksgass



13-22
ECI M-D
94V-0




Global PCB Supplier for Adv


AT&S Austria Technologie & Systemtechnik AG / Fabriksgasse

lyngsoesystems.com
CPU46 PCB LSPN 351727 rev.0-1

AT&S

Global PCB Supplier for





AT&S

Global PCB Supplier for Advanced Technology

AT&S Austria Technologie & Systemtechnik AG / Fabriksgasse 13 / 8700 Leoben / Tel. +43 3042