

No. 1 Workshop, M-10, Middle section, Science & Technology Park,

Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594 Report No.: SZEM160700594002

Email: ee.shenzhen@sgs.com Page: 1 of 80

FCC REPORT

Application No: SZEM1607005940CR (SGS SZ No.: T51610230088EM)

Applicant: Spin Master Toys Far East Ltd. **Manufacturer:** Spin Master Toys Far East Ltd.

Product Name: X-Stream Video Drone

Model No.(EUT): 44565RX

FCC ID: PQN44565RX2G4

Standards: 47 CFR Part 15, Subpart C (2015)

Date of Receipt: 2016-07-21

Date of Test: 2016-07-26 to 2016-07-27

Date of Issue: 2016-08-03

Test Result: PASS *

. * In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM160700594002

Page: 2 of 80

2 Version

Revision Record							
Version Chapter Date Modifier Remark							
00		2016-08-03		Original			

Authorized for issue by:		
Tested By	Gebin Sun	2016-07-27
	(Gebin Sun) /Project Engineer	Date
Checked By	Eric Fu	2016-08-03
	(Eric Fu) /Reviewer	Date



Report No.: SZEM160700594002

Page: 3 of 80

3 Test Summary

Test Item	Test Requirement	Test method	Result
Antenna Requirement	47 CFR Part 15, Subpart C Section 15.203/15.247 (c)	ANSI C63.10 2013	PASS
AC Power Line Conducted Emission	47 CFR Part 15, Subpart C Section 15.207	ANSI C63.10 2013	PASS
Conducted Peak Output Power	47 CFR Part 15, Subpart C Section 15.247 (b)(3)	ANSI C63.10 2013	PASS
6dB Occupied Bandwidth	47 CFR Part 15, Subpart C Section 15.247 (a)(2)	ANSI C63.10 2013	PASS
Power Spectral Density	47 CFR Part 15, Subpart C Section 15.247 (e)	ANSI C63.10 2013	PASS
Band-edge for RF Conducted Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	ANSI C63.10 2013	PASS
RF Conducted Spurious Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	ANSI C63.10 2013	PASS
Radiated Spurious Emissions	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 2013	PASS
Restricted bands around fundamental frequency (Radiated Emission)	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 2013	PASS



Report No.: SZEM160700594002

Page: 4 of 80

4 Contents

		Page
1	COVER PAGE	1
2	VERSION	2
3	TEST SUMMARY	3
4	CONTENTS	4
5	GENERAL INFORMATION	5
	5.1 CLIENT INFORMATION 5.2 GENERAL DESCRIPTION OF EUT 5.3 TEST ENVIRONMENT AND MODE 5.4 DESCRIPTION OF SUPPORT UNITS 5.5 TEST LOCATION 5.6 TEST FACILITY 5.7 DEVIATION FROM STANDARDS 5.8 ABNORMALITIES FROM STANDARD CONDITIONS 5.9 OTHER INFORMATION REQUESTED BY THE CUSTOMER 5.10 EQUIPMENT LIST	
6	TEST RESULTS AND MEASUREMENT DATA. 6.1 ANTENNA REQUIREMENT	
7	PHOTOGRAPHS - EUT TEST SETUP	79
_	 7.1 RADIATED SPURIOUS EMISSION (BELOW 1GHz) 7.2 RADIATED SPURIOUS EMISSION(ABOVE 1GHz) 	79
8	PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	



Report No.: SZEM160700594002

Page: 5 of 80

5 General Information

5.1 Client Information

Applicant:	Spin Master Toys Far East Ltd.
Address of Applicant:	Room 1113, 11/F, Chinachen Golden Plaza, 77 Mody Road, Tsim ShaTsui East, Kowloon, Hong Kong
Manufacturer:	APEX Toys (ShenZhen) Co., Ltd.

5.2 General Description of EUT

Product Name:	X-Stream Video Drone
Model No.	44565RX
Family No.:	44565
Phantom No.:	20082688, 20084646
Sales Planning:	6035076, 6036071
Finished Goods No.:	1045674, 1047482
Brand Name:	ARH
Country of Origin:	Made in China
Country of Destination:	US
Date Code:	60715AAX
Operation Frequency:	IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz
Channel Numbers:	IEEE 802.11b/g, IEEE 802.11n HT20: 11 Channels
Channel Separation:	5MHz
Type of Modulation:	IEEE for 802.11b: DSSS(CCK,DQPSK,DBPSK)
	IEEE for 802.11g : OFDM(64QAM, 16QAM, QPSK, BPSK)
	IEEE for 802.11n(HT20): OFDM (64QAM, 16QAM,QPSK,BPSK)
Antenna Type:	Integral
Antenna Gain:	2dBi
EUT Power Supply:	DC3.7V (1 x 3.7V Rechargeable battery)
	Battery: Charge by DC 5V

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 6 of 80

Operation F	Operation Frequency each of channel(802.11b/g/n HT20)							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency	
1	2412MHz	4	2427MHz	7	2442MHz	10	2457MHz	
2	2417MHz	5	2432MHz	8	2447MHz	11	2462MHz	
3	2422MHz	6	2437MHz	9	2452MHz			

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11b/g/n (HT20):

Channel	Frequency
The Lowest channel	2412MHz
The Middle channel	2437MHz
The Highest channel	2462MHz



Report No.: SZEM160700594002

Page: 7 of 80

5.3 Test Environment and Mode

Operating Environment:	
Temperature:	25.0 °C
Humidity:	55 % RH
Atmospheric Pressure:	1010 mbar
Test mode:	
Transmitting mode:	Keep the EUT in transmitting mode with all kind of modulation and all
	kind of data rate.

5.4 Description of Support Units

The EUT has been tested independent unit.

5.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.



Report No.: SZEM160700594002

Page: 8 of 80

5.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

• FCC - Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.

5.7 Deviation from Standards

None.

5.8 Abnormalities from Standard Conditions

None

5.9 Other Information Requested by the Customer

None.



Report No.: SZEM160700594002

Page: 9 of 80

5.10 Equipment List

	RE in Chamber					
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	ETS- LINDGREN	N/A	SEM001-01	2016-05-13	2017-05-13
2	EMI Test Receiver	Agilent Technologies	N9038A	SEM004-05	2015-09-16	2016-09-16
3	BiConiLog Antenna (26-3000MHz)	ETS- LINDGREN	3142C	SEM003-01	2014-11-01	2017-11-01
4	Double-ridged horn (1-18GHz)	ETS- LINDGREN	3117	SEM003-11	2015-10-17	2018-10-17
5	Horn Antenna (18-26GHz)	ETS- LINDGREN	3160	SEM003-12	2014-11-24	2017-11-24
6	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEM005-01	2016-04-25	2017-04-25
7	Band filter	Amindeon	Asi 3314	SEM023-01	N/A	N/A
8	DC Power Supply	Zhao Xin	RXN-305D	SEM011-02	2015-10-09	2016-10-09
9	Loop Antenna	Beijing Daze	ZN30401	SEM003-09	2015-05-13	2018-05-13

	RE in Chamber							
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)		
1	3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2016-05-13	2017-05-13		
2	EMI Test Receiver	Rohde & Schwarz	ESIB26	SEM004-04	2016-04-25	2017-04-25		
3	BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-02	2014-11-15	2017-11-15		
4	Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2015-10-09	2016-10-09		
5	Horn Antenna (1-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2015-06-14	2018-06-14		
6	Low Noise Amplifier	Black Diamond Series	BDLNA- 0118- 352810	SEM005-05	2015-10-09	2016-10-09		
7	Band filter	Amindeon	Asi 3314	SEM023-01	N/A	N/A		



Report No.: SZEM160700594002

Page: 10 of 80

	RF connected test					
Item	Test Equipment	Manufacturer Mod	Model No.	Inventory No.	Cal. date	Cal.Due date
itoiii	rest Equipment	manadotalei	model ito.	inventory ivo.	(yyyy-mm-dd)	(yyyy-mm-dd)
1	DC Power Supply	ZhaoXin	RXN-305D	SEM011-02	2015-10-09	2016-10-09
2	Spectrum Analyzer	Rohde &	FSP	SEM004-06	2015-10-17	2016-10-17
_	Spectrum Analyzer	Schwarz			2013-10-17	2010-10-17
3	Signal Congretor	Rohde &	SML03	SEM006-02	2016-04-25	2017 04 25
3	Signal Generator	Schwarz	SIVILUS	3EIVIUU6-U2	2016-04-25	2017-04-25
	Dower Motor	Rohde &	NRVS	SEM014-02	2015-10-09	2016 10 00
4 Power Meter		Schwarz	INHVS	SEIVIU14-02	2015-10-09	2016-10-09



Report No.: SZEM160700594002

Page: 11 of 80

6 Test results and Measurement Data

6.1 Antenna Requirement

Standard 47 CFR Part 15C Section 15.203 /247(c) requirement:


15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:



The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 2dBi.



Report No.: SZEM160700594002

Page: 12 of 80

6.2 Conducted Peak Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(3)		
Test Method:	ANSI C63.10 :2013 Section 11.9.1		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
	Remark:		
	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.		
Test Instruments:	Refer to section 5.10 for details		
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates		
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;		
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20)		
Limit:	30dBm		
Test Results:	Pass		

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 13 of 80

Pre-scan under all rate at lowest channel 1								
Mode	802.11b							
Data Rate	1Mbps	2Mbps	5.5Mbps	11Mbps				
Power (dBm)	16.80	16.75	16.71	16.68				
Mode	802.11g							
Data Rate	6Mbps	9Mbps	12Mbps	18Mbps	24Mbps	36Mbps	48Mbps	54Mbps
Power (dBm)	15.14	15.04	14.98	14.95	14.97	14.87	14.85	14.90
Mode	802.11n(HT20)							
Data Rate	6.5Mbps	13Mbps	19.5Mbps	26Mbps	39Mbps	52Mbps	58.5Mbps	65Mbps
Power (dBm)	13.34	13.27	13.24	13.28	13.15	13.04	13.11	13.01

Through Pre-scan, 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40).



Report No.: SZEM160700594002

Page: 14 of 80

Measurement Data

802.11b mode					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	16.80	30.00	Pass		
Middle	15.92	30.00	Pass		
Highest	15.13	30.00	Pass		
	802.11g mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	15.14	30.00	Pass		
Middle	14.33	30.00	Pass		
Highest	13.74	30.00	Pass		
802.11n(HT20)mode					
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	13.34	30.00	Pass		
Middle	12.88	30.00	Pass		
Highest	12.19	30.00	Pass		




Report No.: SZEM160700594002


Page: 15 of 80

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002

Page: 16 of 80

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002

Page: 17 of 80

Test mode: 802.11g Test channel: Middle



Test mode: 802.11g Test channel: Highest	Test channel:	802.11g	Test mode:
--	---------------	---------	------------




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002

Page: 18 of 80

Test mode: 802.11n(HT20) Test channel: Lowest



Test mode: 802.11n(HT20) Test channel: Middle



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 19 of 80








Report No.: SZEM160700594002

Page: 20 of 80

6.3 6dB Occupy Bandwidth



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 21 of 80

Measurement Data

802.11b mode					
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result		
Lowest	10.110	≥500	Pass		
Middle	10.110	≥500	Pass		
Highest	10.110	≥500	Pass		
	802.11g mode				
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result		
Lowest	16.410	≥500	Pass		
Middle	16.410	≥500	Pass		
Highest	16.410	≥500	Pass		
802.11n(HT20) mode					
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result		
Lowest	16.440	≥500	Pass		
Middle	16.410	≥500	Pass		
Highest	16.410	≥500	Pass		




Report No.: SZEM160700594002


Page: 22 of 80

Test plot as follows:

Test mode: 802.11b Test channel: Lowest











Report No.: SZEM160700594002

Page: 23 of 80

Test mode: 802.11b Test channel: Highest











Report No.: SZEM160700594002

Page: 24 of 80

Test mode: 802.11g Test channel: Middle











Report No.: SZEM160700594002

Page: 25 of 80

Test mode: 802.11n(HT20) Test channel: Lowest








[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 26 of 80

Test mode: 802.11n(HT20) Test channel: Highest




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 27 of 80

6.4 Power Spectral Density



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 28 of 80

Measurement Data

802.11b mode						
Test channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result			
Lowest	-10.82	≤8.00	Pass			
Middle	-11.90	≤8.00	Pass			
Highest	-12.61	≤8.00	Pass			
	802.11g mode					
Test channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result			
Lowest	-19.67	≤8.00	Pass			
Middle	-20.92	≤8.00	Pass			
Highest	-21.30	≤8.00	Pass			
802.11n(HT20) mode						
Test channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result			
Lowest	-21.65	≤8.00	Pass			
Middle	-22.23	≤8.00	Pass			
Highest	-23.40	≤8.00	Pass			




Report No.: SZEM160700594002


Page: 29 of 80

Test plot as follows:

Test mode: 802.11b Test channel: Lowest











Report No.: SZEM160700594002

Page: 30 of 80

Test mode: 802.11b Test channel: Highest











Report No.: SZEM160700594002

Page: 31 of 80

Test mode: 802.11g Test channel: Middle











Report No.: SZEM160700594002

Page: 32 of 80

Test mode: 802.11n(HT20) Test channel: Lowest










Report No.: SZEM160700594002

Page: 33 of 80

Test mode: 802.11n(HT20) Test channel: Highest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 34 of 80

6.5 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)		
Test Method:	ANSI C63.10: 2013 Section 11.13		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark:		
Exploratory Test Mode:	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. Transmitting with all kind of modulations, data rates		
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;		
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20)		
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread		
	spectrum intentional radiator is operating, the radio frequency power that is		
	produced by the intentional radiator shall be at least 20 dB below that in the		
	100 kHz bandwidth within the band that contains the highest level of the		
	desired power, based on either an RF conducted or a radiated		
	measurement.		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002


Page: 35 of 80

Test plot as follows:

Test mode: 802.11b Test channel: Lowest











Report No.: SZEM160700594002

Page: 36 of 80

Test mode: 802.11g Test channel: Lowest











Report No.: SZEM160700594002

Page: 37 of 80

Test mode: 802.11n(HT20) Test channel: Lowest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 38 of 80

6.6 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)						
Test Method:	ANSI C63.10: 2013 Section 11.11						
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.						
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates						
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20)						
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.						
Instruments Used:	Refer to section 5.10 for details						
Test Results:	Pass						

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."





Report No.: SZEM160700594002

Page: 39 of 80

Test plot as follows:

Test mode: 802.11b Test channel: Lowest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002









[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002 Page: 41 of 80






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002

Page: 42 of 80

Test mode: 802.11b Test channel: Highest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002





Test mode:	802.11g	Test channel:	Lowest
Test mode.	002.11g	i est charinet.	LUWESI





Report No.: SZEM160700594002 Page: 44 of 80






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002

Page: 45 of 80

Test mode: 802.11g Test channel: Middle







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002




Test mode: 802.11g Test channel: Highest		Highest	Test channel:	802.11g	Test mode:
--	--	---------	---------------	---------	------------




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002 Page: 47 of 80






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002

Page: 48 of 80

Test mode: 802.11n(HT20) Test channel: Lowest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002









[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160700594002

Page: 51 of 80

Test mode: 802.11n(HT20) Test channel: Highest






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 52 of 80



Remark:

Use 100kHz RBW to determine the relative limit in the band 2.4GHz to 2.5GHz, and Use 1MHz RBW to measure spurious emissions in the band 30MHz to 10GHz and 10GHz to 25GHz. The sweep points set to 30001.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 53 of 80

6.7 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205								
Test Method:	ANSI C63.10 :2013 Sect	ion 11.12							
Test Site:	Measurement Distance:	3m (Semi-Anechoi	c Chamber)						
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark				
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak				
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average				
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	0.110MHz-0.490MHz	0.110MHz-0.490MHz Peak 10kHz							
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average				
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	30MHz-1GHz	30MHz-1GHz Quasi-peak 100 kHz							
	Above 1GHz	Peak	1MHz	3MHz	Peak				
	Above IGHZ	Peak	1MHz	10Hz	Average				
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300				
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30				
	1.705MHz-30MHz	30	-	-	30				
	30MHz-88MHz	100	40.0	Quasi-peak	3				
	88MHz-216MHz	150	43.5	Quasi-peak	3				
	216MHz-960MHz	200	46.0	Quasi-peak	3				
	960MHz-1GHz	500	54.0	Quasi-peak	3				
	Above 1GHz	Average	3						
	Above 1GHz 500 54.0 Average 3 Note: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.								


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 54 of 80

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- c. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the



Report No.: SZEM160700594002

Page: 55 of 80

	limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.						
	h. Test the EUT in the lowest channel ,the middle channel ,the Highest channel						
	 The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. 						
	j. Repeat above procedures until all frequencies measured was complete.						
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.						
	Transmitting mode						
Final Test Mode:	Pretest the EUT at Transmitting mode, found the Transmitting mode which it is worse case						
	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;						
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case						
	of 802.11n(HT20)						
	For below 1GHz, through Pre-scan, find the 1Mbps of rate of 802.11b at lowest channel is the worst case.						
	Only the worst case is recorded in the report.						
Instruments Used:	Refer to section 5.10 for details						
Test Results:	Pass						




Report No.: SZEM160700594002

Page: 56 of 80

6.7.1 Radiated emission below 1GHz

30MHz~1GHz (QP)		
Test mode:	Transmitting	Vertical



Condition: 3m VERTICAL

Job No. : 5940CR

Test mode: TX


	Freq			Preamp Factor				Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	86.20	1.10	8.43	27.31	29.51	11.73	40.00	-28.27
2	216.02	1.49	10.99	26.81	32.89	18.56	46.00	-27.44
3	504.71	2.61	17.75	27.50	40.42	33.28	46.00	-12.72
4	515.44	2.62	18.10	27.54	46.49	39.67	46.00	-6.33
5 pp	528.25	2.63	18.48	27.58	46.31	39.84	46.00	-6.16
6	839.18	3.36	22.26	27.21	32.39	30.80	46.00	-15.20



Report No.: SZEM160700594002

Page: 57 of 80

Test mode: Transmitting Horizontal



Condition: 3m HORIZONTAL

Job No. : 5940CR

Test mode: TX

	Freq			Preamp Factor				Over Limit
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB
1 2 3 4 pp 5	216.02 408.95 515.44 528.25 696.86	2.24 2.62	16.36 18.10 18.48	26.81 27.14 27.54 27.58 27.59	39.98 44.44 47.93	31.44 37.62 41.46	46.00 46.00 46.00	-14.56 -8.38 -4.54
6	839.18			27.21				



Report No.: SZEM160700594002

Page: 58 of 80

6.7.2 Transmitter emission above 1GHz

Test mode	э:	8	02.11b	Test ch	annel:	Lowest	Remar	k:	Peak
Frequency (MHz)	Fac	enna ctor 3/m)	Cable loss (dB)	Preamp Factor (dB)	ctor Level (dBuV/m)		Limit Line (dBuV/m)	Ove Limi (dB)	t Polarization
3183.356	31	.71	7.56	38.23	43.85	44.89	74.00	-29.1	1 Vertical
4824.000	34	.12	8.90	38.75	51.09	55.36	74.00	-18.6	4 Vertical
6087.002	34.74 10.45 38.85 44.96 51.30		74.00	-22.7	0 Vertical				
7236.000	5.000 35.58 10.69 37.63 46.38		46.38	55.02	74.00	-18.9	8 Vertical		
9648.000	37	.10	12.52	36.29	32.94	46.27	74.00	-27.7	3 Vertical
12208.390	37	.70	14.39	37.37	35.72	50.44	74.00	-23.5	6 Vertical
3305.395	31	.80	7.59	38.28	44.29	45.40	74.00	-28.6	0 Horizontal
4824.000	34	.12	8.90	38.75	49.88	54.15	74.00	-19.8	5 Horizontal
7236.000	35	.58	10.69	37.63	47.10	55.74	74.00	-18.2	6 Horizontal
8739.783	36	.81	11.82	37.22	33.43	44.84	74.00	-29.1	6 Horizontal
9643.421	37	.10	12.52	36.30	33.53	46.85	74.00	-27.1	5 Horizontal
12261.500	37	.70	14.34	37.43	36.08	50.69	74.00	-23.3	1 Horizontal

Test mode	e:	802.11b	Test ch	annel:	Lowest	Remar	k:	Average
Frequency (MHz)	Factor	Antenna Factor (dB/m) Cable loss Factor (dB/m) Factor (dB) Factor (dB) Factor (dBuV) Cable (dBuV/m)		Level (dBuV/m)	Limit Line (dBuV/m) Over Limit (dB)		t Polarization	
4824.000	34.13	8.90	38.75	48.70	52.98	54.00	-1.02	2 Vertical
7236.000	6.000 35.58 10.69 37.62		37.62	43.80	52.45	54.00	-1.5	5 Vertical
4824.000	34.12	8.90	38.75	48.11	52.38	54.00	-1.62	2 Horizontal
7236.000	35.59	10.69	37.63	43.59	52.24	54.00	-1.76	6 Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 59 of 80

Test mod	e:	}	802.11b	Test c	hannel:	Middle		Rem	nark:	Peak
Frequency (MHz)	Ante Fac (dB	ctor	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)		t Line uV/m)	Over Limit (dB)	Polarization
3422.194	31.	.83	7.61	38.33	44.04	45.15	74	1.00	-28.85	Vertical
4874.000	34.	.17	8.97	38.76	50.35	54.73	74	1.00	-19.27	Vertical
7311.000	35.	.54	10.72	37.59	46.98	55.65	74	1.00	-18.35	Vertical
8527.428	36.	.53	11.85	37.24	32.93	44.07	74	1.00	-29.93	Vertical
9748.000	37.	.10	12.58	36.16	38.41	51.93	74	1.00	-22.07	Vertical
12332.670	37.	.70	14.29	37.49	36.09	50.59	74	1.00	-23.41	Vertical
3334.215	31.	.80	7.59	38.29	43.67	44.77	74	1.00	-29.23	Horizontal
4874.000	34.	.17	8.97	38.76	47.98	52.36	74	1.00	-21.64	Horizontal
7311.000	35.	.54	10.72	37.59	45.99	54.66	74	1.00	-19.34	Horizontal
9140.727	36.	.93	11.98	36.99	30.87	42.79	74	1.00	-31.21	Horizontal
9748.000	37.	.10	12.58	36.16	36.78	50.30	74	1.00	-23.70	Horizontal
12243.770	37.	.70	14.36	37.41	35.72	50.37	74	1.00	-23.63	Horizontal

Test mod	e:	•	802.11b	Test c	hannel:	Middle Remark: Average		Remark:		Average
Frequency (MHz)	Fac	enna ctor 8/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)		mit Line BuV/m)	Over Limit (dB)	Polarization
4874.000	34	.17	8.96	38.76	48.40	52.77	,	54.00	-1.23	Vertical
7311.000	35	.55	10.72	37.60	41.20	49.87	;	54.00	-4.13	Vertical
4874.000	34	.17	8.96	38.76	45.80	50.17	,	54.00	-3.83	Horizontal
7311.000	35	.55	10.72	37.60	40.30	48.97	54.00		-5.03	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 60 of 80

Test mode	э:	8	02.11b	Test ch	annel:	Highest	Remar	k:	Peak
Frequency (MHz)	Fa	enna ctor 3/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	
3492.224	31	.94	7.63	38.36	44.02	45.23	74.00	-28.77	7 Vertical
4924.000	34	1.22	9.04	38.77	49.84	54.33	74.00	-19.67	7 Vertical
7386.000	35	5.51	10.75	37.56	42.00	50.70	74.00	-23.30) Vertical
8918.630	36	6.96	11.80	37.20	34.91	46.47	74.00	-27.53	3 Vertical
9848.000	37	'.15	12.63	36.03	37.23	50.98	74.00	-23.02	2 Vertical
12137.940	37	7.67	14.45	37.31	35.49	50.30	74.00	-23.70) Vertical
3397.525	31	.80	7.61	38.32	44.08	45.17	74.00	-28.83	3 Horizontal
4924.000	34	1.22	9.04	38.77	50.02	54.51	74.00	-19.49	9 Horizontal
7386.000	35	5.51	10.75	37.56	40.56	49.26	74.00	-24.74	4 Horizontal
8676.783	36	6.72	11.83	37.23	32.40	43.72	74.00	-30.28	B Horizontal
9848.000	37	'.15	12.63	36.03	41.20	54.95	74.00	-19.0	5 Horizontal
12120.390	37	7.66	14.46	37.29	35.89	50.72	74.00	-23.28	B Horizontal

Test mod	e:	8	02.11b	Test ch	annel:	Highest	Remar	k:	Average
Frequency (MHz)	Fa	enna ictor 3/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Ove Limi (dB)	t Polarization
4924.000	34	1.21	9.02	38.77	45.60	50.06	54.00	-3.9	4 Vertical
4924.000	34	1.23	9.04	38.78	46.50	50.99	54.00	-3.0	1 Horizontal



Report No.: SZEM160700594002

Page: 61 of 80

Test mode	e:	8	02.11g	Test ch	annel:	Lowest	Remar	k:	Peak
Frequency (MHz)	Fa	enna ictor 3/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3770.567	32	2.78	7.73	38.47	45.86	47.90	74.00	-26.10	Vertical
4824.000	34	1.12	8.90	38.75	46.06	50.33	74.00	-23.67	Vertical
5999.562	34	1.70	10.56	38.96	46.30	52.60	74.00	-21.40	Vertical
7236.000	35	5.58	10.69	37.63	44.09	52.73	74.00	-21.27	Vertical
9648.000	37	7.10	12.52	36.29	37.15	50.48	74.00	-23.52	Vertical
12530.530	37	7.83	14.24	37.68	37.67	52.06	74.00	-21.94	Vertical
3727.173	32	2.61	7.71	38.46	46.35	48.21	74.00	-25.79	Horizontal
4824.000	34	1.12	8.90	38.75	47.08	51.35	74.00	-22.65	Horizontal
6008.249	34	1.70	10.55	38.95	46.50	52.80	74.00	-21.20	Horizontal
7236.000	35	5.58	10.69	37.63	43.80	52.44	74.00	-21.56	Horizontal
9648.000	37	7.10	12.52	36.29	36.64	49.97	74.00	-24.03	Horizontal
12566.850	37	7.87	14.34	37.72	37.93	52.42	74.00	-21.58	Horizontal

Test mode	e:	8	02.11g	Test ch	annel:	Middle	Remar	k:	Peak
Frequency (MHz)	Fa	enna ctor 3/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3599.965	32	2.10	7.67	38.41	46.39	47.75	74.00	-26.25	Vertical
4874.000	34	1.17	8.97	38.76	46.21	50.59	74.00	-23.41	Vertical
6025.661	34	1.71	10.53	38.93	46.40	52.71	74.00	-21.29	Vertical
7311.000	35	5.54	10.72	37.59	42.28	50.95	74.00	-23.05	Vertical
9748.000	37	7.10	12.58	36.16	37.28	50.80	74.00	-23.20	Vertical
12566.850	37	7.87	14.34	37.72	37.91	52.40	74.00	-21.60	Vertical
3705.664	32	2.53	7.71	38.45	46.23	48.02	74.00	-25.98	Horizontal
4874.000	34	1.17	8.97	38.76	47.56	51.94	74.00	-22.06	Horizontal
5999.562	34	1.70	10.56	38.96	47.00	53.30	74.00	-20.70	Horizontal
7311.000	35	5.54	10.72	37.59	41.25	49.92	74.00	-24.08	Horizontal
9748.000	37.10		12.58	36.16	37.43	50.95	74.00	-23.05	Horizontal
12585.040	37	7.89	14.39	37.73	37.43	51.98	74.00	-22.02	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 62 of 80

Test mode	э:	8	02.11g	Test ch	annel:	Highest	Remar	k:	Peak
Frequency (MHz)	Fa	enna ctor 3/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Ove Limi (dB)	t Polarization
3759.672	32	2.74	7.73	38.47	45.75	47.75	74.00	-26.2	5 Vertical
4924.000	34	.22	9.04	38.77	47.60	52.09	74.00	-21.9	1 Vertical
6016.949	34	.71	10.54	38.94	46.40	52.71	74.00	-21.2	9 Vertical
7386.000	35	5.51	10.75	37.56	40.69	49.39	74.00	-24.6	1 Vertical
9848.000	37	'.15	12.63	36.03	37.49	51.24	74.00	-22.7	6 Vertical
12530.530	37	'.83	14.24	37.68	37.32	51.71	74.00	-22.2	9 Vertical
3641.878	32	2.27	7.68	38.42	46.07	47.60	74.00	-26.4	0 Horizontal
4924.000	34	.22	9.04	38.77	48.80	53.29	74.00	-20.7	1 Horizontal
5999.562	34	.70	10.56	38.96	46.41	52.71	74.00	-21.2	9 Horizontal
7386.000	35	5.51	10.75	37.56	42.65	51.35	74.00	-22.6	5 Horizontal
9848.000	37	'.15	12.63	36.03	37.37	51.12	74.00	-22.8	8 Horizontal
12494.320	37	7.79	14.15	37.65	38.00	52.29	74.00	-21.7	1 Horizontal

Test mode	e:	802.1	1n(HT20)	Test ch	annel:	Lowest	Remar	k:	Peak	
Frequency (MHz)	Ante Fac (dB/	tor	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization	
3770.567	32.	78	7.73	38.47	45.86	47.90	74.00	-26.10	Vertical	
4824.000	34.	12	8.90	38.75	46.06	50.33	74.00	-23.67	Vertical	
5999.562	34.	70	10.56	38.96	46.30	52.60	74.00	-21.40	Vertical	
7236.000	35.	58	10.69	37.63	44.09	52.73	74.00	-21.27	Vertical	
9648.000	37.	10	12.52	36.29	37.15	50.48	74.00	-23.52	Vertical	
12530.530	37.	83	14.24	37.68	37.67	52.06	74.00	-21.94	Vertical	
3727.173	32.	61	7.71	38.46	46.35	48.21	74.00	-25.79	Horizontal	
4824.000	34.	12	8.90	38.75	47.08	51.35	74.00	-22.65	Horizontal	
6008.249	34.	70	10.55	38.95	46.50	52.80	74.00	-21.20	Horizontal	
7236.000	35.	58	10.69	37.63	43.80	52.44	74.00	-21.56	Horizontal	
9648.000	37.	10	12.52	36.29	36.64	49.97	74.00	-24.03	Horizontal	
12566.850	37.	87	14.34	37.72	37.93	52.42	74.00	-21.58	Horizontal	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 63 of 80

Test mode	e:	802.1	1n(HT20)	Test ch	annel:	Middle	Remar	k:	Peak
Frequency (MHz)	Fa	tenna actor B/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3599.965	32	2.10	7.67	38.41	46.39	47.75	74.00	-26.25	Vertical
4874.000	34	4.17	8.97	38.76	46.21	50.59	74.00	-23.41	Vertical
6025.661	34	4.71	10.53	38.93	46.40	52.71	74.00	-21.29	Vertical
7311.000	3	5.54	10.72	37.59	42.28	50.95	74.00	-23.05	Vertical
9748.000	3	7.10	12.58	36.16	37.28	50.80	74.00	-23.20	Vertical
12566.850	3	7.87	14.34	37.72	37.91	52.40	74.00	-21.60	Vertical
3705.664	32	2.53	7.71	38.45	46.23	48.02	74.00	-25.98	Horizontal
4874.000	34	4.17	8.97	38.76	47.56	51.94	74.00	-22.06	Horizontal
5999.562	34	4.70	10.56	38.96	47.00	53.30	74.00	-20.70	Horizontal
7311.000	3	5.54	10.72	37.59	41.25	49.92	74.00	-24.08	Horizontal
9748.000	37	7.10	12.58	36.16	37.43	50.95	74.00	-23.05	Horizontal
12585.040	3	7.89	14.39	37.73	37.43	51.98	74.00	-22.02	Horizontal

Test mode	e:	802.1	1n(HT20)	Test ch	annel:	Highest	Remar	k:	Peak
Frequency (MHz)	Fa	enna ctor 3/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3759.672	32	2.74	7.73	38.47	45.75	47.75	74.00	-26.25	Vertical
4924.000	34	1.22	9.04	38.77	47.60	52.09	74.00	-21.91	Vertical
6016.949	34	1.71	10.54	38.94	46.40	52.71	74.00	-21.29	Vertical
7386.000	35	5.51	10.75	37.56	40.69	49.39	74.00	-24.61	Vertical
9848.000	37	⁷ .15	12.63	36.03	37.49	51.24	74.00	-22.76	Vertical
12530.530	37	7.83	14.24	37.68	37.32	51.71	74.00	-22.29	Vertical
3641.878	32	2.27	7.68	38.42	46.07	47.60	74.00	-26.40	Horizontal
4924.000	34	1.22	9.04	38.77	48.80	53.29	74.00	-20.71	Horizontal
5999.562	34	1.70	10.56	38.96	46.41	52.71	74.00	-21.29	Horizontal
7386.000	35	5.51	10.75	37.56	42.65	51.35	74.00	-22.65	Horizontal
9848.000	37.15		12.63	36.03	37.37	51.12	74.00	-22.88	Horizontal
12494.320	37	7.79	14.15	37.65	38.00	52.29	74.00	-21.71	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 64 of 80

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits.




Report No.: SZEM160700594002

Page: 65 of 80

6.8 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15	5.209 and 15.205							
Test Method:	ANSI C63.10: 2013 Section	ANSI C63.10: 2013 Section 11.12							
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)								
Limit:	Frequency	Limit (dBuV/m @3m)	Remark						
	30MHz-88MHz	40.0	Quasi-peak Value						
	88MHz-216MHz	43.5	Quasi-peak Value						
	216MHz-960MHz	46.0	Quasi-peak Value						
	960MHz-1GHz	54.0	Quasi-peak Value						
	Above 1011z	54.0	Average Value						
	Above 1GHz 74.0 Peak Value								
Test Setup:		_							






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 66 of 80

Test Procedure:	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	c. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
	h. Test the EUT in the lowest channel , the Highest channel
	i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Transmitting mode
	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20)
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Report No.: SZEM160700594002

Page: 67 of 80

Test plot as follows:

Worse case mode: 802.11b Test channel: Remark: Peak Lowest Vertical



Condition: 3m Vertical Job No: : 5940CR

Mode: : 2412 Band edge

: B

1

Ant Preamp Cable Read Limit 0ver Freq Loss Factor Factor Level Level Line Limit Remark MHz dB dB/m dB dBuV dBuV/m dBuV/m 2385.573 5.33 28.56 38.11 60.30 56.08 74.00 -17.92 38.11 41.00 36.78 54.00 -17.22 Average 2 av 2385.573 5.33 28.56 38.11 57.52 53.32 2390.000 5.34 28.57 74.00 -20.68 5.35 28.66 38.11 108.23 104.13 74.00 30.13 4 pp 2412.918


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 68 of 80

Worse case mode: 802.11b Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 5940CR

Mode: : 2412 Band edge

: E


		Freq					Level			Remark
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2387.127	5.34	28.56	38.11	68.31	64.10	74.00	-9.90	
2	av	2387.127	5.34	28.56	38.11	47.00	42.79	54.00	-11.21	Average
3		2390.000	5.34	28.57	38.11	64.75	60.55	74.00	-13.45	
4		2390.000	5.34	28.57	38.11	44.00	39.80	54.00	-14.20	Average
5	pp	2412.693	5.35	28.66	38.11	114.60	110.50	74.00	36.50	_



Report No.: SZEM160700594002

Page: 69 of 80

Worse case mode: 802.11b Test channel: Lowest Remark: Average Vertical



Condition: 3m Vertical Job No: : 5940CR

Mode: : 2462 Band edge

: B


Ant Preamp Cable Read Limit Over Freq Limit Remark Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 1 pp 2463.002 5.39 28.89 38.12 103.03 99.19 74.00 25.19 2483.500 5.41 28.98 38.12 50.02 46.29 74.00 -27.71



Report No.: SZEM160700594002

Page: 70 of 80

Worse case mode: 802.11b Test channel: Lowest Remark: Average Horizontal



Condition: 3m Horizontal

Job No: : 5940CR

Mode: : 2462 Band edge

: B


Ant Preamp Cable Limit 0ver Read Freq Loss Factor Factor Level Level Limit Remark Line dB dB/m dΒ dBuV dBuV/m dBuV/m 1 pp 2460.914 5.39 28.88 38.12 109.34 105.49 74.00 31.49 28.98 38.12 55.03 51.30 74.00 -22.70 2483.500 5.41



Report No.: SZEM160700594002

Page: 71 of 80

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 5940CR

Mode: : 2412 Band edge

: G


Cable Ant Preamp Read Limit 0ver Freq Loss Factor Factor Level Level Line Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dΒ 2390.000 5.34 28.57 38.11 45.26 41.06 74.00 -32.94 2 pp 2415.614 28.67 38.11 91.19 87.11 74.00 13.11 5.36



Report No.: SZEM160700594002

Page: 72 of 80

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 5940CR

Mode: : 2412 Band edge

: G


Ant Preamp Cable Read Limit 0ver Freq Loss Factor Factor Level Level Line Limit Remark dB dBuV dBuV/m dBuV/m 38.11 47.19 42.99 74.00 -31.01 2390.000 5.34 28.57 28.68 38.11 99.69 95.62 74.00 21.62 2 pp 2417.525 5.36



Report No.: SZEM160700594002

Page: 73 of 80

Worse case mode: 802.11g Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 5940CR

Mode: : 2462 Band edge

: G


Ant Preamp Cable Read Limit 0ver Freq Loss Factor Factor Level Level Line Limit Remark dB dB/m dBuV dBuV/m dBuV/m 1 pp 2467.834 5.40 28.91 38.12 92.77 88.96 74.00 14.96 2483.500 28.98 38.12 47.26 43.53 74.00 -30.47 5.41



Report No.: SZEM160700594002

Page: 74 of 80

Worse case mode: 802.11g Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 5940CR

Mode: : 2462 Band edge

: G


Freq						Limit Line		Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
 2458.926 2483.500								



Report No.: SZEM160700594002

Page: 75 of 80

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 5940CR

Mode: : 2412 Band edge

: N20


Ant Preamp Cable Read Limit 0ver Freq Loss Factor Factor Level Level Limit Remark Line dB dB/m dΒ dBuV dBuV/m dBuV/m 2390.000 5.34 28.57 38.11 44.56 40.36 74.00 -33.64 2 pp 2414.265 28.67 38.11 90.03 85.95 74.00 11.95 5.36



Report No.: SZEM160700594002

Page: 76 of 80

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 5940CR

Mode: : 2412 Band edge

: N20


Cable Ant Preamp Read Limit 0ver Freq Loss Factor Factor Level Level Limit Remark dBuV dBuV/m dBuV/m MHz dB dB/m dB dB 5.34 2390.000 28.57 38.11 49.28 45.08 74.00 -28.92 28.68 38.11 98.64 94.57 74.00 20.57 2 pp 2417.300 5.36



Report No.: SZEM160700594002

Page: 77 of 80

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 5940CR

Mode: : 2462 Band edge

: N20


Ant Preamp Cable Read Limit Over Freq Limit Remark Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 1 pp 2467.335 5.40 28.91 38.12 91.70 87.89 74.00 13.89 2483.500 5.41 28.98 38.12 46.53 42.80 74.00 -31.20



Report No.: SZEM160700594002

Page: 78 of 80

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 5940CR

Mode: : 2462 Band edge

: N20

Freq			Preamp Factor					
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
 2459.323 2483.500								

Noto:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160700594002

Page: 79 of 80


7 Photographs - EUT Test Setup

Test model No.:44565RX

7.1 Radiated Spurious Emission (below 1GHz)



7.2 Radiated Spurious Emission(above 1GHz)





Report No.: SZEM160700594002

Page: 80 of 80

8 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of EUT Constructional Details for SZEM1607005940CR.