







EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 A photograph showing the disassembled components of an Electronic Under Test (EUT) on a blue background. On the left is the black plastic housing with the green printed circuit board (PCB) inside. To its right is the circular metal speaker component. Further right is the black plastic ear cup housing with the speaker component inside. A black ruler with white markings is placed vertically on the left and horizontally at the bottom for scale.
<p>Solder Board-Component View 1</p>	 A close-up photograph of the green PCB component from the previous view. The board is populated with various electronic components, including a large black integrated circuit (IC) in the center, several smaller ICs, resistors, and capacitors. A gold-colored connector strip is visible on the right side. A black ruler with white markings is placed vertically on the left and horizontally at the bottom for scale.

<p style="text-align: center;">Solder Board-Component View 2</p>	 <p>A photograph of a green printed circuit board (PCB) component, labeled 'Solder Board-Component View 2'. The board is irregularly shaped and features various electronic components including a large black cylindrical component, a USB connector, and several integrated circuits. It is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the board's length being approximately 80 mm and its width around 40 mm.</p>
<p style="text-align: center;">Solder Board-Component View 3</p>	 <p>A photograph of a small green PCB component, labeled 'Solder Board-Component View 3'. The board is rectangular and populated with several surface-mount components, including resistors and capacitors. It is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the board's length being approximately 100 mm and its width around 20 mm.</p>

<p style="text-align: center;">Solder Board-Component View 4</p>	 <p>A photograph of a small green PCB component with two gold-plated pins. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component positioned between the 10 mm and 20 mm marks.</p>
<p style="text-align: center;">Solder Board-Component View 5</p>	 <p>A photograph of a rectangular lithium battery with a yellow protective layer and a silver top. The battery is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the battery positioned between the 10 mm and 20 mm marks. The battery has the following text printed on it: - SUN 802535 2.22Wh and + 3.7V 690mAh 2012.</p>

Antenna View

