

# Test Report No.50076684 001

## Appendix D: Radiated Emission Data

(File: 50076684 AppendixD)

### Contents

Radiated Emissions, Fundamental and Band Edges.....	2
Spurious Emissions, TX Mode, 1-18G.....	18
Spurious Emissions, TX Mode, 18-26G.....	25
Spurious Emissions, TX Mode, 30M-1G.....	31
Spurious Emissions, TX Mode, 9K-30M.....	33
Spurious Emissions, RX Mode, 1-18G.....	35
Spurious Emissions, RX Mode, 18-26G.....	37
Spurious Emissions, RX Mode, 30M-1G.....	39
Spurious Emissions, RX Mode, 9K-30M.....	41


# Radiated Emissions, Fundamental and Band Edges



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC 15.249_2.4-2.5G_3m PK</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 20:55:13</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2408-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2407.247	-7.97	99.24	91.27	114.00	-22.73	peak	168	265	
2	2407.247	-7.97	77.34	69.37	94.00	-24.63	AVG	168	265	




Service No.:	114061855(G5V-BK)-FCC	Test Distance:	3m
Test Standard:	FCC 15.249_2.4-2.5G_3m PK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2017/3/23 20:58:34
Applicant:	Acrox	Test Rating:	DC 3V
Product:	Platinum Wireless Mouse	Temp.(°C)/Hum.(%):	20.3(°C)/52%
Model No.:	G5V-BK	Test Engineer:	George Yang
Test Mode:	2408-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2408.567	-7.97	93.79	85.82	114.00	-28.18	peak			
2	2408.567	-7.97	73.76	65.79	94.00	-28.21	AVG			




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC 15.249_2.4-2.5G_3m PK</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:01:39</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2440.570	-7.94	98.83	90.89	114.00	-23.11	peak			
2	2440.570	-7.94	77.09	69.15	94.00	-24.85	AVG			




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC 15.249_2.4-2.5G_3m PK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:00:06</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2439.571	-7.94	94.70	86.76	114.00	-27.24	peak			
2	2439.571	-7.94	74.58	66.64	94.00	-27.36	AVG			




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC 15.249_2.4-2.5G_3m PK</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:03:03</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2474-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2473.274	-7.94	96.96	89.02	114.00	-24.98	peak			
2	2473.274	-7.94	75.87	67.93	94.00	-26.07	AVG			



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC 15.249_2.4-2.5G_3m PK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:04:29</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2474-TX</b>		
<b>Remark:</b>			


No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2474.522	-7.94	93.72	85.78	114.00	-28.22	peak			
2	2474.522	-7.94	73.87	65.93	94.00	-28.07	AVG			



<b>Service No.:</b>	114061855(G5V)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC 15.249_2.4-2.5G_3m PK	<b>Ant. Polarization:</b>	Horizontal
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/29 20:01:02
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	2.4GHz Mouse	<b>Temp.(°C)/Hum.(%):</b>	19.2(°C)/52%
<b>Model No.:</b>	G5V	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2408-TX		
<b>Remark:</b>	second source for crystal		


No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2408.567	-7.97	98.70	90.73	114.00	-23.27	peak		0	
2	2408.567	-7.97	78.51	70.54	94.00	-23.46	AVG		0	






<b>Service No.:</b>	114061855(G5V)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC 15.249_2.4-2.5G_3m PK	<b>Ant. Polarization:</b>	Vertical
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/29 19:59:23
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	2.4GHz Mouse	<b>Temp.(°C)/Hum.(%):</b>	19.2(°C)/52%
<b>Model No.:</b>	G5V	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2408-TX		
<b>Remark:</b>	second source for crystal		

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2408.513	-7.97	95.79	87.82	114.00	-26.18	peak		0	
2	2408.513	-7.97	75.24	67.27	94.00	-26.73	AVG		0	




<b>Service No.:</b>	114061855(G5V)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC 15.249_2.4-2.5G_3m PK	<b>Ant. Polarization:</b>	Horizontal
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/29 20:02:30
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	2.4GHz Mouse	<b>Temp.(°C)/Hum.(%):</b>	19.2(°C)/52%
<b>Model No.:</b>	G5V	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2440-TX		
<b>Remark:</b>	second source for crystal		

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2439.553	-7.94	99.35	91.41	114.00	-22.59	peak			
2	2439.553	-7.94	77.17	69.23	94.00	-24.77	AVG			




<b>Service No.:</b>	114061855(G5V)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC 15.249_2.4-2.5G_3m PK	<b>Ant. Polarization:</b>	Vertical
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/29 20:03:39
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	2.4GHz Mouse	<b>Temp.(°C)/Hum.(%):</b>	19.2(°C)/52%
<b>Model No.:</b>	G5V	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2440-TX		
<b>Remark:</b>	second source for crystal		

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2439.658	-7.94	95.74	87.80	114.00	-26.20	peak			
2	2439.658	-7.94	74.68	66.74	94.00	-27.26	AVG			



<b>Service No.:</b>	114061855(G5V)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC 15.249_2.4-2.5G_3m PK	<b>Ant. Polarization:</b>	Horizontal
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/29 20:06:28
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	2.4GHz Mouse	<b>Temp.(°C)/Hum.(%):</b>	19.2(°C)/52%
<b>Model No.:</b>	G5V	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2474-TX		
<b>Remark:</b>	second source for crystal		

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2473.526	-7.94	97.75	89.81	114.00	-24.19	peak			
2	2473.526	-7.94	76.27	68.33	94.00	-25.67	AVG			




<b>Service No.:</b>	114061855(G5V)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC 15.249_2.4-2.5G_3m PK	<b>Ant. Polarization:</b>	Vertical
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/29 20:05:23
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	2.4GHz Mouse	<b>Temp.(°C)/Hum.(%):</b>	19.2(°C)/52%
<b>Model No.:</b>	G5V	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2474-TX		
<b>Remark:</b>	second source for crystal		


No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	2474.534	-7.94	92.98	85.04	114.00	-28.96	peak			
2	2474.534	-7.94	73.45	65.51	94.00	-28.49	AVG			

# Radiated Bandedge

## Low Channel (Hor)




Date: 23.MAR.2017 21:21:01




Date: 23.MAR.2017 21:20:13

# Low Channel (Ver)




Date: 23.MAR.2017 21:23:02




Date: 23.MAR.2017 21:22:15

# Radiated Bandedge (GFSK)

## High Channel (Hor)





Date: 23.MAR.2017 21:18:32



Date: 23.MAR.2017 21:16:46



# High Channel (Ver)




# Spurious Emissions, TX Mode. 1-18G



TUV Taiwan

11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105


Tel:+886-2172-7000 fax:+886-2528-0018



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:24:14</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2408-TX</b>		
<b>Remark:</b>			


No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	1204.000	-9.74	70.68	60.94	74.00	-13.06	peak	100	274	
2	1204.000	-9.74	47.83	38.09	54.00	-15.91	AVG	100	274	
3	1799.000	-8.42	71.93	63.51	74.00	-10.49	peak	100	163	
4	1799.000	-8.42	50.24	41.82	54.00	-12.18	AVG	100	163	
5	3006.000	-6.51	65.86	59.35	74.00	-14.65	peak	100	268	
6	3006.000	-6.51	50.17	43.66	54.00	-10.34	AVG	100	268	
7	4213.000	-4.50	58.16	53.66	74.00	-20.34	peak	100	36	
8	4213.000	-4.50	45.63	41.13	54.00	-12.87	AVG	100	36	
9	4808.000	-2.65	57.59	54.94	74.00	-19.06	peak	100	83	
10	4808.000	-2.65	45.65	43.00	54.00	-11.00	AVG	100	83	
11	5420.000	0.02	53.17	53.19	74.00	-20.81	peak	100	19	

12	5420.000	0.02	42.74	42.76	54.00	-11.24	AVG	100	19	
13	7224.000	5.64	44.91	50.55	74.00	-23.45	peak		0	




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:25:16</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2408-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	1204.000	-9.74	62.38	52.64	74.00	-21.36	peak	100	9	
2	1204.000	-9.74	49.86	40.12	54.00	-13.88	AVG	100	9	
3	1799.000	-8.42	68.19	59.77	74.00	-14.23	peak	100	228	
4	1799.000	-8.42	50.53	42.11	54.00	-11.89	AVG	100	228	
5	3006.000	-6.51	64.96	58.45	74.00	-15.55	peak	100	98	
6	3006.000	-6.51	51.81	45.30	54.00	-8.70	AVG	100	98	
7	4808.000	-2.65	51.76	49.11	74.00	-24.89	peak	100	147	
8	5420.000	0.02	52.85	52.87	74.00	-21.13	peak	100	106	
9	5420.000	0.02	40.08	40.10	54.00	-13.90	AVG	100	106	
10	7224.000	5.64	45.39	51.03	74.00	-22.97	peak			




<b>Service No.:</b>	114061855(G5V-BK)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC Above 1G PEAK	<b>Ant. Polarization:</b>	Horizontal
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/23 21:34:20
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	Platinum Wireless Mouse	<b>Temp.(°C)/Hum.(%):</b>	20.3(°C)/52%
<b>Model No.:</b>	G5V-BK	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2440-TX		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4880.000	-2.48	55.74	53.26	74.00	-20.74	peak	100	89	
2	4880.000	-2.48	38.91	36.43	54.00	-17.57	AVG	100	89	
3	6457.000	5.40	45.20	50.60	74.00	-23.40	peak	100	73	
4	7320.000	5.93	43.71	49.64	74.00	-24.36	peak			




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:35:23</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4880.000	-2.48	52.61	50.13	74.00	-23.87	peak	100	65	
2	6576.000	5.47	45.55	51.02	74.00	-22.98	peak	100	251	
3	7320.000	5.93	44.18	50.11	74.00	-23.89	peak			



<b>Service No.:</b>	114061855(G5V-BK)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC Above 1G PEAK	<b>Ant. Polarization:</b>	Horizontal
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/23 21:38:37
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	Platinum Wireless Mouse	<b>Temp.(°C)/Hum.(%):</b>	20.3(°C)/52%
<b>Model No.:</b>	G5V-BK	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2474-TX		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4948.000	-2.33	57.31	54.98	74.00	-19.02	peak	100	90	
2	4948.000	-2.33	43.54	41.21	54.00	-12.79	AVG	100	90	
3	7222.000	5.64	46.36	52.00	74.00	-22.00	peak	100	106	
4	7422.000	6.24	43.49	49.73	74.00	-24.27	peak			



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:39:40</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2474-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4948.000	-2.33	51.80	49.47	74.00	-24.53	peak	100	11	
2	6661.000	5.36	45.66	51.02	74.00	-22.98	peak	100	2	
3	7422.000	6.24	42.66	48.90	74.00	-25.10	peak			




# Spurious Emissions, TX Mode, 18-26G



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018




<b>Service No.:</b>	114061855(G5V-BK)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC Above 1G PEAK	<b>Ant. Polarization:</b>	Horizontal
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/23 21:52:44
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	Platinum Wireless Mouse	<b>Temp.(°C)/Hum.(%):</b>	20.3(°C)/52%
<b>Model No.:</b>	G5V-BK	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2408-TX		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	21833.500	32.95	18.02	50.97	74.00	-23.03	peak			




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:52:52</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2408-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	19351.500	31.01	18.58	49.59	74.00	-24.41	peak			




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:53:06</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23542.000	32.75	17.82	50.57	74.00	-23.43	peak			




<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:53:16</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	21859.000	32.97	17.18	50.15	74.00	-23.85	peak			



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:53:30</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2474-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23423.000	32.78	17.33	50.11	74.00	-23.89	peak			



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:53:38</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2474-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	21978.000	33.09	18.70	51.79	74.00	-22.21	peak			


# Spurious Emissions, TX Mode, 30M-1G



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Class B 3M Radiation</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 22:25:13</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.0000	-0.07	23.63	23.56	40.00	-16.44	QP	100	332	
2	130.8800	-6.97	26.40	19.43	43.50	-24.07	QP	100	45	
3	263.7700	-5.05	34.74	29.69	46.00	-16.31	QP	100	127	
4	359.8000	-3.30	33.94	30.64	46.00	-15.36	QP	100	312	
5	672.1400	0.78	30.21	30.99	46.00	-15.01	QP	100	318	
6	839.9500	3.51	29.44	32.95	46.00	-13.05	QP	100	35	



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Class B 3M Radiation</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 22:26:17</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.9700	-0.62	25.13	24.51	40.00	-15.49	QP	100	238	
2	135.7300	-6.99	25.75	18.76	43.50	-24.74	QP	100	230	
3	263.7700	-5.05	26.97	21.92	46.00	-24.08	QP	100	241	
4	551.8600	-0.75	28.40	27.65	46.00	-18.35	QP	100	67	
5	683.7800	0.90	29.41	30.31	46.00	-15.69	QP	100	35	
6	957.3200	5.45	27.17	32.62	46.00	-13.38	QP	100	112	




# Spurious Emissions, TX Mode, 9K-30M



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



<b>Service No.:</b>	114061855(G5V-BK)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC15.209_9k-1G_3m	<b>Ant. Polarization:</b>	
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/23 22:13:45
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	Platinum Wireless Mouse	<b>Temp.(°C)/Hum.(%):</b>	20.3(°C)/52%
<b>Model No.:</b>	G5V-BK	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2440-TX		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.0099	20.25	28.55	48.80	127.67	-78.87	QP	100	106	
2	0.0342	20.01	25.64	45.65	116.91	-71.26	QP	100	315	
3	0.0481	19.31	25.11	44.42	113.95	-69.53	QP	100	43	
4	0.0723	19.05	23.37	42.42	110.41	-67.99	QP	100	197	
5	0.0950	18.88	33.44	52.32	108.04	-55.72	QP	100	338	
6	0.0965	18.87	35.11	53.98	107.91	-53.93	QP	100	178	



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC15.209_9k-1G_3m</b>	<b>Ant. Polarization:</b>	
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 22:17:00</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-TX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.1798	18.77	33.75	52.52	102.50	-49.98	QP	100	74	
2	4.8364	19.54	30.54	50.08	69.50	-19.42	QP	100	16	
3	8.0005	20.07	31.28	51.35	69.50	-18.15	QP	100	337	
4	12.8064	20.72	29.32	50.04	69.50	-19.46	QP	100	143	
5	21.7017	21.67	30.62	52.29	69.50	-17.21	QP	100	346	
6	24.5971	21.89	30.82	52.71	69.50	-16.79	QP	100	235	


# Spurious Emissions, RX Mode, 1-18G



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:45:39</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-RX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4757.000	-2.76	50.50	47.74	74.00	-26.26	peak	100	110	
2	6049.000	4.06	46.36	50.42	74.00	-23.58	peak	100	257	
3	7681.000	6.44	44.78	51.22	74.00	-22.78	peak	100	80	



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:46:42</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-RX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4706.000	-2.88	50.22	47.34	74.00	-26.66	peak	100	133	
2	6389.000	5.18	46.01	51.19	74.00	-22.81	peak	100	106	
3	7987.000	6.39	45.17	51.56	74.00	-22.44	peak	100	272	


# Spurious Emissions, RX Mode, 18-26G



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



<b>Service No.:</b>	114061855(G5V-BK)-FCC	<b>Test Distance:</b>	3m
<b>Test Standard:</b>	FCC Above 1G PEAK	<b>Ant. Polarization:</b>	Horizontal
<b>Test item:</b>	Radiation Emission	<b>Test Time:</b>	2017/3/23 21:52:19
<b>Applicant:</b>	Acrox	<b>Test Rating:</b>	DC 3V
<b>Product:</b>	Platinum Wireless Mouse	<b>Temp.(°C)/Hum.(%):</b>	20.3(°C)/52%
<b>Model No.:</b>	G5V-BK	<b>Test Engineer:</b>	George Yang
<b>Test Mode:</b>	2440-RX		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	21468.000	32.60	17.82	50.42	74.00	-23.58	peak	100	288	



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Above 1G PEAK</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 21:52:28</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-RX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	22692.000	32.73	17.14	49.87	74.00	-24.13	peak	100	213	


# Spurious Emissions, RX Mode, 30M-1G



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Class B 3M Radiation</b>	<b>Ant. Polarization:</b>	<b>Horizontal</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 22:28:28</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-RX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.0000	-0.07	23.85	23.78	40.00	-16.22	QP	100	196	
2	263.7700	-5.05	34.13	29.08	46.00	-16.92	QP	100	124	
3	335.5500	-3.74	34.01	30.27	46.00	-15.73	QP	100	132	
4	359.8000	-3.30	33.47	30.17	46.00	-15.83	QP	100	121	
5	683.7800	0.90	30.38	31.28	46.00	-14.72	QP	100	326	
6	876.8100	3.93	29.31	33.24	46.00	-12.76	QP	100	58	



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC Class B 3M Radiation</b>	<b>Ant. Polarization:</b>	<b>Vertical</b>
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 22:29:31</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-RX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.0000	-0.07	24.61	24.54	40.00	-15.46	QP	100	78	
2	134.7600	-6.98	26.45	19.47	43.50	-24.03	QP	100	233	
3	335.5500	-3.74	27.50	23.76	46.00	-22.24	QP	100	189	
4	683.7800	0.90	27.59	28.49	46.00	-17.51	QP	100	258	
5	876.8100	3.93	26.89	30.82	46.00	-15.18	QP	100	92	
6	971.8700	5.59	27.34	32.93	54.00	-21.07	QP	100	158	




# Spurious Emissions, RX Mode, 9K-30M



**TUV Taiwan**


11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC15.209_9k-1G_3m</b>	<b>Ant. Polarization:</b>	
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 22:14:48</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-RX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.0106	20.33	29.20	49.53	127.08	-77.55	QP	100	67	
2	0.0476	19.34	25.85	45.19	114.04	-68.85	QP	100	283	
3	0.0953	18.88	33.45	52.33	108.01	-55.68	QP	100	149	
4	0.0967	18.87	34.98	53.85	107.89	-54.04	QP	100	112	
5	0.1428	18.81	23.41	42.22	104.50	-62.28	QP	100	234	
6	0.1448	18.81	23.61	42.42	104.38	-61.96	QP	100	35	



<b>Service No.:</b>	<b>114061855(G5V-BK)-FCC</b>	<b>Test Distance:</b>	<b>3m</b>
<b>Test Standard:</b>	<b>FCC15.209_9k-1G_3m</b>	<b>Ant. Polarization:</b>	
<b>Test item:</b>	<b>Radiation Emission</b>	<b>Test Time:</b>	<b>2017/3/23 22:18:03</b>
<b>Applicant:</b>	<b>Acrox</b>	<b>Test Rating:</b>	<b>DC 3V</b>
<b>Product:</b>	<b>Platinum Wireless Mouse</b>	<b>Temp.(°C)/Hum.(%):</b>	<b>20.3(°C)/52%</b>
<b>Model No.:</b>	<b>G5V-BK</b>	<b>Test Engineer:</b>	<b>George Yang</b>
<b>Test Mode:</b>	<b>2440-RX</b>		
<b>Remark:</b>			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.1799	18.77	33.28	52.05	102.50	-50.45	QP	100	161	
2	4.7171	19.50	31.13	50.63	69.50	-18.87	QP	100	288	
3	11.7915	20.60	30.24	50.84	69.50	-18.66	QP	100	39	
4	18.4481	21.37	29.99	51.36	69.50	-18.14	QP	100	255	
5	23.6420	21.82	30.91	52.73	69.50	-16.77	QP	100	358	
6	26.1195	22.00	31.31	53.31	69.50	-16.19	QP	100	269	