



RF EXPOSURE REPORT

REPORT NO.: SA970326L02

MODEL NO.: PR3

SEIRES NO.: VP4570

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: Acrox Technologies Co., Ltd

ADDRESS: 8F, No. 437, Rui Guang RD., Nei Hu Dist., Taipei
114, Taiwan, R.O.C.

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang
244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd., Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No evaluation required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.580
High	2.480	

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)	
Conducted Power	0.190	1.045
EIRP Power	-3.55	0.442

***Note:** The antenna is printed antenna with -3.74dBi gain

Threshold for no SAR evaluation is 24.580mW
Transmitter power is 0.442mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold