


PHILIPS MODEL:RC9500 RF REMOTE
W/DS9500 AND P/S 310420051192 L/A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	41.33	65.98	-24.65	22.10	56.00	-33.90
2	.254	35.00	61.61	-26.61	18.24	51.31	-33.07
3	.282	33.75	60.75	-27.00	18.21	50.53	-32.32
4	.307	32.37	60.05	-27.68	17.88	49.66	-31.78
5	.299	34.49	60.28	-25.79	17.89	50.01	-32.12
6	.321	32.30	59.68	-27.38	17.91	48.95	-31.04
7	.228	35.36	62.50	-27.14	18.62	52.16	-33.54
8	.209	35.15	63.26	-28.11	18.62	52.53	-33.91
9	.171	36.65	64.91	-28.26	19.89	54.45	-34.56
10	.356	29.68	58.82	-29.14	17.79	48.56	-30.77

PHILIPS MODEL:RC9500 RF REMOTE
W/DS9500 AND P/S 310420051192 L/B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.150	36.85	65.98	-29.13	21.61	55.84	-34.23
2	.150	36.79	65.98	-29.19	21.94	56.00	-34.06
3	.319	32.96	59.73	-26.77	17.80	49.48	-31.68
4	.309	33.22	60.00	-26.78	18.03	49.82	-31.79
5	.264	36.59	61.32	-24.73	18.17	50.43	-32.26
6	.298	33.76	60.29	-26.53	18.20	50.04	-31.84
7	.254	36.62	61.62	-25.00	18.32	51.30	-32.98
8	.278	36.26	60.86	-24.60	18.11	50.58	-32.47
9	.332	32.45	59.40	-26.95	17.80	49.21	-31.41
10	.240	36.56	62.11	-25.55	18.29	51.63	-33.34