

~~HP~~ PHILIPS REMOTE MODEL: TSU510 BA

REF -55.0 dBm ATTEN 10 dB

MKR 417.974 MHz

-55.40 dBm

PEAK

LOG


5

dB/

VA SB

SC FC

CORR



CENTER 417.999 MHz

#RES BW 100 kHz

SPAN 5.000 MHz


#VBW 300 kHz

#SWP 40 msec

~~/P~~ PHILIPS REMOTE MODEL: TSU510 BA 20 dB BWKR Δ -413 kHz
REF -55.0 dBm ATTEN 10 dB -20.47 dB

PEAK
LOG
5
dB/

VA SB
SC FC
CORR



CENTER 417.999 MHz
#RES BW 100 kHz

#VBW 300 kHz


SPAN 5.000 MHz
#SWP 40 msec

~~HP~~ PHILIPS REMOTE MODEL: TSU510 BA

REF -53.5 dBm ATTEN 10 dB

PEAK
LOG
5
dB/

VA SB
SC FC
CORR



CENTER 418.199 MHz


#RES BW 100 kHz

#VBW 300 kHz

SPAN 0 Hz


#SWP 100 msec

PHILIPS REMOTE MODEL: TSU510 BA MKR Δ 1.800000 msec
REF -55.0 dBm ATTEN 10 dB -32.17 dB



CENTER 417.999 MHz SPAN 0 Hz
#RES BW 100 kHz #VBW 300 kHz #SWP 15 msec

PHILIPS REMOTE MODEL: TSU510 BA MKR Δ 900.000 μ sec
REF -55.0 dBm ATTEN 10 dB 31.48 dB




CENTER 417.999 MHz SPAN 0 Hz
#RES BW 100 kHz #VBW 300 kHz #SWP 15 msec

~~/P~~ PHILIPS REMOTE MODEL: TSU510 BA

REF -53.5 dBm ATTEN 10 dB

PEAK
LOG
5
dB/

VA SB
SC FC
CORR



CENTER 418.199 MHz

#RES BW 100 kHz

#VBW 300 kHz

SPAN 0 Hz

#SWP 40 msec