

FCC Test Report (Part 27)

Report No.: RF200109E02-2

FCC ID: 2AQ68T99W175

Test Model: T99W175

Received Date: Jan. 10, 2020

Test Date: Jan. 31 ~ May 04, 2020

Issued Date: May 05, 2020

Applicant: Hon Lin Technology Co., Ltd.

Address: 11F, No. 32, Jihu Rd., Neihu Dist., Taipei City 114, Taiwan R.O.C.

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No.19, Hwa Ya 2nd Rd., Wen Hwa Vil., Kwei Shan Dist., Taoyuan City
33383, Taiwan

FCC Registration / 788550 / TW0003

Designation Number:



This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification. The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any government agency

Table of Contents

Release Control Record	4
1 Certificate of Conformity	5
2 Summary of Test Results	6
2.1 Measurement Uncertainty.....	6
2.2 Test Site and Instruments.....	7
3 General Information	8
3.1 General Description of EUT.....	8
3.2 Configuration of System under Test.....	15
3.2.1 Description of Support Units.....	15
3.3 Test Mode Applicability and Tested Channel Detail.....	16
3.4 EUT Operating Conditions.....	36
3.5 General Description of Applied Standards and References.....	36
4 Test Types and Results	37
4.1 Output Power Measurement.....	37
4.1.1 Limits of Output Power Measurement.....	37
4.1.2 Test Procedures.....	37
4.1.3 Test Setup.....	39
4.1.4 Test Results.....	40
4.2 Modulation Characteristics Measurement.....	119
4.2.1 Limits of Modulation Characteristics.....	119
4.2.2 Test Procedure.....	119
4.2.3 Test Setup.....	119
4.2.4 Test Results.....	120
4.3 Frequency Stability Measurement.....	131
4.3.1 Limits of Frequency Stability Measurement.....	131
4.3.2 Test Procedure.....	131
4.3.3 Test Setup.....	131
4.3.4 Test Results.....	132
4.4 Occupied Bandwidth Measurement.....	171
4.4.1 Limits of Occupied Bandwidth Measurement.....	171
4.4.2 Test Procedure.....	171
4.4.3 Test Setup.....	171
4.4.4 Test Result.....	172
4.5 Channel Edge Measurement.....	212
4.5.1 Limits of Band Edge Measurement.....	212
4.5.2 Test Setup.....	213
4.5.3 Test Procedures.....	214
4.5.4 Test Results.....	215
4.6 Peak to Average Ratio.....	266
4.6.1 Limits of Peak to Average Ratio Measurement.....	266
4.6.2 Test Setup.....	266
4.6.3 Test Procedures.....	266
4.6.4 Test Results.....	267
4.7 Conducted Spurious Emissions.....	286
4.7.1 Limits of Conducted Spurious Emissions Measurement.....	286
4.7.2 Test Setup.....	286
4.7.3 Test Procedure.....	286
4.7.4 Test Results.....	287
4.8 Radiated Emission Measurement.....	362
4.8.1 Limits of Radiated Emission Measurement.....	362
4.8.2 Test Procedure.....	363
4.8.3 Deviation from Test Standard.....	363
4.8.4 Test Setup.....	364

4.8.5 Test Results	365
5 Pictures of Test Arrangements.....	432
Appendix – Information of the Testing Laboratories	433

Release Control Record

Issue No.	Description	Date Issued
RF200109E02-2	Original release	May 05, 2020

1 Certificate of Conformity

Product: 5G WWAN Module

Brand: Foxconn

Test Model: T99W175

Sample Status: Engineering Sample

Applicant: Hon Lin Technology Co., Ltd.

Test Date: Jan. 31 ~ May 04, 2020

Standards: FCC Part 27, Subpart C, D, F, L, M, N

The above equipment has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's RF characteristics under the conditions specified in this report.

Prepared by : Pettie Chen, **Date:** May 05, 2020
Pettie Chen / Senior Specialist

Approved by : Bruce Chen, **Date:** May 05, 2020
Bruce Chen / Senior Project Engineer

2 Summary of Test Results

Applied Standard: FCC Part 27 & Part 2									
FCC Clause							Test Item	Result	Remarks
WCDMA B4 / LTE B4	LTE B12/ LTE B71	LTE B13	LTE B17	LTE B7 / LTE B38 / LTE B41	LTE B30	LTE B66			
2.1046 27.50 (d)(4)	2.1046 27.50 (c)	2.1046 27.50 (b)	2.1046 27.50 (c)	2.1046 27.50 (h)(2)	2.1046 27.50 (a)(3)	2.1046 27.50 (d)(4)	Equivalent Isotropically Radiated Power / Equivalent Radiated Power	Pass	Meet the requirement of limit.
2.1047	2.1047	2.1047	2.1047	2.1047	2.1047	2.1047	Modulation Characteristics	Pass	Meet the requirement of limit.
27.50 (d)(5)	----	----	----	----	----	27.50 (d)(5)	Peak To Average Ratio	Pass	Meet the requirement of limit.
2.1055 27.54	2.1055 27.54	2.1055 27.54	2.1055 27.54	2.1055 27.54	2.1055 27.54	2.1055 27.54	Frequency Stability Stay with the authorized bands of operation	Pass	Meet the requirement of limit.
2.1049	2.1049	2.1049	2.1049	2.1049	2.1049	2.1049	Occupied Bandwidth	Pass	Meet the requirement of limit.
2.1051 27.53(h)	2.1051 27.53(g)	2.1051 27.53(c)	2.1051 27.53(g)	2.1051 27.53 (m)(4)(6)	2.1051 27.53 (a)(4)	2.1051 27.53(h)	Band Edge Measurements	Pass	Meet the requirement of limit.
2.1051 27.53(h)	2.1051 27.53(g)	2.1051 27.53(c)(f)	2.1051 27.53(g)	2.1051 27.53 (m)(4)(6)	2.1051 27.53 (a)(4)	2.1051 27.53(h)	Conducted Spurious Emissions	Pass	Meet the requirement of limit.
2.1053 27.53(h)	2.1053 27.53(g)	2.1053 27.53(c)(f)	2.1053 27.53(g)	2.1053 27.53 (m)(4)(6)	2.1053 27.53 (a)(4)	2.1053 27.53(h)	Radiated Spurious Emissions	Pass	Meet the requirement of limit. Minimum passing margin is -2.4dB at 51.34MHz.

Note: Determining compliance based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

2.1 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2:

Measurement	Frequency	Expanded Uncertainty (k=2) (±)
Radiated Emissions up to 1 GHz	9kHz ~ 30MHz	3.04 dB
	30MHz ~ 200MHz	3.63 dB
	200MHz ~ 1000MHz	3.64 dB
Radiated Emissions above 1 GHz	1GHz ~ 18GHz	2.29 dB
	18GHz ~ 40GHz	2.29 dB

2.2 Test Site and Instruments

Description & Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due
Test Receiver ROHDE & SCHWARZ	ESCI	100424	Dec. 31, 2019	Dec. 30, 2020
Spectrum Analyzer ROHDE & SCHWARZ	FSP40	100040	Sep. 23, 2019	Sep. 22, 2020
Spectrum Analyzer KEYSIGHT	N9030B	MY57140953	Jul. 03, 2019	Jul. 02, 2020
Radio Communication Analyzer Anritsu	MT8821C	6261806803	Jan. 18, 2020	Jan. 17, 2021
MXG Vector signal generator Agilent	N5182B	MY53050162	Jan. 14, 2020	Jan. 13, 2021
HORN Antenna ETS	3117	00034128	Nov. 24, 2019	Nov. 23, 2020
BILOG Antenna SCHWARZBECK	VULB9168	9168-155	Nov. 11, 2019	Nov. 10, 2020
HORN Antenna SCHWARZBECK	BBHA 9120D	9120D-1170	Nov. 24, 2019	Nov. 23, 2020
HORN Antenna ETS	3117	00034128	Nov. 24, 2019	Nov. 23, 2020
HORN Antenna SCHWARZBECK	BBHA 9170	BBHA9170241	Nov. 24, 2019	Nov. 23, 2020
Loop Antenna TESEQ	HLA 6121	45745	Jul. 01, 2019	Jun. 30, 2020
Preamplifier Agilent (Below 1GHz)	8447D	2944A10631	Jul. 11, 2019	Jul. 10, 2020
Preamplifier KEYSIGHT (Above 1GHz)	83017A	MY53270295	Jun. 11, 2019	Jun. 10, 2020
RF Coaxial Cable WOKEN With 5dB PAD	8D-FB	Cable-CH4-01	Aug. 20, 2019	Aug. 19, 2020
RF Coaxial Cable EMCI	EMC102-KM-KM-3000	150929	Aug. 20, 2019	Aug. 19, 2020
RF Coaxial Cable EMCI	EMC102-KM-KM-600	150928	Aug. 20, 2019	Aug. 19, 2020
RF signal cable HUBER+SUHNER	SUCOFLEX 104	MY 13380+295012/04	Jul. 11, 2019	Jul. 10, 2020
RF signal cable HUBER+SUHNER	SUCOFLEX 104	Cable-CH4-03 (250724)	Jul. 11, 2019	Jul. 10, 2020
Software BV ADT	ADT_Radiated_ V7.6.15.9.5	NA	NA	NA
Antenna Tower inn-co GmbH	MA 4000	010303	NA	NA
Antenna Tower Controller BV ADT	AT100	AT93021703	NA	NA
Boresight Antenna Fixture	FBA-01	FBA-SIP01	NA	NA
Standard Temperature And Humidity Chamber	MHU-225AU	920842	May 31, 2019	May 30, 2020
JFW 20dB attenuation	50HF-020-SMA	NA	NA	NA
True RMS Clamp Meter Fluke	325	31130711WS	May 21, 2019	May 20, 2020
DC power supply	U8002A	MY56330015	NA	NA

Note: 1. The calibration interval of the above test instruments is 12 months and the calibrations are traceable to NML/ROC and NIST/USA.
2. The test was performed in HwaYa Chamber 4.

3 General Information

3.1 General Description of EUT

Product	5G WWAN Module		
Brand	Foxconn		
Test Model	T99W175		
Status of EUT	Engineering Sample		
Power Supply Rating	5 Vdc (Host equipment) 3.135Vdc~3.63Vdc (Module)		
Modulation Type	WCDMA: BPSK, QPSK HSDPA: BPSK HSUPA: QPSK LTE: QPSK, 16QAM, 64QAM		
Operating Frequency	WCDMA Band 4		1712.4MHz ~ 1752.6MHz
	LTE Band 4	Channel Bandwidth 1.4MHz	1710.7MHz ~ 1754.3MHz
		Channel Bandwidth 3MHz	1711.5MHz ~ 1753.5MHz
		Channel Bandwidth 5MHz	1712.5MHz ~ 1752.5MHz
		Channel Bandwidth 10MHz	1715.0MHz ~ 1750.0MHz
		Channel Bandwidth 15MHz	1717.5MHz ~ 1747.5MHz
		Channel Bandwidth 20MHz	1720.0MHz ~ 1745.0MHz
	LTE Band 7	Channel Bandwidth 5MHz	2502.5MHz ~ 2567.5MHz
		Channel Bandwidth 10MHz	2505.0MHz ~ 2565.0MHz
		Channel Bandwidth 15MHz	2507.5MHz ~ 2562.5MHz
		Channel Bandwidth 20MHz	2510.0MHz ~ 2560.0MHz
	LTE Band 12	Channel Bandwidth 1.4MHz	699.7MHz ~ 715.3MHz
		Channel Bandwidth 3MHz	700.5MHz ~ 714.5MHz
		Channel Bandwidth 5MHz	701.5MHz ~ 713.5MHz
		Channel Bandwidth 10MHz	704.0MHz ~ 711.0MHz
	LTE Band 13	Channel Bandwidth 5MHz	779.5MHz ~ 784.5MHz
		Channel Bandwidth 10MHz	782.0MHz
	LTE Band 17	Channel Bandwidth 5MHz	706.5MHz ~ 713.5MHz
		Channel Bandwidth 10MHz	709.0MHz ~ 711.0MHz
	LTE Band 30	Channel Bandwidth 5MHz	2307.5MHz ~ 2312.5MHz
		Channel Bandwidth 10MHz	2310.0MHz
	LTE Band 38	Channel Bandwidth 5MHz	2572.5MHz ~ 2617.5MHz
		Channel Bandwidth 10MHz	2575.0MHz ~ 2615.0MHz
		Channel Bandwidth 15MHz	2577.5MHz ~ 2612.5MHz
		Channel Bandwidth 20MHz	2580.0MHz ~ 2610.0MHz
	LTE Band 41	Channel Bandwidth 5MHz	2498.5MHz ~ 2687.5 MHz
Channel Bandwidth 10MHz		2501.0MHz ~ 2685.0 MHz	
Channel Bandwidth 15MHz		2503.5MHz ~ 2682.5 MHz	
Channel Bandwidth 20MHz		2506.0MHz ~ 2680.0 MHz	

Operating Frequency	LTE Band 66	Channel Bandwidth 1.4MHz	1710.7MHz ~ 1779.3MHz		
		Channel Bandwidth 3MHz	1711.5MHz ~ 1778.5MHz		
		Channel Bandwidth 5MHz	1712.5MHz ~ 1777.5MHz		
		Channel Bandwidth 10MHz	1715.0MHz ~ 1775.0MHz		
		Channel Bandwidth 15MHz	1717.5MHz ~ 1772.5MHz		
		Channel Bandwidth 20MHz	1720.0MHz ~ 1770.0MHz		
	LTE Band 71	Channel Bandwidth 5MHz	665.5MHz ~ 695.5MHz		
		Channel Bandwidth 10MHz	668.0MHz ~ 693.0MHz		
		Channel Bandwidth 15MHz	670.5MHz ~ 690.5MHz		
		Channel Bandwidth 20MHz	673.0MHz ~ 688.0MHz		
Max. EIRP Power	WCDMA Band 4		594.292mW (27.74dBm)		
			QPSK	16QAM	64QAM
	LTE Band 4	Channel Bandwidth 1.4MHz	636.796mW (28.04dBm)	542.001mW (27.34dBm)	404.576mW (26.07dBm)
		Channel Bandwidth 3MHz	645.654mW (28.10dBm)	576.766mW (27.61dBm)	410.204mW (26.13dBm)
		Channel Bandwidth 5MHz	668.344mW (28.25dBm)	549.541mW (27.40dBm)	413.048mW (26.16dBm)
		Channel Bandwidth 10MHz	639.735mW (28.06dBm)	583.445mW (27.66dBm)	426.580mW (26.30dBm)
		Channel Bandwidth 15MHz	623.735mW (27.95dBm)	552.077mW (27.42dBm)	428.549mW (26.32dBm)
		Channel Bandwidth 20MHz	628.058mW (27.98dBm)	557.186mW (27.46dBm)	428.549mW (26.32dBm)
	LTE Band 7	Channel Bandwidth 5MHz	724.436mW (28.60dBm)	601.174mW (27.79dBm)	533.335mW (27.27dBm)
		Channel Bandwidth 10MHz	734.514mW (28.66dBm)	602.560mW (27.80dBm)	544.503mW (27.36dBm)
		Channel Bandwidth 15MHz	731.139mW (28.64dBm)	651.628mW (28.14dBm)	534.564mW (27.28dBm)
		Channel Bandwidth 20MHz	734.514mW (28.66dBm)	622.300mW (27.94dBm)	537.032mW (27.30dBm)
	LTE Band 30	Channel Bandwidth 5MHz	223.872 mW/ 5MHz (23.5dBm/ 5MHz)	177.828 mW/ 5MHz (22.5dBm/ 5MHz)	154.882 mW/ 5MHz (21.9dBm/ 5MHz)
		Channel Bandwidth 10MHz	204.174 mW/5MHz (23.1dBm/ 5MHz)	158.489 mW/5MHz (22.0dBm/ 5MHz)	141.254 mW/5MHz (21.5dBm/ 5MHz)
	LTE Band 38	Channel Bandwidth 5MHz	751.623mW (28.76dBm)	654.636mW (28.16dBm)	527.230mW (27.22dBm)
		Channel Bandwidth 10MHz	755.092mW (28.78dBm)	662.217mW (28.21dBm)	550.808mW (27.41dBm)
		Channel Bandwidth 15MHz	767.361mW (28.85dBm)	665.273mW (28.23dBm)	545.758mW (27.37dBm)
		Channel Bandwidth 20MHz	767.361mW (28.85dBm)	687.068mW (28.37dBm)	558.470mW (27.47dBm)
	LTE Band 41	Channel Bandwidth 5MHz	1570.363mW (31.96dBm)	1367.729mW (31.36dBm)	1169.499mW (30.68dBm)
		Channel Bandwidth 10MHz	1555.966mW (31.92dBm)	1361.445mW (31.34dBm)	1261.828mW (31.01dBm)
		Channel Bandwidth 15MHz	1581.248mW (31.99dBm)	1339.677mW (31.27dBm)	1276.439mW (31.06dBm)
		Channel Bandwidth 20MHz	1595.879mW (32.03dBm)	1358.313mW (31.33dBm)	1445.440mW (31.60dBm)

Max. EIRP Power	LTE Band 66	Channel Bandwidth	QPSK	16QAM	64QAM
			587.489mW (27.69dBm)	521.195mW (27.17dBm)	414.000mW (26.17dBm)
		Channel Bandwidth 3MHz	601.174mW (27.79dBm)	528.445mW (27.23dBm)	421.697mW (26.25dBm)
		Channel Bandwidth 5MHz	612.350mW (27.87dBm)	514.044mW (27.11dBm)	415.911mW (26.19dBm)
		Channel Bandwidth 10MHz	592.925mW (27.73dBm)	548.277mW (27.39dBm)	433.511mW (26.37dBm)
		Channel Bandwidth 15MHz	618.016mW (27.91dBm)	547.016mW (27.38dBm)	438.531mW (26.42dBm)
		Channel Bandwidth 20MHz	623.735mW (27.95dBm)	554.626mW (27.44dBm)	404.576mW (26.07dBm)
Max. ERP Power		Channel Bandwidth	QPSK	16QAM	64QAM
			410.204mW (26.13dBm)	362.243mW (25.59dBm)	261.216mW (24.17dBm)
			417.830mW (26.21dBm)	339.625mW (25.31dBm)	263.027mW (24.20dBm)
			414.000mW (26.17dBm)	370.681mW (25.69dBm)	266.686mW (24.26dBm)
			431.519mW (26.35dBm)	349.945mW (25.44dBm)	277.971mW (24.44dBm)
			435.512mW (26.39dBm)	385.478mW (25.86dBm)	263.633mW (24.21dBm)
			437.522mW (26.41dBm)	395.367mW (25.97dBm)	268.534mW (24.29dBm)
			418.794mW (26.22dBm)	395.367mW (25.87dBm)	262.422mW (24.19dBm)
			423.643mW (26.27dBm)	355.631mW (25.51dBm)	258.821mW (24.13dBm)
			372.392mW (25.71dBm)	332.660mW (25.22dBm)	260.615mW (24.16dBm)
			369.828mW (25.68dBm)	350.752mW (25.45dBm)	260.615mW (24.16dBm)
			395.367mW (25.97dBm)	249.945mW (25.44dBm)	271.644mW (24.34dBm)
			395.367mW (25.97dBm)	328.851mW (25.17dBm)	260.016mW (24.15dBm)

Emission Designator	WCDMA Band 4		4M16F9W		
			QPSK	16QAM	64QAM
	LTE Band 4	Channel Bandwidth 1.4MHz	1M09G7D	1M09D7W	1M09D7W
		Channel Bandwidth 3MHz	2M70G7D	2M70D7W	2M70D7W
		Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W
		Channel Bandwidth 10MHz	8M96G7D	8M97D7W	8M96D7W
		Channel Bandwidth 15MHz	13M5G7D	13M5D7W	13M4D7W
		Channel Bandwidth 20MHz	17M9G7D	18M0D7W	18M0D7W
	LTE Band 7	Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W
		Channel Bandwidth 10MHz	8M96G7D	8M96D7W	8M95D7W
		Channel Bandwidth 15MHz	13M5G7D	13M4D7W	13M4D7W
		Channel Bandwidth 20MHz	17M9G7D	17M9D7W	17M9D7W
	LTE Band 12	Channel Bandwidth 1.4MHz	1M09G7D	1M09D7W	1M09D7W
		Channel Bandwidth 3MHz	2M70G7D	2M69D7W	2M70D7W
		Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W
		Channel Bandwidth 10MHz	8M96G7D	8M96D7W	8M95D7W
	LTE Band 13	Channel Bandwidth 5MHz	4M49G7D	4M50D7W	4M50D7W
		Channel Bandwidth 10MHz	8M97G7D	8M94D7W	8M94D7W
	LTE Band 17	Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W
		Channel Bandwidth 10MHz	8M95G7D	8M95D7W	8M94D7W
	LTE Band 30	Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W
		Channel Bandwidth 10MHz	8M96G7D	8M96D7W	8M95D7W
	LTE Band 38	Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W
		Channel Bandwidth 10MHz	8M96G7D	8M96D7W	8M97D7W
		Channel Bandwidth 15MHz	13M5G7D	13M4D7W	13M4D7W
		Channel Bandwidth 20MHz	17M9G7D	17M9D7W	17M9D7W
	LTE Band 41	Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W
		Channel Bandwidth 10MHz	8M96G7D	8M97D7W	8M96D7W
		Channel Bandwidth 15MHz	13M5G7D	13M4D7W	13M4D7W
		Channel Bandwidth 20MHz	17M9G7D	17M9D7W	17M9D7W
LTE Band 66	Channel Bandwidth 1.4MHz	1M09G7D	1M09D7W	1M09D7W	
	Channel Bandwidth 3MHz	2M70G7D	2M70D7W	2M70D7W	
	Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M49D7W	
	Channel Bandwidth 10MHz	8M96G7D	8M96D7W	8M95D7W	
	Channel Bandwidth 15MHz	13M5G7D	13M5D7W	13M5D7W	
	Channel Bandwidth 20MHz	18M0G7D	18M0D7W	18M0D7W	
LTE Band 71	Channel Bandwidth 5MHz	4M49G7D	4M49D7W	4M50D7W	
	Channel Bandwidth 10MHz	8M97G7D	8M97D7W	8M97D7W	
	Channel Bandwidth 15MHz	13M5G7D	13M5D7W	13M4D7W	
	Channel Bandwidth 20MHz	17M9G7D	17M9D7W	17M9D7W	
Antenna Type	Refer to Note as below				
Antenna Connector	Refer to Note as below				
Accessory Device	NA				
Cable Supplied	NA				

Note:

1. There are four Difference HW of T99W175.

Brand	Model	HW
Foxconn	T99W175	1. 3G+LTE+Sub6+eSIM
		2. 3G+LTE+Sub6 only w/o eSIM
		3. 3G+LTE+Sub6+eSIM+GNSS connector
		4. 3G+LTE+Sub6 only+w/o eSIM+GNSS connector

*After pre-testing, "HW: 1. 3G+LTE+Sub6+eSIM" is the worst for the final tests.

2. The following antennas were provided to the EUT.

Antenna No.	RF Chain No.	Brand	Model	Antenna Net Gain(dBi)	Frequency range (MHz)	Antenna Type	Connector Type
1		WHA YU	C107-511720-A	4.41	660~803	PCB	I-PEX
2		WHA YU	C107-511721-A	3.81 4.03	791~960 1447.9~1606	PCB	I-PEX
3		WHA YU	C107-511722-A	4.27 5.31	1710~2170 2500~2690	PCB	I-PEX
4		WHA YU	C107-511723-A	2.99 0.92	2300~2400 3500~3700	PCB	I-PEX
5		WHA YU	C107-511724-A	6.45	5150~5925	PCB	I-PEX
6		WHA YU	C107-511725-A	4.89	3400~3700	PCB	I-PEX
7		AVX	5000106-R1-X01	2.91	699~803	Monopole	I-PEX
8		AVX	5000107-R1-X01	2.59	791~960	Monopole	I-PEX
9		AVX	5000108-R1-X01	2.85	1427~1610	Monopole	I-PEX
10		AVX	5000109-R1-X01	2.23 2.94	1710~2200 5150~5925	Monopole	I-PEX
11		AVX	5000110-R1-X01	0.9	2300~2690	Monopole	I-PEX
12		AVX	5000111-R1-X01	0.87	3300~5000	Monopole	I-PEX


Antenna No.	RF Chain No.	Brand	Model	Antenna Net Gain(dBi)	Frequency range (MHz)	Antenna Type	Connector Type
13	Tx1/ Rx1	Ethertronics	5003806	0.4 -1.61 0.39 2.95 1.98 0.38 0.83 2.31	698-821 824-960 1425-1515 1710-2200 2300-2690 3300-4200 4400-5000 5150-5925	PIFA	I-PEX
	Rx2	Ethertronics	5003807	-2.24 -4.52 2.87 2.99 2.93 2.91 2.23 -0.85 -3.04	716-821 824-960 1425-1515 1557-1610 1805-2200 2300-2690 3300-4200 4400-5000 5150-5925	PIFA	I-PEX
	Tx2/ Rx3	Ethertronics	5003806	2.21 2.25 -0.45 2.6	1710-2200 2300-2690 3300-4200 4400-5000	PIFA	I-PEX
	Rx4	Ethertronics	5003700	1.38 2.87 0.6 -2.09	1805-2200 2300-2690 3300-4200 4400-5000	PIFA	I-PEX
14	Ant. 0 (TX/RX)	Master Wave	NA	2.4 2.2 2.9 2.9 2.9 NA	880~960 1020~2170 2545~2595 3565~3600 3900~4000 GPS	PCB	I-PEX
	Ant. 2 (TX/RX)	Master Wave	NA	NA 2.2 2.8 2.9 2.8 NA	880~960 1020~2170 2545~2595 3565~3600 3900~4000 GPS	PCB	I-PEX
	Ant. 1 (RX)	Master Wave	NA	NA 5.3 5.1 4.3 4.5 NA	880~960 1020~2170 2545~2595 3565~3600 3900~4000 GPS	PCB	I-PEX
	Ant. 3 (RX)	Master Wave	NA	1.3 6.8 3.7 6.4 6.2 3.7	880~960 1020~2170 2545~2595 3565~3600 3900~4000 GPS	PCB	I-PEX

*The antenna for the final tests as following table.


	Band	Antenna
WCDMA	2	Antenna 3
	4	Antenna 3
	5	Antenna 2
LTE	2	Antenna 3
	4	Antenna 3
	5	Antenna 2
	7	Antenna 3
	12	Antenna 1
	13	Antenna 1
	14	Antenna 1
	17	Antenna 1
	25	Antenna 3
	26	Antenna 2
	30	Antenna 4
	66	Antenna 3
	71	Antenna 1
	38	Antenna 3
	41	Antenna 3
48	Antenna 4	

*The max. gain of each band is chosen for the final tests. Only the antenna no. 4 is for band 30 requested by client.

3.2 Configuration of System under Test



Remote site



3.2.1 Description of Support Units

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

ID	Product	Brand	Model No.	Serial No.	FCC ID	Remarks
A.	Radio Communication Analyzer	Anritsu	MT8821C	6261806803	NA	-
B.	Adapter	LITEON	PA-1050-39	NA	NA	-
C.	Fixture	NA	NA	NA	NA	Provided by client.

Note:

1. All power cords of the above support units are non-shielded (1.8m).
2. Item A acted as a communication partner to transfer data.

ID	Descriptions	Qty.	Length (m)	Shielding (Yes/No)	Cores (Qty.)	Remarks
1.	USB cable	1	1.5	Y	0	-

3.3 Test Mode Applicability and Tested Channel Detail

Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, XYZ axis and antenna ports. The worst case was found when positioned on Z-plane. Following channel(s) was (were) selected for the final test as listed below.

WCDMA Band 4

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Mode
-	EIRP	1312 to 1513	1312(1712.4MHz), 1413(1732.6MHz), 1513(1752.6MHz)	WCDMA
-	Modulation Characteristics	1312 to 1513	1413(1732.6MHz)	WCDMA, HSDPA, HSUPA
-	Frequency Stability	1312 to 1513	1312(1712.4MHz), 1513(1752.6MHz)	WCDMA
-	Occupied Bandwidth	1312 to 1513	1312(1712.4MHz), 1413(1732.6MHz), 1513(1752.6MHz)	WCDMA, HSDPA, HSUPA
-	Band Edge	1312 to 1513	1312(1712.4MHz), 1513(1752.6MHz)	WCDMA, HSDPA, HSUPA
-	Peak To Average Ratio	1312 to 1513	1312(1712.4MHz), 1413(1732.6MHz), 1513(1752.6MHz)	WCDMA, HSDPA, HSUPA
-	Conducted Emission	1312 to 1513	1312(1712.4MHz), 1413(1732.6MHz), 1513(1752.6MHz)	WCDMA, HSDPA, HSUPA
-	Radiated Emission Below 1GHz	1312 to 1513	1513(1752.6MHz)	WCDMA
-	Radiated Emission Above 1GHz	1312 to 1513	1312(1712.4MHz), 1413(1732.6MHz), 1513(1752.6MHz)	WCDMA

Note: For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.

LTE Band 4

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	EIRP	19957 to 20393	19957(1710.7MHz), 20175(1732.5MHz), 20393(1754.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 2 RB Offset 1 RB / 5 RB Offset 3 RB / 0 RB Offset 3 RB / 1 RB Offset 3 RB / 3 RB Offset 6 RB / 0 RB Offset
		19965 to 20385	19965(1711.5MHz), 20175(1732.5MHz), 20385(1753.5MHz)	3MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 7 RB Offset 1 RB / 14 RB Offset 8 RB / 0 RB Offset 8 RB / 3 RB Offset 8 RB / 7 RB Offset 15 RB / 0 RB Offset
		19975 to 20375	19975(1712.5MHz), 20175(1732.5MHz), 20375(1752.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		20000 to 20350	20000(1715.0MHz), 20175(1732.5MHz), 20350(1750.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		20025 to 20325	20025(1717.5MHz), 20175(1732.5MHz), 20325(1747.5MHz)	15MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		20050 to 20300	20050(1720.0MHz), 20175(1732.5MHz), 20300(1745.0MHz)	20MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	20050 to 20300	20175(1732.5MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Frequency Stability	19957 to 20393	19957(1710.7MHz), 20393(1754.3MHz)	1.4MHz	QPSK	6 RB / 0 RB Offset
		19965 to 20385	19965(1711.5MHz), 20385(1753.5MHz)	3MHz	QPSK	15 RB / 0 RB Offset
		19975 to 20375	19975(1712.5MHz), 20375(1752.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		20000 to 20350	20000(1715.0MHz), 20350(1750.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
		20025 to 20325	20025(1717.5MHz), 20325(1747.5MHz)	15MHz	QPSK	75 RB / 0 RB Offset
		20050 to 20300	20050(1720.0MHz), 20300(1745.0MHz)	20MHz	QPSK	100 RB / 0 RB Offset

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Emission Bandwidth	19957 to 20393	19957(1710.7MHz), 20175(1732.5MHz), 20393(1754.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	6 RB / 0RB Offset
		19965 to 20385	19965(1711.5MHz), 20175(1732.5MHz), 20385(1753.5MHz)	3MHz	QPSK / 16QAM / 64QAM	15 RB / 0RB Offset
		19975 to 20375	19975(1712.5MHz), 20175(1732.5MHz), 20375(1752.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25RB / 0RB Offset
		20000 to 20350	20000(1715.0MHz), 20175(1732.5MHz), 20350(1750.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50RB / 0RB Offset
		20025 to 20325	20025(1717.5MHz), 20175(1732.5MHz), 20325(1747.5MHz)	15MHz	QPSK / 16QAM / 64QAM	75 RB / 0 RB Offset
		20050 to 20300	20050(1720.0MHz), 20175(1732.5MHz), 20300(1745.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Band Edge	19957 to 20393	19957(1710.7MHz), 20393(1754.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset 1 RB / 5 RB Offset 6 RB / 0 RB Offset
		19965 to 20385	19965(1711.5MHz), 20385(1753.5MHz)	3MHz	QPSK	1 RB / 0 RB Offset 1 RB / 14 RB Offset 15 RB / 0 RB Offset
		19975 to 20375	19975(1712.5MHz), 20375(1752.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		20000 to 20350	20000(1715.0MHz), 20350(1750.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		20025 to 20325	20025(1717.5MHz), 20325(1747.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		20050 to 20300	20050(1720.0MHz), 20300(1745.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset
-	Peak To Average Ratio	19957 to 20393	19957(1710.7MHz), 20175(1732.5MHz), 20393(1754.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	1 RB / 2 RB Offset
		19965 to 20385	19965(1711.5MHz), 20175(1732.5MHz), 20385(1753.5MHz)	3MHz	QPSK / 16QAM / 64QAM	1 RB / 7 RB Offset
		19975 to 20375	19975(1712.5MHz), 20175(1732.5MHz), 20375(1752.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 12 RB Offset
		20000 to 20350	20000(1715.0MHz), 20175(1732.5MHz), 20350(1750.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 49 RB Offset
		20025 to 20325	20025(1717.5MHz), 20175(1732.5MHz), 20325(1747.5MHz)	15MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
		20050 to 20300	20050(1720.0MHz), 20175(1732.5MHz), 20300(1745.0MHz)	20MHz	QPSK / 16QAM / 64QAM	1 RB / 50 RB Offset

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Conducted Emission	19957 to 20393	19957(1710.7MHz), 20175(1732.5MHz), 20393(1754.3MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
		19965 to 20385	19965(1711.5MHz), 20175(1732.5MHz), 20385(1753.5MHz)	3MHz	QPSK	1 RB / 7 RB Offset
		19975 to 20375	19975(1712.5MHz), 20175(1732.5MHz), 20375(1752.5MHz)	5MHz	QPSK	1 RB / 12 RB Offset
		20000 to 20350	20000(1715.0MHz), 20175(1732.5MHz), 20350(1750.0MHz)	10MHz	QPSK	1 RB / 49 RB Offset
		20025 to 20325	20025(1717.5MHz), 20175(1732.5MHz), 20325(1747.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset
		20050 to 20300	20050(1720.0MHz), 20175(1732.5MHz), 20300(1745.0MHz)	20MHz	QPSK	1 RB / 50 RB Offset
-	Radiated Emission Below 1GHz	19975 to 20375	20175(1732.5MHz)	5MHz	QPSK	1 RB / 12 RB Offset
-	Radiated Emission Above 1GHz	19957 to 20393	19957(1710.7MHz), 20175(1732.5MHz), 20393(1754.3MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
		19975 to 20375	19975(1712.5MHz), 20175(1732.5MHz), 20375(1752.5MHz)	5MHz	QPSK	1 RB / 12 RB Offset
		20050 to 20300	20050(1720.0MHz), 20175(1732.5MHz), 20300(1745.0MHz)	20MHz	QPSK	1 RB / 50 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the lowest, 5MHz & highest channel bandwidth for final test.
3. The conducted output power for QPSK, 16QAM and 64QAM measured value of QPSK is higher than 16QAM and 64QAM mode. Therefore, only EIRP, Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM and 64QAM modes, the other test items were performed under QPSK mode only.

LTE Band 7

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	EIRP	20775 to 21425	20775 (2502.5MHz), 21100 (2535.0MHz), 21425 (2567.5MHz)	5 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		20800 to 21400	20800 (2505.0MHz), 21100 (2535.0MHz), 21400 (2565.0MHz)	10 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		20825 to 21375	20825 (2507.5MHz), 21100 (2535.0MHz), 21375 (2562.5MHz)	15 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		20850 to 21350	20850 (2510.0MHz), 21100 (2535.0MHz), 21350 (2560.0MHz)	20 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	20850 to 21350	21100 (2535.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Frequency Stability	20775 to 21425	20775 (2502.5MHz), 21425 (2567.5MHz)	5 MHz	QPSK	25 RB / 0 RB Offset
		20800 to 21400	20800 (2505.0MHz), 21400 (2565.0MHz)	10 MHz	QPSK	50 RB / 0 RB Offset
		20825 to 21375	20825 (2507.5MHz), 21375 (2562.5MHz)	15 MHz	QPSK	75 RB / 0 RB Offset
		20850 to 21350	20850 (2510.0MHz), 21350 (2560.0MHz)	20 MHz	QPSK	100 RB / 0 RB Offset
-	Emission Bandwidth	20775 to 21425	20775 (2502.5MHz), 21100 (2535.0MHz), 21425 (2567.5MHz)	5 MHz	QPSK / 16QAM / 64QAM	25 RB / 0 RB Offset
		20800 to 21400	20800 (2505.0MHz), 21100 (2535.0MHz), 21400 (2565.0MHz)	10 MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
		20825 to 21375	20825 (2507.5MHz), 21100 (2535.0MHz), 21375 (2562.5MHz)	15 MHz	QPSK / 16QAM / 64QAM	75 RB / 0 RB Offset
		20850 to 21350	20850 (2510.0MHz), 21100 (2535.0MHz), 21350 (2560.0MHz)	20 MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Emission Mask	20775 to 21425	20775 (2502.5MHz), 21100 (2535.0MHz), 21425 (2567.5MHz)	5 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		20800 to 21400	20800 (2505.0MHz), 21100 (2535.0MHz), 21400 (2565.0MHz)	10 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		20825 to 21375	20825 (2507.5MHz), 21100 (2535.0MHz), 21375 (2562.5MHz)	15 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		20850 to 21350	20850 (2510.0MHz), 21100 (2535.0MHz), 21350 (2560.0MHz)	20 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	Peak to Average Ratio	20775 to 21425	20775 (2502.5MHz), 21100 (2535.0MHz), 21425 (2567.5MHz)	5 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
		20800 to 21400	20800 (2505.0MHz), 21100 (2535.0MHz), 21400 (2565.0MHz)	10 MHz	QPSK / 16QAM / 64QAM	1 RB / 24 RB Offset
		20825 to 21375	20825 (2507.5MHz), 21100 (2535.0MHz), 21375 (2562.5MHz)	15 MHz	QPSK / 16QAM / 64QAM	1 RB / 37 RB Offset
		20850 to 21350	20850 (2510.0MHz), 21100 (2535.0MHz), 21350 (2560.0MHz)	20 MHz	QPSK / 16QAM / 64QAM	1 RB / 50 RB Offset
-	Conducted Emission	20775 to 21425	20775 (2502.5MHz), 21100 (2535.0MHz), 21425 (2567.5MHz)	5 MHz	QPSK	1 RB / 0 RB Offset
		20800 to 21400	20800 (2505.0MHz), 21100 (2535.0MHz), 21400 (2565.0MHz)	10 MHz	QPSK	1 RB / 24 RB Offset
		20825 to 21375	20825 (2507.5MHz), 21100 (2535.0MHz), 21375 (2562.5MHz)	15 MHz	QPSK	1 RB / 37 RB Offset
		20850 to 21350	20850 (2510.0MHz), 21100 (2535.0MHz), 21350 (2560.0MHz)	20 MHz	QPSK	1 RB / 50 RB Offset
-	Radiated Emission Below 1GHz	20775 to 21425	21425 (2567.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Above 1GHz	20775 to 21425	20775 (2502.5MHz), 21100 (2535.0MHz), 21425 (2567.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		20850 to 21350	20850 (2510.0MHz), 21100 (2535.0MHz), 21350 (2560.0MHz)	20MHz	QPSK	1 RB / 50 RB Offset

LTE Band 12

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	ERP	23017 to 23173	23017(699.7MHz), 23095(707.5MHz), 23173(715.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 2 RB Offset 1 RB / 5 RB Offset 3 RB / 0 RB Offset 3 RB / 1 RB Offset 3 RB / 3 RB Offset 6 RB / 0 RB Offset
		23025 to 23165	23025(700.5MHz), 23095(707.5MHz), 23165(714.5MHz)	3MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 7 RB Offset 1 RB / 14 RB Offset 8 RB / 0 RB Offset 8 RB / 3 RB Offset 8 RB / 7 RB Offset 15 RB / 0 RB Offset
		23035 to 23155	23035(701.5MHz), 23095(707.5MHz), 23155(713.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		23060 to 23130	23060(704.0MHz), 23095(707.5 MHz), 23130(711.0 MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
-	Modulation Characteristics	23060 to 23130	23095(707.5MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Frequency Stability	23017 to 23173	23017(699.7MHz), 23173(715.3MHz)	1.4MHz	QPSK	6 RB / 0 RB Offset
		23025 to 23165	23025(700.5MHz), 23165(714.5MHz)	3MHz	QPSK	15 RB / 0 RB Offset
		23035 to 23155	23035(701.5MHz), 23155(713.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		23060 to 23130	23060(704.0MHz), 23130(711.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
-	Emission Bandwidth	23017 to 23173	23017(699.7MHz), 23095(707.5MHz), 23173(715.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	6 RB / 0 RB Offset
		23025 to 23165	23025(700.5MHz), 23095(707.5MHz), 23165(714.5MHz)	3MHz	QPSK / 16QAM / 64QAM	15 RB / 0 RB Offset
		23035 to 23155	23035(701.5MHz), 23095(707.5MHz), 23155(713.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25 RB / 0 RB Offset
		23060 to 23130	23060(704.0MHz), 23095(707.5MHz), 23130(711.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Band Edge	23017 to 23173	23017(699.7MHz), 23173(715.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset 1 RB / 5 RB Offset 6 RB / 0 RB Offset
		23025 to 23165	23025(700.5MHz), 23165(714.5MHz)	3MHz	QPSK	1 RB / 0 RB Offset 1 RB / 14 RB Offset 15 RB / 0 RB Offset
		23035 to 23155	23035(701.5MHz), 23155(713.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		23060 to 23130	23060(704.0MHz), 23130(711.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	Peak to Average Ratio	23017 to 23173	23017(699.7MHz), 23095(707.5MHz), 23173(715.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	1 RB / 2 RB Offset
		23025 to 23165	23025(700.5MHz), 23095(707.5MHz), 23165(714.5MHz)	3MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
		23035 to 23155	23035(701.5MHz), 23095(707.5MHz), 23155(713.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 12 RB Offset
		23060 to 23130	23060(704.0MHz), 23095(707.5MHz), 23130(711.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 49 RB Offset
-	Conducted Emission	23017 to 23173	23017(699.7MHz), 23095(707.5MHz), 23173(715.3MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
		23025 to 23165	23025(700.5MHz), 23095(707.5MHz), 23165(714.5MHz)	3MHz	QPSK	1 RB / 0 RB Offset
		23035 to 23155	23035(701.5MHz), 23095(707.5MHz), 23155(713.5MHz)	5MHz	QPSK	1 RB / 12 RB Offset
		23060 to 23130	23060(704.0MHz), 23095(707.5MHz), 23130(711.0MHz)	10MHz	QPSK	1 RB / 49 RB Offset
-	Radiated Emission Below 1GHz	23017 to 23173	23095(707.5MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
-	Radiated Emission Above 1GHz	23017 to 23173	23017(699.7MHz), 23095(707.5MHz), 23173(715.3MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
		23035 to 23155	23035(701.5MHz), 23095(707.5MHz), 23155(713.5MHz)	5MHz	QPSK	1 RB / 12 RB Offset
		23060 to 23130	23060(704.0MHz), 23095(707.5MHz), 23130(711.0MHz)	10MHz	QPSK	1 RB / 49 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the 1.4MHz & highest channel bandwidth for final test.
3. The conducted output power for QPSK, 16QAM and 64QAM measured value of QPSK is higher than 16QAM and 64QAM mode. Therefore, only ERP, Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM and 64QAM modes, the other test items were performed under QPSK mode only.

LTE Band 13

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	ERP	23205 to 23255	23205(779.5MHz), 23230(782.0MHz), 23255(784.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		23230	23230(782.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
-	Modulation Characteristics	23230	23230(782.0MHz),	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Frequency Stability	23205 to 23255	23205(779.5MHz), 23255(784.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		23230	23230(782.0MHz),	10MHz	QPSK	50 RB / 0 RB Offset
-	Emission Bandwidth	23205 to 23255	23205(779.5MHz), 23230(782.0MHz), 23255(784.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25 RB / 0 RB Offset
		23230	23230(782.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Band Edge	23205 to 23255	23205(779.5MHz), 23255(784.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		23230	23230(782.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
-	Peak to Average Ratio	23205 to 23255	23205(779.5MHz), 23230(782.0MHz), 23255(784.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 24 RB Offset
		23230	23230(782.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 24 RB Offset
-	Conducted Emission	23205 to 23255	23205(779.5MHz), 23230(782.0MHz), 23255(784.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		23230	23230(782.0MHz)	10MHz	QPSK	1 RB / 24 RB Offset
-	Radiated Emission Below 1GHz	23205 to 23255	23255(784.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
-	Radiated Emission Above 1GHz	23205 to 23255	23205(779.5MHz), 23230(782.0MHz), 23255(784.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		23230	23230(782.0MHz)	10MHz	QPSK	1 RB / 24 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the 5MHz & highest channel bandwidth for final test.
3. The conducted output power for QPSK, 16QAM and 64QAM measured value of QPSK is higher than 16QAM and 64QAM mode. Therefore, only ERP, Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM and 64QAM modes, the other test items were performed under QPSK mode only.

LTE Band 17

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	ERP	23755 to 23825	23755(706.5MHz), 23790(710.0MHz), 23825(713.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		23780 to 23800	23780(709.0MHz), 23790(710.0MHz), 23800(711.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
-	Modulation Characteristics	23780 to 23800	23790(710.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Frequency Stability	23755 to 23825	23755(706.5MHz), 23825(713.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		23780 to 23800	23780(709.0MHz), 23800(711.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
-	Emission Bandwidth	23755 to 23825	23755(706.5MHz), 23790(710.0MHz), 23825(713.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25 RB / 0 RB Offset
		23780 to 23800	23780(709.0MHz), 23790(710.0MHz), 23800(711.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Band Edge	23755 to 23825	23755(706.5MHz), 23825(713.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		23780 to 23800	23780(709.0MHz), 23800(711.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
-	Peak to Average Ratio	23755 to 23825	23755(706.5MHz), 23790(710.0MHz), 23825(713.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 24 RB Offset
		23780 to 23800	23780(709.0MHz), 23790(710.0MHz), 23800(711.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 49 RB Offset
-	Conducted Emission	23755 to 23825	23755(706.5MHz), 23790(710.0MHz), 23825(713.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		23780 to 23800	23780(709.0MHz), 23790(710.0MHz), 23800(711.0MHz)	10MHz	QPSK	1 RB / 49 RB Offset
-	Radiated Emission Below 1GHz	23780 to 23800	23790(710.0MHz)	10MHz	QPSK	1 RB / 49 RB Offset
-	Radiated Emission Above 1GHz	23755 to 23825	23755(706.5MHz), 23790(710.0MHz), 23825(713.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		23780 to 23800	23780(709.0MHz), 23790(710.0MHz), 23800(711.0MHz)	10MHz	QPSK	1 RB / 49 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the 5MHz & highest channel bandwidth for final test.
3. The conducted output power for QPSK, 16QAM and 64QAM measured value of QPSK is higher than 16QAM and 64QAM mode. Therefore, only ERP, Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM and 64QAM modes, the other test items were performed under QPSK mode only.

LTE Band 30

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	EIRP	27685 to 27735	27685 (2307.5MHz), 27710 (2310.0MHz), 27735 (2312.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		27710	27710 (2310.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
-	Modulation Characteristics	27710	27710 (2310.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Frequency Stability	27685 to 27735	27685 (2307.5MHz), 27735 (2312.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		27710	27710 (2310.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
-	Emission Bandwidth	27685 to 27735	27685 (2307.5MHz), 27710 (2310.0MHz), 27735 (2312.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25 RB / 0 RB Offset
		27710	27710 (2310.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Emission Mask	27685 to 27735	27685 (2307.5MHz), 27735 (2312.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 25 RB / 0 RB Offset
		27710	27710 (2310.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
-	Conducted Emission	27685 to 27735	27685 (2307.5MHz), 27710 (2310.0MHz), 27735 (2312.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		27710	27710 (2310.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Below 1GHz	27685 to 27735	27710 (2310.0MHz)	5MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Above 1GHz	27685 to 27735	27685 (2307.5MHz), 27710 (2310.0MHz), 27735 (2312.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		27710	27710 (2310.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset

LTE Band 38

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	EIRP	37775 to 38225	37775(2572.5MHz), 38000(2595.0MHz), 38225(2617.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		37800 to 38200	37800(2575.0MHz), 38000(2595.0MHz), 38200(2615.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		37825 to 38175	37825(2577.5MHz), 38000(2595.0MHz), 38175(2612.5MHz)	15MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		37850 to 38150	37850(2580.0MHz), 38000(2595.0MHz), 38150(2610.0MHz)	20MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	37850 to 38150	38000(2595.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Frequency Stability	37775 to 38225	37775(2572.5MHz), 38225(2617.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		37800 to 38200	37800(2575.0MHz), 38200(2615.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
		37825 to 38175	37825(2577.5MHz), 38175(2612.5MHz)	15MHz	QPSK	75 RB / 0 RB Offset
		37850 to 38150	37850(2580.0MHz), 38150(2610.0MHz)	20MHz	QPSK	100 RB / 0 RB Offset
-	Emission Bandwidth	37775 to 38225	37775(2572.5MHz), 38000(2595.0MHz), 38225(2617.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25RB / 0RB Offset
		37800 to 38200	37800(2575.0MHz), 38000(2595.0MHz), 38200(2615.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50RB / 0RB Offset
		37825 to 38175	37825(2577.5MHz), 38000(2595.0MHz), 38175(2612.5MHz)	15MHz	QPSK / 16QAM / 64QAM	75 RB / 0 RB Offset
		37850 to 38150	37850(2580.0MHz), 38000(2595.0MHz), 38150(2610.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Band Edge	37775 to 38225	37775(2572.5MHz), 38000(2595.0MHz), 38225(2617.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		37800 to 38200	37800(2575.0MHz), 38000(2595.0MHz), 38200(2615.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		37825 to 38175	37825(2577.5MHz), 38000(2595.0MHz), 38175(2612.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		37850 to 38150	37850(2580.0MHz), 38000(2595.0MHz), 38150(2610.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	Peak to Average Ratio	37775 to 38225	37775(2572.5MHz), 38000(2595.0MHz), 38225(2617.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 24 RB Offset
		37800 to 38200	37800(2575.0MHz), 38000(2595.0MHz), 38200(2615.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 49 RB Offset
		37825 to 38175	37825(2577.5MHz), 38000(2595.0MHz), 38175(2612.5MHz)	15MHz	QPSK / 16QAM / 64QAM	1 RB / 37 RB Offset
		37850 to 38150	37850(2580.0MHz), 38000(2595.0MHz), 38150(2610.0MHz)	20MHz	QPSK / 16QAM / 64QAM	1 RB / 99 RB Offset
-	Conducted Emission	37775 to 38225	37775(2572.5MHz), 38000(2595.0MHz), 38225(2617.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		37800 to 38200	37800(2575.0MHz), 38000(2595.0MHz), 38200(2615.0MHz)	10MHz	QPSK	1 RB / 49 RB Offset
		37825 to 38175	37825(2577.5MHz), 38000(2595.0MHz), 38175(2612.5MHz)	15MHz	QPSK	1 RB / 37 RB Offset
		37850 to 38150	37850(2580.0MHz), 38000(2595.0MHz), 38150(2610.0MHz)	20MHz	QPSK	1 RB / 99 RB Offset
-	Radiated Emission Below 1GHz	37850 to 38150	38000(2595.0MHz)	20MHz	QPSK	1 RB / 99 RB Offse
-	Radiated Emission Above 1GHz	37775 to 38225	37775(2572.5MHz), 38000(2595.0MHz), 38225(2617.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		37850 to 38150	37850(2580.0MHz), 38000(2595.0MHz), 38150(2610.0MHz)	20MHz	QPSK	1 RB / 99 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the 5MHz & highest channel bandwidth for final test.
3. The conducted output power for QPSK, 16QAM and 64QAM measured value of QPSK is higher than 16QAM and 64QAM mode. Therefore, only EIRP, Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM and 64QAM modes, the other test items were performed under QPSK mode only.

LTE Band 41

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	EIRP	39675 to 41565	39675 (2498.5MHz), 40620 (2593.0MHz), 41565 (2687.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		39700 to 41540	39700 (2501.0MHz), 40620 (2593.0MHz), 41540 (2685.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		39725 to 41515	39725 (2503.5MHz), 40620 (2593.0MHz), 41515 (2682.5MHz)	15MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		39750 to 41490	39750 (2506.0MHz), 40620 (2593.0MHz), 41490 (2680.0MHz)	20MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	39750 to 41490	40620 (2593.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Frequency Stability	39675 to 41565	39675 (2498.5MHz), 41565 (2687.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		39700 to 41540	39700 (2501.0MHz), 41540 (2685.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
		39725 to 41515	39725 (2503.5MHz), 41515 (2682.5MHz)	15MHz	QPSK	75 RB / 0 RB Offset
		39750 to 41490	39750 (2506.0MHz), 41490 (2680.0MHz)	20MHz	QPSK	100 RB / 0 RB Offset
-	Emission Bandwidth	39675 to 41565	39675 (2498.5MHz), 40620 (2593.0MHz), 41565 (2687.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25RB / 0RB Offset
		39700 to 41540	39700 (2501.0MHz), 40620 (2593.0MHz), 41540 (2685.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50RB / 0RB Offset
		39725 to 41515	39725 (2503.5MHz), 40620 (2593.0MHz), 41515 (2682.5MHz)	15MHz	QPSK / 16QAM / 64QAM	75 RB / 0 RB Offset
		39750 to 41490	39750 (2506.0MHz), 40620 (2593.0MHz), 41490 (2680.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Band Edge	39675 to 41565	39675 (2498.5MHz), 40620 (2593.0MHz), 41565 (2687.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		39700 to 41540	39700 (2501.0MHz), 40620 (2593.0MHz), 41540 (2685.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		39725 to 41515	39725 (2503.5MHz), 40620 (2593.0MHz), 41515 (2682.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		39750 to 41490	39750 (2506.0MHz), 40620 (2593.0MHz), 41490 (2680.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	Peak to Average Ratio	39675 to 41565	39675 (2498.5MHz), 40620 (2593.0MHz), 41565 (2687.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
		39700 to 41540	39700 (2501.0MHz), 40620 (2593.0MHz), 41540 (2685.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
		39725 to 41515	39725 (2503.5MHz), 40620 (2593.0MHz), 41515 (2682.5MHz)	15MHz	QPSK / 16QAM / 64QAM	1 RB / 74 RB Offset
		39750 to 41490	39750 (2506.0MHz), 40620 (2593.0MHz), 41490 (2680.0MHz)	20MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
-	Conducted Emission	39675 to 41565	39675 (2498.5MHz), 40620 (2593.0MHz), 41565 (2687.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		39700 to 41540	39700 (2501.0MHz), 40620 (2593.0MHz), 41540 (2685.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset
		39725 to 41515	39725 (2503.5MHz), 40620 (2593.0MHz), 41515 (2682.5MHz)	15MHz	QPSK	1 RB / 74 RB Offset
		39750 to 41490	39750 (2506.0MHz), 40620 (2593.0MHz), 41490 (2680.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Below 1GHz	39675 to 41565	40620 (2593.0MHz)	5MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Above 1GHz	39675 to 41565	39675 (2498.5MHz), 40620 (2593.0MHz), 41565 (2687.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset
		39750 to 41490	39750 (2506.0MHz), 40620 (2593.0MHz), 41490 (2680.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset

Note:

1. For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.
2. For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the 5MHz & highest channel bandwidth for final test.
3. The conducted output power for QPSK, 16QAM and 64QAM measured value of QPSK is higher than 16QAM and 64QAM mode. Therefore, only EIRP, Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM and 64QAM modes, the other test items were performed under QPSK mode only.

LTE Band 66

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	EIRP	131979 to 132665	131979 (1710.7MHz), 132322 (1745.0MHz), 132665 (1779.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 2 RB Offset 1 RB / 5 RB Offset 3 RB / 0 RB Offset 3 RB / 1 RB Offset 3 RB / 3 RB Offset 6 RB / 0 RB Offset
		131987 to 132657	131987 (1711.5MHz), 132322 (1745.0MHz), 132657 (1778.5MHz)	3MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 7 RB Offset 1 RB / 14 RB Offset 8 RB / 0 RB Offset 8 RB / 3 RB Offset 8 RB / 7 RB Offset 15 RB / 0 RB Offset
		131997 to 132647	131997 (1712.5MHz), 132322 (1745.0MHz), 132647 (1777.5MHz)	5MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		132022 to 132622	132022 (1715.0MHz), 132322 (1745.0MHz), 132622 (1775.0MHz)	10MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		132047 to 132597	132047 (1717.5MHz), 132322 (1745.0MHz), 132597 (1772.5MHz)	15MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		132072 to 132572	132072 (1720.0MHz), 132322 (1745.0MHz), 132572 (1770.0MHz)	20MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	132072 to 132572	132322 (1745.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Frequency Stability	131979 to 132665	131979 (1710.7MHz), 132665 (1779.3MHz)	1.4MHz	QPSK	6 RB / 0 RB Offset
		131987 to 132657	131987 (1711.5MHz), 132657 (1778.5MHz)	3MHz	QPSK	15 RB / 0 RB Offset
		131997 to 132647	131997 (1712.5MHz), 132647 (1777.5MHz)	5MHz	QPSK	25 RB / 0 RB Offset
		132022 to 132622	132022 (1715.0MHz), 132622 (1775.0MHz)	10MHz	QPSK	50 RB / 0 RB Offset
		132047 to 132597	132047 (1717.5MHz), 132597 (1772.5MHz)	15MHz	QPSK	75 RB / 0 RB Offset
		132072 to 132572	132072 (1720.0MHz), 132572 (1770.0MHz)	20MHz	QPSK	100 RB / 0 RB Offset

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Emission Bandwidth	131979 to 132665	131979 (1710.7MHz), 132322 (1745.0MHz), 132665 (1779.3MHz)	1.4MHz	QPSK / 16QAM / 64QAM	6 RB / 0 RB Offset
		131987 to 132657	131987 (1711.5MHz), 132322 (1745.0MHz), 132657 (1778.5MHz)	3MHz	QPSK / 16QAM / 64QAM	15 RB / 0 RB Offset
		131997 to 132647	131997 (1712.5MHz), 132322 (1745.0MHz), 132647 (1777.5MHz)	5MHz	QPSK / 16QAM / 64QAM	25 RB / 0 RB Offset
		132022 to 132622	132022 (1715.0MHz), 132322 (1745.0MHz), 132622 (1775.0MHz)	10MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
		132047 to 132597	132047 (1717.5MHz), 132322 (1745.0MHz), 132597 (1772.5MHz)	15MHz	QPSK / 16QAM / 64QAM	75 RB / 0 RB Offset
		132072 to 132572	132072 (1720.0MHz), 132322 (1745.0MHz), 132572 (1770.0MHz)	20MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Band Edge	131979 to 132665	131979 (1710.7MHz), 132665 (1779.3MHz)	1.4MHz	QPSK	1 RB / 0 RB Offset 1 RB / 5 RB Offset 6 RB / 0 RB Offset
		131987 to 132657	131987 (1711.5MHz), 132657 (1778.5MHz)	3MHz	QPSK	1 RB / 0 RB Offset 1 RB / 14 RB Offset 15 RB / 0 RB Offset
		131997 to 132647	131997 (1712.5MHz), 132647 (1777.5MHz)	5MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		132022 to 132622	132022 (1715.0MHz), 132622 (1775.0MHz)	10MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		132047 to 132597	132047 (1717.5MHz), 132597 (1772.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		132072 to 132572	132072 (1720.0MHz), 132572 (1770.0MHz)	20MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset
-	Peak to Average Ratio	131979 to 132665	131979 (1710.7MHz), 132322 (1745.0MHz), 132665 (1779.3MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
		131987 to 132657	131987 (1711.5MHz), 132322 (1745.0MHz), 132657 (1778.5MHz)	3MHz	QPSK	1 RB / 7 RB Offset
		131997 to 132647	131997 (1712.5MHz), 132322 (1745.0MHz), 132647 (1777.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		132022 to 132622	132022 (1715.0MHz), 132322 (1745.0MHz), 132622 (1775.0MHz)	10MHz	QPSK	7 RB / 49 RB Offset
		132047 to 132597	132047 (1717.5MHz), 132322 (1745.0MHz), 132597 (1772.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset
		132072 to 132572	132072 (1720.0MHz), 132322 (1745.0MHz), 132572 (1770.0MHz)	20MHz	QPSK	1 RB / 50 RB Offset

EUT Configure Mode	Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
-	Conducted Emission	131979 to 132665	131979 (1710.7MHz), 132322 (1745.0MHz), 132665 (1779.3MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
		131987 to 132657	131987 (1711.5MHz), 132322 (1745.0MHz), 132657 (1778.5MHz)	3MHz	QPSK	1 RB / 7 RB Offset
		131997 to 132647	131997 (1712.5MHz), 132322 (1745.0MHz), 132647 (1777.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		132022 to 132622	132022 (1715.0MHz), 132322 (1745.0MHz), 132622 (1775.0MHz)	10MHz	QPSK	7 RB / 49 RB Offset
		132047 to 132597	132047 (1717.5MHz), 132322 (1745.0MHz), 132597 (1772.5MHz)	15MHz	QPSK	1 RB / 0 RB Offset
		132072 to 132572	132072 (1720.0MHz), 132322 (1745.0MHz), 132572 (1770.0MHz)	20MHz	QPSK	1 RB / 50 RB Offset
-	Radiated Emission Below 1GHz	131979 to 132665	131979 (1710.7MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
-	Radiated Emission Above 1GHz	131979 to 132665	131979 (1710.7MHz), 132322 (1745.0MHz), 132665 (1779.3MHz)	1.4MHz	QPSK	1 RB / 2 RB Offset
		131997 to 132647	131997 (1712.5MHz), 132322 (1745.0MHz), 132647 (1777.5MHz)	5MHz	QPSK	1 RB / 24 RB Offset
		132072 to 132572	132072 (1720.0MHz), 132322 (1745.0MHz), 132572 (1770.0MHz)	20MHz	QPSK	1 RB / 50 RB Offset

LTE Band 71

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	ERP	133147 to 133447	133147 (665.5MHz), 133297 (680.5MHz), 133447 (695.5MHz)	5 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 12 RB Offset 1 RB / 24 RB Offset 12 RB / 0 RB Offset 12 RB / 6 RB Offset 12 RB / 13 RB Offset 25 RB / 0 RB Offset
		133172 to 133422	133172 (668.0MHz), 133297 (680.5MHz), 133422 (693.0MHz)	10 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 24 RB Offset 1 RB / 49 RB Offset 25 RB / 0 RB Offset 25 RB / 12 RB Offset 25 RB / 25 RB Offset 50 RB / 0 RB Offset
		133197 to 133397	133197 (670.5MHz), 133297 (680.5MHz), 133397 (690.5MHz)	15 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 37 RB Offset 1 RB / 74 RB Offset 36 RB / 0 RB Offset 36 RB / 19 RB Offset 36 RB / 39 RB Offset 75 RB / 0 RB Offset
		133222 to 133372	133222 (673.0MHz), 133297 (680.5MHz), 133372 (688.0MHz)	20 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset 1 RB / 50 RB Offset 1 RB / 99 RB Offset 50 RB / 0 RB Offset 50 RB / 25 RB Offset 50 RB / 50 RB Offset 100 RB / 0 RB Offset
-	Modulation Characteristics	133222 to 133372	133297 (680.5MHz)	20 MHz	QPSK / 16QAM / 64QAM	100 RB / 0 RB Offset
-	Frequency Stability	133147 to 133447	133147 (665.5MHz), 133447 (695.5MHz)	5 MHz	QPSK	25 RB / 0 RB Offset
		133172 to 133422	133172 (668.0MHz), 133422 (693.0MHz)	10 MHz	QPSK	50 RB / 0 RB Offset
		133197 to 133397	133197 (670.5MHz), 133397 (690.5MHz)	15 MHz	QPSK	75 RB / 0 RB Offset
		133222 to 133372	133222 (673.0MHz), 133372 (688.0MHz)	20 MHz	QPSK	100 RB / 0 RB Offset
-	Emission Bandwidth	133147 to 133447	133147 (665.5MHz), 133297 (680.5MHz), 133447 (695.5MHz)	5 MHz	QPSK / 16QAM / 64QAM	6 RB / 0 RB Offset
		133172 to 133422	133172 (668.0MHz), 133297 (680.5MHz), 133422 (693.0MHz)	10 MHz	QPSK / 16QAM / 64QAM	15 RB / 0 RB Offset
		133197 to 133397	133197 (670.5MHz), 133297 (680.5MHz), 133397 (690.5MHz)	15 MHz	QPSK / 16QAM / 64QAM	25 RB / 0 RB Offset
		133222 to 133372	133222 (673.0MHz), 133297 (680.5MHz), 133372 (688.0MHz)	20 MHz	QPSK / 16QAM / 64QAM	50 RB / 0 RB Offset
-	Band Edge	133147 to 133447	133147 (665.5MHz), 133447 (695.5MHz)	5 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 24 RB Offset 25 RB / 0 RB Offset
		133172 to 133422	133172 (668.0MHz), 133422 (693.0MHz)	10 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 49 RB Offset 50 RB / 0 RB Offset
		133197 to 133397	133197 (670.5MHz), 133397 (690.5MHz)	15 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 74 RB Offset 75 RB / 0 RB Offset
		133222 to 133372	133222 (673.0MHz), 133372 (688.0MHz)	20 MHz	QPSK	1 RB / 0 RB Offset 1 RB / 99 RB Offset 100 RB / 0 RB Offset

EUT Configure Mode	Test item	Available channel	Tested channel	Channel Bandwidth	Modulation	Mode
-	Peak to Average Ratio	133147 to 133447	133147 (665.5MHz), 133297 (680.5MHz), 133447 (695.5MHz)	5 MHz	QPSK / 16QAM / 64QAM	1 RB / 24 RB Offset
		133172 to 133422	133172 (668.0MHz), 133297 (680.5MHz), 133422 (693.0MHz)	10 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
		133197 to 133397	133197 (670.5MHz), 133297 (680.5MHz), 133397 (690.5MHz)	15 MHz	QPSK / 16QAM / 64QAM	1 RB / 74 RB Offset
		133222 to 133372	133222 (673.0MHz), 133297 (680.5MHz), 133372 (688.0MHz)	20 MHz	QPSK / 16QAM / 64QAM	1 RB / 0 RB Offset
-	Conducted Emission	133147 to 133447	133147 (665.5MHz), 133297 (680.5MHz), 133447 (695.5MHz)	5 MHz	QPSK	1 RB / 24 RB Offset
		133172 to 133422	133172 (668.0MHz), 133297 (680.5MHz), 133422 (693.0MHz)	10 MHz	QPSK	1 RB / 0 RB Offset
		133197 to 133397	133197 (670.5MHz), 133297 (680.5MHz), 133397 (690.5MHz)	15 MHz	QPSK	1 RB / 74 RB Offset
		133222 to 133372	133222 (673.0MHz), 133297 (680.5MHz), 133372 (688.0MHz)	20 MHz	QPSK	1 RB / 0 RB Offset
-	Radiated Emission Below 1GHz	133147 to 133447	133447 (695.5MHz)	5 MHz	QPSK	1 RB / 24 RB Offset
-	Radiated Emission Above 1GHz	133147 to 133447	133147 (665.5MHz), 133297 (680.5MHz), 133447 (695.5MHz)	5 MHz	QPSK	1 RB / 24 RB Offset
		133222 to 133372	133222 (673.0MHz), 133297 (680.5MHz), 133372 (688.0MHz)	20 MHz	QPSK	1 RB / 0 RB Offset

Note:

- For radiated emission below 1GHz, select the worst radiated emission (above 1GHz) channel for final testing.
- For radiated emission above 1GHz, according to 3GPP 36.521 Section 6.6.3.1.4, choose the 5MHz & highest channel bandwidth for final test.
- The conducted output power for QPSK, 16QAM and 64QAM measured value of QPSK is higher than 16QAM and 64QAM mode. Therefore, only ERP, Modulation characteristics, occupied bandwidth and Peak to average ratio items had been tested under QPSK, 16QAM and 64QAM modes, the other test items were performed under QPSK mode only.

Test Condition:

Test Item	Environmental Conditions	Input Power	Tested By
EIRP / ERP	25deg. C, 70%RH	5Vdc	James Yang
Modulation characteristics	24deg. C, 64%RH	5Vdc	James Yang
Frequency Stability	24deg. C, 64%RH	5Vdc	James Yang
Occupied Bandwidth	24deg. C, 64%RH	5Vdc	James Yang
Band Edge	24deg. C, 64%RH	5Vdc	James Yang
Peak To Average Ratio	24deg. C, 64%RH	5Vdc	James Yang
Conducted Emission	24deg. C, 64%RH	5Vdc	James Yang
Radiated Emission	22deg. C, 68%RH 25deg. C, 70%RH	120Vac, 60Hz	Greg Lin Luis Lee

3.4 EUT Operating Conditions

The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency

3.5 General Description of Applied Standards and References

The EUT is a RF Product. According to the specifications of the manufacturer, it must comply with the requirements of the following standards and References:

Test Standard:

FCC 47 CFR Part 2

FCC 47 CFR Part 27

ANSI/TIA/EIA-603-E 2016

ANSI 63.26-2015

All test items have been performed and recorded as per the above standards.

References Test Guidance:

KDB 971168 D01 Power Meas License Digital Systems v03r01

All test items have been performed as a reference to the above KDB test guidance.

4 Test Types and Results

4.1 Output Power Measurement

4.1.1 Limits of Output Power Measurement

WCDMA, LTE Band 4, LTE Band 66:
Mobile / Portable station are limited to 1 watts e.i.r.p.

LTE Band 12, LTE Band 13, LTE Band 17, LTE Band 71:
Control and mobile stations in the 698-746 MHz, 746-757 MHz, 787-788 MHz and 805-806 MHz band are limited to 30 watts ERP.
Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink, 746-757 MHz, 787-788 MHz and 805-806 MHz band are limited to 3 watts ERP.

LTE Band 30:
For mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth.

LTE Band 7, LTE Band 38, LTE Band 41:
Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

4.1.2 Test Procedures

Conducted Power Measurement:

The EUT was set up for the maximum power with WCDMA, LTE link data modulation and link up with simulator. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

Maximum EIRP

For all bands except LTE Band 30:

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation as follows:

$$\text{ERP or EIRP} = P_{\text{Meas}} + G_{\text{T}}$$

where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively
(expressed in the same units as P_{Meas} , e.g., dBm or dBW)

P_{Meas} measured transmitter output power or PSD, in dBm or dBW


G_{T} gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

EIRP Measurement for LTE Band 30:


- a. All measurements were done at low, middle and high operational frequency range. RBW and VBW= 5MHz for LTE mode.
- b. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m (below or equal 1 GHz) and/or 1.5 m (above 1 GHz) height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum polar radiated power. The “Read Value” is the spectrum reading the maximum power value.
- c. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to “Read Value” of step b. Record the power level of S.G.
- d. $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}$. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, $E.R.P \text{ power} = E.I.R.P \text{ power} - 2.15 \text{ dB}$.

4.1.3 Test Setup

EIRP Measurement for LTE Band 30:
<Radiated Emission below or equal 1 GHz>



<Radiated Emission above 1 GHz>



For the actual test configuration, please refer to the attached file (Test Setup Photo).

Conducted Power Measurement:



For the actual test configuration, please refer to the attached file (Test Setup Photo).

4.1.4 Test Results

Conducted Output Power (dBm)

Band	WCDMA IV		
Channel	1312	1413	1513
Frequency	1712.4	1732.6	1752.6
RMC 12.2K	23.39	23.42	23.47
HSDPA Subtest-1	22.14	22.19	22.21
HSDPA Subtest-2	22.11	22.16	22.23
HSDPA Subtest-3	22.06	22.19	22.18
HSDPA Subtest-4	22.07	22.05	22.12
HSUPA Subtest-1	21.32	21.29	21.29
HSUPA Subtest-2	21.22	21.28	21.34
HSUPA Subtest-3	21.25	21.22	21.29
HSUPA Subtest-4	21.26	21.27	21.33

LTE Band 4						
BW	MCS Index	Channel		19957	20175	20393
		Frequency (MHz)		1710.7	1732.5	1754.3
1.4M	QPSK	1	0	23.71	23.69	23.40
		1	2	23.77	23.70	23.43
		1	5	23.69	23.63	23.48
		3	0	23.72	23.71	23.43
		3	1	23.75	23.75	23.56
		3	3	23.76	23.60	23.43
		6	0	22.83	22.69	22.52
	16QAM	1	0	22.91	23.00	22.98
		1	2	23.04	23.05	22.50
		1	5	22.94	23.07	22.44
		3	0	22.85	22.68	22.63
		3	1	22.82	22.69	22.64
		3	3	22.81	22.63	22.59
		6	0	21.79	21.86	21.44
	64QAM	1	0	21.44	21.41	21.66
		1	2	21.60	21.51	21.78
		1	5	21.49	21.43	21.80
		3	0	21.41	21.42	21.18
		3	1	21.43	21.45	21.16
		3	3	21.40	21.46	21.19
		6	0	20.30	20.49	20.26

LTE Band 4						
BW	MCS Index	Channel		19965	20175	20385
		Frequency (MHz)		1711.5	1732.5	1753.5
3M	QPSK	1	0	23.82	23.69	23.64
		1	7	23.67	23.83	23.74
		1	14	23.82	23.78	23.58
		8	0	22.93	22.76	22.71
		8	3	22.89	22.85	22.63
		8	7	22.87	22.80	22.68
		15	0	22.84	22.83	22.67
	16QAM	1	0	23.03	23.34	22.58
		1	7	23.06	23.26	22.53
		1	14	23.11	23.32	22.56
		8	0	21.95	21.92	21.75
		8	3	21.98	21.93	21.79
		8	7	21.97	21.91	21.74
		15	0	21.82	21.94	21.70
	64QAM	1	0	21.51	21.50	21.84
		1	7	21.54	21.47	21.84
		1	14	21.60	21.59	21.86
		8	0	20.58	20.41	20.42
		8	3	20.59	20.51	20.40
		8	7	20.52	20.51	20.38
		15	0	20.42	20.45	20.31

LTE Band 4						
BW	MCS Index	Channel		19975	20175	20375
		Frequency (MHz)		1712.5	1732.5	1752.5
5M	QPSK	1	0	23.84	23.67	23.37
		1	12	23.98	23.77	23.55
		1	24	23.91	23.74	23.49
		12	0	22.81	22.70	22.53
		12	6	22.83	22.73	22.62
		12	13	22.81	22.79	22.53
		25	0	22.81	22.67	22.56
	16QAM	1	0	22.90	22.71	23.00
		1	12	22.89	22.72	22.99
		1	24	22.92	22.76	23.13
		12	0	21.86	21.65	21.56
		12	6	21.83	21.79	21.53
		12	13	21.87	21.83	21.60
		25	0	21.91	21.65	21.68
	64QAM	1	0	21.36	21.51	21.79
		1	12	21.41	21.56	21.86
		1	24	21.50	21.58	21.89
		12	0	20.40	20.45	20.34
		12	6	20.41	20.50	20.40
		12	13	20.40	20.53	20.39
		25	0	20.50	20.43	20.42

LTE Band 4						
BW	MCS Index	Channel		20000	20175	20350
		Frequency (MHz)		1715	1732.5	1750
10M	QPSK	1	0	23.67	23.68	23.62
		1	24	23.72	23.55	23.57
		1	49	23.79	23.49	23.45
		25	0	22.81	22.65	22.63
		25	12	22.86	22.81	22.60
		25	25	22.85	22.68	22.63
		50	0	22.86	22.64	22.62
	16QAM	1	0	23.34	22.94	23.04
		1	24	23.38	22.95	23.08
		1	49	23.39	22.89	23.14
		25	0	21.86	21.77	21.58
		25	12	21.87	21.76	21.58
		25	25	21.90	21.61	21.74
		50	0	21.96	21.73	21.56
	64QAM	1	0	21.59	21.80	21.91
		1	24	22.03	21.66	21.67
		1	49	21.59	21.64	21.62
		25	0	20.59	20.43	20.28
		25	12	20.53	20.51	20.40
		25	25	20.38	20.55	20.32
		50	0	20.42	20.50	20.39

LTE Band 4						
BW	MCS Index	Channel		20025	20175	20325
		Frequency (MHz)		1717.5	1732.5	1747.5
15M	QPSK	1	0	23.63	23.68	23.10
		1	37	23.57	23.65	23.42
		1	74	23.62	23.64	23.55
		36	0	22.72	22.74	22.55
		36	19	22.78	22.75	22.53
		36	39	22.74	22.68	22.66
		75	0	22.69	22.68	22.56
	16QAM	1	0	22.87	23.15	22.18
		1	37	22.84	22.98	22.43
		1	74	22.74	23.04	22.37
		36	0	21.62	21.65	21.48
		36	19	21.72	21.74	21.62
		36	39	21.71	21.72	21.72
		75	0	21.65	21.68	21.61
	64QAM	1	0	21.78	21.77	22.01
		1	37	21.48	21.81	21.63
		1	74	22.05	21.88	22.04
		36	0	20.63	20.60	20.40
		36	19	20.63	20.59	20.54
		36	39	20.59	20.61	20.60
		75	0	20.64	20.63	20.67

LTE Band 4						
BW	MCS Index	Channel		20050	20175	20300
		Frequency (MHz)		1720	1732.5	1745
20M	QPSK	1	0	23.63	23.55	23.62
		1	50	23.30	23.71	23.52
		1	99	23.55	23.51	23.60
		50	0	22.64	22.70	22.50
		50	25	22.68	22.69	22.60
		50	50	22.72	22.72	22.72
		100	0	22.77	22.73	22.53
	16QAM	1	0	23.13	22.87	22.70
		1	50	23.16	22.81	22.63
		1	99	23.19	22.86	22.60
		50	0	21.73	21.69	21.56
		50	25	21.69	21.67	21.50
		50	50	21.74	21.70	21.68
		100	0	21.70	21.60	21.58
	64QAM	1	0	21.86	21.49	22.02
		1	50	21.55	21.73	21.90
		1	99	21.63	21.57	22.05
		50	0	20.51	20.61	20.24
		50	25	20.65	20.63	20.44
		50	50	20.62	20.69	20.62
		100	0	20.57	20.54	20.49

LTE Band 7						
BW	MCS Index	Channel		20775	21100	21425
		Frequency (MHz)		2502.5	2535	2567.5
5M	QPSK	1	0	22.57	22.76	23.29
		1	12	22.64	22.82	23.07
		1	24	22.68	22.94	22.78
		12	0	21.73	22.00	22.32
		12	6	21.80	21.98	22.23
		12	13	21.74	22.01	22.04
		25	0	21.72	22.11	22.01
	16QAM	1	0	21.84	22.22	22.41
		1	12	21.86	22.36	22.32
		1	24	21.94	22.48	21.96
		12	0	20.84	21.04	21.38
		12	6	20.79	21.05	21.26
		12	13	20.82	21.12	21.14
		25	0	20.78	21.10	21.24
	64QAM	1	0	21.65	21.54	21.55
		1	12	21.88	21.96	21.68
		1	24	21.62	21.66	21.88
		12	0	20.53	20.41	20.16
		12	6	20.35	20.48	20.25
		12	13	20.44	20.41	20.33
		25	0	20.41	20.44	20.37

LTE Band 7						
BW	MCS Index	Channel		20800	21100	21400
		Frequency (MHz)		2505	2535	2565
10M	QPSK	1	0	22.44	22.80	23.32
		1	24	22.57	22.81	23.35
		1	49	22.45	22.94	23.20
		25	0	21.71	22.07	22.38
		25	12	21.78	22.10	22.36
		25	25	21.83	22.01	22.43
		50	0	21.73	22.08	22.37
	16QAM	1	0	22.03	21.90	22.49
		1	24	22.08	22.33	22.33
		1	49	22.21	22.07	22.39
		25	0	20.61	20.95	21.37
		25	12	20.79	21.16	21.36
		25	25	20.79	21.08	21.27
		50	0	20.67	21.13	21.31
	64QAM	1	0	21.76	21.58	21.57
		1	24	21.94	22.05	21.60
		1	49	21.70	21.70	21.86
		25	0	20.54	20.40	20.21
		25	12	20.26	20.44	20.26
		25	25	20.42	20.43	20.34
		50	0	20.46	20.43	20.34

LTE Band 7						
BW	MCS Index	Channel		20825	21100	21375
		Frequency (MHz)		2507.5	2535	2562.5
15M	QPSK	1	0	22.33	23.08	23.26
		1	37	22.78	23.12	23.33
		1	74	22.85	23.25	23.13
		36	0	21.83	22.16	22.14
		36	19	21.94	22.30	22.29
		36	39	21.74	22.31	22.19
		75	0	21.54	22.22	22.20
	16QAM	1	0	21.80	22.03	22.56
		1	37	22.36	22.12	22.59
		1	74	22.36	22.38	22.83
		36	0	20.82	21.13	21.22
		36	19	20.91	21.33	21.34
		36	39	20.95	21.33	21.31
		75	0	20.76	21.31	21.25
	64QAM	1	0	21.62	21.62	21.55
		1	37	21.55	21.48	21.54
		1	74	21.58	21.72	21.97
		36	0	20.61	20.66	20.43
		36	19	20.55	20.68	20.55
		36	39	20.67	20.62	20.61
		75	0	20.59	20.57	20.22

LTE Band 7						
BW	MCS Index	Channel		20850	21100	21350
		Frequency (MHz)		2510	2535	2560
20M	QPSK	1	0	22.75	22.78	23.25
		1	50	22.77	23.03	23.35
		1	99	22.93	23.16	23.26
		50	0	22.63	22.06	22.06
		50	25	22.67	22.19	22.36
		50	50	22.77	22.29	21.91
		100	0	21.93	22.13	22.11
	16QAM	1	0	22.42	22.11	22.57
		1	50	22.41	22.39	22.48
		1	99	22.39	22.63	21.99
		50	0	20.86	21.12	21.35
		50	25	21.01	21.25	21.29
		50	50	21.01	21.37	20.62
		100	0	20.85	21.16	20.88
	64QAM	1	0	21.70	21.66	21.53
		1	50	21.58	21.44	21.50
		1	99	21.56	21.72	21.99
		50	0	20.65	20.64	20.43
		50	25	20.58	20.61	20.50
		50	50	20.62	20.73	20.60
		100	0	20.58	20.53	20.12

LTE Band 12						
BW	MCS Index	Channel		23017	23095	23173
		Frequency (MHz)		699.7	707.5	715.3
1.4M	QPSK	1	0	23.19	23.69	23.57
		1	2	23.02	23.87	23.50
		1	5	23.27	23.67	23.32
		3	0	23.27	23.64	23.56
		3	1	23.23	23.67	23.32
		3	3	23.40	23.74	23.35
		6	0	22.12	22.81	22.53
	16QAM	1	0	22.51	23.21	22.42
		1	2	22.58	23.32	22.59
		1	5	22.64	23.33	22.44
		3	0	22.36	22.76	22.57
		3	1	22.42	22.76	22.52
		3	3	22.31	22.82	22.39
		6	0	21.55	21.87	21.49
	64QAM	1	0	21.78	21.63	21.55
		1	2	21.44	21.68	21.61
		1	5	21.91	21.72	21.33
		3	0	20.38	20.43	20.38
		3	1	20.51	20.55	20.25
		3	3	20.44	20.41	20.26
		6	0	20.41	20.38	20.38

LTE Band 12						
BW	MCS Index	Channel		23025	23095	23165
		Frequency (MHz)		700.5	707.5	714.5
3M	QPSK	1	0	23.51	23.76	23.95
		1	7	23.51	23.89	23.53
		1	14	23.41	23.86	23.48
		8	0	22.56	22.88	22.50
		8	3	22.60	22.86	22.67
		8	7	22.57	22.87	22.63
		15	0	22.68	22.97	22.60
	16QAM	1	0	22.79	22.82	22.81
		1	7	23.02	22.80	23.05
		1	14	22.56	22.92	22.73
		8	0	21.81	21.84	21.64
		8	3	21.82	21.84	21.69
		8	7	21.68	21.95	21.59
		15	0	21.60	21.91	21.75
	64QAM	1	0	21.89	21.63	21.49
		1	7	21.37	21.65	21.65
		1	14	21.94	21.76	21.30
		8	0	20.40	20.40	20.32
		8	3	20.56	20.53	20.27
		8	7	20.49	20.43	20.29
		15	0	20.33	20.40	20.41

LTE Band 12						
BW	MCS Index	Channel		23035	23095	23155
		Frequency (MHz)		701.5	707.5	713.5
5M	QPSK	1	0	23.35	23.79	23.66
		1	12	23.20	23.91	23.86
		1	24	22.83	23.86	23.19
		12	0	22.14	22.82	22.55
		12	6	22.34	22.85	22.73
		12	13	22.49	22.89	22.32
		25	0	22.40	22.90	22.50
	16QAM	1	0	22.48	23.01	23.30
		1	12	22.58	22.97	23.43
		1	24	22.74	23.10	22.92
		12	0	21.51	21.95	21.70
		12	6	21.37	21.91	21.65
		12	13	21.47	21.97	21.66
		25	0	21.68	21.89	21.60
	64QAM	1	0	21.61	21.84	21.44
		1	12	21.62	21.88	21.29
		1	24	21.61	22.00	21.49
		12	0	20.34	20.38	20.40
		12	6	20.34	20.39	20.34
		12	13	20.37	20.52	20.36
		25	0	20.38	20.39	20.32

LTE Band 12						
BW	MCS Index	Channel		23060	23095	23130
		Frequency (MHz)		704	707.5	711
10M	QPSK	1	0	23.71	23.74	23.68
		1	24	23.45	23.76	23.87
		1	49	24.09	23.97	23.77
		25	0	22.68	22.80	22.85
		25	12	22.84	22.91	22.91
		25	25	22.85	22.85	22.93
		50	0	22.90	22.87	22.85
	16QAM	1	0	23.06	22.96	22.91
		1	24	22.93	22.95	22.95
		1	49	23.18	23.11	23.02
		25	0	21.68	21.86	21.87
		25	12	21.88	21.97	22.03
		25	25	21.81	22.04	22.00
		50	0	21.76	21.92	21.83
	64QAM	1	0	21.87	21.76	21.89
		1	24	22.12	21.50	21.64
		1	49	22.18	21.77	21.67
		25	0	20.58	20.61	20.43
		25	12	20.69	20.74	20.58
		25	25	20.71	20.71	20.60
		50	0	20.53	20.55	20.55

LTE Band 13						
BW	MCS Index	Channel		23205	23230	23255
		Frequency (MHz)		779.5	782	784.5
5M	QPSK	1	0	24.02	24.09	24.12
		1	12	24.10	24.10	24.12
		1	24	24.13	24.11	24.08
		12	0	23.24	23.22	23.25
		12	6	23.24	23.24	23.20
		12	13	23.27	23.33	23.32
		25	0	23.22	23.18	23.15
	16QAM	1	0	23.37	23.45	23.16
		1	12	23.36	23.60	22.96
		1	24	23.52	23.39	23.25
		12	0	22.18	22.33	22.29
		12	6	22.22	22.30	22.20
		12	13	22.21	22.32	22.24
		25	0	22.24	22.32	22.29
	64QAM	1	0	21.65	21.83	21.22
		1	12	21.60	21.95	21.28
		1	24	21.61	21.91	21.25
		12	0	20.31	20.42	20.36
		12	6	20.32	20.44	20.42
		12	13	20.34	20.48	20.33
		25	0	20.42	20.35	20.41

LTE Band 13				
BW	MCS Index	Channel		23230
		Frequency (MHz)		782
10M	QPSK	1	0	23.98
		1	24	24.15
		1	49	23.94
		25	0	23.20
		25	12	23.24
		25	25	23.15
		50	0	23.28
	16QAM	1	0	23.29
		1	24	23.71
		1	49	23.49
		25	0	22.23
		25	12	22.23
		25	25	22.27
		50	0	22.16
	64QAM	1	0	21.51
		1	24	22.03
		1	49	21.70
		25	0	20.22
		25	12	20.39
		25	25	20.31
		50	0	20.41

LTE Band 17						
BW	MCS Index	Channel		23755	23790	23825
		Frequency (MHz)		706.5	710	713.5
5M	QPSK	1	0	23.80	23.75	23.58
		1	12	23.82	23.86	23.63
		1	24	23.88	23.96	23.51
		12	0	22.87	22.89	22.77
		12	6	22.97	22.88	22.70
		12	13	22.97	22.94	22.49
		25	0	22.95	22.99	22.42
	16QAM	1	0	23.00	23.32	23.17
		1	12	22.97	23.37	23.19
		1	24	23.16	23.61	22.72
		12	0	21.87	21.92	21.80
		12	6	22.04	21.97	21.84
		12	13	22.05	21.93	21.47
		25	0	21.95	21.90	21.60
	64QAM	1	0	21.30	21.52	21.43
		1	12	21.42	21.57	21.82
		1	24	21.47	21.93	21.57
		12	0	20.46	20.44	20.40
		12	6	20.46	20.43	20.33
		12	13	20.45	20.51	20.35
		25	0	20.38	20.41	20.30

LTE Band 17						
BW	MCS Index	Channel		23780	23790	23800
		Frequency (MHz)		709	710	711
10M	QPSK	1	0	23.79	23.67	23.60
		1	24	23.44	23.61	23.85
		1	49	23.73	24.01	23.95
		25	0	22.74	22.74	22.75
		25	12	22.96	22.90	22.91
		25	25	22.92	22.99	22.95
		50	0	22.89	22.93	22.91
	16QAM	1	0	23.17	22.93	22.91
		1	24	23.25	23.07	23.03
		1	49	23.21	23.14	23.05
		25	0	21.69	21.93	21.71
		25	12	21.88	22.00	21.98
		25	25	21.86	22.07	21.86
		50	0	21.92	21.81	21.86
	64QAM	1	0	21.73	21.71	21.68
		1	24	21.87	21.53	21.27
		1	49	21.59	21.60	21.84
		25	0	20.40	20.35	20.31
		25	12	20.49	20.42	20.44
		25	25	20.36	20.41	20.40
		50	0	20.45	20.45	20.23

LTE Band 30						
BW	MCS Index	Channel		27685	27710	27735
		Frequency (MHz)		2307.5	2310	2312.5
5M	QPSK	1	0	21.61	21.79	21.78
		1	12	21.62	21.74	21.73
		1	24	21.73	21.67	21.75
		12	0	20.80	20.81	20.84
		12	6	20.84	20.79	20.75
		12	13	20.81	20.88	20.93
		25	0	20.90	20.83	20.85
	16QAM	1	0	21.21	21.11	21.25
		1	12	21.15	21.03	21.19
		1	24	21.05	20.98	21.17
		12	0	19.84	19.86	19.83
		12	6	19.78	19.82	19.85
		12	13	19.91	19.89	19.82
		25	0	19.87	19.89	19.92
	64QAM	1	0	20.00	20.10	20.29
		1	12	19.93	20.01	20.24
		1	24	19.86	20.02	20.27
		12	0	19.11	18.87	19.04
		12	6	19.01	18.82	18.99
		12	13	18.97	18.94	18.92
		25	0	18.91	18.93	18.94

Note: LTE Band 30 measurement results are in dBm/5MHz.

LTE Band 30				
BW	MCS Index	Channel		27710
		Frequency (MHz)		2310
10M	QPSK	1	0	21.68
		1	24	21.66
		1	49	21.62
		25	0	20.79
		25	12	20.74
		25	25	20.84
		50	0	20.73
	16QAM	1	0	21.28
		1	24	21.14
		1	49	21.21
		25	0	19.78
		25	12	19.76
		25	25	19.91
		50	0	19.76
	64QAM	1	0	20.23
		1	24	20.25
		1	49	20.12
		25	0	19.01
		25	12	18.96
		25	25	18.91
		50	0	18.85

Note: LTE Band 30 measurement results are in dBm/5MHz.

LTE Band 38						
BW	MCS Index	Channel		37775	38000	38225
		Frequency (MHz)		2572.5	2595	2617.5
5M	QPSK	1	0	23.21	23.41	23.33
		1	12	23.24	23.34	23.27
		1	24	23.29	23.45	23.31
		12	0	22.45	22.60	22.59
		12	6	22.35	22.56	22.55
		12	13	22.44	22.71	22.61
		25	0	22.37	22.52	22.45
	16QAM	1	0	22.57	22.78	22.81
		1	12	22.53	22.76	22.66
		1	24	22.57	22.85	22.80
		12	0	21.40	21.61	21.64
		12	6	21.41	21.69	21.71
		12	13	21.39	21.72	21.59
		25	0	21.41	21.64	21.59
	64QAM	1	0	21.91	21.26	21.46
		1	12	21.84	21.44	21.44
		1	24	21.53	21.44	21.49
		12	0	20.49	20.28	20.36
		12	6	20.49	20.37	20.35
		12	13	20.45	20.41	20.36
		25	0	20.43	20.37	20.34

LTE Band 38						
BW	MCS Index	Channel		37800	38000	38200
		Frequency (MHz)		2575	2595	2615
10M	QPSK	1	0	23.19	23.33	23.36
		1	24	23.21	23.44	23.39
		1	49	23.26	23.47	23.39
		25	0	22.40	22.57	22.59
		25	12	22.42	22.60	22.56
		25	25	22.40	22.66	22.62
		50	0	22.44	22.55	22.50
	16QAM	1	0	22.53	22.79	22.78
		1	24	22.54	22.81	22.83
		1	49	22.58	22.85	22.90
		25	0	21.47	21.66	21.46
		25	12	21.33	21.51	21.64
		25	25	21.47	21.69	21.52
		50	0	21.41	21.58	21.64
	64QAM	1	0	21.89	22.10	21.44
		1	24	21.43	21.64	21.80
		1	49	21.93	21.91	21.39
		25	0	20.47	20.40	20.32
		25	12	20.45	20.42	20.35
		25	25	20.51	20.61	20.31
		50	0	20.34	20.49	20.37

LTE Band 38						
BW	MCS Index	Channel		37825	38000	38175
		Frequency (MHz)		2577.5	2595	2612.5
15M	QPSK	1	0	23.50	23.47	23.31
		1	37	23.42	23.54	23.35
		1	74	23.45	23.49	23.29
		36	0	22.47	22.71	22.78
		36	19	22.61	22.81	22.55
		36	39	22.65	22.74	22.60
		75	0	22.62	22.72	22.82
	16QAM	1	0	22.70	22.85	22.68
		1	37	22.63	22.90	22.79
		1	74	22.81	22.92	22.71
		36	0	21.55	21.74	21.82
		36	19	21.57	21.83	21.70
		36	39	21.69	21.86	21.78
		75	0	21.66	21.81	21.77
	64QAM	1	0	21.96	22.06	21.79
		1	37	21.92	21.57	21.61
		1	74	21.86	21.65	21.42
		36	0	20.54	20.63	20.54
		36	19	20.60	20.68	20.49
		36	39	20.64	20.67	20.67
		75	0	20.53	20.62	20.50

LTE Band 38						
BW	MCS Index	Channel		37850	38000	38150
		Frequency (MHz)		2580	2595	2610
20M	QPSK	1	0	23.46	23.51	23.48
		1	50	23.38	23.48	23.46
		1	99	23.48	23.54	23.47
		50	0	22.60	22.77	22.77
		50	25	22.71	22.77	22.69
		50	50	22.76	22.79	22.62
		100	0	22.68	22.80	22.80
	16QAM	1	0	22.85	22.94	23.06
		1	50	22.69	22.95	22.90
		1	99	22.82	22.83	22.86
		50	0	21.64	21.84	21.83
		50	25	21.77	21.91	21.72
		50	50	21.71	21.81	21.87
		100	0	21.74	21.86	21.83
	64QAM	1	0	22.16	21.60	21.92
		1	50	22.10	22.09	21.34
		1	99	22.13	21.52	21.84
		50	0	20.62	20.63	20.24
		50	25	20.74	20.58	20.46
		50	50	20.58	20.70	20.57
		100	0	20.58	20.57	20.42

LTE Band 41						
BW	MCS Index	Channel		39675	40620	41565
		Frequency (MHz)		2498.5	2593	2687.5
5M	QPSK	1	0	26.65	26.59	26.33
		1	12	26.59	26.50	26.18
		1	24	26.62	26.51	26.17
		12	0	25.80	25.73	25.44
		12	6	25.82	25.78	25.52
		12	13	25.74	25.73	25.49
		25	0	25.79	25.78	25.40
	16QAM	1	0	26.05	25.81	25.68
		1	12	25.87	25.84	25.57
		1	24	26.01	25.94	25.63
		12	0	24.80	24.68	24.50
		12	6	24.85	24.83	24.46
		12	13	24.86	24.83	24.45
		25	0	24.83	24.76	24.53
	64QAM	1	0	25.28	24.66	25.22
		1	12	25.31	24.71	25.14
		1	24	25.37	24.79	25.24
		12	0	24.43	23.69	23.72
		12	6	24.47	23.77	23.68
		12	13	24.39	23.80	23.69
		25	0	24.42	23.65	23.75

LTE Band 41						
BW	MCS Index	Channel		39700	40620	41540
		Frequency (MHz)		2501	2593	2685
10M	QPSK	1	0	26.32	26.61	26.28
		1	24	26.28	26.55	26.34
		1	49	26.30	26.58	26.31
		25	0	25.44	25.79	25.62
		25	12	25.44	25.82	25.57
		25	25	25.43	25.85	25.41
		50	0	25.52	25.79	25.56
	16QAM	1	0	25.55	25.91	25.68
		1	24	25.65	25.83	26.00
		1	49	25.57	26.03	25.54
		25	0	24.48	24.69	24.51
		25	12	24.52	24.84	24.52
		25	25	24.40	24.88	24.39
		50	0	24.48	24.87	24.54
	64QAM	1	0	25.70	25.30	24.98
		1	24	25.09	24.87	25.16
		1	49	25.56	24.91	24.87
		25	0	23.96	23.70	23.77
		25	12	23.97	23.78	23.77
		25	25	24.09	23.75	23.83
		50	0	24.08	23.76	23.76

LTE Band 41						
BW	MCS Index	Channel		39725	40620	41515
		Frequency (MHz)		2503.5	2593	2682.5
15M	QPSK	1	0	26.59	26.64	26.48
		1	37	26.59	26.57	26.35
		1	74	26.51	26.68	26.32
		36	0	25.73	25.71	25.54
		36	19	25.81	25.76	25.55
		36	39	25.77	25.83	25.52
		75	0	25.79	25.78	25.49
	16QAM	1	0	25.86	25.85	25.81
		1	37	25.80	25.76	25.59
		1	74	25.92	25.96	25.64
		36	0	24.72	24.72	24.65
		36	19	24.79	24.72	24.58
		36	39	24.81	24.73	24.48
		75	0	24.83	24.83	24.55
	64QAM	1	0	25.53	25.02	24.51
		1	37	25.75	25.20	24.53
		1	74	25.39	25.00	25.13
		36	0	24.34	23.76	23.35
		36	19	24.38	23.73	23.78
		36	39	24.43	23.87	23.97
		75	0	24.39	23.68	23.61

LTE Band 41						
BW	MCS Index	Channel		39750	40620	41490
		Frequency (MHz)		2506	2593	2680
20M	QPSK	1	0	26.42	26.72	26.38
		1	50	26.38	26.57	26.04
		1	99	26.45	26.55	26.08
		50	0	25.64	25.77	25.44
		50	25	25.72	25.85	25.32
		50	50	25.70	25.86	25.20
		100	0	25.72	25.91	25.34
	16QAM	1	0	25.95	25.98	25.63
		1	50	25.76	26.01	25.43
		1	99	25.91	26.02	25.43
		50	0	24.66	24.85	24.42
		50	25	24.80	24.97	24.36
		50	50	24.80	24.92	24.18
		100	0	24.78	24.89	24.28
	64QAM	1	0	26.23	24.84	24.98
		1	50	26.29	24.93	24.55
		1	99	25.40	24.69	24.75
		50	0	24.35	23.82	23.16
		50	25	24.44	23.86	23.59
		50	50	24.35	23.96	23.37
		100	0	24.38	23.78	23.47

LTE Band 66						
BW	MCS Index	Channel		131979	132322	132665
		Frequency (MHz)		1710.7	1745	1779.3
1.4M	QPSK	1	0	23.31	23.21	23.24
		1	2	23.42	23.27	23.30
		1	5	23.24	23.23	23.17
		3	0	23.32	23.24	23.18
		3	1	23.34	23.27	23.18
		3	3	23.37	23.26	23.20
		6	0	22.38	22.35	22.30
	16QAM	1	0	22.82	22.48	22.56
		1	2	22.90	22.62	22.63
		1	5	22.87	22.57	22.58
		3	0	22.48	22.46	22.25
		3	1	22.51	22.41	22.29
		3	3	22.39	22.40	22.28
		6	0	21.60	21.44	21.33
	64QAM	1	0	21.81	21.46	21.60
		1	2	21.85	21.59	21.81
		1	5	21.90	21.64	21.84
		3	0	20.40	20.37	20.25
		3	1	20.51	20.44	20.30
		3	3	20.44	20.50	20.30
		6	0	20.42	20.46	20.29

LTE Band 66						
BW	MCS Index	Channel		131987	132322	132657
		Frequency (MHz)		1711.5	1745	1778.5
3M	QPSK	1	0	23.37	23.28	23.26
		1	7	23.52	23.35	23.32
		1	14	23.28	23.43	23.27
		8	0	22.46	22.39	22.37
		8	3	22.49	22.43	22.43
		8	7	22.46	22.43	22.37
		15	0	22.46	22.36	22.39
	16QAM	1	0	22.58	22.86	22.54
		1	7	22.53	22.89	22.59
		1	14	22.87	22.96	22.63
		8	0	21.53	21.40	21.37
		8	3	21.56	21.42	21.34
		8	7	21.49	21.53	21.32
		15	0	21.47	21.36	21.30
	64QAM	1	0	21.86	21.55	21.62
		1	7	21.92	21.57	21.65
		1	14	21.98	21.63	21.63
		8	0	20.50	20.44	20.41
		8	3	20.44	20.50	20.50
		8	7	20.43	20.47	20.49
		15	0	20.54	20.47	20.33

LTE Band 66						
BW	MCS Index	Channel		131997	132322	132647
		Frequency (MHz)		1712.5	1745	1777.5
5M	QPSK	1	0	23.32	23.42	23.26
		1	12	23.22	23.45	23.39
		1	24	23.32	23.60	23.38
		12	0	22.50	22.42	22.40
		12	6	22.52	22.48	22.39
		12	13	22.51	22.50	22.42
		25	0	22.46	22.46	22.36
	16QAM	1	0	22.65	22.54	22.27
		1	12	22.80	22.59	22.28
		1	24	22.84	22.70	22.54
		12	0	21.41	21.56	21.36
		12	6	21.42	21.58	21.36
		12	13	21.47	21.61	21.38
		25	0	21.44	21.55	21.43
	64QAM	1	0	21.82	21.16	21.24
		1	12	21.85	21.26	21.46
		1	24	21.92	21.35	21.41
		12	0	20.33	20.44	20.37
		12	6	20.42	20.43	20.40
		12	13	20.48	20.45	20.34
		25	0	20.49	20.34	20.34

LTE Band 66						
BW	MCS Index	Channel		132022	132322	132622
		Frequency (MHz)		1715	1745	1775
10M	QPSK	1	0	23.30	23.34	23.20
		1	24	23.20	23.32	23.18
		1	49	23.30	23.46	23.25
		25	0	22.44	22.34	22.34
		25	12	22.51	22.41	22.31
		25	25	22.52	22.45	22.37
		50	0	22.51	22.34	22.29
	16QAM	1	0	23.12	22.76	22.81
		1	24	22.93	22.66	22.76
		1	49	23.00	22.78	22.73
		25	0	21.58	21.56	21.14
		25	12	21.58	21.51	21.42
		25	25	21.47	21.47	21.47
		50	0	21.46	21.47	21.38
	64QAM	1	0	22.08	22.10	21.23
		1	24	21.57	21.61	21.97
		1	49	21.92	21.99	21.42
		25	0	20.40	20.41	20.29
		25	12	20.31	20.50	20.35
		25	25	20.41	20.42	20.47
		50	0	20.45	20.42	20.37

LTE Band 66						
BW	MCS Index	Channel		132047	132322	132597
		Frequency (MHz)		1717.5	1745	1772.5
15M	QPSK	1	0	23.57	23.64	23.31
		1	37	23.52	23.59	23.47
		1	74	23.52	23.61	23.55
		36	0	22.69	22.63	22.53
		36	19	22.73	22.63	22.60
		36	39	22.69	22.79	22.65
		75	0	22.77	22.71	22.60
	16QAM	1	0	22.86	23.00	22.71
		1	37	22.80	22.97	22.62
		1	74	22.87	23.11	22.66
		36	0	21.60	21.69	21.51
		36	19	21.68	21.71	21.56
		36	39	21.75	21.63	21.70
		75	0	21.75	21.62	21.58
	64QAM	1	0	21.76	21.48	21.10
		1	37	21.45	22.15	21.73
		1	74	21.57	22.04	21.92
		36	0	20.50	20.57	20.06
		36	19	20.59	20.63	20.45
		36	39	20.53	20.68	20.55
		75	0	20.63	20.61	20.30

LTE Band 66						
BW	MCS Index	Channel		132072	132322	132575
		Frequency (MHz)		1720	1745	1770
20M	QPSK	1	0	23.58	23.64	23.54
		1	50	23.68	23.48	23.01
		1	99	23.63	23.65	23.42
		50	0	22.73	22.68	22.02
		50	25	22.76	22.66	22.07
		50	50	22.63	22.78	22.44
		100	0	22.72	22.54	22.40
	16QAM	1	0	22.89	23.04	22.47
		1	50	22.82	23.17	22.25
		1	99	22.92	22.75	22.47
		50	0	21.62	21.65	20.87
		50	25	21.68	21.69	21.22
		50	50	21.70	21.85	21.44
		100	0	21.82	21.53	21.45
	64QAM	1	0	21.47	21.57	21.64
		1	50	21.39	21.80	21.32
		1	99	21.75	21.74	21.60
		50	0	20.65	20.63	20.49
		50	25	20.58	20.65	20.31
		50	50	20.59	20.60	20.65
		100	0	20.67	20.50	20.30

LTE Band 71						
BW	MCS Index	Channel		133147	133297	133447
		Frequency (MHz)		665.5	680.5	695.5
5M	QPSK	1	0	23.28	23.15	23.24
		1	12	23.41	23.32	23.38
		1	24	23.45	23.33	23.28
		12	0	22.44	22.36	22.37
		12	6	22.46	22.45	22.37
		12	13	22.44	22.49	22.38
		25	0	22.40	22.38	22.40
	16QAM	1	0	22.93	22.54	22.51
		1	12	22.96	22.50	22.45
		1	24	22.57	22.49	22.53
		12	0	21.48	21.33	21.37
		12	6	21.48	21.44	21.42
		12	13	21.47	21.49	21.40
		25	0	21.46	21.42	21.36
	64QAM	1	0	21.86	21.33	21.76
		1	12	21.90	21.47	21.82
		1	24	21.84	21.49	21.78
		12	0	20.42	20.30	20.38
		12	6	20.46	20.38	20.40
		12	13	20.46	20.50	20.35
		25	0	20.48	20.40	20.32

LTE Band 71						
BW	MCS Index	Channel		133172	133297	133422
		Frequency (MHz)		668	680.5	693
10M	QPSK	1	0	23.37	23.42	23.40
		1	24	23.40	23.30	23.32
		1	49	23.26	23.24	23.38
		25	0	22.48	22.35	22.26
		25	12	22.48	22.41	22.32
		25	25	22.50	22.46	22.39
		50	0	22.43	22.35	22.40
	16QAM	1	0	22.50	23.19	22.64
		1	24	22.55	23.08	22.60
		1	49	22.63	23.09	22.60
		25	0	21.47	21.28	21.29
		25	12	21.40	21.44	21.49
		25	25	21.42	21.44	21.38
		50	0	21.47	21.44	21.34
	64QAM	1	0	21.86	21.86	21.83
		1	24	21.38	21.66	21.61
		1	49	21.90	21.60	21.31
		25	0	20.49	20.46	20.33
		25	12	20.39	20.47	20.37
		25	25	20.40	20.53	20.47
		50	0	20.48	20.40	20.40

LTE Band 71						
BW	MCS Index	Channel		133197	133297	133397
		Frequency (MHz)		670.5	680.5	690.5
15M	QPSK	1	0	23.57	23.65	23.34
		1	37	23.53	23.61	23.46
		1	74	23.51	23.71	23.57
		36	0	22.60	22.59	22.44
		36	19	22.74	22.72	22.60
		36	39	22.72	22.75	22.67
		75	0	22.81	22.59	22.56
	16QAM	1	0	23.18	23.00	22.75
		1	37	23.13	22.80	22.98
		1	74	23.03	22.95	23.04
		36	0	21.68	21.64	21.10
		36	19	21.73	21.69	21.55
		36	39	21.74	21.78	21.73
		75	0	21.65	21.78	21.53
	64QAM	1	0	22.08	21.73	21.69
		1	37	21.91	22.04	21.59
		1	74	21.65	21.69	21.97
		36	0	20.54	20.54	20.35
		36	19	20.61	20.57	20.41
		36	39	20.53	20.70	20.62
		75	0	20.63	20.58	20.52

LTE Band 71						
BW	MCS Index	Channel		133222	133297	133372
		Frequency (MHz)		673	680.5	688
20M	QPSK	1	0	23.71	23.55	23.54
		1	50	23.48	23.55	23.19
		1	99	23.54	23.56	23.48
		50	0	22.76	22.72	22.49
		50	25	22.68	22.77	22.61
		50	50	22.66	22.72	22.72
		100	0	22.78	22.65	22.57
	16QAM	1	0	22.69	22.79	22.84
		1	50	22.73	22.91	22.69
		1	99	22.72	22.82	22.88
		50	0	21.62	21.73	21.54
		50	25	21.70	21.75	21.59
		50	50	21.73	21.85	21.67
		100	0	21.66	21.70	21.60
	64QAM	1	0	21.52	21.67	21.89
		1	50	21.43	21.51	21.35
		1	99	21.74	21.78	21.85
		50	0	20.62	20.44	20.31
		50	25	20.61	20.50	20.57
		50	50	20.65	20.68	20.64
		100	0	20.70	20.49	20.45

EIRP Power(dBm)

Band	WCDMA IV		
	1312	1413	1513
Channel	1712.4	1732.6	1752.6
Frequency	27.66	27.69	27.74
RMC 12.2K	26.41	26.46	26.48
HSDPA Subtest-1	26.38	26.43	26.50
HSDPA Subtest-2	26.33	26.46	26.45
HSDPA Subtest-3	26.34	26.32	26.39
HSDPA Subtest-4	25.59	25.56	25.56
HSUPA Subtest-1	25.49	25.55	25.61
HSUPA Subtest-2	25.52	25.49	25.56
HSUPA Subtest-3	25.53	25.54	25.60
HSUPA Subtest-4			

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 4						
BW	MCS Index	Channel		19957	20175	20393
		Frequency (MHz)		1710.7	1732.5	1754.3
1.4M	QPSK	1	0	27.98	27.96	27.67
		1	2	28.04	27.97	27.70
		1	5	27.96	27.90	27.75
		3	0	27.99	27.98	27.70
		3	1	28.02	28.02	27.83
		3	3	28.03	27.87	27.70
		6	0	27.10	26.96	26.79
	16QAM	1	0	27.18	27.27	27.25
		1	2	27.31	27.32	26.77
		1	5	27.21	27.34	26.71
		3	0	27.12	26.95	26.90
		3	1	27.09	26.96	26.91
		3	3	27.08	26.90	26.86
		6	0	26.06	26.13	25.71
	64QAM	1	0	25.71	25.68	25.93
		1	2	25.87	25.78	26.05
		1	5	25.76	25.70	26.07
		3	0	25.68	25.69	25.45
		3	1	25.70	25.72	25.43
		3	3	25.67	25.73	25.46
		6	0	24.57	24.76	24.53

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 4						
BW	MCS Index	Channel		19965	20175	20385
		Frequency (MHz)		1711.5	1732.5	1753.5
3M	QPSK	1	0	28.09	27.96	27.91
		1	7	27.94	28.10	28.01
		1	14	28.09	28.05	27.85
		8	0	27.20	27.03	26.98
		8	3	27.16	27.12	26.90
		8	7	27.14	27.07	26.95
		15	0	27.11	27.10	26.94
	16QAM	1	0	27.30	27.61	26.85
		1	7	27.33	27.53	26.80
		1	14	27.38	27.59	26.83
		8	0	26.22	26.19	26.02
		8	3	26.25	26.20	26.06
		8	7	26.24	26.18	26.01
		15	0	26.09	26.21	25.97
	64QAM	1	0	25.78	25.77	26.11
		1	7	25.81	25.74	26.11
		1	14	25.87	25.86	26.13
		8	0	24.85	24.68	24.69
		8	3	24.86	24.78	24.67
		8	7	24.79	24.78	24.65
		15	0	24.69	24.72	24.58

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 4						
BW	MCS Index	Channel		19975	20175	20375
		Frequency (MHz)		1712.5	1732.5	1752.5
5M	QPSK	1	0	28.11	27.94	27.64
		1	12	28.25	28.04	27.82
		1	24	28.18	28.01	27.76
		12	0	27.08	26.97	26.80
		12	6	27.10	27.00	26.89
		12	13	27.08	27.06	26.80
		25	0	27.08	26.94	26.83
	16QAM	1	0	27.17	26.98	27.27
		1	12	27.16	26.99	27.26
		1	24	27.19	27.03	27.40
		12	0	26.13	25.92	25.83
		12	6	26.10	26.06	25.80
		12	13	26.14	26.10	25.87
		25	0	26.18	25.92	25.95
	64QAM	1	0	25.63	25.78	26.06
		1	12	25.68	25.83	26.13
		1	24	25.77	25.85	26.16
		12	0	24.67	24.72	24.61
		12	6	24.68	24.77	24.67
		12	13	24.67	24.80	24.66
		25	0	24.77	24.70	24.69

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 4						
BW	MCS Index	Channel		20000	20175	20350
		Frequency (MHz)		1715	1732.5	1750
10M	QPSK	1	0	27.94	27.95	27.89
		1	24	27.99	27.82	27.84
		1	49	28.06	27.76	27.72
		25	0	27.08	26.92	26.90
		25	12	27.13	27.08	26.87
		25	25	27.12	26.95	26.90
		50	0	27.13	26.91	26.89
	16QAM	1	0	27.61	27.21	27.31
		1	24	27.65	27.22	27.35
		1	49	27.66	27.16	27.41
		25	0	26.13	26.04	25.85
		25	12	26.14	26.03	25.85
		25	25	26.17	25.88	26.01
		50	0	26.23	26.00	25.83
	64QAM	1	0	25.86	26.07	26.18
		1	24	26.30	25.93	25.94
		1	49	25.86	25.91	25.89
		25	0	24.86	24.70	24.55
		25	12	24.80	24.78	24.67
		25	25	24.65	24.82	24.59
		50	0	24.69	24.77	24.66

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 4						
BW	MCS Index	Channel		20025	20175	20325
		Frequency (MHz)		1717.5	1732.5	1747.5
15M	QPSK	1	0	27.90	27.95	27.37
		1	37	27.84	27.92	27.69
		1	74	27.89	27.91	27.82
		36	0	26.99	27.01	26.82
		36	19	27.05	27.02	26.80
		36	39	27.01	26.95	26.93
		75	0	26.96	26.95	26.83
	16QAM	1	0	27.14	27.42	26.45
		1	37	27.11	27.25	26.70
		1	74	27.01	27.31	26.64
		36	0	25.89	25.92	25.75
		36	19	25.99	26.01	25.89
		36	39	25.98	25.99	25.99
		75	0	25.92	25.95	25.88
	64QAM	1	0	26.05	26.04	26.28
		1	37	25.75	26.08	25.90
		1	74	26.32	26.15	26.31
		36	0	24.90	24.87	24.67
		36	19	24.90	24.86	24.81
		36	39	24.86	24.88	24.87
		75	0	24.91	24.90	24.94

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 4						
BW	MCS Index	Channel		20050	20175	20300
		Frequency (MHz)		1720	1732.5	1745
20M	QPSK	1	0	27.90	27.82	27.89
		1	50	27.57	27.98	27.79
		1	99	27.82	27.78	27.87
		50	0	26.91	26.97	26.77
		50	25	26.95	26.96	26.87
		50	50	26.99	26.99	26.99
		100	0	27.04	27.00	26.80
	16QAM	1	0	27.40	27.14	26.97
		1	50	27.43	27.08	26.90
		1	99	27.46	27.13	26.87
		50	0	26.00	25.96	25.83
		50	25	25.96	25.94	25.77
		50	50	26.01	25.97	25.95
		100	0	25.97	25.87	25.85
	64QAM	1	0	26.13	25.76	26.29
		1	50	25.82	26.00	26.17
		1	99	25.90	25.84	26.32
		50	0	24.78	24.88	24.51
		50	25	24.92	24.90	24.71
		50	50	24.89	24.96	24.89
		100	0	24.84	24.81	24.76

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 7						
BW	MCS Index	Channel		20775	21100	21425
		Frequency (MHz)		2502.5	2535	2567.5
5M	QPSK	1	0	27.88	28.07	28.60
		1	12	27.95	28.13	28.38
		1	24	27.99	28.25	28.09
		12	0	27.04	27.31	27.63
		12	6	27.11	27.29	27.54
		12	13	27.05	27.32	27.35
		25	0	27.03	27.42	27.32
	16QAM	1	0	27.15	27.53	27.72
		1	12	27.17	27.67	27.63
		1	24	27.25	27.79	27.27
		12	0	26.15	26.35	26.69
		12	6	26.10	26.36	26.57
		12	13	26.13	26.43	26.45
		25	0	26.09	26.41	26.55
	64QAM	1	0	26.96	26.85	26.86
		1	12	27.19	27.27	26.99
		1	24	26.93	26.97	27.19
		12	0	25.84	25.72	25.47
		12	6	25.66	25.79	25.56
		12	13	25.75	25.72	25.64
		25	0	25.72	25.75	25.68

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 7						
BW	MCS Index	Channel		20800	21100	21400
		Frequency (MHz)		2505	2535	2565
10M	QPSK	1	0	27.75	28.11	28.63
		1	24	27.88	28.12	28.66
		1	49	27.76	28.25	28.51
		25	0	27.02	27.38	27.69
		25	12	27.09	27.41	27.67
		25	25	27.14	27.32	27.74
		50	0	27.04	27.39	27.68
	16QAM	1	0	27.34	27.21	27.80
		1	24	27.39	27.64	27.64
		1	49	27.52	27.38	27.70
		25	0	25.92	26.26	26.68
		25	12	26.10	26.47	26.67
		25	25	26.10	26.39	26.58
		50	0	25.98	26.44	26.62
	64QAM	1	0	27.07	26.89	26.88
		1	24	27.25	27.36	26.91
		1	49	27.01	27.01	27.17
		25	0	25.85	25.71	25.52
		25	12	25.57	25.75	25.57
		25	25	25.73	25.74	25.65
		50	0	25.77	25.74	25.65

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 7						
BW	MCS Index	Channel		20825	21100	21375
		Frequency (MHz)		2507.5	2535	2562.5
15M	QPSK	1	0	27.64	28.39	28.57
		1	37	28.09	28.43	28.64
		1	74	28.16	28.56	28.44
		36	0	27.14	27.47	27.45
		36	19	27.25	27.61	27.60
		36	39	27.05	27.62	27.50
		75	0	26.85	27.53	27.51
	16QAM	1	0	27.11	27.34	27.87
		1	37	27.67	27.43	27.90
		1	74	27.67	27.69	28.14
		36	0	26.13	26.44	26.53
		36	19	26.22	26.64	26.65
		36	39	26.26	26.64	26.62
		75	0	26.07	26.62	26.56
	64QAM	1	0	26.93	26.93	26.86
		1	37	26.86	26.79	26.85
		1	74	26.89	27.03	27.28
		36	0	25.92	25.97	25.74
		36	19	25.86	25.99	25.86
		36	39	25.98	25.93	25.92
		75	0	25.90	25.88	25.53

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 7						
BW	MCS Index	Channel		20850	21100	21350
		Frequency (MHz)		2510	2535	2560
20M	QPSK	1	0	28.06	28.09	28.56
		1	50	28.08	28.34	28.66
		1	99	28.24	28.47	28.57
		50	0	27.94	27.37	27.37
		50	25	27.98	27.50	27.67
		50	50	28.08	27.60	27.22
		100	0	27.24	27.44	27.42
	16QAM	1	0	27.73	27.42	27.88
		1	50	27.72	27.70	27.79
		1	99	27.70	27.94	27.30
		50	0	26.17	26.43	26.66
		50	25	26.32	26.56	26.60
		50	50	26.32	26.68	25.93
		100	0	26.16	26.47	26.19
	64QAM	1	0	27.01	26.97	26.84
		1	50	26.89	26.75	26.81
		1	99	26.87	27.03	27.30
		50	0	25.96	25.95	25.74
		50	25	25.89	25.92	25.81
		50	50	25.93	26.04	25.91
		100	0	25.89	25.84	25.43

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 38						
BW	MCS Index	Channel		37775	38000	38225
		Frequency (MHz)		2572.5	2595	2617.5
5M	QPSK	1	0	28.52	28.72	28.64
		1	12	28.55	28.65	28.58
		1	24	28.60	28.76	28.62
		12	0	27.76	27.91	27.90
		12	6	27.66	27.87	27.86
		12	13	27.75	28.02	27.92
		25	0	27.68	27.83	27.76
	16QAM	1	0	27.88	28.09	28.12
		1	12	27.84	28.07	27.97
		1	24	27.88	28.16	28.11
		12	0	26.71	26.92	26.95
		12	6	26.72	27.00	27.02
		12	13	26.70	27.03	26.90
		25	0	26.72	26.95	26.90
	64QAM	1	0	27.22	26.57	26.77
		1	12	27.15	26.75	26.75
		1	24	26.84	26.75	26.80
		12	0	25.80	25.59	25.67
		12	6	25.80	25.68	25.66
		12	13	25.76	25.72	25.67
		25	0	25.74	25.68	25.65

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 38						
BW	MCS Index	Channel		37800	38000	38200
		Frequency (MHz)		2575	2595	2615
10M	QPSK	1	0	28.50	28.64	28.67
		1	24	28.52	28.75	28.70
		1	49	28.57	28.78	28.70
		25	0	27.71	27.88	27.90
		25	12	27.73	27.91	27.87
		25	25	27.71	27.97	27.93
		50	0	27.75	27.86	27.81
	16QAM	1	0	27.84	28.10	28.09
		1	24	27.85	28.12	28.14
		1	49	27.89	28.16	28.21
		25	0	26.78	26.97	26.77
		25	12	26.64	26.82	26.95
		25	25	26.78	27.00	26.83
		50	0	26.72	26.89	26.95
	64QAM	1	0	27.20	27.41	26.75
		1	24	26.74	26.95	27.11
		1	49	27.24	27.22	26.70
		25	0	25.78	25.71	25.63
		25	12	25.76	25.73	25.66
		25	25	25.82	25.92	25.62
		50	0	25.65	25.80	25.68

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 38						
BW	MCS Index	Channel		37825	38000	38175
		Frequency (MHz)		2577.5	2595	2612.5
15M	QPSK	1	0	28.81	28.78	28.62
		1	37	28.73	28.85	28.66
		1	74	28.76	28.80	28.60
		36	0	27.78	28.02	28.09
		36	19	27.92	28.12	27.86
		36	39	27.96	28.05	27.91
		75	0	27.93	28.03	28.13
	16QAM	1	0	28.01	28.16	27.99
		1	37	27.94	28.21	28.10
		1	74	28.12	28.23	28.02
		36	0	26.86	27.05	27.13
		36	19	26.88	27.14	27.01
		36	39	27.00	27.17	27.09
		75	0	26.97	27.12	27.08
	64QAM	1	0	27.27	27.37	27.10
		1	37	27.23	26.88	26.92
		1	74	27.17	26.96	26.73
		36	0	25.85	25.94	25.85
		36	19	25.91	25.99	25.80
		36	39	25.95	25.98	25.98
		75	0	25.84	25.93	25.81

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 38						
BW	MCS Index	Channel		37850	38000	38150
		Frequency (MHz)		2580	2595	2610
20M	QPSK	1	0	28.77	28.82	28.79
		1	50	28.69	28.79	28.77
		1	99	28.79	28.85	28.78
		50	0	27.91	28.08	28.08
		50	25	28.02	28.08	28.00
		50	50	28.07	28.10	27.93
		100	0	27.99	28.11	28.11
	16QAM	1	0	28.16	28.25	28.37
		1	50	28.00	28.26	28.21
		1	99	28.13	28.14	28.17
		50	0	26.95	27.15	27.14
		50	25	27.08	27.22	27.03
		50	50	27.02	27.12	27.18
		100	0	27.05	27.17	27.14
	64QAM	1	0	27.47	26.91	27.23
		1	50	27.41	27.40	26.65
		1	99	27.44	26.83	27.15
		50	0	25.93	25.94	25.55
		50	25	26.05	25.89	25.77
		50	50	25.89	26.01	25.88
		100	0	25.89	25.88	25.73

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 41						
BW	MCS Index	Channel		39675	40620	41565
		Frequency (MHz)		2498.5	2593	2687.5
5M	QPSK	1	0	31.96	31.90	31.64
		1	12	31.90	31.81	31.49
		1	24	31.93	31.82	31.48
		12	0	31.11	31.04	30.75
		12	6	31.13	31.09	30.83
		12	13	31.05	31.04	30.80
		25	0	31.10	31.09	30.71
	16QAM	1	0	31.36	31.12	30.99
		1	12	31.18	31.15	30.88
		1	24	31.32	31.25	30.94
		12	0	30.11	29.99	29.81
		12	6	30.16	30.14	29.77
		12	13	30.17	30.14	29.76
		25	0	30.14	30.07	29.84
	64QAM	1	0	30.59	29.97	30.53
		1	12	30.62	30.02	30.45
		1	24	30.68	30.10	30.55
		12	0	29.74	29.00	29.03
		12	6	29.78	29.08	28.99
		12	13	29.70	29.11	29.00
		25	0	29.73	28.96	29.06

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 41						
BW	MCS Index	Channel		39700	40620	41540
		Frequency (MHz)		2501	2593	2685
10M	QPSK	1	0	31.63	31.92	31.59
		1	24	31.59	31.86	31.65
		1	49	31.61	31.89	31.62
		25	0	30.75	31.10	30.93
		25	12	30.75	31.13	30.88
		25	25	30.74	31.16	30.72
		50	0	30.83	31.10	30.87
	16QAM	1	0	30.86	31.22	30.99
		1	24	30.96	31.14	31.31
		1	49	30.88	31.34	30.85
		25	0	29.79	30.00	29.82
		25	12	29.83	30.15	29.83
		25	25	29.71	30.19	29.70
		50	0	29.79	30.18	29.85
	64QAM	1	0	31.01	30.61	30.29
		1	24	30.40	30.18	30.47
		1	49	30.87	30.22	30.18
		25	0	29.27	29.01	29.08
		25	12	29.28	29.09	29.08
		25	25	29.40	29.06	29.14
		50	0	29.39	29.07	29.07

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 41						
BW	MCS Index	Channel		39725	40620	41515
		Frequency (MHz)		2503.5	2593	2682.5
15M	QPSK	1	0	31.90	31.95	31.79
		1	37	31.90	31.88	31.66
		1	74	31.82	31.99	31.63
		36	0	31.04	31.02	30.85
		36	19	31.12	31.07	30.86
		36	39	31.08	31.14	30.83
		75	0	31.10	31.09	30.80
	16QAM	1	0	31.17	31.16	31.12
		1	37	31.11	31.07	30.90
		1	74	31.23	31.27	30.95
		36	0	30.03	30.03	29.96
		36	19	30.10	30.03	29.89
		36	39	30.12	30.04	29.79
		75	0	30.14	30.14	29.86
	64QAM	1	0	30.84	30.33	29.82
		1	37	31.06	30.51	29.84
		1	74	30.70	30.31	30.44
		36	0	29.65	29.07	28.66
		36	19	29.69	29.04	29.09
		36	39	29.74	29.18	29.28
		75	0	29.70	28.99	28.92

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 41						
BW	MCS Index	Channel		39750	40620	41490
		Frequency (MHz)		2506	2593	2680
20M	QPSK	1	0	31.73	32.03	31.69
		1	50	31.69	31.88	31.35
		1	99	31.76	31.86	31.39
		50	0	30.95	31.08	30.75
		50	25	31.03	31.16	30.63
		50	50	31.01	31.17	30.51
		100	0	31.03	31.22	30.65
	16QAM	1	0	31.26	31.29	30.94
		1	50	31.07	31.32	30.74
		1	99	31.22	31.33	30.74
		50	0	29.97	30.16	29.73
		50	25	30.11	30.28	29.67
		50	50	30.11	30.23	29.49
		100	0	30.09	30.20	29.59
	64QAM	1	0	31.54	30.15	30.29
		1	50	31.60	30.24	29.86
		1	99	30.71	30.00	30.06
		50	0	29.66	29.13	28.47
		50	25	29.75	29.17	28.90
		50	50	29.66	29.27	28.68
		100	0	29.69	29.09	28.78

*EIRP = Conducted + antenna gain (5.31dBi)

LTE Band 66						
BW	MCS Index	Channel		131979	132322	132665
		Frequency (MHz)		1710.7	1745	1779.3
1.4M	QPSK	1	0	27.58	27.48	27.51
		1	2	27.69	27.54	27.57
		1	5	27.51	27.50	27.44
		3	0	27.59	27.51	27.45
		3	1	27.61	27.54	27.45
		3	3	27.64	27.53	27.47
		6	0	26.65	26.62	26.57
	16QAM	1	0	27.09	26.75	26.83
		1	2	27.17	26.89	26.90
		1	5	27.14	26.84	26.85
		3	0	26.75	26.73	26.52
		3	1	26.78	26.68	26.56
		3	3	26.66	26.67	26.55
		6	0	25.87	25.71	25.60
	64QAM	1	0	26.08	25.73	25.87
		1	2	26.12	25.86	26.08
		1	5	26.17	25.91	26.11
		3	0	24.67	24.64	24.52
		3	1	24.78	24.71	24.57
		3	3	24.71	24.77	24.57
		6	0	24.69	24.73	24.56

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 66						
BW	MCS Index	Channel		131987	132322	132657
		Frequency (MHz)		1711.5	1745	1778.5
3M	QPSK	1	0	27.64	27.55	27.53
		1	7	27.79	27.62	27.59
		1	14	27.55	27.70	27.54
		8	0	26.73	26.66	26.64
		8	3	26.76	26.70	26.70
		8	7	26.73	26.70	26.64
		15	0	26.73	26.63	26.66
	16QAM	1	0	26.85	27.13	26.81
		1	7	26.80	27.16	26.86
		1	14	27.14	27.23	26.90
		8	0	25.80	25.67	25.64
		8	3	25.83	25.69	25.61
		8	7	25.76	25.80	25.59
		15	0	25.74	25.63	25.57
	64QAM	1	0	26.13	25.82	25.89
		1	7	26.19	25.84	25.92
		1	14	26.25	25.90	25.90
		8	0	24.77	24.71	24.68
		8	3	24.71	24.77	24.77
		8	7	24.70	24.74	24.76
		15	0	24.81	24.74	24.60

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 66						
BW	MCS Index	Channel		131997	132322	132647
		Frequency (MHz)		1712.5	1745	1777.5
5M	QPSK	1	0	27.59	27.69	27.53
		1	12	27.49	27.72	27.66
		1	24	27.59	27.87	27.65
		12	0	26.77	26.69	26.67
		12	6	26.79	26.75	26.66
		12	13	26.78	26.77	26.69
		25	0	26.73	26.73	26.63
	16QAM	1	0	26.92	26.81	26.54
		1	12	27.07	26.86	26.55
		1	24	27.11	26.97	26.81
		12	0	25.68	25.83	25.63
		12	6	25.69	25.85	25.63
		12	13	25.74	25.88	25.65
		25	0	25.71	25.82	25.70
	64QAM	1	0	26.09	25.43	25.51
		1	12	26.12	25.53	25.73
		1	24	26.19	25.62	25.68
		12	0	24.60	24.71	24.64
		12	6	24.69	24.70	24.67
		12	13	24.75	24.72	24.61
		25	0	24.76	24.61	24.61

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 66						
BW	MCS Index	Channel		132022	132322	132622
		Frequency (MHz)		1715	1745	1775
10M	QPSK	1	0	27.57	27.61	27.47
		1	24	27.47	27.59	27.45
		1	49	27.57	27.73	27.52
		25	0	26.71	26.61	26.61
		25	12	26.78	26.68	26.58
		25	25	26.79	26.72	26.64
		50	0	26.78	26.61	26.56
	16QAM	1	0	27.39	27.03	27.08
		1	24	27.20	26.93	27.03
		1	49	27.27	27.05	27.00
		25	0	25.85	25.83	25.41
		25	12	25.85	25.78	25.69
		25	25	25.74	25.74	25.74
		50	0	25.73	25.74	25.65
	64QAM	1	0	26.35	26.37	25.50
		1	24	25.84	25.88	26.24
		1	49	26.19	26.26	25.69
		25	0	24.67	24.68	24.56
		25	12	24.58	24.77	24.62
		25	25	24.68	24.69	24.74
		50	0	24.72	24.69	24.64

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 66						
BW	MCS Index	Channel		132047	132322	132597
		Frequency (MHz)		1717.5	1745	1772.5
15M	QPSK	1	0	27.84	27.91	27.58
		1	37	27.79	27.86	27.74
		1	74	27.79	27.88	27.82
		36	0	26.96	26.90	26.80
		36	19	27.00	26.90	26.87
		36	39	26.96	27.06	26.92
		75	0	27.04	26.98	26.87
	16QAM	1	0	27.13	27.27	26.98
		1	37	27.07	27.24	26.89
		1	74	27.14	27.38	26.93
		36	0	25.87	25.96	25.78
		36	19	25.95	25.98	25.83
		36	39	26.02	25.90	25.97
		75	0	26.02	25.89	25.85
	64QAM	1	0	26.03	25.75	25.37
		1	37	25.72	26.42	26.00
		1	74	25.84	26.31	26.19
		36	0	24.77	24.84	24.33
		36	19	24.86	24.90	24.72
		36	39	24.80	24.95	24.82
		75	0	24.90	24.88	24.57

*EIRP = Conducted + antenna gain (4.27dBi)

LTE Band 66						
BW	MCS Index	Channel		132072	132322	132575
		Frequency (MHz)		1720	1745	1770
20M	QPSK	1	0	27.85	27.91	27.81
		1	50	27.95	27.75	27.28
		1	99	27.90	27.92	27.69
		50	0	27.00	26.95	26.29
		50	25	27.03	26.93	26.34
		50	50	26.90	27.05	26.71
		100	0	26.99	26.81	26.67
	16QAM	1	0	27.16	27.31	26.74
		1	50	27.09	27.44	26.52
		1	99	27.19	27.02	26.74
		50	0	25.89	25.92	25.14
		50	25	25.95	25.96	25.49
		50	50	25.97	26.12	25.71
		100	0	26.09	25.80	25.72
	64QAM	1	0	25.74	25.84	25.91
		1	50	25.66	26.07	25.59
		1	99	26.02	26.01	25.87
		50	0	24.92	24.90	24.76
		50	25	24.85	24.92	24.58
		50	50	24.86	24.87	24.92
		100	0	24.94	24.77	24.57

*EIRP = Conducted + antenna gain (4.27dBi)

ERP Power (dBm)

LTE Band 12						
BW	MCS Index	Channel		23017	23095	23173
		Frequency (MHz)		699.7	707.5	715.3
1.4M	QPSK	1	0	25.45	25.95	25.83
		1	2	25.28	26.13	25.76
		1	5	25.53	25.93	25.58
		3	0	25.53	25.90	25.82
		3	1	25.49	25.93	25.58
		3	3	25.66	26.00	25.61
		6	0	24.38	25.07	24.79
	16QAM	1	0	24.77	25.47	24.68
		1	2	24.84	25.58	24.85
		1	5	24.90	25.59	24.70
		3	0	24.62	25.02	24.83
		3	1	24.68	25.02	24.78
		3	3	24.57	25.08	24.65
		6	0	23.81	24.13	23.75
	64QAM	1	0	24.04	23.89	23.81
		1	2	23.70	23.94	23.87
		1	5	24.17	23.98	23.59
		3	0	22.64	22.69	22.64
		3	1	22.77	22.81	22.51
		3	3	22.70	22.67	22.52
		6	0	22.67	22.64	22.64

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 12						
BW	MCS Index	Channel		23025	23095	23165
		Frequency (MHz)		700.5	707.5	714.5
3M	QPSK	1	0	25.77	26.02	26.21
		1	7	25.77	26.15	25.79
		1	14	25.67	26.12	25.74
		8	0	24.82	25.14	24.76
		8	3	24.86	25.12	24.93
		8	7	24.83	25.13	24.89
		15	0	24.94	25.23	24.86
	16QAM	1	0	25.05	25.08	25.07
		1	7	25.28	25.06	25.31
		1	14	24.82	25.18	24.99
		8	0	24.07	24.10	23.90
		8	3	24.08	24.10	23.95
		8	7	23.94	24.21	23.85
		15	0	23.86	24.17	24.01
	64QAM	1	0	24.15	23.89	23.75
		1	7	23.63	23.91	23.91
		1	14	24.20	24.02	23.56
		8	0	22.66	22.66	22.58
		8	3	22.82	22.79	22.53
		8	7	22.75	22.69	22.55
		15	0	22.59	22.66	22.67

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 12						
BW	MCS Index	Channel		23035	23095	23155
		Frequency (MHz)		701.5	707.5	713.5
5M	QPSK	1	0	25.61	26.05	25.92
		1	12	25.46	26.17	26.12
		1	24	25.09	26.12	25.45
		12	0	24.40	25.08	24.81
		12	6	24.60	25.11	24.99
		12	13	24.75	25.15	24.58
		25	0	24.66	25.16	24.76
	16QAM	1	0	24.74	25.27	25.56
		1	12	24.84	25.23	25.69
		1	24	25.00	25.36	25.18
		12	0	23.77	24.21	23.96
		12	6	23.63	24.17	23.91
		12	13	23.73	24.23	23.92
		25	0	23.94	24.15	23.86
	64QAM	1	0	23.87	24.10	23.70
		1	12	23.88	24.14	23.55
		1	24	23.87	24.26	23.75
		12	0	22.60	22.64	22.66
		12	6	22.60	22.65	22.60
		12	13	22.63	22.78	22.62
		25	0	22.64	22.65	22.58

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 12						
BW	MCS Index	Channel		23060	23095	23130
		Frequency (MHz)		704	707.5	711
10M	QPSK	1	0	25.97	26.00	25.94
		1	24	25.71	26.02	26.13
		1	49	26.35	26.23	26.03
		25	0	24.94	25.06	25.11
		25	12	25.10	25.17	25.17
		25	25	25.11	25.11	25.19
		50	0	25.16	25.13	25.11
	16QAM	1	0	25.32	25.22	25.17
		1	24	25.19	25.21	25.21
		1	49	25.44	25.37	25.28
		25	0	23.94	24.12	24.13
		25	12	24.14	24.23	24.29
		25	25	24.07	24.30	24.26
		50	0	24.02	24.18	24.09
	64QAM	1	0	24.13	24.02	24.15
		1	24	24.38	23.76	23.90
		1	49	24.44	24.03	23.93
		25	0	22.84	22.87	22.69
		25	12	22.95	23.00	22.84
		25	25	22.97	22.97	22.86
		50	0	22.79	22.81	22.81

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 13						
BW	MCS Index	Channel		23205	23230	23255
		Frequency (MHz)		779.5	782	784.5
5M	QPSK	1	0	26.28	26.35	26.38
		1	12	26.36	26.36	26.38
		1	24	26.39	26.37	26.34
		12	0	25.50	25.48	25.51
		12	6	25.50	25.50	25.46
		12	13	25.53	25.59	25.58
		25	0	25.48	25.44	25.41
	16QAM	1	0	25.63	25.71	25.42
		1	12	25.62	25.86	25.22
		1	24	25.78	25.65	25.51
		12	0	24.44	24.59	24.55
		12	6	24.48	24.56	24.46
		12	13	24.47	24.58	24.50
		25	0	24.50	24.58	24.55
	64QAM	1	0	23.91	24.09	23.48
		1	12	23.86	24.21	23.54
		1	24	23.87	24.17	23.51
		12	0	22.57	22.68	22.62
		12	6	22.58	22.70	22.68
		12	13	22.60	22.74	22.59
		25	0	22.68	22.61	22.67

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 13				
BW	MCS Index	Channel		23230
		Frequency (MHz)		782
10M	QPSK	1	0	26.24
		1	24	26.41
		1	49	26.20
		25	0	25.46
		25	12	25.50
		25	25	25.41
		50	0	25.54
	16QAM	1	0	25.55
		1	24	25.97
		1	49	25.75
		25	0	24.49
		25	12	24.49
		25	25	24.53
		50	0	24.42
	64QAM	1	0	23.77
		1	24	24.29
		1	49	23.96
		25	0	22.48
		25	12	22.65
		25	25	22.57
		50	0	22.67

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 17						
BW	MCS Index	Channel		23755	23790	23825
		Frequency (MHz)		706.5	710	713.5
5M	QPSK	1	0	26.06	26.01	25.84
		1	12	26.08	26.12	25.89
		1	24	26.14	26.22	25.77
		12	0	25.13	25.15	25.03
		12	6	25.23	25.14	24.96
		12	13	25.23	25.20	24.75
		25	0	25.21	25.25	24.68
	16QAM	1	0	25.26	25.58	25.43
		1	12	25.23	25.63	25.45
		1	24	25.42	25.87	24.98
		12	0	24.13	24.18	24.06
		12	6	24.30	24.23	24.10
		12	13	24.31	24.19	23.73
		25	0	24.21	24.16	23.86
	64QAM	1	0	23.56	23.78	23.69
		1	12	23.68	23.83	24.08
		1	24	23.73	24.19	23.83
		12	0	22.72	22.70	22.66
		12	6	22.72	22.69	22.59
		12	13	22.71	22.77	22.61
		25	0	22.64	22.67	22.56

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 17						
BW	MCS Index	Channel		23780	23790	23800
		Frequency (MHz)		709	710	711
10M	QPSK	1	0	26.05	25.93	25.86
		1	24	25.70	25.87	26.11
		1	49	25.99	26.27	26.21
		25	0	25.00	25.00	25.01
		25	12	25.22	25.16	25.17
		25	25	25.18	25.25	25.21
		50	0	25.15	25.19	25.17
	16QAM	1	0	25.43	25.19	25.17
		1	24	25.51	25.33	25.29
		1	49	25.47	25.40	25.31
		25	0	23.95	24.19	23.97
		25	12	24.14	24.26	24.24
		25	25	24.12	24.33	24.12
		50	0	24.18	24.07	24.12
	64QAM	1	0	23.99	23.97	23.94
		1	24	24.13	23.79	23.53
		1	49	23.85	23.86	24.10
		25	0	22.66	22.61	22.57
		25	12	22.75	22.68	22.70
		25	25	22.62	22.67	22.66
		50	0	22.71	22.71	22.49

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 71						
BW	MCS Index	Channel		133147	133297	133447
		Frequency (MHz)		665.5	680.5	695.5
5M	QPSK	1	0	25.54	25.41	25.50
		1	12	25.67	25.58	25.64
		1	24	25.71	25.59	25.54
		12	0	24.70	24.62	24.63
		12	6	24.72	24.71	24.63
		12	13	24.70	24.75	24.64
		25	0	24.66	24.64	24.66
	16QAM	1	0	25.19	24.80	24.77
		1	12	25.22	24.76	24.71
		1	24	24.83	24.75	24.79
		12	0	23.74	23.59	23.63
		12	6	23.74	23.70	23.68
		12	13	23.73	23.75	23.66
		25	0	23.72	23.68	23.62
	64QAM	1	0	24.12	23.59	24.02
		1	12	24.16	23.73	24.08
		1	24	24.10	23.75	24.04
		12	0	22.68	22.56	22.64
		12	6	22.72	22.64	22.66
		12	13	22.72	22.76	22.61
		25	0	22.74	22.66	22.58

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 71						
BW	MCS Index	Channel		133172	133297	133422
		Frequency (MHz)		668	680.5	693
10M	QPSK	1	0	25.63	25.68	25.66
		1	24	25.66	25.56	25.58
		1	49	25.52	25.50	25.64
		25	0	24.74	24.61	24.52
		25	12	24.74	24.67	24.58
		25	25	24.76	24.72	24.65
		50	0	24.69	24.61	24.66
	16QAM	1	0	24.76	25.45	24.90
		1	24	24.81	25.34	24.86
		1	49	24.89	25.35	24.86
		25	0	23.73	23.54	23.55
		25	12	23.66	23.70	23.75
		25	25	23.68	23.70	23.64
		50	0	23.73	23.70	23.60
	64QAM	1	0	24.12	24.12	24.09
		1	24	23.64	23.92	23.87
		1	49	24.16	23.86	23.57
		25	0	22.75	22.72	22.59
		25	12	22.65	22.73	22.63
		25	25	22.66	22.79	22.73
		50	0	22.74	22.66	22.66

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 71						
BW	MCS Index	Channel		133197	133297	133397
		Frequency (MHz)		670.5	680.5	690.5
15M	QPSK	1	0	25.83	25.91	25.60
		1	37	25.79	25.87	25.72
		1	74	25.77	25.97	25.83
		36	0	24.86	24.85	24.70
		36	19	25.00	24.98	24.86
		36	39	24.98	25.01	24.93
		75	0	25.07	24.85	24.82
	16QAM	1	0	25.44	25.26	25.01
		1	37	25.39	25.06	25.24
		1	74	25.29	25.21	25.30
		36	0	23.94	23.90	23.36
		36	19	23.99	23.95	23.81
		36	39	24.00	24.04	23.99
		75	0	23.91	24.04	23.79
	64QAM	1	0	24.34	23.99	23.95
		1	37	24.17	24.30	23.85
		1	74	23.91	23.95	24.23
		36	0	22.80	22.80	22.61
		36	19	22.87	22.83	22.67
		36	39	22.79	22.96	22.88
		75	0	22.89	22.84	22.78

*ERP = Conducted + antenna gain (4.41dBi)-2.15

LTE Band 71						
BW	MCS Index	Channel		133222	133297	133372
		Frequency (MHz)		673	680.5	688
20M	QPSK	1	0	25.97	25.81	25.80
		1	50	25.74	25.81	25.45
		1	99	25.80	25.82	25.74
		50	0	25.02	24.98	24.75
		50	25	24.94	25.03	24.87
		50	50	24.92	24.98	24.98
		100	0	25.04	24.91	24.83
	16QAM	1	0	24.95	25.05	25.10
		1	50	24.99	25.17	24.95
		1	99	24.98	25.08	25.14
		50	0	23.88	23.99	23.80
		50	25	23.96	24.01	23.85
		50	50	23.99	24.11	23.93
		100	0	23.92	23.96	23.86
	64QAM	1	0	23.78	23.93	24.15
		1	50	23.69	23.77	23.61
		1	99	24.00	24.04	24.11
		50	0	22.88	22.70	22.57
		50	25	22.87	22.76	22.83
		50	50	22.91	22.94	22.90
		100	0	22.96	22.75	22.71

*ERP = Conducted + antenna gain (4.41dBi)-2.15

Modulation Type: QPSK

LTE Band 30, Channel Bandwidth: 5MHz

Mode		TX channel 27685					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2307.50	-18.7	22.7	-0.1	22.6	23.97	-1.37
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2307.50	-19.6	23.5	-0.1	23.4	23.97	-0.57

Mode		TX channel 27710					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-18.6	22.8	-0.1	22.7	23.97	-1.27
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-19.7	23.4	-0.1	23.3	23.97	-0.67

Mode		TX channel 27735					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2312.50	-18.8	22.6	-0.1	22.5	23.97	-1.47
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2312.50	-19.5	23.6	-0.1	23.5	23.97	-0.47

Note: EIRP (dBm) = S.G Power Value (dBm) + Correction Factor (dB).

LTE Band 30, Channel Bandwidth: 10MHz

Mode		TX channel 27710					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-18.9	22.5	-0.1	22.4	23.97	-1.57
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-19.9	23.2	-0.1	23.1	23.97	-0.87

Note: EIRP (dBm) = S.G Power Value (dBm) + Correction Factor (dB).

Modulation Type: 16QAM

LTE Band 30, Channel Bandwidth: 5MHz

Mode		TX channel 27685					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2307.50	-19.9	21.5	-0.1	21.4	23.97	-2.57
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2307.50	-20.7	22.4	-0.1	22.3	23.97	-1.67

Mode		TX channel 27710					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-19.7	21.7	-0.1	21.6	23.97	-2.37
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-20.8	22.3	-0.1	22.2	23.97	-1.77

Mode		TX channel 27735					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2312.50	-19.8	21.6	-0.1	21.5	23.97	-2.47
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2312.50	-20.5	22.6	-0.1	22.5	23.97	-1.47

Note: EIRP (dBm) = S.G Power Value (dBm) + Correction Factor (dB).

LTE Band 30, Channel Bandwidth: 10MHz

Mode		TX channel 27710					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-19.9	21.5	-0.1	21.4	23.97	-2.57
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-21.0	22.1	-0.1	22.0	23.97	-1.97

Note: EIRP (dBm) = S.G Power Value (dBm) + Correction Factor (dB).

Modulation Type: 64QAM

LTE Band 30, Channel Bandwidth: 5MHz

Mode		TX channel 27685					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2307.50	-20.5	20.9	-0.1	20.8	23.97	-3.17
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2307.50	-21.5	21.6	-0.1	21.5	23.97	-2.47

Mode		TX channel 27710					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-20.3	21.1	-0.1	21.0	23.97	-2.97
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-21.2	21.9	-0.1	21.8	23.97	-2.17

Mode		TX channel 27735					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2312.50	-20.4	21.0	-0.1	20.9	23.97	-3.07
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2312.50	-21.1	22.0	-0.1	21.9	23.97	-2.07

Note: EIRP (dBm) = S.G Power Value (dBm) + Correction Factor (dB).

LTE Band 30, Channel Bandwidth: 10MHz

Mode		TX channel 27710					
Antenna Polarity & Test Distance: Horizontal at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-20.5	20.9	-0.1	20.8	23.97	-3.17
Antenna Polarity & Test Distance: Vertical at 3 M							
No.	Freq. (MHz)	Reading (dBm)	S.G Power Value (dBm)	Correction Factor (dB)	EIRP (dBm/5MHz)	Limit (dBm/5MHz)	Margin (dB)
1	2310.00	-21.5	21.6	-0.1	21.5	23.97	-2.47

Note: EIRP (dBm) = S.G Power Value (dBm) + Correction Factor (dB).

4.2 Modulation Characteristics Measurement

4.2.1 Limits of Modulation Characteristics

N/A


4.2.2 Test Procedure

Connect the EUT to Communication Simulator via the antenna connector, The frequency band is set as EUT supported Modulation and Channels, the EUT output is matched with 50 ohm load, the waveform quality and constellation of the EUT was tested.

4.2.3 Test Setup



4.2.4 Test Results




LTE Band 4


Spectrum Plot of Measurement Value

Channel: 20175 / Frequency (MHz): 1732.5MHz


QPSK



16QAM



64QAM




LTE Band 7


Spectrum Plot of Measurement Value

Channel: 21100 / Frequency (MHz): 2535.0MHz


QPSK



16QAM



64QAM




LTE Band 12


Spectrum Plot of Measurement Value

Channel: 23095 / Frequency (MHz): 707.5 MHz


QPSK



16QAM



64QAM




LTE Band 13


Spectrum Plot of Measurement Value

Channel: 23230 / Frequency (MHz): 782.0MHz


QPSK



16QAM



64QAM




LTE Band 17


Spectrum Plot of Measurement Value

Channel: 23790 / Frequency (MHz): 710.0MHz


QPSK



16QAM



64QAM




LTE Band 30


Spectrum Plot of Measurement Value

Channel: 27710 / Frequency (MHz): 2310.0 MHz


QPSK



16QAM



64QAM




LTE Band 38


Spectrum Plot of Measurement Value

Channel: 38000 / Frequency (MHz): 2595.0 MHz


QPSK



16QAM



64QAM




LTE Band 41


Spectrum Plot of Measurement Value

Channel: 40620 / Frequency (MHz): 2593.0 MHz

QPSK



16QAM



64QAM

