




Channel Frequence	Frequency (MHz)	26dBc Bandwidth (MHz)	
	,y (IVII 12)	256QAM	
26047 185	0.7	1.21	
26365 188	2.5	1.20	
26683 191	4.3	1.21	
	LTE Band	25, Channel Bandwidth 3MHz	
Channel Frequence	Frequency (MHz)	26dBc Bandwidth (MHz)	
Channel	y (IVII 12)	256QAM	
26055 185	1.5	2.92	
26365 188	2.5	2.90	
26675 191	3.5	2.92	
	LTE Band	25, Channel Bandwidth 5MHz	
Channel Frequence	Frequency (MHz)	26dBc Bandwidth (MHz)	
		256QAM	
26065 185	2.5	4.81	
26365 188	2.5	4.75	
26665 191	2.5 4.79		
l	LTE Band 2	25, Channel Bandwidth 10MHz	
Channel Frequence	Frequency (MHz)	26dBc Bandwidth (MHz)	
Channel		256QAM	
26090 185	5.0	.0 9.50	
26365 188	1882.5 9.48		
26640 191	0.0	9.48	
LTE Band 25, Channel Bandwidth 15MHz			
Channal	Frequency (MHz)	26dBc Bandwidth (MHz)	
Channel Frequenc		256QAM	
26115 185	1857.5 14.24		
26365 188	82.5 14.22		
26615 190	1907.5 14.21		

LTE Band 25, Channel Bandwidth 1.4MHz

LTE Band 25




LTE Band 25, Channel Bandwidth 20MHz			
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)	
		256QAM	
26140	1860.0	23.58	
26365	1882.5	18.99	
26590	1905.0	19.01	





LTE Band 26 (Part 22)	_TE Band 26 (Part 22)			
	LTE Band 26 (Pa	art 22), Channel Bandwidth 1.4MHz		
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)		
		256QAM		
26797	824.7	1.20		
26915	836.5	1.20		
27033	848.3	1.20		
	LTE Band 26 (Part 22), Channel Bandwidth 3MHz			
Channel		26dBc Bandwidth (MHz)		
Channer	Frequency (MHz)	256QAM		
26805	825.5	4.38		
26915	836.5	2.89		
27025	847.5	2.91		
LTE Band 26 (Part 22), Channel Bandwidth 5MHz				
Channel		26dBc Bandwidth (MHz)		
Channer	Frequency (MHz)	256QAM		
26815	826.5	4.81		
26915	836.5	4.80		
27015	846.5	4.78		
	LTE Band 26 (P	art 22), Channel Bandwidth 10MHz		
Channel		26dBc Bandwidth (MHz)		
Channer	Frequency (MHz)	256QAM		
26840	829.0	9.50		
26915	836.5	9.51		
26990	844.0	9.47		
LTE Band 26 (Part 22), Channel Bandwidth 15MHz				
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)		
Channel		256QAM		
26865	831.5	14.23		
26915	836.5	14.21		
26965	841.5	14.22		





LTE Band 26 (Part 90), Channel Bandwidth 1.4MHz				
Channel		26dBc Bandwidth (MHz)		
Channer	Frequency (MHz)	256QAM		
26697	814.7	1.21		
26740	819.0	1.20		
26783	823.3	1.20		
	LTE Band 26 (F	Part 90), Channel Bandwidth 3MHz		
Channel		26dBc Bandwidth (MHz)		
Channer	Frequency (MHz)	256QAM		
26705	815.5	2.91		
26740	819.0	2.89		
26775	822.5	2.89		
LTE Band 26 (Part 90), Channel Bandwidth 5MHz				
Channel		26dBc Bandwidth (MHz)		
Channel	Frequency (MHz)	256QAM		
26715	816.5	4.80		
26740	819.0	4.79		
26765	821.5	4.78		
LTE Band 26 (Part 90), Channel Bandwidth 10MHz				
Channel		26dBc Bandwidth (MHz)		
Channel	Frequency (MHz)	256OAM		


LTE Band 26 (Part 90)

26740

819.0

256QAM

9.49





Channel	Frequency (MHz)	26dBc Bandwidth (MHz)	
Channer	Frequency (MHZ)	256QAM	
39675	2498.5	4.79	
40620	2593	4.78	
41565	2687.5	4.78	
	LTE Band 4	1, Channel Bandwidth 10MHz	
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)	
Channer	Frequency (IVITZ)	256QAM	
39700	2501	9.52	
40620	2593	9.50	
41540	2685	9.49	
LTE Band 41, Channel Bandwidth 15MHz			
Channel		26dBc Bandwidth (MHz)	
Channel	Frequency (MHz)	256QAM	
39725	2503.5	14.23	
40620	2593	14.21	
41515	2682.5	14.21	
LTE Band 41, Channel Bandwidth 20MHz			
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)	
Channel	Trequency (IVITZ)	256QAM	
39750	2506	19.01	
40620	2593	19.00	


LTE Band 41, Channel Bandwidth 5MHz

41490

2680

LTE Band 41

18.97






LTE Band 66

TE Band 66 LTE Band 66, Channel Bandwidth 1.4MHz				
26dBc Bandwidth (MHz)				
Channel	Frequency (MHz)	256QAM		
131979	1710.7	1.21		
132322	1745.0	1.21		
132665	1779.3	1.20		
LTE Band 66, Channel Bandwidth 3MHz				
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)		
Channel		256QAM		
131987	1711.5	2.92		
132322	1745.0	2.92		
132657	1778.5	2.92		
LTE Band 66, Channel Bandwidth 5MHz				
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)		
Channer		256QAM		
131997	1712.5	4.81		
132322	1745.0	4.75		
132647	1777.5	4.82		
	LTE Band 6	6, Channel Bandwidth 10MHz		
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)		
Channel	r requercy (wriz)	256QAM		
132022	1715.0	9.52		
132322	1745.0	9.50		
132622	1775.0	9.50		
LTE Band 66, Channel Bandwidth 15MHz				
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)		
Channer		256QAM		
132047	1717.5	14.21		
132322	1745.0	14.23		
132597	1772.5	14.26		



LTE Band 66, Channel Bandwidth 20MHz			
Channel	Frequency (MHz)	26dBc Bandwidth (MHz)	
		256QAM	
132072	1720.0	22.79	
132322	1745.0	19.04	
132572	1770.0	19.09	



# 4.5 Channel Edge Measurement

### 4.5.1 Limits of Band Edge Measurement

#### For n41

According to FCC 27.53(m)(4) specified that power of any emission outside of the channel edge must be attenuated below the transmitting power (P) by a factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. In the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed.

### For LTE Band 2, LTE Band 25, LTE Band 26

Power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P) dB$ . In the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

## LTE Band 26 (Part 90):

### Emission Mask:

According to FCC part 90.691 shall be tested the emission mask. For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116  $Log_{10}(f/6.1)$  decibels or 50 + 10 $Log_{10}(P)$  decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10Log_{10}(P)$  decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

For § 90.691(a), RBW=300 Hz for offset less than 37.5 kHz from channel edge and RBW=100 kHz for offsets greater than 37.5 kHz is allowed, tested in accordance with FCC KDB 971168 D02 section VIII.




### For LTE Band 41

According to FCC 27.53(m)(4) specified that power of any emission outside of the channel edge must be attenuated below the transmitting power (P) by a factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. In the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed.

#### For LTE Band 66

According to FCC 27.53(h) for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log (P) dB.

#### 4.5.2 Test Setup





#### 4.5.3 Test Procedures

- a. The EUT was set up for the rated peak power. The power was measured with Spectrum Analyzer. Band edge measurements were done at 2 channels: low, middle and high operational frequency range. Emission mask measurements were done at 3 channels: low and high operational frequency range.
- b. n41 operations in the 20 MHz to 100 MHz channel BW mode, extend the 1% range from 1M to 2M above and below the channel edge and then reduce the limit. As an alternative, the highest power level measured in a narrower RBW (relative to the specified reference bandwidth) can be scaled by applying a correction factor determined from: 10 log [(reference bandwidth) / (resolution or measurement bandwidth)] measurement procedure refer to ANSI 63.26 section 5.7.2 a)
- c. Record the max trace plot into the test report.

### For LTE Band 26 (Part 22)

- a. All measurements were done at low and high operational frequency range.
- b. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 15kHz and VB of the spectrum is 51kHz (LTE Channel Bandwidth 1.4MHz).
- c. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 30kHz and VB of the spectrum is 100kHz (LTE Channel Bandwidth 3MHz).
- d. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 51kHz and VB of the spectrum is 160kHz (LTE Channel Bandwidth 5MHz).
- e. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 100kHz and VB of the spectrum is 300kHz (LTE Channel Bandwidth 10MHz).
- f. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 150kHz and VB of the spectrum is 470kHz (LTE Channel Bandwidth 15MHz).
- g. Record the max trace plot into the test report.

For LTE Band 26 (Part 90)

- a. The measurement used the power splitter via EUT RF power connector between simulation base station and spectrum analyzer.
- b. Record the test plot.




For LTE Band 41, LTE Band 66

- a. The EUT was set up for the rated peak power. The power was measured with Spectrum Analyzer. Band edge measurements were done at 3 channels: low, middle and high operational frequency range. Emission mask measurements were done at 2 channels: low and high operational frequency range.
- b. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 15kHz and VB of the spectrum is 51kHz (LTE Channel Bandwidth 1.4MHz).
- c. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 30kHz and VB of the spectrum is 100kHz (LTE Channel Bandwidth 3MHz).
- d. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 51kHz and VB of the spectrum is 160kHz (LTE Channel Bandwidth 5MHz).
- e. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 100kHz and VB of the spectrum is 300kHz (LTE Channel Bandwidth 10MHz).
- f. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 150kHz and VB of the spectrum is 470kHz (LTE Channel Bandwidth 15MHz).
- g. The center frequency of spectrum is the band edge frequency and span is 1MHz. RB of the spectrum is 200kHz and VB of the spectrum is 1MHz (LTE Channel Bandwidth 20MHz).
- h. LTE Band 41 operations in the 5 MHz and 10 MHz channel BW mode, extend the 1% range from 1M to 2M above and below the channel edge and then reduce the limit further by 10 log (1000/100)=10dB (i.e. total -10 + -10=-20dB) to compensate for the integration from 100k to 1M.
- i. Record the max trace plot into the test report.



#### 4.5.4 Test Results

### n41





Channel Bandwidth: 20MHz	
Channel 535998 (2679.99MHz) π/2 BPSK 1 RB / 0 RB Offset	
Spectrum Analyzer 1 Spectrum Analyzer 3 Spectrum Analyzer 4	
3 Al Rango Graph	
All of the standard sector and provide sector and provide sector and provide sector and	
1     2 & 5500 UPI2     2 & 5500 UPI2     2 & 5000 UPI2     2 & 5000 UPI2     2 & 5000 UPI2     2 & 5001 UPI2 <th2 &="" 5001="" th="" upi2<="">     2 &amp; 5001 UPI2</th2>	
(2679.99MHz)     π/2 BPSK     1 RB / 50 RB Offset       Spectrum Analyzer 1     Spectrum Analyzer 3     Spectrum Analyzer 4     1	
Occured BW Power Site CCOF Eductions Emissions Sources Fire 22 0000000 OHz KEVSIGHT Input RF Prover Site CCOF Eductions Emissions Kevsigner DC Correctors: Of Correctors: Of Correctors: Of Correctors: Of Correctors: Of Forman Ado Forman Mol Prover Net Inf (S) Forman Ado Forman Mol Prover Net Inf (S) Forman Mol Prover Net Inf (S)	
CCI     PASS     //FE     Adaptive       JVR Knops Granh     •     Ref Lvl Offset 12.00 dB     Mkr1     2.6888 GHz     4.399000000 GHz       Scale/DV 10.0 dB     Ref Value 32.00 dBm     25.96 dBm     Man	
20 20 20 20 20 20 20 20 20 20	
All and a second a	
Start 2.630 GHz Stop 2.730 GHz	
3 3 2 6650 GHz 2 6690 GHz 1000 MHz 2 668740000 GHz -51.34 dBm -41.34 dB 4 5 2 6690 GHz 2 6700 GHz 430 0 kHz 2 66992333 GHz -46.89 dBm -35.88 dB 5 0 6700 GHz 2 62700 GHz 430 0 kHz 2 66992333 GHz -46.89 dBm -35.86 dB	
Channel 535998 (2679.99MHz) π/2 BPSK 51 RB / 0 RB Offset	
Spectrum Analyzer 1 Spectrum Analyzer 3 Spectrum Analyzer 4	
COL     PASS     //FF Adaptive       C/JW Range Graph     •     Ref Lvl Offset 12:00 dB     Mkr1 2:6744 GHz 4 39900000 GHz 4 39900000 GHz       Scale/DV 10.0 dB     ref Yule 32:00 dBm     9.92 dBm     - Auto	
4.0.0 Stop 2,730 GHz An Nanop Bolo 2,530 GHz 3500 GHz 4.000 GHZ 1.000 GHZ 4.0.48 GHM 12.494 GHM 12.494 GHZ	
2 2 2.6500 GHz 2.6650 GHz 1.000 MHz 2.663050000 GHz -28.21 dBm -15.21 dB 3 3 2.6650 GHz 2.6690 GHz 1.000 MHz 2.663650000 GHz -28.71 dBm -16.71 dB 4 5 2.6690 GHz 2.270 GHz 4.201 QHz -260946657 GHz -26.71 dBm -16.71 dB	
5     6     7     7     2600 GH2     7500 GH2     2500 GH2     2500 GH2     2600 GH2     <	