

Report No.: SUCR2401000005AT02

Rev.: 01

Page: 1 of 128

TEST REPORT

Application No: SUCR2401000005AT

Applicant: Quectel Wireless Solutions Co., Ltd.

Address of Applicant:

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin

Road, Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin

Road, Minhang District, Shanghai, China 200233

EUT Description: 5G Sub-6 GHz M.2 Module

Model No.: RM520N-GL

Trade Mark: Quectel

FCC ID: XMR2023RM520NGL

Standards: 47 CFR Part 2

47 CFR Part 22 47 CFR Part 24 47 CFR Part 27 47 CFR Part 90 47 CFR Part 96


Date of Receipt: 2024/01/08

Date of Test: 2024/01/15 to 2024/02/02

Date of Issue: 2024/02/05

Test Result: PASS *

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) area retained for 30 days only.

Attention:To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 83071443, **Attention:**To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 83071443,

or email: CN.Doccheck@sgs.com
| South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 tt (86–512) 62992980 www.sgsgroup.com.c

South of No. 1, Nutraining (nost, Suzino Industria rats, Suzino Nasis, Industria rats, Suzino Industria rats, Su

^{*} In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: SUCR2401000005AT02

Rev.: Page: 2 of 128

Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2024/02/05		Original	

Prepared By	(Tizzy Song) / Test Engineer
Checked By	Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01 Page: 3 of 128

Content

1	Ver	sion	2
2	Tes	t Summary	5
	2.1	NR Band n5/n26(824~849 MHz)	5
	2.2	NR Band n7/n38/n41	6
	2.3	NR Band n2/n25	7
	2.4	NR Band n12	8
	2.5	NR Band n13	9
	2.6	NR Band n14	10
	2.7	NR Band n26(814~824 MHz)	12
	2.8	NR Band n30	13
	2.9	NR Band n66/n70	15
	2.10	NR Band n71	16
	2.11	NR Band n77/ n78	17
	2.12	NR Band n48	19
3	Ger	neral Information	23
	3.1	Client Information	23
	3.2	Test Location	23
	3.3	Test Facility	23
	3.4	General Description of EUT	24
	3.5	Test Mode	26
	3.6	Test Environment	
	3.7	Description of Support Units	26
	3.8	Technical Specification	27
	3.9	Test Frequencies	
	3.9.		
	3.9.	5 to 1 to	
	3.9.	1 3	
	3.9.	1 9	
	3.9.	1 3	
	3.9.	1 3	
	3.9.	7 Reference test frequencies for NR operating band n25	35



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aps.and, for electronic format documents better to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asps tention is drawn to the limitation of liability, indemnification and jurisdiction issues defined rein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lient's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to ansaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced expert in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the sults shown in this test report refer only to the sample(s) tested and such sample(s) are retained on 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Indushia Park, Suzhou Area, China (Jiangsu) Pikol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 鄉鄉: 215000

t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chir

www.sgsgroup.com.cn sgs.china@sgs.com



Panort No :	SUCR2401000005AT02
Report No.:	500R2401000000A102

Rev.:	01
Page:	4 of 1

			Page:	4 of 128	
	3.9.	Reference test frequencies for NR operating	band n26		36
	3.9.	Reference test frequencies for NR operating	band n30		37
	3.9.	10 Reference test frequencies for NR operating	band n38		37
	3.9.	11 Reference test frequencies for NR operating	band n41		38
	3.9.	13 Reference test frequencies for NR operating	band n66	•••••	40
	3.9.	14 Reference test frequencies for NR operating	band n70		41
	3.9.	15 Reference test frequencies for NR operating	band n71		41
	3.9.	16 Reference test frequencies for NR operating	band n77		42
	3.9.	17 Reference test frequencies for NR operating	band n78		44
4	Des	cription of Tests			46
4	1.1	Conducted Output Power			46
4	1.2	Effective (Isotropic) Radiated Power of Transmi	itter		47
4	1.3	EIRP Power Density			48
4	1.4	Occupied Bandwidth			49
4	1.5	Band Edge at Antenna Terminals			50
4	1.6	Spurious And Harmonic Emissions at Antenna	Terminal		51
4	1.7	Peak-Average Ratio			52
4	1.8	Field Strength of Spurious Radiation			53
4	1.9	Frequency Stability / Temperature Variation			54
4	1.10	Test Setups			55
	4.10	.1 Test Setup 1			55
	4.10	.2 Test Setup 2			55
	4.10	.3 Test Setup 3			56
4	1.11	Test Conditions			57
5	Mai	Test Instruments			58
6	Mea	surement Uncertainty			59
7	Pho	tographs - Setup Photos			60



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄭編: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01 Page: 5 of 128

2 Test Summary

2.1 NR Band n5/n26(824~849 MHz)

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	FCC: ERP ≤ 7 W	Reference report SEWA2309000114RG02	
Peak-Average Ratio	§22.913(d)	Limit≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.		
Band Edges Compliance	§2.1051, §22.917(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.		
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.		
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §22.355	±2.5ppm.	Reference report SEWA2309000114RG02	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.attention is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Pilot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: Page: 6 of 128

2.2 NR Band n7/n38/n41

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤ 2W	root Nooun	Volume
Peak-Average Ratio		≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.		
Band Edges Compliance	§2.1051, §27.53(m4)	For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, wdhere X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.	Reference re SEWA23090001	•
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	Channel Edge -25dBm/ 1 MHz 1 MHz 1 MHz 9 kHz 95 MHz × MHz 10 th harmonics X=Max {6MHz, EBW}		
Field Strength of Spurious Radiation	§2.1053, §27.53(m)	Channel Edge -25dBm/ 1 MHz 1 MHz 1 MHz 9 kHz 95 MHz XMHz 10 th harmonics X=Max {6MHz, EBW}	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/frequency block.	Reference re SEWA23090001	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Ch.Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01 Page: 7 of 128

2.3 NR Band n2/n25

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	EIRP ≤ 2 W	Reference report SEWA2309000114RG02	
Peak-Average Ratio	§24.232(d)	Limit≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.		
Band Edges Compliance	§2.1051, §24.238(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.		
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.		
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	≤ -13 dBm/1 MHz.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §24.235	Within authorized bands of operation/frequency block.	Reference re SEWA23090001	•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 单编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01 Page: 8 of 128

2.4 NR Band n12

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046 §27.50(c)(10)	ERP≤3W.	Reference report SEWA2309000114RG02	
Peak-Average Ratio		Limit≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.		
Band Edges Compliance	§2.1051, §27.53(g)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.		
Spurious Emission at Antenna Terminals	§2.1051, §27.53(g)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.		
Field Strength of Spurious Radiation	§2.1053, §27.53(g)	FCC: ≤ -13 dBm/100 kHz.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/frequency block.	Reference rep SEWA230900011	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@ss.com

 South of No. 6 Plant, No. 1, Runsheng Road, Sudrout Industrial Park, Sudroux Alea, China (Jángsu) Plot Free Trade Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中國 - 苏州 - 中國 (江苏) 自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01 Page: 9 of 128

2.5 NR Band n13

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(b)(10)	ERP≤3W.		
Peak-Average Ratio		Limit≤13 dB		
Bandwidth	§2.1049,	OBW: No limit. EBW: No limit.		
Band Edges Compliance	§2.1051, §27.53(c)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.		
Spurious Emission at Antenna Terminals	§2.1051, §27.53(c) §27.53(f)	≤ -13 dBm/100 kHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges. On all frequencies between 763–775 MHz and 793–805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations. For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to −70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and −80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.	Reference r SEWA2309000	
Field Strength of Spurious Radiation	§2.1053, §27.53(c) §27.53(f)	FCC: ≤ -13 dBm/100 kHz. For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to −70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and −80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/frequency block.	Reference r SEWA2309000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

 South of No. 6 Plant, No. 1, Rursheng Road, Suchou Industrial Park, Suchou Area, China (Jángsu) Plot Free Trade Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州广区苏州工业园区测胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 10 of 128

2.6 NR Band n14

Test Item	FCC Rule No.	Requirements	Test Result Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046 §90.542(a)	ERP≤3W.	
Peak-Average Ratio		Limit≤13 dB	
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	
Emission Mask	§2.1051 §90.210(b)	Transmitters designed for operation under this part on frequencies other than listed in this section must meet the emission mask requirements of Emission Mask B. Equipment operating under this part on frequencies allocated to but shared with the Federal Government, must meet the applicable Federal Government technical standards (b) Emission Mask B. For transmitters that are equipped with an audio low-pass filter, the power of any emission must be attenuated below the unmodulated carrier power (P) as follows: (1) On any frequency removed from the assigned frequency by more than 50 percent, but not more than 100 percent of the authorized bandwidth: At least 25 dB.(2) On any frequency removed from the assigned frequency by more than 250 percent of the authorized bandwidth: At least 35 dB(3) On any frequency removed from the assigned frequency by more than 250 percent of the authorized bandwidth: At least 43 + 10 log (P) dB.	Reference report SEWA2309000114RG02
Band Edges Compliance	§2.1051 §90.543(e)(2)(3)	(1) On all frequencies between 769- 775 MHz and 799-805 MHz, by a factor not less than 76 + 10 log (P) dB in a 6.25 kHz band segment, for base and fixed stations.(2) On all frequencies between 769-775 MHz and 799-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations.(3) On any	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Pank, Suzhou Area, China (Jángsay) Pilot Free Trade Zone 215000 t (86 中国 - 芬州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 鄉鄉: 215000 t (86



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 11 of 128

		raye.	11 01 120	
		frequency between 775-788 MHz, above 805 MHz, and below 758 MHz, by at least 43 + 10 log (P) dB.		
Spurious Emission at Antenna Terminals	§2.1051, §90.543(c) §90.543(f)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges. For operations in the 758–775 MHz and 788–805 MHz bands, all emissions including harmonics in the band 1559–1610 MHz shall be limited to -70 dBW/ MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.		
Field Strength of Spurious Radiation	§2.1053, §90.543(c) §90.543(f)	FCC: ≤ -13 dBm/100 kHz. For operations in the 758–775 MHz and 788–805 MHz bands, all emissions including harmonics in the band 1559–1610 MHz shall be limited to -70 dBW/ MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §90.213	Within authorized bands of operation/frequency block.	Reference re SEWA23090001	•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions [Ferms-and-Conditions] at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pikol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 鄉鎮: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 12 of 128

2.7 NR Band n26(814~824 MHz)

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Transmitter Conducted Power Output	§2.1046, §90.635(b)	< 100 W.		
Peak-Average Ratio		Limit≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.		
Emission Mask	§2.1051 § 90.691(a)	For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50+10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.	Reference r SEWA2309000 ²	
Spurious Emission at Antenna Terminals	§2.1051, §90.691	< 43 + 10Log10(P[Watts]) for all out-of-band emissions		
Field Strength of Spurious Radiation	§2.1053, §90.691	< 43 + 10Log10(P[Watts]) for all out-of-band emissions	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §90.213	Within authorized bands of operation/frequency block.	Reference r SEWA2309000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ss.com

 South of No. 6 Part, No. 1, Purshang Read, Suzhou Industrial Park, Suzhou Area, Chiria (Jángsu) Pilot Free Trade Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国 - 苏州 - 中国 (江苏) 自由贸易运程区苏州片区苏州工业园区消胜省1号的4号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 13 of 128

2.8 NR Band n30

Test Item	FCC Rule No.	Requirements	Test Result Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(a)(3)	EIRP ≤ 50mW/1MHz EIRP ≤ 250mW/5MHz	
Peak-Average Ratio		FCC: Limit≤13 dB	
Bandwidth	§2.1049,	OBW: No limit. EBW: No limit.	
Band Edges Compliance	§2.1051, §27.53(a)(4)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	
Spurious Emission at Antenna Terminals	§2.1051, §27.53(a)(4)	For mobile and portable stations operating in the 2305-2315 MHz and 2350-2360 MHz bands: (i) By a factor of not less than: 43 + 10 log (P) dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than 55 + 10 log (P) dB on all frequencies between 2341 and 2324 MHz and on all frequencies between 2324 and 2328 MHz and on all frequencies between 2341 and 2345 MHz, not less than 61 + 10 log (P) dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2328 and 2337 MHz; (ii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2328 and 2337 MHz; (ii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2300 and 2305 MHz, 55 + 10 log (P) dB on all frequencies between 2300 and 2300 MHz, 61 + 10 log (P) dB on all frequencies between 2296 and 2300 MHz, 61 + 10 log (P) dB on all frequencies between 2292 and 2296 MHz, 67 +	Reference report SEWA2309000114RG02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Ch.Doccheck@ss.com

 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jángsu) Pilot Free Trade Zore
 215000
 t (86

 中国 - 苏州 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部
 邮编: 215000
 t (86



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 14 of 128

		i ago.	1101120	
		10 log (P) dB on all frequencies between 2288 and 2292 MHz, and 70 + 10 log (P) dB below 2288 MHz;(iii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2360 and 2365 MHz, and not less than 70 +		
		10 log (P) dB above 2365 MHz.		
Field Strength of Spurious Radiation	§2.1053, §27.53(a)(4)	≤ -40dBm/MHz.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	within the range of the operating frequency blocks	Reference re SEWA23090001	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.:

Page: 15 of 128

2.9 NR Band n66/n70

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP≤1W		
Peak-Average Ratio	§27.50(d)(5)	Limit≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Reference re	eport
Band Edges Compliance	§2.1051, §27.53(h)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	SEWA23090001	14RG02
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.		
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	≤ -13 dBm/1 MHz.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/frequency block.	Reference re SEWA23090001	



Report Template No./Rev.: WI-TRF-RG(FCC)007/v01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exore exercised in the intervention of the exercise of t

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 16 of 128

2.10 NR Band n71

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046 §27.50(c)(10)	ERP≤3W		
Peak-Average Ratio		Limit≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Reference re	eport
Band Edges Compliance	§2.1051, §27.53(g)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	SEWA23090001	14RG02
Spurious Emission at Antenna Terminals	§2.1051, §27.53(g)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.		
Field Strength of Spurious Radiation	§2.1053, §27.53(g)	≤ -13 dBm/1 MHz.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	within the authorized bands of operation.	Reference re SEWA23090001	•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

 South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jángsu) Plot Free Trade Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 17 of 128

2.11 NR Band n77/ n78

3700-3980MHz:

Test Item FCC Rule No. Requirements Test Result Vero					
	FCC Rule No.	Requirements	lest Result	Verdict	
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(j)(3)	EIRP≤1W			
Peak- Average Ratio		≤13 dB			
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.			
Band Edges Compliance	§2.1051, §27.53(I)(2)	(2) For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (I)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be either one percent of the emission bandwidth of the fundamental emission of the transmitter or 350 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz.	Reference SEWA2309000		
Spurious Emission at Antenna Terminals	§2.1051, §27.53(I)(2)	not exceed -13 dBm/MHz.			
Field Strength of Spurious Radiation	§2.1053, §27.53(I)(2)	not exceed -13 dBm/MHz	Appendix	Pass	
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/frequency block.	Reference SEWA2309000		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.s t (86–512) 62992980 sgs.cl

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 18 of 128

3450-3550MHz:

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(k)(3)	EIRP ≤ 30dBm		
Peak-Average Ratio	§27.50(k)(4)	FCC: Limit≤13 dB		
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Reference r	conort
Band Edges Compliance	§2.1051, §27.50(n)(2)	For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	SEWA2309000	
Spurious Emission at Antenna Terminals	§2.1051, §27.50(n)(2)	For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.		
Field Strength of Spurious Radiation	§2.1053, §27.50(n)(2)	For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Appendix	Pass
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/ frequency block.	Reference r SEWA2309000	•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Plunsheng Ricad, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pikit Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜商1号的6号厂房南部 鄉鄉: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 19 of 128

2.12 NR Band n48

3550-3700MHz:

Test Item	FCC Rule No.	Requirements	Test Result Verdict
Effective	. OO IXUIC INO.	i toquii ciliciito	rest itesuit verdict
(Isotropic) Radiated Power Output Data	§2.1046, §96.41	EIRP ≤ 23dBm	
Peak-Average Ratio	§96.41	FCC: Limit≤13 dB	
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	
Band Edges Compliance	§2.1051, §96.41	for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge.	
Spurious Emission at Antenna Terminals	§2.1051, §96.41	for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any emission shall not exceed -25 dBm/MHz. (2) Additional protection levels. Notwithstanding paragraph (d)(1) of this section, the conducted power of any emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.	Reference report ZEWA2310000147RG02
Field Strength of Spurious Radiation	§2.1053, §96.41	for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any emission outside the	Appendix Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Beas come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 20 of 128

		<u> </u>	
		fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any emission shall not exceed -25 dBm/MHz. (2) Additional protection levels. Notwithstanding paragraph (d)(1) of this section, the conducted power of any emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.	
Frequency Stability	§2.1055, §96.41	Within authorized bands of operation/ frequency block.	Reference report ZEWA2310000147RG02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Indushia Park, Suzhou Area, China (Jiangsu) Pikol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 鄉鄉: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 21 of 128

Remark for report SEWM2304000122RG02 issue on 2023/07/17:

This test report (Report No.: SEWM2304000122RG02 issue on 2023/07/17) is based on the original test report (Report No.: SEWA2204000008RG02 issue on 2022/07/12).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report NR Band n41/n77/n78 UL MIMO and the item of Power were tested, Field Strength of Spurious Radiation were performed based on the worst case of the original report with report number SEWA2204000008RG02 issue on 2022/07/12 and other test data in this report are based on the previous report with report number SEWA2204000008RG02 issue on 2022/07/12.

Remark for report SEWA2309000114RG02 issue on 2023/10/31:

This test report (Report No.: SEWA2309000114RG02 issue on 2023/10/31) is based on the original test report (Report No.: SEWM2304000122RG02 issue on 2023/07/17).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report the Field Strength of Spurious Radiation of NR Band n30/38/41/77/78/UL MIMO NR Band n41/DC_5A_n38A/NR UL CA n5A-n78A, Power of NR Band

n30/38/41/70/77(SA&MIMO)/78(SA&MIMO) were tested, and other test data in this report are based on the previous report with report number SEWM2304000122RG02 issue on 2023/07/17.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 22 of 128

Remark for report ZEWM2306000841RG02 issue on 2023/06/21:

This test report (Report No.: ZEWM2306000841RG02 issue on 2023/06/21) is based on the original test report (Report No.: FYCR220600021102 issue on 2022/08/29).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

The Effective (Isotropic) Radiated Power Output Data were fully tested in this report, and other items data please refer to the test report FYCR220600021102. The FCC ID is XMR2022RM520NGL has been certified, and the test report issued by Compliance Certification Services (Kunshan) Inc. Shenzhen branch. on 2022/08/29.

Remark for report ZEWA2310000147RG02 issue on 2023/10/31:

This test report (Report No.: ZEWA2310000147RG02 issue on 2023/10/31) is based on the original test report (Report No.: ZEWM2306000841RG02 issue on 2023/06/21).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report the Field Strength of Spurious Radiation of NR Band n48, Power of NR Band n48(SA&MIMO) and all items of NR Band n48(SA&MIMO) 30MHz were tested, and other test data in this report are based on the previous report with report number ZEWM2306000841RG02 issue on 2023/06/21.

Remark for report SUCR2401000005AT02 issue on 2024/02/05:

This test report (Report No.: SUCR2401000005AT02 issue on 2024/02/05) is based on the original test report (Report No.: SEWA2309000114RG02 issue on 2023/10/31 and ZEWA2310000147RG02 issue on 2023/10/31).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report the Field Strength of Spurious Radiation were tested and other test data refer to the previous report with report number SEWA2309000114RG02 issue on 2023/10/31 and ZEWA2310000147RG02 issue on 2023/10/31.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 23 of 128

General Information 3

3.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233
Manufacturer:	Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Tizzy Song

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Report Template No./Rev.: WI-TRF-RG(FCC)007/v01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980

sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 24 of 128

3.4 General Description of EUT

EUT Description:	5G Sub-6 GHz I	5G Sub-6 GHz M.2 Module						
Model No.:	RM520N-GL							
Trade Mark:	Quectel							
Hardware Version:	R1.0							
Software Version:	RM520NGLAAF	R03A03M4G						
Power Supply:	5V							
IMEI:	8683710504124							
Feature:		IR Band n38, NR Band n41; I	NR Band n48; NR	Band n77;				
HPUE Power Class:	Class 2: NR Bar	nd n38; NR Band n41; NR Ba	nd n77; NR Band	n78				
Antenna Type:	PIFA Antenna							
	NR Band n2:	3.87dBi (Y0QUE00ABAA)	NR Band n5:	3.32dBi (Y0QUE00ABBA)				
	NR Band n7:	3.16dBi (Y0QUE00ABBA)	NR Band n12:	3.19dBi (Y0QUE00ABDA)				
	NR Band n13:	3.28dBi (Y0QUE00ABBA)	NR Band n14:	3.25dBi (Y0QUE00ABBA)				
	NR Band n25:	3.87dBi (Y0QUE00ABAA)	NR Band n26:	3.32dBi (Y0QUE00ABBA)				
	NR Band n30:	0.98dBi (Y0QUE00ABCA)	NR Band n38:	3.07dBi (Y0QUE00ABBA) 3.07dBi (Y0QUE00ABBA)				
	NR Band n41:	3.16dBi (Y0QUE00ABBA) 3.16dBi (Y0QUE00ABBA)	NR Band n48:	1dBi (Y0QUE00ABCA) 1dBi (Y0QUE00ABCA)				
Antenna Gain:	NR Band n66:	3.91dBi (Y0QUE00ABAA)	NR Band n70:	3.6dBi (Y0QUE00ABAA)				
	NR Band n71:	3.07dBi (Y0QUE00ABAA)						
	NR Band n77 (3450-3550):	2.35dBi (Y0QUE00ABDA) 2.35dBi (Y0QUE00ABDA)	NR Band n77 (3700-3980):	1.94dBi (Y0QUE00ABDA) 1.94dBi (Y0QUE00ABDA)				
	NR Band n78 (3450-3550):	2.35dBi (Y0QUE00ABDA) 2.35dBi (Y0QUE00ABDA)	NR Band n78 (3700-3800):	1.94dBi (Y0QUE00ABDA) 1.94dBi (Y0QUE00ABDA)				
Remark:	Note: The antenna ga manufacturer.	Note: The antenna gain are derived from the gain information report provided by the						

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.:

Page: 25 of 128

MIMO Model:

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

If all antennas have the same gain, G_{ANT} , Directional gain = G_{ANT} + Array Gain, where Array Gain is as

For power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \le 4$;

Array Gain = 0 dB (i.e., no array gain) for channel widths \geq 40 MHz for any N_{ANT} ;

Array Gain = 5 $log(N_{ANT}/N_{SS}=1)$ dB or 3 dB, whichever is less, for 20-MHz channel widths with $N_{ANT} \ge 5$.

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi

• If transmit signals are correlated, then Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2 / N_{ANT}]$ dBi [Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

• If all transmit signals are completely uncorrelated, then Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + ... + 10^{GN/10})/N_{ANT}] dBi$

Band	ANT Gain1 (dBi)	ANT Gain2 (dBi)	Directional gain (dBi)
NR Band n38:	3.07	3.07	3.07
NR Band n41:	3.16	3.16	3.16
NR Band n48:	1.00	1.00	1.00
NR Band n77:	2.35	1.94	2.15
NR Band n78:	2.35	1.94	2.15





Report No.: SUCR2401000005AT02

Rev.: 01

Page: 26 of 128

3.5 Test Mode

Test Mode	Test Modes Description
NR/TM1	NR system, DFT-s-Pi/2-BPSK modulation
NR/TM2	NR system, DFT-s-QPSK modulation
NR/TM3	NR system, DFT-s-16QAM modulation
NR/TM4	NR system, DFT-s-64QAM modulation
NR/TM5	NR system, DFT-s-256QAM modulation
NR/TM6	NR system, CP-QPSK modulation
NR/TM7	NR system, CP-16QAM modulation
NR/TM8	NR system, CP-64QAM modulation
NR/TM9	NR system, CP-256QAM modulation
Remark: The test mode(s)	are selected according to relevant radio technology specifications.

3.6 Test Environment

Environment Parameter	101.0 kPa Se	101.0 kPa Selected Values During Tests			
Relative Humidity	44-	44-46 % RH Ambient			
Value	Temperature(°C)	Voltage(V)			
NTNV	22-23	3.7			
LTLV	-30	3.135			
LTHV	-30	4.4			
HTLV	50	3.135			
HTHV	50	4.4			
Remark:	'				
NV: Normal Voltage LV:	Low Extreme Test Voltage	HV: High Extreme Test Voltage			

NV: Normal Voltage LV: Low Extreme Test Voltage HV: High Extreme Test Voltage

NT: Normal Temperature LT: Low Extreme Test Temperature HT: High Extreme Test Temperature

3.7 Description of Support Units

Description	Manufacturer	Model No.				
Mother board	Quectel	N/A				
Remark: all above the information of table are provided by client.						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

 Suth of No. 6 Plant, No. 1, Runsherg Road, Sachoul Industrial Park, Suchou Area, Chine (Jángsu) Plot Fire Trade Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 27 of 128

3.8 Technical Specification

Characteristics	Description				
Radio System Type	⊠ SA ⊠ NSA				
	Band	TX	RX		
	NR Band n2	1850 to 1910 MHz	1930 to 1990 MHz		
	NR Band n5	824 to 849 MHz	869 to 894 MHz		
	NR Band n7	2500 to 2570 MHz	2620 to 2690 MHz		
	NR Band n12	699 to 716 MHz	729 to 746 MHz		
	NR Band n13	777 to 787 MHz	746 to 756 MHz		
	NR Band n14	788 to 798 MHz	758 to 768 MHz		
	NR Band n25	1850 to 1915 MHz	1930 to 1995 MHz		
	NR Band n26 (814 to 824 MHz)	814 to 824 MHz	859 to 869 MHz		
	NR Band n26 (824 to 849 MHz)	824 to 849 MHz	869 to 894 MHz		
	NR Band n30	2305 to 2315 MHz	2350 to 2360 MHz		
	NR Band n38	2570 to 2620 MHz	2570 to 2620 MHz		
	NR Band n41	2496 to 2690 MHz	2496 to 2690 MHz		
	NR Band n48	3550 to 3700 MHz	3550 to 3700 MHz		
Supported Frequency	NR Band n66	1710 to 1780 MHz	2110 to 2200 MHz		
Range	NR Band n70	1695 to 1710 MHz	1995 to 2020 MHz		
	NR Band n71	663 to 698 MHz	617 to 652 MHz		
	NR Band n77*	3700 to 3980 MHz	3700 to 3980 MHz		
	NK Ballu III I	3450 to 3550 MHz	3450 to 3550 MHz		
	NR Band n78*	3700 to 3800 MHz	3700 to 3800 MHz		
	NIX Balla III 6	3450 to 3550 MHz	3450 to 3550 MHz		
	Note*: Both NR Band n77 and NR Band n78 have the same frequency range 3450 MHz to 3550 MHz, and NR Band n78 was fully tested, NR Band n77 only test the items of Power. ENDC: DC_13A_n66A;DC_5A_n2A;DC_14A_n2A;DC_30A_n2A;DC_2A_n5A; DC_30A_n5A;DC_66A_n5A;DC_2A_n12A;DC_66A_n12A;DC_2A_n66A; DC_5A_n66A;DC_12A_n66A;DC_14A_n66A;DC_30A_n66A;DC_12A_n2A; DC_66A_n2A;DC_71A_n2A;DC_12A_n41A;DC_71A_n66A;DC_2A_n71A; DC_66A_n71A;DC_66A_n25A;DC_25A_n41A;DC_12A_n78A;DC_13A_n78A; DC_25A_n78A;DC_12A_n77A;DC_13A_n77A;DC_14A_n77A;DC_26A_n78A; DC_2A_n78A;DC_26A_n41A;DC_2A_n41A;DC_7A_n5A;DC_38A_n78A; DC_7A_n71A;DC_41A_n78A;DC_5A_n7A;DC_12A_n7A;DC_66A_n7A;				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ss.com

 Suth of No. 6 Plant, No. 1, Ransheng Road, Suchou Industrial Park, Suchou Area, China (Liangsu) Plat Free Trate Zone
 215000
 t (86–512) 62992980
 wwww.sgsgroup.com.cn

 中国 - 芳州 - 中国 (江苏) 自由贸易试量区苏州 I 区苏州 工业园区测胜路 I 号的4号 广房南部
 邮编:
 215000
 t (86–512) 62992980
 wgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01
Page: 28 of 128

			Page:	28 of 1				
	DC_66A_n48A;DC_ DC_66A_n38A;DC_							
	DC_66A_n78A;DC							
	DC_71A_n38A;DC	_13A_n7A;DC_	5A_n41A;DC_	66A_n41A;DC __	_2A_n7A;			
		DC_7A_n2A;DC_5A_n40A;DC_30A_n77A;DC_41A_n77A;DC_7A_n78A; DC_66A_n28A;DC_71A_n41A;DC_28A_n66A;DC_30A_n12A;DC_2A_n14A;						
	DC_30A_n14A;DC_66A_n14A;DC_2A_n30A;DC_5A_n30A;DC_12A_n30A;							
	DC_14A_n30A;DC_66A_n30A;DC_71A_n7A;DC_7A_n12A;DC_5A_n77A; DC_66A_n77A;DC_71A_n77A;DC_4A_n2A;DC_7A_n25A;DC_71A_n25A;							
	DC_5A_n25A;DC_2	26A_n25A;DC_	4A_n7A;DC_1	3A_n25A;DC_;	7A_n77A;			
	DC_48A_n5A; DC_ ENDC Only test RS				C_48A_n12A;			
	ENDC Only test No	SCS 15kHz:	TIOW WOISE THOU	Je.				
	NR Band n2	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz			
		SCS 15kHz:						
	NR Band n5	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz			
		SCS 15kHz:						
	NR Band n7	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz			
		⊠25 MHz	⊠30 MHz	⊠40 MHz				
	NR Band n12	SCS 15kHz:						
		⊠5 MHz	⊠10 MHz	⊠15 MHz				
		SCS 15kHz:		_				
	NR Band n13	⊠5 MHz	⊠10 MHz					
		SCS 15kHz:						
	NR Band n14	⊠5 MHz	⊠10 MHz					
Supported Channel Bandwidth	NR Band n25	SCS 15kHz:						
Dandwidth		⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz			
		⊠25 MHz	⊠30 MHz	⊠40 MHz				
	NR Band n26	SCS 15kHz:						
	(814 to 824 MHz)	⊠5 MHz	⊠10 MHz					
	NR Band n26	SCS 15kHz:						
	(824 to 849 MHz)	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz			
	ND D and a 00	SCS 15kHz:						
	NR Band n30	⊠5 MHz	⊠10 MHz					
		SCS 30kHz:						
	NR Band n38	⊠10 MHz	⊠15 MHz;	⊠20 MHz;	⊠30 MHz;			
		⊠40 MHz;						
	ND Dond = 44	SCS 30kHz:						
	NR Band n41	⊠20 MHz	⊠30 MHz	⊠40 MHz	⊠50 MHz			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Pursheng Read, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉編: 215000



Report No.: SUCR2401000005AT02

Rev.: Page: 29 of 128

		ı ago.		
	⊠60 MHz	⊠70 MHz	⊠80 MHz	⊠90 MHz
	⊠100 MHz			
	SCS 30kHz:			
ND Daniel v 40	⊠10 MHz	⊠20 MHz;	⊠30 MHz	⊠40 MHz
NR Band n48	⊠50 MHz	⊠60 MHz	⊠80 MHz	⊠90 MHz
	⊠100 MHz			
	SCS 15kHz:			
NR Band n66	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	⊠30 MHz	⊠40 MHz		
	SCS 15kHz:			
NR Band n70	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	⊠25 MHz			
NR Band n71	SCS 15kHz:			
	⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	SCS 30kHz			
	⊠10 MHz	⊠15 MHz	⊠20 MHz	⊠30 MHz
NR Band n//	⊠40 MHz	⊠50 MHz	⊠60 MHz	⊠70 MHz
	⊠80 MHz	⊠90 MHz	⊠100 MHz	
	SCS 30kHz			
ND David vi70	⊠10 MHz	⊠15 MHz	⊠20 MHz	⊠30 MHz
NR Band n78	⊠40 MHz	⊠50 MHz	⊠60 MHz	⊠70 MHz
	⊠80 MHz	⊠90 MHz	⊠100 MHz	
	NR Band n70	NR Band n48 SCS 30kHz: 10 MHz		□ □ □ □ □ □ □ □ □ □



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 30 of 128

3.9 Test Frequencies

3.9.1 Reference test frequencies for NR operating band n2

3.9.1.1 Test frequencies for NR operating band n2 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	1932.5	386500	
	Downlink	Mid	1960	392000	15
5		High	1987.5	397500	
5	Uplink	Low	1852.5	370500	
		Mid	1880	376000	-
		High	1907.5	381500	
		Low	1935	387000	
	Downlink	Mid	1960	392000	15
10		High	1985	397000	
10	Uplink	Low	1855	371000	-
		Mid	1880	376000	
		High	1905	381000	
		Low	1937.5	387500	
	Downlink	Mid	1960	392000	15
15		High	1982.5	396500	
15		Low	1857.5	371500	
	Uplink	Mid	1880	376000	-
		High	1902.5	380500	
		Low	1940	388000	
	Downlink	Mid	1960	392000	15
20		High	1980	396000	
20		Low	1860	372000	
	Uplink	Mid	1880	376000	- !
		High	1900	380000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

| South of No. 1 Part, No. T, Narsheng Road, Surbou Industrial Park, Suzhou Area, Chiria (Asangsu) Pilot Free Trade Zone 215000 t (86-512) 6299298
中国 - 苏州・中国(江苏)自由贸易试验区苏州片区苏州工业国区测胜費1号から号厂房南部 鄭塢: 215000 t (86-512) 6299298



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 31 of 128

3.9.2 Reference test frequencies for NR operating band n5

3.9.2.1 Test frequencies for NR operating band n5 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	871.5	174300	
	Downlink	Mid	881.5	176300	15
5	F	High	891.5	178300	
5	Uplink	Low	826.5	165300	
		Mid	836.5	167300	-
		High	846.5	169300	
		Low	874	174800	
	Downlink	Mid 881.5 176300	176300	15	
10		High	889	177800	
10		Low	829	165800	
	Uplink	Mid	836.5	167300	-
		High	844	168800	
		Low	876.5	175300	
	Downlink	Mid	881.5	176300	15
15		High	886.5	177300	
15		Low	831.5	166300	
	Uplink	Mid	836.5	167300	-
		High	841.5	168300	
		Low	879	175800	
20	Downlink	Mid	881.5	176300	15
		High	884	176800	
20		Low	834	166800	
	Uplink	Mid	836.5	167300	1 - 1
		High	839	167800	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

|South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chira (Liangsu) Plot Free Trade Zone 215000 t (86–512) 62992980 www.s.gsgroup.com.cn 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州 | 区苏州 工业园区海胜路 (号的6月 / 房南部 邮编: 215000 t (86–512) 62992980 sgs..china@sgs.com



Report No.: SUCR2401000005AT02

Rev.:

Page: 32 of 128

Reference test frequencies for NR operating band n7 3.9.3

Test frequencies for NR operating band n7 and SCS 15 kHz

Bandwidth [MHz]	Rang		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
[1411 12]		Low	2622.5	524500	[KIIZ]
	Downlink	Mid	2655	531000	15
	DOWININ	High	2687.5	537500	- 13
5		Low	2502.5	500500	
	Uplink	Mid	2535	507000	
	Opilitik	High	2567.5	513500	
		Low	2625	525000	
	Downlink	Mid	2655	531000	15
	DOWININ	High	2685	537000	- 13
10		Low	2505	501000	
	Linlink	Mid	2535	507000	
	Uplink	High	2565	513000	
		Low	2627.5	525500	
	Downlink	Mid	2655	531000	15
	DOWIIIIK	High	2682.5	536500	15
15		Low	2507.5	501500	
	Linlink	Mid	2507.5	507000	
	Uplink				
		High	2562.5	512500	
	Dayunlink	Low Mid	2630	526000	15
	Downlink		2655	531000	
20		High	2680 2510	536000	
	Linkink	Low Mid		502000	_
	Uplink		2535	507000	_
		High	2560	512000	
	D	Low	2632.5	526500	45
	Downlink	Mid	2655	531000	15
25		High	2677.5	535500	
		Low	2512.5	502500	-
	Uplink	Mid	2535	507000	
		High	2557.5	511500	
	-	Low	2635	52700	
	Downlink	Mid	2655	531000	15
30		High	2675	535000	
		Low	2515	503000	
	Uplink	Mid	2535	507000	
		High	2555	511000	
		Low	2640	528000	
	Downlink	Mid	2655	531000	15
40		High	2670	534000	
		Low	2520	504000	
	Uplink	Mid	2535	507000	
		High	2550	510000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 33 of 128

3.9.4 Reference test frequencies for NR operating band n12

3.9.4.1 Test frequencies for NR operating band n12 and SCS 15 kHz

Bandwidth [MHz]	Rang	e	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	731.5	146300	
	Downlink	Mid	737.5	147500	15
5		High	743.5	148700	
5		Low	701.5	140300	
	Uplink	Mid	707.5	141500	
		High	713.5	142700	
		Low	734	146800	
	Downlink	Mid	737.5	147500	15
10		High	741	148200	
10		Low	704	140800	
	Uplink	Mid	707.5	141500	
		High	711	142200	
		Low	736.5	147300	
	Downlink	Mid	737.5	147500	15
15		High	738.5	147700	
		Low	706.5	141300	
	Uplink	Mid	707.5	141500	
		High	708.5	141700	

3.9.5 Reference test frequencies for NR operating band n13

3.9.5.1 Test frequencies for NR operating band n13 and SCS 15 kHz

Bandwidth [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	748.5	149700	
		Mid	751	150200	15
E		High	753.5	150700	
5	Uplink	Low	779.5	155900	
		Mid	782	156400	
		High	784.5	156900	
10		Low	1	1	
	Downlink	Mid	751	150200	15
		High	1	1	
		Low	1	1	
	Uplink	Mid	779.5	156400	 15
	•	High	1	1	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@ss.com

 Suth of No. 6 Plant, No. 1, Runsharg Road, Sudrou Industrial Part, Sudrou Area, Chine (Jángsu) Plat Free Trate Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国 - 苏州 中国(江苏)自由贸易试验区苏州广区苏州工业园区测胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 34 of 128

3.9.6 Reference test frequencies for NR operating band n14

3.9.6.1 Test frequencies for NR operating band n14 and SCS 15 kHz

Bandwidth [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	760.5	151200	15
		Mid	763	152600	
5		High	765.5	153100	
5	Uplink	Low	790.5	158100	
		Mid	793	158600	
		High	795.5	159100	
		Low	1	1	
	Downlink	Mid	763	152600	15
10		High	1	1	
		Low	1	1	
	Uplink	Mid	763	152600	
	•	High	1	1	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@ss.com

 Suth of No. 6 Plant, No. 1, Runsherg Road, Sachou Industrial Park, Suchou Area, Chine (Jángsu) Plot Free Trate Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国 - 苏州 中国 (江苏) 自由贸易试验区苏州广区苏州工业园区测胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.:

Page: 35 of 128

Reference test frequencies for NR operating band n25 3.9.7

Test frequencies for NR operating band n25 and SCS 15 kHz

3.9.7.1 Test	Range		Carrier centre	Carrier centre	ntre SS block SCS
[MHz]	Kange		[MHz]	[ARFCN]	[kHz]
[1411 12]		Low	1932.5	386500	[KI IZ]
5	Downlink	Mid	1962.5	392500	15
	Bowrinink	High	1992.5	398500	-
		Low	1852.5	370500	+
	Uplink	Mid	1882.5	376500	┥ _
		High	1912.5	382500	+
	Downlink	Low	1935	387000	
		Mid	1962.5	392500	15
	Bownink	High	1990	398000	-
10		Low	1855	371000	
	Uplink	Mid	1882.5	376500	-
	Оринк	High	1910	382000	+
		Low	1937.5	387500	
	Downlink	Mid	1962.5	392500	15
	Downlink	High	1987.5	397500	⊣
15	Uplink	Low	1857.5	371500	
		Mid	1882.5	376500	┪ _
		High	1907.5	381500	+
		Low	1940	388000	15
	Downlink	Mid	1962.5	392500	
		High	1985	397000	
20		Low	1860	372000	
	Uplink	Mid	1882.5	376500	- <u>-</u>
		High	1905	381000	-
		Low	1942.5	388500	
	Downlink	Mid	1962.5	392500	15
		High	1982.5	396500	-
25	Uplink	Low	1862.5	372500	+
		Mid	1882.5	376500	† <u>-</u>
		High	1902.5	380500	7
	Downlink	Low	1945	389000	
		Mid	1962.5	392500	15
		High	1980	396000	
30		Low	1865	373000	1
	Uplink	Mid	1882.5	376500	1 -
	- Spinit	High	1900	380000	7
	Downlink	Low	1950	390000	
		Mid	1962.5	392500	15
		High	1975	395000	
40	Uplink	Low	1870	374000	
		Mid	1882.5	376500	1 -
		High	1895	379000	7



Report Template No./Rev.: WI-TRF-RG(FCC)007/v01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exore exercised in the intervention of the exercise of t

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.:

Page: 36 of 128

Reference test frequencies for NR operating band n26 3.9.8 Test frequencies for NR operating band n26 and SCS 15 kHz

814-824:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
-		Low	861.5	172300	
	Downlink	Mid	864	172800	15
_		High	866.5	173300	
5		Low	816.5	163300	
	Uplink	Mid	819	163800	-
	•	High	821.5	164300	1
		Low	1	1	
	Downlink	Mid	864	172800	15
10		High	1	1	
10	Uplink	Low	1	1	-
		Mid	819	163800	
		High	1	1	

024 040.

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	871.5	174300	
	Downlink	Mid	881.5	176300	15
_		High	891.5	178300	
5		Low	826.5	165300	
	Uplink	Mid	836.5	167300	-
		High	846.5	169300	
		Low	874	174800	
	Downlink	Mid	881.5	176300	15
10		High	889	177800	
10	Uplink	Low	829	165800	-
		Mid	836.5	167300	
		High	844	168800	
	Downlink	Low	876.5	175300	15
		Mid	881.5	176300	
15		High	886.5	177300	
15		Low	831.5	166300	
	Uplink	Mid	836.5	167300	<u>-</u>
		High	841.5	168300	
		Low	879	175800	15
	Downlink	Mid	881.5	176300	
20		High	884	176800	
20		Low	834	166800	
	Uplink	Mid	836.5	167300	-
		High	839	167800	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 37 of 128

3.9.9 Reference test frequencies for NR operating band n30

3.9.9.1 Test frequencies for NR operating band n30 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	2352.5	470500	
	Downlink	Mid	2355	471000	15
5		High	2357.5	471500	
5		Low	2307.5	461500	
	Uplink	Mid	2310	462000	-
		High	2312.5	462500	
	Downlink	Low	2355	471000	
		Mid	2355	471000	15
40		High	2355	471000	
10		Low	2310	462000	
	Uplink	Mid	2310	462000	-
	-	High	2310	462000	1

3.9.10 Reference test frequencies for NR operating band n38

3.9.10.1 Test frequencies for NR operating band n38 and SCS 30 kHz

Bandwidth [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	2575	515000	
10	&	Mid	2595	519000	30
	Uplink	High	2615	523000	
	Downlink	Low	2577.5	515500	
15	&	Mid	2595	519000	30
	Uplink	High	2612.5	522500	
	Downlink	Low	2580	516000	
20	&	Mid	2595	519000	30
	Uplink	High	2610	522000	
	Downlink	Low	2585	517000	
30	&	Mid	2595	519000	30
	Uplink	High	2605	521000	
	Downlink	Low	2590	518000	
40	&	Mid	2595	519000	30
	Uplink	High	2600	520000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

 South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chira (Jángsu) Pilot Free Trate Zoze
 215000
 t (86-512) 62992980
 www.sgsgroup.com.cn

 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业国区润胜费1号的号厂房南部
 邮编:
 215000
 t (86-512) 62992980
 sgs.china@sgs.com



100

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR2401000005AT02

Rev.: 01

Page: 38 of 128

528996

509202

518598

528000

30

3.9.11 Reference test frequencies for NR operating band n41 3.9.11.1 Test frequencies for NR operating band n41 and SCS 30 kHz

CBW Carrier centre Carrier centre SS block SCS Range [MHz] [MHz] [ARFCN] [kHz] Downlink Low 2506.02 501204 2592.99 30 20 Mid 518598 Uplink High 2670 534000 Downlink 2511 502200 Low 30 2592.99 518598 30 ጼ Mid Uplink High 2675 535000 Downlink Low 2516.01 503202 40 Mid 2592.99 518598 30 Uplink High 2670 534000 2521.02 504204 Downlink Low 2592.99 30 50 Mid 518598 Uplink 2664.99 532998 High Downlink 2526 505200 Low 60 30 Mid 2592.99 518598 Uplink 2659.98 531996 High Downlink 2531 506200 Low 70 Mid 2592.29 518598 30 Uplink High 2655 531000 Downlink Low 2536.02 507204 30 80 Mid 2592.99 518598 Uplink 2649.99 529998 High 508200 Downlink Low 2541 90 Mid 2592.99 518598 30

2644.98

2546.01

2592.99

2640

High

Low

Mid

High



Uplink

Downlink

Uplink

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 39 of 128

3.9.12 Reference test frequencies for NR operating band n48 3.9.12.1 Test frequencies for NR operating band n48 and SCS 30 kHz

3550-3700:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3555	637000	
10	&	Mid	3624.99	641666	30
	Uplink	High	3694.98	646332	
	Downlink	Low	3560.01	637334	
20	&	Mid	3624.99	641666	30
	Uplink	High	3690	646000	
	Downlink	Low	3565.02	637668	
30	&	Mid	3624.99	641666	30
	Uplink	High	3684.99	645666	
	Downlink	Low	3570	638000	
40	&	Mid	3624.99	641666	30
	Uplink	High	3679.98	645332	
	Downlink & Uplink	Low	3575.01	638334	
50		Mid	3624.99	641666	30
		High	3675	645000	
	Downlink	Low	3580.02	638668	
60	&	Mid	3624.99	641666	30
	Uplink	High	3669.99	644666	
	Downlink	Low	3590.01	639334	
80	&	Mid	3624.99	641666	30
	Uplink	High	3660	644000	
	Downlink	Low	3595.02	639668	
90	&	Mid	3624.99	641666	30
	Uplink	High	3654.99	643666	<u> </u>
	Downlink	Low	3600	640000	
100	&	Mid	3624.99	641666	30
	Uplink	High	3649.98	643332	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settle of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention-10 check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.:

Page: 40 of 128

3.9.13 Reference test frequencies for NR operating band n66

3 9 13 1 Test frequencies for NR operating hand n66 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	2112.5	422500	
	Downlink	Mid	2155	431000	15
5		High	2197.5	439500	
3		Low	1712.5	342500	
	Uplink	Mid	1745	349000	-
		High	1777.5	355500	
		Low	2115	423000	
	Downlink	Mid	2155	431000	15
10		High	2195	439000	
10		Low	1715	343000	
	Uplink	Mid	1745	349000	-
		High	1775	355000	
		Low	2117.5	423500	
	Downlink	Mid	2155	431000	15
15		High	2192.5	438500	
13		Low	1717.5	343500	
	Uplink	Mid	1745	349000	-
		High	1772.5	354500	
		Low	2120	424000	
	Downlink	Mid	2155	431000	15
20		High	2190	438000	
20		Low	1720	344000	
	Uplink	Mid	1745	349000	-
		High	1770	354000	
	<u> </u>	Low	2125	425000	
	Downlink	Mid	2155	431000	15
30		High	2185	437000	
30	<u> </u>	Low	1725	345000	
	Uplink	Mid	1745	349000	_
		High	1765	353000	
		Low	2130	426000	
	Downlink	Mid	2155	431000	15
40		High	2180	436000	
40		Low	1730	346000	
	Uplink	Mid	1745	349000	_
	-	High	1760	352000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excented except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.occheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 41 of 128

3.9.14 Reference test frequencies for NR operating band n70

3.9.14.1 Test frequencies for NR operating band n70 and SCS 15 kHz

Bandwidth [MHz]	Rang	е	Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	1997.5	399500	
	Downlink	Mid	2002.5	400500	15
5		High	2007.5	401500	
5		Low	1697.5	339500	
	Uplink	Mid	1702.5	340500] <u></u>
	·	High	1707.7	341500	
		Low	2000	400000	
	Downlink	Mid	2002.5	400500	15
10		High	2005	401000	
10		Low	1700	340000	
	Uplink	Mid	1702.5	340500	<u></u>
	·	High	1705	341000	1
		Low	1	1	
	Downlink	Mid	2002.5	400500	15
15		High	1	1	1
		Low	1	1	
	Uplink	Mid	1702.5	340500]
	•	High	1	1	1

3.9.15 Reference test frequencies for NR operating band n71

3.9.15.1 Test frequencies for NR operating band n71 and SCS 15 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	619.5	123900	
	Downlink	Mid	634.5	126900	15
5		High	649.5	129900	
5		Low	665.5	133100	
	Uplink	Mid	680.5	136100	-
		High	695.5	139100	
		Low	622	124400	
	Downlink	Mid	634.5	126900	15
10		High	647	129400	
10	Uplink	Low	668	133600	
		Mid	680.5	136100	_
		High	693	138600	
	Downlink	Low	624.5	124900	
		Mid	634.5	126900	15
15		High	644.5	128900	
15		Low	670.5	134100	
	Uplink	Mid	680.5	136100	-
		High	690.5	138100	
		Low	627	125400	
	Downlink	Mid	634.5	126900	15
20		High	642	128400	
20		Low	673	134600	
	Uplink	Mid	680.5	136100	-
	·	High	688	137600	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exceptanges and their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

 Suth of No. 6 Plant, No. 1, Runsherg Road, Suthout Industrial Park, Suthout Aea, Chine (Jángsu) Plot Free Trade Zone
 215000
 t (86–512) 62992980
 www.sgsgroup.com.cn

 中国 - 苏州 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 42 of 128

3.9.16 Reference test frequencies for NR operating band n77 3.9.16.1 Test frequencies for NR operating band n77 and SCS 30 kHz

3700-3980:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3705	647000	
10	&	Mid	3840	656000	30
	Uplink	High	3975	665000	
	Downlink	Low	3707.52	647168	
15	&	Mid	3840	656000	30
	Uplink	High	3972.48	664832	_
	Downlink	Low	3710.01	647334	
20	&	Mid	3840	656000	30
	Uplink	High	3969.99	664666	1
	Downlink	Low	3714.99	647666	
30	&	Mid	3840	656000	30
	Uplink	High	3965.01	664334	7
	Downlink	Low	3720	648000	
40	&	Mid	3840	656000	30
	Uplink	High	3960	664000	1
	Downlink	Low	3725.01	648334	
50	&	Mid	3840	656000	30
	Uplink	High	3954.99	663666	7
	Downlink	Low	3730.02	648668	
60	&	Mid	3840	656000	30
	Uplink	High	3949.98	663332	7
	Downlink	Low	3735	649000	
70	&	Mid	3840	656000	30
	Uplink	High	3945	663000	7
	Downlink	Low	3740.01	649334	
80	&	Mid	3840	656000	30
	Uplink	High	3939.99	662666	7
	Downlink	Low	3745.02	649668	
90	&	Mid	3840	656000	30
	Uplink	High	3934.98	662332	
	Downlink	Low	3750	650000	
100	&	Mid	3840	656000	30
	Uplink	High	3930	662000	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ss.com

 South of No. 6 Plant, No. 1, Runsherg Road, Suchou Industrial Park, Suchou Aeea, Chine (Jángsu) Plot Free Trade Zone
 215000
 t (86–512) 62992980
 wwww.sgsgroup.com.cn

 中国 - 苏州 中国 (江苏) 自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部
 邮编:
 215000
 t (86–512) 62992980
 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 43 of 128

3450-3550:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3455.01	630334	
10	&	Mid	3500.01	633334	30
	Uplink	High	3545.01	636334	
	Downlink	Low	3457.5	630500	
15	&	Mid	3500.01	633334	30
	Uplink	High	3542.49	636166	
	Downlink	Low	3460.02	630668	
20	&	Mid	3500.01	633334	30
	Uplink	High	3540	636000	
	Downlink	Low	3465	631000	
30	&	Mid	3500.01	633334	30
	Uplink	High	3534.99	635666	
	Downlink	Low	3470.01	631334	
40	&	Mid	3500.01	633334	30
	Uplink	High	3530.01	635334	
	Downlink	Low	3475.02	631668	
50	&	Mid	3500.01	633334	30
	Uplink	High	3525	635000	
	Downlink	Low	3480	632000	
60	&	Mid	3500.01	633334	30
	Uplink	High	3519.99	634666	
	Downlink	Low	3485.01	632334	
70	&	Mid	3500.01	633334	30
	Uplink	High	3515.01	634334	
	Downlink	Low	3490.02	632668	
80	&	Mid	3500.01	633334	30
	Uplink	High	3510	634000	
	Downlink	Low	3495	633000	
90	&	Mid	3500.01	633334	30
	Uplink	High	3504.99	633666	
	Downlink	Low	\	\	
100	&	Mid	3500.01	633334	30
	Uplink	High	\	\	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

|South of No. 6 Plant, No. 1, Runsheng Road, Starbou Industrial Park, Starbou Area, Chine (Kangsu) Plot Free Trade Zone 215000 t (86–51. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–51.



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 44 of 128

3.9.17 Reference test frequencies for NR operating band n78 3.9.17.1 Test frequencies for NR operating band n78 and SCS 30 kHz

3700-3800:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3705	647000	
10	&	Mid	3750	650000	30
	Uplink	High	3795	653000	
	Downlink	Low	3707.52	647168	
15	&	Mid	3750	650000	30
	Uplink	High	3792.48	652832	
	Downlink	Low	3710.01	647334	
20	&	Mid	3750	650000	30
	Uplink	High	3789.99	652666	
	Downlink	Low	3715.02	647668	
30	&	Mid	3750	650000	30
	Uplink	High	3785.01	652334	
	Downlink	Low	3720	648000	
40	&	Mid	3750	650000	30
	Uplink	High	3780	652000	
	Downlink	Low	3725.01	648334	
50	&	Mid	3750	650000	30
	Uplink	High	3774.99	651666	
	Downlink	Low	3730.02	648668	
60	&	Mid	3750	650000	30
	Uplink	High	3769.98	651332	
	Downlink	Low	3735	649000	
70	&	Mid	3750	650000	30
	Uplink	High	3765	651000	
	Downlink	Low	3740.01	649334	
80	&	Mid	3750	650000	30
	Uplink	High	3759.99	650666	
	Downlink	Low	3745.02	649668	
90	&	Mid	3750	650000	30
	Uplink	High	3754.98	650332	
	Downlink	Low	1	1	
100	&	Mid	3750	650000	30
	Uplink	High	1	1	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ss.com

 South of No. 6 Plant, No. 1, Runsherg Read, Suchiou Industrial Plant, Suchou Area, Chine (Jängsu) Plant Free Trade Zone
 215000
 t (86–5

 中国 - 芬州 - 中国 (江苏) 自由贸易试验区苏州上区苏州工业园区测胜路(号的6号/房商部
 邮编: 215000
 t (86–5

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 45 of 128

3450-3550:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3455.01	630334	
10	&	Mid	3500.01	633334	30
	Uplink	High	3545.01	636334	
	Downlink	Low	3457.5	630500	
15	&	Mid	3500.01	633334	30
	Uplink	High	3542.49	636166	
	Downlink	Low	3460.02	630668	
20	&	Mid	3500.01	633334	30
	Uplink	High	3540	636000	
	Downlink	Low	3465	631000	
30	&	Mid	3500.01	633334	30
	Uplink	High	3534.99	635666	
	Downlink	Low	3470.01	631334	
40	&	Mid	3500.01	633334	30
	Uplink	High	3530.01	635334	
	Downlink	Low	3475.02	631668	
50	&	Mid	3500.01	633334	30
	Uplink	High	3525	635000	
	Downlink	Low	3480	632000	
60	&	Mid	3500.01	633334	30
	Uplink	High	3519.99	634666	
	Downlink	Low	3485.01	632334	
70	&	Mid	3500.01	633334	30
	Uplink	High	3515.01	634334	
	Downlink	Low	3490.02	632668	
80	&	Mid	3500.01	633334	30
	Uplink	High	3510	634000	
	Downlink	Low	3495	633000	
90	&	Mid	3500.01	633334	30
	Uplink	High	3504.99	633666	
	Downlink	Low	\	\	
100	&	Mid	3500.01	633334	30
	Uplink	High	\	\	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

 South of No. 6 Plant, No. 1, Runsherg Road, Suchou Industrial Plant, Suchou Area, Chine (Jangsu) Plotf Free Trade Zone
 215000
 t (86–512) 62992980

 中国 - 苏州 - 中国(江苏) 自由贸易试量区苏州 I 区苏州 工业园区湖胜路 I 号的6号厂房商部
 邮编: 215000
 t (86–512) 62992980



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 46 of 128

4 Description of Tests

4.1 Conducted Output Power

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.2.1

The transmitter output was connected to a calibrated coaxial cable, attenuator and power meter, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The power output at the transmitter antenna port was determined by adding the value of the cable insertion loss to the power reading. The tests were performed at three frequencies (low channel, middle channel and high channel) and on the highest power levels, which can be setup on the transmitters.

Remark: Reference test setup 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路1号的6号厂房南部 鄉鄉: 215000

t (86–512) 62992980 t (86–512) 62992980

Member of the SGS Group (SGS SA)

sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 47 of 128

4.2 Effective (Isotropic) Radiated Power of Transmitter

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8.4

Calculate power in dBm by the following formula:

ERP (dBm) = Conducted Power (dBm) + antenna gain (dBd)

EIRP(dBm) = Conducted Power (dBm) + antenna gain (dBi)

EIRP=ERP+2.15dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 · 苏州 · 中国 · 江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 48 of 128

4.3 EIRP Power Density

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.3

Test Settings

- 1. Set instrument center frequency to OBW center frequency.
- 2. Set span to at least 1.5 times the OBW.
- 3. Set the RBW to the specified reference bandwidth (often 1 MHz).
- 4. Set VBW ≥ 3 × RBW.
- 5. Detector = RMS (power averaging).
- 6. Ensure that the number of measurement points in the sweep $\geq 2 \times \text{span/RBW}$.
- 7. Sweep time = auto couple.
- 8. Employ trace averaging (RMS) mode over a minimum of 100 traces.
- 9. Use the peak marker function to determine the maximum amplitude level within the reference bandwidth (PSD).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980

sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 49 of 128

4.4 Occupied Bandwidth

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 4.2 & 4.3

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel, middle channel and high channel). The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1 percent of the selected span as is possible without being below 1 percent. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual. The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5 percent of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded. The span between the two recorded frequencies is the occupied bandwidth.

Remark: Reference test setup 1

Test Settings

- The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- VBW ≥ 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-appx. Attention: Terms-and-Conditions-and-Terms-and-Conditions-appx. The terms-and-Conditions-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 50 of 128

4.5 Band Edge at Antenna Terminals

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at two frequencies (low channel and high channel).in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of 100kHz or 1% of the emission bandwidth of the fundamental emission of the transmitter may be employed. The EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to peak or peak hold

Remark: Reference test setup 1

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW > 1% of the emission bandwidth
- VBW ≥ 3 x RBW
- Detector = RMS
- Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- Sweep time = auto couple
- The trace was allowed to stabilize



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000 t (86-512) 62992980

sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 51 of 128

4.6 Spurious And Harmonic Emissions at Antenna Terminal

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least 43 + 10 log(P) dB. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Remark: Reference test setup 1

Test Settings

- 1. Start frequency was set to 9kHz and stop frequency was set to at least 10* the fundamental frequency(Separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissinos, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-appx. Attention: Terms-and-Conditions-and-Terms-and-Conditions-appx. The terms-and-Conditions-and-C

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980

sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 52 of 128

4.7 Peak-Average Ratio

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.7.2

A peak to average ratio measurement is performed at the conducted port of the EUT. For WCDMA signals, the spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. For GSM signals, an average and a peak trace are used on a spectrum analyzer to determine the largest deviation between the average and the peak power of the EUT in a bandwidth greater than the emission bandwidth. The traces are generated with the spectrum analyzer set to zero span mode.

Remark: Reference test setup 1

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW > Emission bandwidth of signal
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

South of No. 6 Plant, No. 1, Runsherg Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 53 of 128

4.8 Field Strength of Spurious Radiation

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8

Below 1GHz test procedure as below:

- 1). The EUT was powered ON and placed on a 80cm high table in the chamber. The antenna of the transmitter was extended to its maximum length.
- 2). The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3). Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- 4). Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- 5). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 6). Repeat above procedures until all frequencies measured was complete.

E (dB μ V/m) = Measured amplitude level (dB μ V) + (Cable Loss (dB) + Antenna Factor (dB/m) – AMP(dB)) EIRP (dBm) = E (dB μ V/m) + 20 log D – 104.8; where D is the measurement distance in meters

Above 1GHz test procedure as below:

- Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber
- 2) Calculate power in dBm by the following formula:

E (dB μ V/m) = Measured amplitude level (dB μ V) + (Cable Loss (dB) + Antenna Factor (dB/m) – AMP(dB)) EIRP (dBm) = E (dB μ V/m) + 20 log D – 104.8; where D is the measurement distance in meters

- 3). Test the EUT in the lowest channel, the middle channel the Highest channel
- 4). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 5). Repeat above procedures until all frequencies measured was complete

Remark1: Reference test setup 2

Remark2: The emission below 18G were measured at a 3m test distance, while emissions above 18GHz were measured at a 1m test distance. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Remark: Reference test setup 2

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) All modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (丁苏) 自由贸易试验区苏州 片区苏州 丁學园区海畔路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 54 of 128

4.9 Frequency Stability / Temperature Variation

Measurement Procedure:

Frequency stability testing is performed in accordance with the guidelines of FCC KDB 971168 D01 V03r01 Section 9

The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

Specification – The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

Time Period and Procedure:

- 1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
- 2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
- 3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Remark: Reference test setup 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-appx. Attention: Terms-and-Conditions-and-Terms-and-Conditions-appx. The terms-and-Conditions-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pikot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980




Report No.: SUCR2401000005AT02

Rev.: 01


Page: 55 of 128

4.10 Test Setups

4.10.1 Test Setup 1



4.10.2 Test Setup 2





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (ropery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SUCR2401000005AT02

Rev.: 01

Page: 56 of 128

4.10.3 Test Setup 3





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 鄉編: 215000 t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 57 of 128

4.11 Test Conditions

Field Strength of Spurious Radiation						
Test Case Test Conditions						
Test Environment	Ambient Climate & Rated Voltage					
Test Setup	Test Setup 2					
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)					
Test Mode	NR/TM1 Remark: All bandwidth and modulation of NR have been pre tested, and only the worst results are reflected in the report.					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.:

Page: 58 of 128

Main Test Instruments

	RSE Test System							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)			
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-02	2021/11/25	2024/11/24			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-13	2023/02/07	2024/02/06			
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10			
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-06	2023/11/21	2024/11/20			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9168	SUWI-01-11-04	2023/11/25	2024/11/24			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-05	2023/11/25	2024/11/24			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11			
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2023/05/13	2024/05/12			
Amplifier	Tonscend	TAP9K3G32	SUWI-01-14-06	2023/11/21	2024/11/20			
Amplifier	Tonscend	TAP01018050	SUWI-01-14-04	2023/11/21	2024/11/20			
Amplifier	Tonscend	TAP30M7G30	SUWI-01-14-05	2023/11/21	2024/11/20			
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	SUWI-01-04-01	2023/02/06	2024/02/05			
Measurement Software	Tonscend	JS32-RE V4.0.0.0	SUWI-02-09-04	NCR	NCR			

Remark: NCR=No Calibration Requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄭編: 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 59 of 128

6 Measurement Uncertainty

For a 95% confidence level (k = 2), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

No.	ltem	Measurement Uncertainty		
		± 3.13dB (9k -30MHz)		
4	Dedicted Emission	•		
I	Radiated Emission	± 3.13dB (9k -30MHz) ± 4.88dB (30M -1GHz) ± 4.75dB (1GHz to 18GHz)		
		± 4.77dB (Above 18GHz)		

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pikot Free Trade Zore 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 60 of 128

7 Photographs - Setup Photos

Refer to Appendix A.2 WWAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86–512) 62992980 www.sgs.group.com.cn

中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.:

Page: 61 of 128

Appendix



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 62 of 128

Field Strength of Spurious Radiation For SA Test Band = SA Band2_ TM1 Test Channel = Low

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3702.1800	39.90	-45.51	28.80	-72.07	-13.00	59.07	Horizontal				
2	5553.2700	39.22	-45.15	32.61	-68.58	-13.00	55.58	Horizontal				
3	7404.3600	38.96	-43.40	36.33	-63.36	-13.00	50.36	Horizontal				
4	9255.4500	34.31	-40.23	36.79	-64.40	-13.00	51.40	Horizontal				
5	11106.5400	30.13	-37.93	38.71	-64.35	-13.00	51.35	Horizontal				
6	12957.6300	28.83	-37.24	39.09	-64.58	-13.00	51.58	Horizontal				

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3702.1800	40.43	-45.51	28.80	-71.54	-13.00	58.54	Vertical			
2	5553.2700	39.42	-45.15	32.61	-68.38	-13.00	55.38	Vertical			
3	7404.3600	37.79	-43.40	36.33	-64.53	-13.00	51.53	Vertical			
4	9255.4500	34.87	-40.23	36.79	-63.84	-13.00	50.84	Vertical			
5	11106.5400	30.51	-37.93	38.71	-63.97	-13.00	50.97	Vertical			
6	12957.6300	28.04	-37.24	39.09	-65.37	-13.00	52.37	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pikot Free Trade Zore 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 63 of 128

Test Band = SA Band2_ TM1 Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	3742.1800	39.88	-45.68	28.84	-72.22	-13.00	59.22	Horizontal		
2	5613.2700	39.64	-45.04	32.62	-68.04	-13.00	55.04	Horizontal		
3	7484.3600	37.36	-43.18	36.56	-64.52	-13.00	51.52	Horizontal		
4	9355.4500	34.93	-40.00	36.98	-63.36	-13.00	50.36	Horizontal		
5	11226.5400	31.66	-37.40	38.72	-62.28	-13.00	49.28	Horizontal		
6	13097.6300	28.21	-37.01	39.28	-64.78	-13.00	51.78	Horizontal		

Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	3742.1800	40.12	-45.68	28.84	-71.98	-13.00	58.98	Vertical		
2	5613.2700	38.52	-45.04	32.62	-69.16	-13.00	56.16	Vertical		
3	7484.3600	37.39	-43.18	36.56	-64.49	-13.00	51.49	Vertical		
4	9355.4500	34.20	-40.00	36.98	-64.09	-13.00	51.09	Vertical		
5	11226.5400	30.71	-37.40	38.72	-63.23	-13.00	50.23	Vertical		
6	13097.6300	27.86	-37.01	39.28	-65.13	-13.00	52.13	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜高1号的6号/房南部 鄉編: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 64 of 128

Test Band = SA Band2_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3782.1800	40.27	-45.85	28.88	-71.95	-13.00	58.95	Horizontal			
2	5673.2700	38.59	-44.91	32.63	-68.94	-13.00	55.94	Horizontal			
3	7564.3600	37.33	-43.00	36.63	-64.31	-13.00	51.31	Horizontal			
4	9455.4500	33.87	-40.05	37.17	-64.28	-13.00	51.28	Horizontal			
5	11346.5400	29.78	-37.40	38.73	-64.14	-13.00	51.14	Horizontal			
6	13237.6300	27.50	-37.08	39.53	-65.31	-13.00	52.31	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3782.1800	39.97	-45.85	28.88	-72.25	-13.00	59.25	Vertical			
2	5673.2700	39.49	-44.91	32.63	-68.04	-13.00	55.04	Vertical			
3	7564.3600	37.25	-43.00	36.63	-64.39	-13.00	51.39	Vertical			
4	9455.4500	33.64	-40.05	37.17	-64.51	-13.00	51.51	Vertical			
5	11346.5400	29.93	-37.40	38.73	-63.99	-13.00	50.99	Vertical			
6	13237.6300	27.79	-37.08	39.53	-65.02	-13.00	52.02	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 65 of 128

Test Band = SA Band25_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3704.1800	40.30	-45.52	28.80	-71.67	-13.00	58.67	Horizontal			
2	5556.2700	38.78	-45.14	32.61	-69.01	-13.00	56.01	Horizontal			
3	7408.3600	38.13	-43.39	36.34	-64.17	-13.00	51.17	Horizontal			
4	9260.4500	33.90	-40.23	36.80	-64.80	-13.00	51.80	Horizontal			
5	11112.5400	29.57	-37.90	38.71	-64.87	-13.00	51.87	Horizontal			
6	12964.6300	28.01	-37.25	39.09	-65.41	-13.00	52.41	Horizontal			

Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	3704.1800	40.58	-45.52	28.80	-71.39	-13.00	58.39	Vertical		
2	5556.2700	39.77	-45.14	32.61	-68.02	-13.00	55.02	Vertical		
3	7408.3600	38.70	-43.39	36.34	-63.60	-13.00	50.60	Vertical		
4	9260.4500	34.18	-40.23	36.80	-64.52	-13.00	51.52	Vertical		
5	11112.5400	30.02	-37.90	38.71	-64.42	-13.00	51.42	Vertical		
6	12964.6300	28.08	-37.25	39.09	-65.34	-13.00	52.34	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 66 of 128

Test Band = SA Band25_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3729.1800	40.01	-45.62	28.83	-72.05	-13.00	59.05	Horizontal			
2	5593.7700	40.44	-45.08	32.62	-67.28	-13.00	54.28	Horizontal			
3	7458.3600	37.86	-43.25	36.48	-64.17	-13.00	51.17	Horizontal			
4	9322.9500	35.06	-40.13	36.91	-63.42	-13.00	50.42	Horizontal			
5	11187.5400	29.57	-37.46	38.72	-64.43	-13.00	51.43	Horizontal			
6	13052.1300	28.31	-37.16	39.19	-64.91	-13.00	51.91	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3729.1800	40.13	-45.62	28.83	-71.93	-13.00	58.93	Vertical			
2	5593.7700	39.03	-45.08	32.62	-68.69	-13.00	55.69	Vertical			
3	7458.3600	37.57	-43.25	36.48	-64.46	-13.00	51.46	Vertical			
4	9322.9500	34.77	-40.13	36.91	-63.71	-13.00	50.71	Vertical			
5	11187.5400	30.70	-37.46	38.72	-63.30	-13.00	50.30	Vertical			
6	13052.1300	28.01	-37.16	39.19	-65.21	-13.00	52.21	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 67 of 128

Test Band = SA Band25_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3754.1800	39.65	-45.73	28.85	-72.48	-13.00	59.48	Horizontal			
2	5631.2700	38.97	-45.00	32.63	-68.66	-13.00	55.66	Horizontal			
3	7508.3600	36.71	-43.12	36.60	-65.07	-13.00	52.07	Horizontal			
4	9385.4500	33.60	-39.89	37.03	-64.51	-13.00	51.51	Horizontal			
5	11262.5400	31.03	-37.41	38.73	-62.91	-13.00	49.91	Horizontal			
6	13139.6300	28.34	-37.08	39.35	-64.65	-13.00	51.65	Horizontal			

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3754.1800	40.36	-45.73	28.85	-71.77	-13.00	58.77	Vertical				
2	5631.2700	38.99	-45.00	32.63	-68.64	-13.00	55.64	Vertical				
3	7508.3600	36.97	-43.12	36.60	-64.81	-13.00	51.81	Vertical				
4	9385.4500	33.41	-39.89	37.03	-64.70	-13.00	51.70	Vertical				
5	11262.5400	30.73	-37.41	38.73	-63.21	-13.00	50.21	Vertical				
6	13139.6300	29.13	-37.08	39.35	-63.86	-13.00	50.86	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 68 of 128

Test Band = SA Band66_ TM1 Test Channel = Low

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3422.1800	41.21	-46.28	28.55	-71.77	-13.00	58.77	Horizontal				
2	5133.2700	39.57	-45.34	31.72	-69.31	-13.00	56.31	Horizontal				
3	6844.3600	38.51	-44.14	34.92	-65.97	-13.00	52.97	Horizontal				
4	8555.4500	35.47	-41.46	36.52	-64.73	-13.00	51.73	Horizontal				
5	10266.5400	32.47	-39.23	38.33	-63.68	-13.00	50.68	Horizontal				
6	11977.6300	28.66	-37.51	38.80	-65.32	-13.00	52.32	Horizontal				

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3422.1800	41.17	-46.28	28.55	-71.81	-13.00	58.81	Vertical				
2	5133.2700	39.41	-45.34	31.72	-69.47	-13.00	56.47	Vertical				
3	6844.3600	38.95	-44.14	34.92	-65.53	-13.00	52.53	Vertical				
4	8555.4500	35.75	-41.46	36.52	-64.45	-13.00	51.45	Vertical				
5	10266.5400	31.93	-39.23	38.33	-64.22	-13.00	51.22	Vertical				
6	11977.6300	28.39	-37.51	38.80	-65.59	-13.00	52.59	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 69 of 128

Test Band = SA Band66_ TM1 Test Channel = Mid

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3472.1800	41.27	-46.27	28.58	-71.67	-13.00	58.67	Horizontal				
2	5208.2700	39.46	-45.26	31.90	-69.16	-13.00	56.16	Horizontal				
3	6944.3600	37.92	-43.85	35.10	-66.09	-13.00	53.09	Horizontal				
4	8680.4500	35.96	-41.62	36.46	-64.46	-13.00	51.46	Horizontal				
5	10416.5400	32.15	-38.97	38.41	-63.68	-13.00	50.68	Horizontal				
6	12152.6300	27.97	-37.42	38.85	-65.86	-13.00	52.86	Horizontal				

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3472.1800	40.93	-46.27	28.58	-72.01	-13.00	59.01	Vertical				
2	5208.2700	39.60	-45.26	31.90	-69.02	-13.00	56.02	Vertical				
3	6944.3600	38.34	-43.85	35.10	-65.67	-13.00	52.67	Vertical				
4	8680.4500	36.50	-41.62	36.46	-63.92	-13.00	50.92	Vertical				
5	10416.5400	32.25	-38.97	38.41	-63.58	-13.00	50.58	Vertical				
6	12152.6300	28.75	-37.42	38.85	-65.08	-13.00	52.08	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 70 of 128

Test Band = SA Band66_ TM1 Test Channel = High

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3522.1800	41.72	-46.23	28.62	-71.15	-13.00	58.15	Horizontal				
2	5283.2700	39.52	-45.12	32.08	-68.78	-13.00	55.78	Horizontal				
3	7044.3600	37.62	-43.85	35.33	-66.16	-13.00	53.16	Horizontal				
4	8805.4500	35.46	-41.25	36.40	-64.65	-13.00	51.65	Horizontal				
5	10566.5400	31.37	-38.58	38.48	-63.99	-13.00	50.99	Horizontal				
6	12327.6300	30.06	-37.45	38.90	-63.75	-13.00	50.75	Horizontal				

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	3522.1800	40.74	-46.23	28.62	-72.13	-13.00	59.13	Vertical				
2	5283.2700	39.19	-45.12	32.08	-69.11	-13.00	56.11	Vertical				
3	7044.3600	38.04	-43.85	35.33	-65.74	-13.00	52.74	Vertical				
4	8805.4500	35.58	-41.25	36.40	-64.53	-13.00	51.53	Vertical				
5	10566.5400	30.99	-38.58	38.48	-64.37	-13.00	51.37	Vertical				
6	12327.6300	28.86	-37.45	38.90	-64.95	-13.00	51.95	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.china



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 71 of 128

Test Band = SA Band71_ TM1 Test Channel = Low

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	1328.1800	44.11	-48.09	25.14	-74.11	-13.00	61.11	Horizontal				
2	1992.2700	43.12	-47.91	25.89	-74.17	-13.00	61.17	Horizontal				
3	2656.3600	42.86	-47.00	27.61	-71.78	-13.00	58.78	Horizontal				
4	3320.4500	42.30	-46.65	28.49	-71.12	-13.00	58.12	Horizontal				
5	3984.5400	41.31	-46.20	29.08	-71.07	-13.00	58.07	Horizontal				
6	4648.6300	40.48	-45.79	30.63	-69.95	-13.00	56.95	Horizontal				

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	1328.1800	43.53	-48.09	25.14	-74.69	-13.00	61.69	Vertical				
2	1992.2700	42.92	-47.91	25.89	-74.37	-13.00	61.37	Vertical				
3	2656.3600	42.54	-47.00	27.61	-72.10	-13.00	59.10	Vertical				
4	3320.4500	42.02	-46.65	28.49	-71.40	-13.00	58.40	Vertical				
5	3984.5400	41.38	-46.20	29.08	-71.00	-13.00	58.00	Vertical				
6	4648.6300	40.72	-45.79	30.63	-69.71	-13.00	56.71	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Indushia Park, Suzhou Area, Chine (Jiangsu) Pikit Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜高1号的6号厂房南部 鄉鄉: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 72 of 128

Test Band = SA Band71_ TM1 Test Channel = Mid

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	1343.1800	44.03	-48.07	25.13	-74.18	-13.00	61.18	Horizontal				
2	2014.7700	41.93	-47.87	25.94	-75.26	-13.00	62.26	Horizontal				
3	2686.3600	42.33	-47.03	27.67	-72.29	-13.00	59.29	Horizontal				
4	3357.9500	42.33	-46.60	28.51	-71.01	-13.00	58.01	Horizontal				
5	4029.5400	40.77	-46.11	29.17	-71.43	-13.00	58.43	Horizontal				
6	4701.1300	40.51	-45.80	30.74	-69.81	-13.00	56.81	Horizontal				

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity				
1	1343.1800	43.63	-48.07	25.13	-74.58	-13.00	61.58	Vertical				
2	2014.7700	41.91	-47.87	25.94	-75.28	-13.00	62.28	Vertical				
3	2686.3600	42.65	-47.03	27.67	-71.97	-13.00	58.97	Vertical				
4	3357.9500	41.84	-46.60	28.51	-71.50	-13.00	58.50	Vertical				
5	4029.5400	41.08	-46.11	29.17	-71.12	-13.00	58.12	Vertical				
6	4701.1300	40.11	-45.80	30.74	-70.21	-13.00	57.21	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 73 of 128

Test Band = SA Band71_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1358.1800	44.45	-48.05	25.12	-73.74	-13.00	60.74	Horizontal			
2	2037.2700	43.12	-47.83	26.01	-73.96	-13.00	60.96	Horizontal			
3	2716.3600	42.62	-47.03	27.73	-71.94	-13.00	58.94	Horizontal			
4	3395.4500	41.73	-46.55	28.54	-71.54	-13.00	58.54	Horizontal			
5	4074.5400	40.82	-45.98	29.28	-71.14	-13.00	58.14	Horizontal			
6	4753.6300	39.88	-45.71	30.86	-70.24	-13.00	57.24	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1358.1800	43.87	-48.05	25.12	-74.32	-13.00	61.32	Vertical			
2	2037.2700	43.90	-47.83	26.01	-73.18	-13.00	60.18	Vertical			
3	2716.3600	42.40	-47.03	27.73	-72.16	-13.00	59.16	Vertical			
4	3395.4500	41.84	-46.55	28.54	-71.43	-13.00	58.43	Vertical			
5	4074.5400	41.09	-45.98	29.28	-70.87	-13.00	57.87	Vertical			
6	4753.6300	40.20	-45.71	30.86	-69.92	-13.00	56.92	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 74 of 128

Test Band = SA Band5_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1650.1800	43.17	-48.22	25.28	-75.03	-13.00	62.03	Horizontal			
2	2475.2700	42.42	-47.31	27.23	-72.92	-13.00	59.92	Horizontal			
3	3300.3600	41.94	-46.68	28.48	-71.52	-13.00	58.52	Horizontal			
4	4125.4500	40.75	-45.92	29.40	-71.02	-13.00	58.02	Horizontal			
5	4950.5400	41.17	-45.70	31.29	-68.50	-13.00	55.50	Horizontal			
6	5775.6300	39.36	-44.64	32.66	-67.88	-13.00	54.88	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1650.1800	43.11	-48.22	25.28	-75.09	-13.00	62.09	Vertical			
2	2475.2700	42.48	-47.31	27.23	-72.86	-13.00	59.86	Vertical			
3	3300.3600	41.63	-46.68	28.48	-71.83	-13.00	58.83	Vertical			
4	4125.4500	40.34	-45.92	29.40	-71.43	-13.00	58.43	Vertical			
5	4950.5400	40.84	-45.70	31.29	-68.83	-13.00	55.83	Vertical			
6	5775.6300	39.13	-44.64	32.66	-68.11	-13.00	55.11	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 75 of 128

Test Band = SA Band5_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1655.1800	43.59	-48.21	25.28	-74.60	-13.00	61.60	Horizontal			
2	2482.7700	42.38	-47.30	27.25	-72.93	-13.00	59.93	Horizontal			
3	3310.3600	42.30	-46.66	28.49	-71.14	-13.00	58.14	Horizontal			
4	4137.9500	40.17	-45.92	29.43	-71.58	-13.00	58.58	Horizontal			
5	4965.5400	40.49	-45.73	31.32	-69.18	-13.00	56.18	Horizontal			
6	5793.1300	39.15	-44.65	32.66	-68.11	-13.00	55.11	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1655.1800	43.00	-48.21	25.28	-75.19	-13.00	62.19	Vertical			
2	2482.7700	42.39	-47.30	27.25	-72.92	-13.00	59.92	Vertical			
3	3310.3600	41.99	-46.66	28.49	-71.45	-13.00	58.45	Vertical			
4	4137.9500	40.70	-45.92	29.43	-71.05	-13.00	58.05	Vertical			
5	4965.5400	40.54	-45.73	31.32	-69.13	-13.00	56.13	Vertical			
6	5793.1300	39.74	-44.65	32.66	-67.52	-13.00	54.52	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 76 of 128

Test Band = SA Band5_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1660.1800	42.84	-48.21	25.29	-75.34	-13.00	62.34	Horizontal			
2	2490.2700	42.00	-47.29	27.27	-73.27	-13.00	60.27	Horizontal			
3	3320.3600	42.12	-46.65	28.49	-71.30	-13.00	58.30	Horizontal			
4	4150.4500	40.28	-45.93	29.46	-71.45	-13.00	58.45	Horizontal			
5	4980.5400	40.58	-45.77	31.36	-69.09	-13.00	56.09	Horizontal			
6	5810.6300	38.91	-44.69	32.66	-68.38	-13.00	55.38	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1660.1800	43.46	-48.21	25.29	-74.72	-13.00	61.72	Vertical			
2	2490.2700	41.60	-47.29	27.27	-73.67	-13.00	60.67	Vertical			
3	3320.3600	42.93	-46.65	28.49	-70.49	-13.00	57.49	Vertical			
4	4150.4500	40.48	-45.93	29.46	-71.25	-13.00	58.25	Vertical			
5	4980.5400	40.56	-45.77	31.36	-69.11	-13.00	56.11	Vertical			
6	5810.6300	39.21	-44.69	32.66	-68.08	-13.00	55.08	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPU Descheck/Genes come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 77 of 128

Test Band = SA Band7_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5004.1800	40.57	-45.63	31.41	-68.91	-25.00	43.91	Horizontal			
2	7506.2700	38.88	-43.13	36.60	-62.90	-25.00	37.90	Horizontal			
3	10008.3600	34.91	-39.23	38.20	-61.38	-25.00	36.38	Horizontal			
4	12510.4500	31.48	-37.02	38.95	-61.85	-25.00	36.85	Horizontal			
5	15012.5400	24.90	-34.67	41.27	-63.76	-25.00	38.76	Horizontal			
6	17514.6300	30.90	-34.82	44.62	-54.56	-25.00	29.56	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5004.1800	40.79	-45.63	31.41	-68.69	-25.00	43.69	Vertical			
2	7506.2700	38.53	-43.13	36.60	-63.25	-25.00	38.25	Vertical			
3	10008.3600	34.03	-39.23	38.20	-62.26	-25.00	37.26	Vertical			
4	12510.4500	31.55	-37.02	38.95	-61.78	-25.00	36.78	Vertical			
5	15012.5400	24.14	-34.67	41.27	-64.52	-25.00	39.52	Vertical			
6	17514.6300	31.24	-34.82	44.62	-54.22	-25.00	29.22	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 78 of 128

Test Band = SA Band7_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5034.1800	40.97	-45.55	31.48	-68.35	-25.00	43.35	Horizontal			
2	7551.2700	37.82	-43.03	36.62	-63.85	-25.00	38.85	Horizontal			
3	10068.3600	33.86	-39.16	38.23	-62.32	-25.00	37.32	Horizontal			
4	12585.4500	30.01	-37.52	38.98	-63.80	-25.00	38.80	Horizontal			
5	15102.5400	25.15	-34.92	41.08	-63.95	-25.00	38.95	Horizontal			
6	17619.6300	29.18	-33.39	45.09	-54.38	-25.00	29.38	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5034.1800	40.95	-45.55	31.48	-68.37	-25.00	43.37	Vertical			
2	7551.2700	38.69	-43.03	36.62	-62.98	-25.00	37.98	Vertical			
3	10068.3600	34.23	-39.16	38.23	-61.95	-25.00	36.95	Vertical			
4	12585.4500	29.40	-37.52	38.98	-64.41	-25.00	39.41	Vertical			
5	15102.5400	24.55	-34.92	41.08	-64.55	-25.00	39.55	Vertical			
6	17619.6300	29.09	-33.39	45.09	-54.47	-25.00	29.47	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 79 of 128

Test Band = SA Band7_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5064.1800	40.16	-45.47	31.55	-69.01	-25.00	44.01	Horizontal			
2	7596.2700	38.21	-42.94	36.64	-63.35	-25.00	38.35	Horizontal			
3	10128.3600	33.23	-39.23	38.26	-62.99	-25.00	37.99	Horizontal			
4	12660.4500	30.56	-37.05	39.00	-62.75	-25.00	37.75	Horizontal			
5	15192.5400	25.66	-33.99	40.89	-62.70	-25.00	37.70	Horizontal			
6	17724.6300	31.22	-34.18	45.56	-52.66	-25.00	27.66	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5064.1800	41.54	-45.47	31.55	-67.63	-25.00	42.63	Vertical			
2	7592	42.36	-42.95	36.64	-59.21	-25.00	34.21	Vertical			
3	10128.3600	33.41	-39.23	38.26	-62.81	-25.00	37.81	Vertical			
4	12660.4500	30.87	-37.05	39.00	-62.44	-25.00	37.44	Vertical			
5	15192.5400	25.53	-33.99	40.89	-62.83	-25.00	37.83	Vertical			
6	17724.6300	30.75	-34.18	45.56	-53.13	-25.00	28.13	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 80 of 128

Test Band = SA Band13_10M_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1555.4286	49.05	-48.30	25.18	-69.33	-13.00	56.33	Horizontal			
2	2332.5714	50.27	-47.48	26.83	-65.64	-13.00	52.64	Horizontal			
3	3204.5714	42.93	-46.31	28.42	-70.22	-13.00	57.22	Horizontal			
4	3981.7143	42.12	-46.21	29.08	-70.26	-13.00	57.26	Horizontal			
5	5053.1429	41.17	-45.58	31.53	-68.14	-13.00	55.14	Horizontal			
6	6234.2857	40.24	-44.79	33.45	-66.36	-13.00	53.36	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1554.8571	49.32	-48.30	25.18	-69.06	-13.00	56.06	Vertical			
2	2333.1429	47.78	-47.48	26.83	-68.13	-13.00	55.13	Vertical			
3	3110.2857	46.74	-46.70	28.37	-66.86	-13.00	53.86	Vertical			
4	3888	45.69	-46.22	28.99	-66.80	-13.00	53.80	Vertical			
5	4665.1429	42.88	-45.80	30.66	-67.51	-13.00	54.51	Vertical			
6	5972	40.88	-44.58	32.69	-66.27	-13.00	53.27	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 81 of 128

Test Band = SA Band13_5M_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1594.2857	44.75	-48.28	25.20	-73.60	-40.00	33.60	Horizontal			
2	1878.8571	43.71	-48.03	25.66	-73.92	-13.00	60.92	Horizontal			
3	2718.2857	43.97	-47.03	27.74	-70.58	-13.00	57.58	Horizontal			
4	3220.5714	42.95	-46.37	28.43	-70.25	-13.00	57.25	Horizontal			
5	4775.4286	41.67	-45.68	30.91	-68.36	-13.00	55.36	Horizontal			
6	6142.2857	40.41	-44.77	33.16	-66.47	-13.00	53.47	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1637.1429	44.35	-48.24	25.26	-73.89	-13.00	60.89	Vertical			
2	2212.5714	43.75	-47.66	26.50	-72.67	-13.00	59.67	Vertical			
3	2777.1429	43.17	-46.95	27.85	-71.19	-13.00	58.19	Vertical			
4	3440.5714	42.76	-46.54	28.56	-70.48	-13.00	57.48	Vertical			
5	4101.1429	41.91	-45.90	29.34	-69.91	-13.00	56.91	Vertical			
6	5294.2857	41.01	-45.27	32.11	-67.42	-13.00	54.42	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 82 of 128

Test Band = SA Band13_5M_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1190.8571	47.96	-48.54	25.20	-70.64	-13.00	57.64	Horizontal			
2	1577.7143	44.78	-48.29	25.19	-73.58	-40.00	33.58	Horizontal			
3	2348.5714	44.33	-47.48	26.88	-71.53	-13.00	58.53	Horizontal			
4	2945.1429	43.24	-46.55	28.19	-70.38	-13.00	57.38	Horizontal			
5	4421.7143	42.12	-45.83	30.11	-68.85	-13.00	55.85	Horizontal			
6	5970.8571	40.56	-44.59	32.69	-66.59	-13.00	53.59	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1587.4286	44.58	-48.29	25.19	-73.77	-40.00	33.77	Vertical			
2	2438.8571	43.39	-47.38	27.13	-72.12	-13.00	59.12	Vertical			
3	3496	43.19	-46.54	28.60	-70.01	-13.00	57.01	Vertical			
4	4292.5714	42.02	-45.79	29.80	-69.23	-13.00	56.23	Vertical			
5	4879.4286	42.49	-45.59	31.13	-67.23	-13.00	54.23	Vertical			
6	5759.4286	40.52	-44.62	32.65	-66.71	-13.00	53.71	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPU Descheck/Genes come.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 83 of 128

Test Band = SA Band13_5M_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1244.5714	46.27	-48.37	25.18	-72.19	-13.00	59.19	Horizontal			
2	1593.7143	44.49	-48.28	25.20	-73.86	-40.00	33.86	Horizontal			
3	2333.1429	45.15	-47.48	26.83	-70.76	-13.00	57.76	Horizontal			
4	3376	42.96	-46.57	28.53	-70.35	-13.00	57.35	Horizontal			
5	4211.4286	41.64	-45.94	29.61	-69.95	-13.00	56.95	Horizontal			
6	6959.4286	39.93	-43.81	35.13	-64.02	-13.00	51.02	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1584	44.36	-48.29	25.19	-73.99	-40.00	33.99	Vertical			
2	2136.5714	43.56	-47.70	26.28	-73.12	-13.00	60.12	Vertical			
3	3370.8571	42.81	-46.58	28.52	-70.51	-13.00	57.51	Vertical			
4	4298.2857	42.05	-45.78	29.82	-69.18	-13.00	56.18	Vertical			
5	5801.1429	40.06	-44.66	32.66	-67.20	-13.00	54.20	Vertical			
6	6990.8571	39.69	-43.62	35.18	-64.01	-13.00	51.01	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 84 of 128

Test Band = SA Band14_10M_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1711.4286	53.54	-48.14	25.37	-64.49	-13.00	51.49	Horizontal			
2	1729.1429	57.06	-48.10	25.39	-60.91	-13.00	47.91	Horizontal			
3	2332.5714	49.80	-47.48	26.83	-66.11	-13.00	53.11	Horizontal			
4	3238.8571	43.26	-46.44	28.44	-70.00	-13.00	57.00	Horizontal			
5	4052.5714	42.05	-46.04	29.23	-70.03	-13.00	57.03	Horizontal			
6	5335.4286	40.79	-45.18	32.21	-67.44	-13.00	54.44	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1711.4286	48.11	-48.14	25.37	-69.92	-13.00	56.92	Vertical			
2	2332.5714	48.68	-47.48	26.83	-67.23	-13.00	54.23	Vertical			
3	3164.5714	43.23	-46.45	28.40	-70.08	-13.00	57.08	Vertical			
4	3888	46.08	-46.22	28.99	-66.41	-13.00	53.41	Vertical			
5	4665.7143	43.26	-45.80	30.66	-67.13	-13.00	54.13	Vertical			
6	6878.8571	40.62	-44.16	34.98	-63.82	-13.00	50.82	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 85 of 128

Test Band = SA Band14_5M_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1598.2857	45.26	-48.28	25.20	-73.08	-40.00	33.08	Horizontal			
2	1712	41.44	-48.13	25.37	-76.59	-13.00	55.43	Horizontal			
3	3263.4286	43.17	-46.54	28.46	-70.17	-13.00	57.17	Horizontal			
4	4822.8571	41.33	-45.63	31.01	-68.55	-13.00	55.55	Horizontal			
5	6255.4286	39.83	-44.73	33.52	-66.65	-13.00	53.65	Horizontal			
6	7006.8571	40.07	-43.61	35.22	-63.59	-13.00	50.59	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1596.5714	44.42	-48.28	25.20	-73.92	-40.00	33.92	Vertical			
2	1682.2857	43.87	-48.18	25.32	-74.25	-13.00	61.25	Vertical			
3	2353.1429	44.04	-47.47	26.89	-71.80	-13.00	58.80	Vertical			
4	3861.1429	43.10	-46.20	28.96	-69.40	-13.00	56.40	Vertical			
5	5269.7143	40.78	-45.20	32.05	-67.63	-13.00	54.63	Vertical			
6	6769.1429	41.06	-44.10	34.78	-63.52	-13.00	50.52	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPU Descheck/Genes come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 86 of 128

Test Band = SA Band14_5M_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1566.8571	44.89	-48.29	25.18	-73.48	-40.00	33.48	Horizontal			
2	1897.1429	43.96	-48.05	25.69	-73.65	-13.00	60.65	Horizontal			
3	2641.7143	43.66	-46.98	27.58	-71.00	-13.00	58.00	Horizontal			
4	3498.8571	43.11	-46.54	28.60	-70.09	-13.00	57.09	Horizontal			
5	4724.5714	41.61	-45.76	30.79	-68.62	-13.00	55.62	Horizontal			
6	5731.4286	40.98	-44.60	32.65	-66.23	-13.00	53.23	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1541.7143	45.73	-48.30	25.17	-72.66	-13.00	59.66	Vertical			
2	2258.8571	43.83	-47.57	26.62	-72.38	-13.00	59.38	Vertical			
3	2884	43.14	-46.63	28.07	-70.68	-13.00	57.68	Vertical			
4	3492	43.13	-46.54	28.60	-70.07	-13.00	57.07	Vertical			
5	4452.5714	42.05	-45.74	30.19	-68.76	-13.00	55.76	Vertical			
6	6814.8571	40.69	-44.13	34.87	-63.83	-13.00	50.83	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 87 of 128

Test Band = SA Band14_5M_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1406.8571	44.82	-48.02	25.10	-73.36	-13.00	60.36	Horizontal			
2	1794.2857	44.31	-47.96	25.49	-73.42	-13.00	60.42	Horizontal			
3	2416.5714	43.92	-47.42	27.07	-71.69	-13.00	58.69	Horizontal			
4	2918.2857	43.17	-46.56	28.14	-70.51	-13.00	57.51	Horizontal			
5	3955.4286	42.62	-46.21	29.06	-69.80	-13.00	56.80	Horizontal			
6	6773.1429	40.66	-44.10	34.79	-63.91	-13.00	50.91	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1277.7143	44.67	-48.23	25.16	-73.66	-13.00	60.66	Vertical			
2	1750.8571	44.44	-48.05	25.43	-73.45	-13.00	60.45	Vertical			
3	2544.5714	43.43	-47.12	27.39	-71.56	-13.00	58.56	Vertical			
4	3192	43.37	-46.33	28.42	-69.80	-13.00	56.80	Vertical			
5	4377.7143	42.13	-45.87	30.01	-68.99	-13.00	55.99	Vertical			
6	6442.2857	40.10	-44.70	34.12	-65.75	-13.00	52.75	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 88 of 128

Test Band = SA Band38_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3977	43.23	-46.10	29.08	-69.05	-25.00	44.05	Horizontal			
2	5144.1800	40.55	-45.33	31.75	-68.29	-25.00	43.29	Horizontal			
3	7716.2700	39.29	-42.99	36.69	-62.27	-25.00	37.27	Horizontal			
4	10288.3600	33.78	-39.14	38.34	-62.27	-25.00	37.27	Horizontal			
5	12860.4500	31.55	-37.00	39.06	-61.65	-25.00	36.65	Horizontal			
6	15432.5400	29.93	-34.11	40.39	-59.05	-25.00	34.05	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3567	43.44	-46.17	28.67	-69.33	-25.00	44.33	Vertical			
2	5144.1800	40.58	-45.33	31.75	-68.26	-25.00	43.26	Vertical			
3	7716.2700	39.38	-42.99	36.69	-62.18	-25.00	37.18	Vertical			
4	10288.3600	34.95	-39.14	38.34	-61.10	-25.00	36.10	Vertical			
5	12860.4500	30.93	-37.00	39.06	-62.27	-25.00	37.27	Vertical			
6	15432.5400	29.25	-34.11	40.39	-59.73	-25.00	34.73	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.china

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 89 of 128

Test Band = SA Band38_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4147.5	42.97	-45.76	29.45	-68.60	-25.00	43.60	Horizontal			
2	5154.1800	41.11	-45.32	31.77	-67.70	-25.00	42.70	Horizontal			
3	7731.2700	39.87	-42.86	36.69	-61.56	-25.00	36.56	Horizontal			
4	10308.3600	34.08	-39.08	38.35	-61.91	-25.00	36.91	Horizontal			
5	12885.4500	30.96	-37.07	39.07	-62.30	-25.00	37.30	Horizontal			
6	15462.5400	29.91	-34.67	40.33	-59.70	-25.00	34.70	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4279.5	42.78	-45.59	29.77	-68.30	-25.00	43.30	Vertical			
2	5154.1800	40.68	-45.32	31.77	-68.13	-25.00	43.13	Vertical			
3	7731.2700	39.39	-42.86	36.69	-62.04	-25.00	37.04	Vertical			
4	10308.3600	34.56	-39.08	38.35	-61.43	-25.00	36.43	Vertical			
5	12885.4500	31.52	-37.07	39.07	-61.74	-25.00	36.74	Vertical			
6	15462.5400	30.84	-34.67	40.33	-58.77	-25.00	33.77	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 90 of 128

Test Band = SA Band38_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3977	43.37	-46.10	29.08	-68.91	-25.00	43.91	Horizontal			
2	5164.1800	40.86	-45.31	31.79	-67.92	-25.00	42.92	Horizontal			
3	7746.2700	38.88	-42.74	36.70	-62.42	-25.00	37.42	Horizontal			
4	10328.3600	34.38	-39.07	38.36	-61.58	-25.00	36.58	Horizontal			
5	12910.4500	31.49	-37.13	39.07	-61.83	-25.00	36.83	Horizontal			
6	15492.5400	30.43	-35.24	40.26	-59.80	-25.00	34.80	Horizontal			

Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	3878.5	43.60	-46.20	28.98	-68.88	-25.00	43.88	Vertical		
2	5164.1800	40.91	-45.31	31.79	-67.87	-25.00	42.87	Vertical		
3	7746.2700	38.76	-42.74	36.70	-62.54	-25.00	37.54	Vertical		
4	10328.3600	33.74	-39.07	38.36	-62.22	-25.00	37.22	Vertical		
5	12910.4500	31.42	-37.13	39.07	-61.90	-25.00	36.90	Vertical		
6	15492.5400	31.95	-35.24	40.26	-58.28	-25.00	33.28	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 91 of 128

Test Band = SA Band41_ TM1 Test Channel = Low

Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	5002.2000	41.32	-45.63	31.41	-68.17	-25.00	43.17	Horizontal		
2	7503.3000	38.24	-43.13	36.60	-63.55	-25.00	38.55	Horizontal		
3	10004.4000	34.18	-39.23	38.20	-62.11	-25.00	37.11	Horizontal		
4	12505.5000	31.61	-36.99	38.95	-61.69	-25.00	36.69	Horizontal		
5	15006.6000	23.68	-34.65	41.29	-64.95	-25.00	39.95	Horizontal		
6	17507.7000	30.20	-34.95	44.59	-55.42	-25.00	30.42	Horizontal		

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5002.2000	42.75	-45.63	31.41	-66.74	-25.00	41.74	Vertical			
2	7503.3000	38.70	-43.13	36.60	-63.09	-25.00	38.09	Vertical			
3	10004.4000	34.11	-39.23	38.20	-62.18	-25.00	37.18	Vertical			
4	12505.5000	31.39	-36.99	38.95	-61.91	-25.00	36.91	Vertical			
5	15006.6000	25.13	-34.65	41.29	-63.50	-25.00	38.50	Vertical			
6	17507.7000	29.98	-34.95	44.59	-55.64	-25.00	30.64	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 92 of 128

Test Band = SA Band41_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5096.1600	40.70	-45.38	31.63	-68.31	-25.00	43.31	Horizontal			
2	7644.2400	39.13	-43.01	36.66	-62.49	-25.00	37.49	Horizontal			
3	10192.3200	34.93	-39.47	38.30	-61.51	-25.00	36.51	Horizontal			
4	12740.4000	30.94	-36.74	39.02	-62.04	-25.00	37.04	Horizontal			
5	15288.4800	28.87	-34.36	40.69	-60.06	-25.00	35.06	Horizontal			
6	17836.5600	31.57	-34.59	46.07	-52.21	-25.00	27.21	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	5096.1600	40.87	-45.38	31.63	-68.14	-25.00	43.14	Vertical			
2	7644.2400	38.69	-43.01	36.66	-62.93	-25.00	37.93	Vertical			
3	10192.3200	36.27	-39.47	38.30	-60.17	-25.00	35.17	Vertical			
4	12740.4000	31.40	-36.74	39.02	-61.58	-25.00	36.58	Vertical			
5	15288.4800	28.68	-34.36	40.69	-60.25	-25.00	35.25	Vertical			
6	17836.5600	32.00	-34.59	46.07	-51.78	-25.00	26.78	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exore exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@gs.com"

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 93 of 128

Test Band = SA Band41_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4087	42.93	-45.80	29.31	-68.82	-25.00	43.82	Horizontal			
2	5190.1800	40.15	-45.29	31.86	-68.54	-25.00	43.54	Horizontal			
3	7785.2700	39.00	-42.43	36.71	-61.97	-25.00	36.97	Horizontal			
4	10380.3600	33.65	-39.03	38.39	-62.25	-25.00	37.25	Horizontal			
5	12975.4500	30.25	-37.28	39.09	-63.19	-25.00	38.19	Horizontal			
6	15570.5400	29.85	-35.08	40.10	-60.39	-25.00	35.39	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4257.5	43.06	-45.64	29.72	-68.12	-25.00	43.12	Vertical			
2	5190.1800	40.57	-45.29	31.86	-68.12	-25.00	43.12	Vertical			
3	7785.2700	39.24	-42.43	36.71	-61.73	-25.00	36.73	Vertical			
4	10380.3600	33.39	-39.03	38.39	-62.51	-25.00	37.51	Vertical			
5	12975.4500	30.10	-37.28	39.09	-63.34	-25.00	38.34	Vertical			
6	15570.5400	30.44	-35.08	40.10	-59.80	-25.00	34.80	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 94 of 128

Test Band = SA Band30_10M_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4420.3800	41.73	-45.80	30.11	-69.22	-40.00	29.22	Horizontal			
2	6630.5700	39.61	-44.18	34.54	-65.30	-40.00	25.30	Horizontal			
3	8840.7600	38.01	-41.25	36.38	-62.12	-40.00	22.12	Horizontal			
4	11050.9500	31.72	-37.91	38.71	-62.74	-40.00	22.74	Horizontal			
5	13261.1400	29.77	-37.00	39.57	-62.92	-40.00	22.92	Horizontal			
6	15471.3300	27.92	-34.83	40.31	-61.86	-40.00	21.86	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4420.3800	43.33	-45.80	30.11	-67.62	-40.00	27.62	Vertical			
2	6630.5700	40.19	-44.18	34.54	-64.72	-40.00	24.72	Vertical			
3	8840.7600	37.27	-41.25	36.38	-62.86	-40.00	22.86	Vertical			
4	11050.9500	31.13	-37.91	38.71	-63.33	-40.00	23.33	Vertical			
5	13261.1400	29.58	-37.00	39.57	-63.11	-40.00	23.11	Vertical			
6	15471.3300	27.91	-34.83	40.31	-61.87	-40.00	21.87	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 95 of 128

Test Band = SA Band30_5M_ TM1 Test Channel = Low

Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	4606.1800	41.28	-45.67	30.53	-69.11	-40.00	29.11	Horizontal		
2	6909.2700	39.89	-44.05	35.04	-64.38	-40.00	24.38	Horizontal		
3	9212.3600	36.48	-40.25	36.70	-62.32	-40.00	22.32	Horizontal		
4	11515.4500	32.38	-37.25	38.75	-61.37	-40.00	21.37	Horizontal		
5	13818.5400	31.09	-36.22	40.57	-59.82	-40.00	19.82	Horizontal		
6	16121.6300	30.90	-34.56	39.58	-59.34	-40.00	19.34	Horizontal		

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4606.1800	41.71	-45.67	30.53	-68.68	-40.00	28.68	Vertical			
2	6909.2700	40.42	-44.05	35.04	-63.85	-40.00	23.85	Vertical			
3	9212.3600	36.69	-40.25	36.70	-62.11	-40.00	22.11	Vertical			
4	11515.4500	32.61	-37.25	38.75	-61.14	-40.00	21.14	Vertical			
5	13818.5400	31.58	-36.22	40.57	-59.33	-40.00	19.33	Vertical			
6	16121.6300	30.35	-34.56	39.58	-59.89	-40.00	19.89	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPU Descheck/Genes come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 96 of 128

Test Band = SA Band30_5M_ TM1 Test Channel = Mid

Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	4429.7400	41.46	-45.79	30.13	-69.46	-40.00	29.46	Horizontal		
2	6644.6100	40.01	-44.11	34.56	-64.80	-40.00	24.80	Horizontal		
3	8859.4800	37.18	-41.24	36.37	-62.95	-40.00	22.95	Horizontal		
4	11074.3500	33.60	-37.94	38.71	-60.89	-40.00	20.89	Horizontal		
5	13289.2200	31.65	-36.91	39.62	-60.90	-40.00	20.90	Horizontal		
6	15504.0900	30.94	-35.35	40.24	-59.43	-40.00	19.43	Horizontal		

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4429.7400	42.79	-45.79	30.13	-68.13	-40.00	28.13	Vertical			
2	6644.6100	40.96	-44.11	34.56	-63.85	-40.00	23.85	Vertical			
3	8859.4800	38.07	-41.24	36.37	-62.06	-40.00	22.06	Vertical			
4	11074.3500	33.47	-37.94	38.71	-61.02	-40.00	21.02	Vertical			
5	13289.2200	32.32	-36.91	39.62	-60.23	-40.00	20.23	Vertical			
6	15504.0900	31.40	-35.35	40.24	-58.97	-40.00	18.97	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPU Descheck/Genes come.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 97 of 128

Test Band = SA Band30_5M_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4614.0200	41.48	-45.66	30.55	-68.89	-40.00	28.89	Horizontal			
2	6921.0300	40.19	-43.98	35.06	-63.99	-40.00	23.99	Horizontal			
3	9228.0400	34.71	-40.24	36.73	-64.06	-40.00	24.06	Horizontal			
4	11535.0500	31.99	-37.16	38.75	-61.68	-40.00	21.68	Horizontal			
5	13842.0600	31.56	-36.00	40.62	-59.08	-40.00	19.08	Horizontal			
6	16148.0700	32.06	-34.59	39.66	-58.13	-40.00	18.13	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4614.0200	42.17	-45.66	30.55	-68.20	-40.00	28.20	Vertical			
2	6921.0300	40.73	-43.98	35.06	-63.45	-40.00	23.45	Vertical			
3	9228.0400	35.49	-40.24	36.73	-63.28	-40.00	23.28	Vertical			
4	11535.0500	32.09	-37.16	38.75	-61.58	-40.00	21.58	Vertical			
5	13842.0600	31.38	-36.00	40.62	-59.26	-40.00	19.26	Vertical			
6	16148.0700	31.86	-34.59	39.66	-58.33	-40.00	18.33	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 98 of 128

Test Band = SA Band48_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7665.525	39.80	-42.88	36.67	-61.67	-40.00	21.67	Horizontal			
2	8812.075	38.82	-41.11	36.39	-61.16	-40.00	21.16	Horizontal			
3	10077.65	35.55	-38.85	38.24	-60.32	-40.00	20.32	Horizontal			
4	11456.5	33.21	-36.95	38.75	-60.25	-40.00	20.25	Horizontal			
5	13642.075	33.09	-36.02	40.26	-57.93	-40.00	17.93	Horizontal			
6	14673.625	31.04	-34.92	41.17	-57.97	-40.00	17.97	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7619.525	40.29	-42.78	36.65	-61.10	-40.00	21.10	Vertical			
2	8697.65	38.90	-41.33	36.45	-61.24	-40.00	21.24	Vertical			
3	9871.8	36.55	-39.16	37.96	-59.91	-40.00	19.91	Vertical			
4	11463.975	33.58	-36.87	38.75	-59.80	-40.00	19.80	Vertical			
5	13642.075	32.96	-36.02	40.26	-58.06	-40.00	18.06	Vertical			
6	15398.7	31.18	-34.06	40.46	-57.68	-40.00	17.68	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 99 of 128

Test Band = SA Band48_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7793.75	40.17	-42.60	36.72	-60.98	-40.00	20.98	Horizontal			
2	9359.475	37.91	-39.98	36.98	-60.35	-40.00	20.35	Horizontal			
3	10997.65	33.93	-37.60	38.70	-60.23	-40.00	20.23	Horizontal			
4	12865.825	32.79	-36.78	39.06	-60.19	-40.00	20.19	Horizontal			
5	14578.75	31.21	-35.11	41.13	-58.03	-40.00	18.03	Horizontal			
6	16464.75	33.08	-34.48	40.64	-56.02	-40.00	16.02	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7789.725	39.82	-42.62	36.72	-61.34	-40.00	21.34	Vertical			
2	8831.625	38.56	-41.07	36.38	-61.38	-40.00	21.38	Vertical			
3	10189.2	35.99	-39.22	38.29	-60.19	-40.00	20.19	Vertical			
4	11752.05	32.45	-36.67	38.78	-60.70	-40.00	20.70	Vertical			
5	13342.5	33.32	-36.62	39.72	-58.84	-40.00	18.84	Vertical			
6	15298.075	30.11	-33.92	40.67	-58.39	-40.00	18.39	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 100 of 128

Test Band = SA Band48_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7752.925	39.91	-42.75	36.70	-61.40	-40.00	21.40	Horizontal			
2	9113.95	37.40	-40.35	36.52	-61.69	-40.00	21.69	Horizontal			
3	10308.8	35.13	-38.95	38.35	-60.72	-40.00	20.72	Horizontal			
4	11505.375	32.58	-36.54	38.75	-60.46	-40.00	20.46	Horizontal			
5	13164.825	32.51	-36.58	39.40	-59.94	-40.00	19.94	Horizontal			
6	15181.925	29.74	-33.89	40.92	-58.49	-40.00	18.49	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7434.375	40.37	-42.92	36.42	-61.39	-40.00	21.39	Vertical			
2	8771.825	38.70	-41.20	36.41	-61.34	-40.00	21.34	Vertical			
3	9596.95	36.66	-39.22	37.43	-60.39	-40.00	20.39	Vertical			
4	11255.25	33.89	-36.95	38.73	-59.59	-40.00	19.59	Vertical			
5	12812.925	32.88	-36.65	39.04	-59.99	-40.00	19.99	Vertical			
6	16298	32.93	-34.44	40.12	-56.65	-40.00	16.65	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 101 of 128

Test Band = SA Band12_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1399.6800	43.03	-48.00	25.10	-75.13	-13.00	62.13	Horizontal			
2	2099.5200	41.90	-47.71	26.18	-74.89	-13.00	61.89	Horizontal			
3	2799.3600	41.85	-46.92	27.90	-72.43	-13.00	59.43	Horizontal			
4	3499.2000	41.99	-46.54	28.60	-71.21	-13.00	58.21	Horizontal			
5	4199.0400	40.27	-45.96	29.58	-71.37	-13.00	58.37	Horizontal			
6	4898.8800	41.25	-45.58	31.18	-68.41	-13.00	55.41	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1399.6800	43.74	-48.00	25.10	-74.42	-13.00	61.42	Vertical			
2	2099.5200	43.18	-47.71	26.18	-73.61	-13.00	60.61	Vertical			
3	2799.3600	42.16	-46.92	27.90	-72.12	-13.00	59.12	Vertical			
4	3499.2000	41.96	-46.54	28.60	-71.24	-13.00	58.24	Vertical			
5	4199.0400	39.99	-45.96	29.58	-71.65	-13.00	58.65	Vertical			
6	4898.8800	41.22	-45.58	31.18	-68.44	-13.00	55.44	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 102 of 128

Test Band = SA Band12_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1406.2857	46.83	-48.02	25.10	-71.35	-13.00	58.35	Horizontal			
2	2102.5200	42.65	-47.71	26.19	-74.13	-13.00	61.13	Horizontal			
3	2803.3600	42.14	-46.91	27.91	-72.12	-13.00	59.12	Horizontal			
4	3504.2000	42.00	-46.53	28.60	-71.19	-13.00	58.19	Horizontal			
5	4205.0400	40.73	-45.95	29.59	-70.89	-13.00	57.89	Horizontal			
6	4905.8800	40.56	-45.59	31.19	-69.10	-13.00	56.10	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1401.6800	43.37	-48.01	25.10	-74.79	-13.00	61.79	Vertical			
2	2102.5200	42.63	-47.71	26.19	-74.15	-13.00	61.15	Vertical			
3	2803.3600	42.46	-46.91	27.91	-71.80	-13.00	58.80	Vertical			
4	3504.2000	41.70	-46.53	28.60	-71.49	-13.00	58.49	Vertical			
5	4205.0400	40.42	-45.95	29.59	-71.20	-13.00	58.20	Vertical			
6	4905.8800	41.06	-45.59	31.19	-68.60	-13.00	55.60	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 103 of 128

Test Band = SA Band12_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1406.2857	45.99	-48.02	25.10	-72.19	-13.00	59.19	Horizontal			
2	2109.1429	47.34	-47.71	26.21	-69.42	-13.00	56.42	Horizontal			
3	2807.3600	41.72	-46.89	27.91	-72.52	-13.00	59.52	Horizontal			
4	3509.2000	41.42	-46.52	28.61	-71.75	-13.00	58.75	Horizontal			
5	4211.0400	40.58	-45.94	29.61	-71.01	-13.00	58.01	Horizontal			
6	4912.8800	41.36	-45.61	31.21	-68.30	-13.00	55.30	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	1403.6800	44.51	-48.01	25.10	-73.66	-13.00	60.66	Vertical			
2	2105.5200	42.63	-47.71	26.20	-74.14	-13.00	61.14	Vertical			
3	2807.3600	42.32	-46.89	27.91	-71.92	-13.00	58.92	Vertical			
4	3509.2000	42.09	-46.52	28.61	-71.08	-13.00	58.08	Vertical			
5	4211.0400	40.30	-45.94	29.61	-71.29	-13.00	58.29	Vertical			
6	4912.8800	40.91	-45.61	31.21	-68.75	-13.00	55.75	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPU Descheck/Genes come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 104 of 128

Test Band = SA Band77_ TM1 Test Channel = Mid 3450-3550

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7393.55	40.23	-42.82	36.30	-61.55	-13.00	48.55	Horizontal			
2	8889.125	37.49	-40.94	36.36	-62.35	-13.00	49.35	Horizontal			
3	10692.9	33.80	-37.53	38.55	-60.44	-13.00	47.44	Horizontal			
4	11735.375	32.00	-36.48	38.77	-60.97	-13.00	47.97	Horizontal			
5	13331.575	32.30	-36.72	39.70	-59.98	-13.00	46.98	Horizontal			
6	14667.3	30.26	-34.95	41.17	-58.79	-13.00	45.79	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	8440.05	40.10	-41.54	36.58	-60.12	-13.00	47.12	Vertical			
2	10039.125	35.51	-39.11	38.22	-60.64	-13.00	47.64	Vertical			
3	11269.05	33.68	-37.04	38.73	-59.89	-13.00	46.89	Vertical			
4	12407.55	33.48	-36.99	38.92	-59.84	-13.00	46.84	Vertical			
5	14451.675	30.96	-34.64	41.08	-57.86	-13.00	44.86	Vertical			
6	15677	30.76	-33.52	39.88	-58.14	-13.00	45.14	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPU Descheck/Genes come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 105 of 128

Test Band = SA Band77_ TM1 Test Channel = Low 3700-3980

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	8025.475	39.02	-41.93	36.79	-61.38	-13.00	48.38	Horizontal			
2	10188.05	35.12	-39.21	38.29	-61.06	-13.00	48.06	Horizontal			
3	11159.8	32.84	-37.06	38.72	-60.77	-13.00	47.77	Horizontal			
4	12692.175	32.84	-36.86	39.01	-60.27	-13.00	47.27	Horizontal			
5	14383.825	31.32	-35.21	41.05	-58.09	-13.00	45.09	Horizontal			
6	15381.45	30.55	-34.03	40.50	-58.25	-13.00	45.25	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	8029.5	39.09	-41.90	36.79	-61.28	-13.00	48.28	Vertical			
2	9284.15	37.44	-40.05	36.84	-61.03	-13.00	48.03	Vertical			
3	10658.975	34.11	-37.70	38.53	-60.32	-13.00	47.32	Vertical			
4	11739.4	32.03	-36.53	38.77	-60.98	-13.00	47.98	Vertical			
5	13655.875	32.59	-36.01	40.28	-58.40	-13.00	45.40	Vertical			
6	15660.9	30.76	-33.69	39.91	-58.28	-13.00	45.28	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condi

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 106 of 128

Test Band = SA Band77_ TM1 Test Channel = Mid 3700-3980

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7667.25	40.40	-42.88	36.67	-61.07	-13.00	48.07	Horizontal			
2	8652.225	38.38	-41.13	36.47	-61.53	-13.00	48.53	Horizontal			
3	9841.9	36.26	-39.12	37.90	-60.22	-13.00	47.22	Horizontal			
4	11103.45	33.15	-37.71	38.71	-61.11	-13.00	48.11	Horizontal			
5	13125.725	31.91	-36.60	39.33	-60.62	-13.00	47.62	Horizontal			
6	14518.95	31.13	-34.44	41.11	-57.46	-13.00	44.46	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7786.275	39.78	-42.63	36.71	-61.40	-13.00	48.40	Vertical			
2	10184.025	36.23	-39.19	38.29	-59.93	-13.00	46.93	Vertical			
3	12220.1	33.75	-37.02	38.87	-59.66	-13.00	46.66	Vertical			
4	13637.475	32.85	-36.02	40.25	-58.18	-13.00	45.18	Vertical			
5	15394.675	30.97	-34.05	40.47	-57.87	-13.00	44.87	Vertical			
6	16642.425	32.47	-34.66	41.19	-56.25	-13.00	43.25	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.)
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 107 of 128

Test Band = SA Band77_ TM1 Test Channel = High 3700-3980

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7786.275	39.58	-42.63	36.71	-61.60	-13.00	48.60	Horizontal			
2	8942.025	37.35	-40.89	36.33	-62.47	-13.00	49.47	Horizontal			
3	10652.075	34.18	-37.74	38.53	-60.29	-13.00	47.29	Horizontal			
4	11750.9	31.55	-36.65	38.78	-61.59	-13.00	48.59	Horizontal			
5	13485.1	32.19	-36.56	39.97	-59.66	-13.00	46.66	Horizontal			
6	14448.225	30.67	-34.67	41.08	-58.18	-13.00	45.18	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7444.15	40.33	-42.96	36.44	-61.44	-13.00	48.44	Vertical			
2	8944.9	37.95	-40.89	36.33	-61.87	-13.00	48.87	Vertical			
3	9843.625	35.76	-39.12	37.90	-60.72	-13.00	47.72	Vertical			
4	11215.575	33.14	-36.70	38.72	-60.10	-13.00	47.10	Vertical			
5	12332.8	33.06	-36.75	38.90	-60.05	-13.00	47.05	Vertical			
6	14441.9	30.51	-34.72	41.08	-58.40	-13.00	45.40	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 108 of 128

Test Band = SA Band78_ TM1 Test Channel = Mid 3450-3550

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7279.7	39.33	-43.39	35.98	-63.33	-13.00	50.33	Horizontal			
2	8010.525	38.35	-42.05	36.79	-62.16	-13.00	49.16	Horizontal			
3	9361.2	36.75	-39.98	36.99	-61.50	-13.00	48.50	Horizontal			
4	11144.275	32.81	-37.24	38.71	-60.98	-13.00	47.98	Horizontal			
5	13114.225	31.41	-36.60	39.31	-61.15	-13.00	48.15	Horizontal			
6	15391.8	30.79	-34.05	40.48	-58.04	-13.00	45.04	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7912.775	39.02	-42.66	36.77	-62.14	-13.00	49.14	Vertical			
2	9825.225	36.04	-39.10	37.87	-60.45	-13.00	47.45	Vertical			
3	10982.7	33.80	-37.63	38.69	-60.40	-13.00	47.40	Vertical			
4	12206.875	32.92	-37.08	38.86	-60.56	-13.00	47.56	Vertical			
5	14518.95	30.40	-34.44	41.11	-58.19	-13.00	45.19	Vertical			
6	15387.775	30.13	-34.04	40.49	-58.69	-13.00	45.69	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 109 of 128

Test Band = SA Band78_ TM1 Test Channel = Mid 3700-3800

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7648.275	39.14	-42.84	36.66	-62.30	-13.00	49.30	Horizontal			
2	8838.525	37.37	-41.05	36.38	-62.56	-13.00	49.56	Horizontal			
3	10650.925	33.63	-37.75	38.53	-60.85	-13.00	47.85	Horizontal			
4	12090.725	31.84	-37.19	38.83	-61.78	-13.00	48.78	Horizontal			
5	13615.625	31.77	-36.03	40.21	-59.31	-13.00	46.31	Horizontal			
6	15402.15	29.94	-34.08	40.46	-58.95	-13.00	45.95	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7431.5	40.11	-42.91	36.41	-61.65	-13.00	48.65	Vertical			
2	8261.8	38.99	-41.98	36.67	-61.58	-13.00	48.58	Vertical			
3	9641.225	36.26	-39.32	37.52	-60.80	-13.00	47.80	Vertical			
4	11452.475	32.57	-36.99	38.75	-60.93	-13.00	47.93	Vertical			
5	13389.65	31.43	-36.17	39.80	-60.20	-13.00	47.20	Vertical			
6	15825.925	30.91	-33.34	39.57	-58.12	-13.00	45.12	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document i advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this comment on one vancette parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please econtact us at telephone: (86-755) 8307 1443

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 110 of 128

Test Band = SA Band70_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3391.6800	40.53	-46.29	28.54	-72.49	-13.00	59.49	Horizontal			
2	5087.5200	39.25	-45.40	31.61	-69.80	-13.00	56.80	Horizontal			
3	6783.3600	38.29	-44.11	34.81	-66.27	-13.00	53.27	Horizontal			
4	8479.2000	35.56	-41.59	36.56	-64.72	-13.00	51.72	Horizontal			
5	10175.0400	32.21	-39.41	38.29	-64.17	-13.00	51.17	Horizontal			
6	11870.8800	28.36	-37.05	38.79	-65.17	-13.00	52.17	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3391.6800	40.93	-46.29	28.54	-72.09	-13.00	59.09	Vertical			
2	5087.5200	39.51	-45.40	31.61	-69.54	-13.00	56.54	Vertical			
3	6783.3600	38.68	-44.11	34.81	-65.88	-13.00	52.88	Vertical			
4	8479.2000	35.78	-41.59	36.56	-64.50	-13.00	51.50	Vertical			
5	10175.0400	31.80	-39.41	38.29	-64.58	-13.00	51.58	Vertical			
6	11870.8800	28.92	-37.05	38.79	-64.61	-13.00	51.61	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the first subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 111 of 128

Test Band = SA Band70_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3391.1800	40.97	-46.30	28.53	-72.05	-13.00	59.05	Horizontal			
2	5086.7700	38.92	-45.40	31.61	-70.14	-13.00	57.14	Horizontal			
3	6782.3600	38.27	-44.11	34.81	-66.29	-13.00	53.29	Horizontal			
4	8477.9500	35.97	-41.58	36.56	-64.31	-13.00	51.31	Horizontal			
5	10173.5400	31.59	-39.40	38.29	-64.78	-13.00	51.78	Horizontal			
6	11869.1300	27.93	-37.05	38.79	-65.59	-13.00	52.59	Horizontal			

Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	3391.1800	41.07	-46.30	28.53	-71.95	-13.00	58.95	Vertical		
2	5086.7700	39.19	-45.40	31.61	-69.87	-13.00	56.87	Vertical		
3	6782.3600	38.09	-44.11	34.81	-66.47	-13.00	53.47	Vertical		
4	8477.9500	35.94	-41.58	36.56	-64.34	-13.00	51.34	Vertical		
5	10173.5400	31.54	-39.40	38.29	-64.83	-13.00	51.83	Vertical		
6	11869.1300	28.28	-37.05	38.79	-65.24	-13.00	52.24	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Beas come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 112 of 128

Test Band = SA Band70_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3396.1800	40.61	-46.29	28.54	-72.40	-13.00	59.40	Horizontal			
2	5094.2700	38.95	-45.38	31.63	-70.07	-13.00	57.07	Horizontal			
3	6792.3600	38.93	-44.14	34.83	-65.65	-13.00	52.65	Horizontal			
4	8490.4500	36.03	-41.60	36.55	-64.28	-13.00	51.28	Horizontal			
5	10188.5400	32.63	-39.46	38.29	-63.79	-13.00	50.79	Horizontal			
6	11886.6300	27.84	-37.08	38.79	-65.71	-13.00	52.71	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3396.1800	41.10	-46.29	28.54	-71.91	-13.00	58.91	Vertical			
2	5094.2700	38.92	-45.38	31.63	-70.10	-13.00	57.10	Vertical			
3	6792.3600	38.73	-44.14	34.83	-65.85	-13.00	52.85	Vertical			
4	8490.4500	35.70	-41.60	36.55	-64.61	-13.00	51.61	Vertical			
5	10188.5400	32.63	-39.46	38.29	-63.79	-13.00	50.79	Vertical			
6	11886.6300	28.27	-37.08	38.79	-65.28	-13.00	52.28	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 0'

Page: 113 of 128

Test Band = SA Band70_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3401.1800	40.48	-46.28	28.54	-72.52	-13.00	59.52	Horizontal			
2	5101.7700	39.06	-45.37	31.65	-69.92	-13.00	56.92	Horizontal			
3	6802.3600	38.82	-44.17	34.84	-65.76	-13.00	52.76	Horizontal			
4	8502.9500	35.69	-41.61	36.55	-64.63	-13.00	51.63	Horizontal			
5	10203.5400	32.46	-39.48	38.30	-63.98	-13.00	50.98	Horizontal			
6	11904.1300	28.32	-37.13	38.79	-65.27	-13.00	52.27	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3401.1800	40.81	-46.28	28.54	-72.19	-13.00	59.19	Vertical			
2	5101.7700	39.26	-45.37	31.65	-69.72	-13.00	56.72	Vertical			
3	6802.3600	38.18	-44.17	34.84	-66.40	-13.00	53.40	Vertical			
4	8502.9500	35.90	-41.61	36.55	-64.42	-13.00	51.42	Vertical			
5	10203.5400	31.77	-39.48	38.30	-64.67	-13.00	51.67	Vertical			
6	11904.1300	28.30	-37.13	38.79	-65.29	-13.00	52.29	Vertical			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.)
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pikot Free Trade Zore 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 114 of 128

For SA UL MIMO Test Band = ULMIMO N38_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4565.5	42.46	-45.68	30.44	-68.04	-25.00	43.04	Horizontal			
2	5848.5	41.68	-44.86	32.67	-65.77	-25.00	40.77	Horizontal			
3	7425	40.68	-43.34	36.39	-61.53	-25.00	36.53	Horizontal			
4	8815.5	38.23	-41.25	36.39	-61.89	-25.00	36.89	Horizontal			
5	11211	33.20	-37.39	38.72	-60.73	-25.00	35.73	Horizontal			
6	12764	31.68	-36.78	39.03	-61.33	-25.00	36.33	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3978	43.08	-46.09	29.08	-69.19	-25.00	44.19	Vertical			
2	5212.5	41.65	-45.26	31.91	-66.96	-25.00	41.96	Vertical			
3	6445.5	41.16	-44.50	34.13	-64.48	-25.00	39.48	Vertical			
4	7773.5	39.64	-42.52	36.71	-61.44	-25.00	36.44	Vertical			
5	9046	37.80	-40.70	36.39	-61.77	-25.00	36.77	Vertical			
6	11240.5	33.38	-37.40	38.72	-60.56	-25.00	35.56	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.)
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pikot Free Trade Zore 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 115 of 128

Test Band = ULMIMO N38_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4035	42.82	-45.94	29.18	-69.20	-25.00	44.20	Horizontal			
2	4912	42.66	-45.54	31.21	-66.94	-25.00	41.94	Horizontal			
3	6339.5	40.96	-44.49	33.79	-65.00	-25.00	40.00	Horizontal			
4	7010	40.56	-43.62	35.23	-63.09	-25.00	38.09	Horizontal			
5	7430.5	39.37	-43.33	36.41	-62.81	-25.00	37.81	Horizontal			
6	11205	33.02	-37.39	38.72	-60.91	-25.00	35.91	Horizontal			

Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	4070.5	42.82	-45.84	29.27	-69.01	-25.00	44.01	Vertical		
2	6687.5	41.11	-43.88	34.64	-63.39	-25.00	38.39	Vertical		
3	8324	39.06	-41.88	36.64	-61.44	-25.00	36.44	Vertical		
4	9398	36.82	-39.84	37.06	-61.22	-25.00	36.22	Vertical		
5	10734	33.27	-38.13	38.57	-61.55	-25.00	36.55	Vertical		
6	12718.5	31.07	-36.71	39.02	-61.88	-25.00	36.88	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the first subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 116 of 128

Test Band = ULMIMO N38_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4182.5	42.69	-45.77	29.54	-68.80	-25.00	43.80	Horizontal			
2	5239.5	42.54	-45.20	31.97	-65.95	-25.00	40.95	Horizontal			
3	6514	41.41	-44.57	34.33	-64.10	-25.00	39.10	Horizontal			
4	7406	40.63	-43.39	36.34	-61.69	-25.00	36.69	Horizontal			
5	9427.5	36.35	-39.94	37.11	-61.74	-25.00	36.74	Horizontal			
6	12237	31.63	-37.46	38.87	-62.22	-25.00	37.22	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4354	42.89	-45.69	29.95	-68.11	-25.00	43.11	Vertical			
2	5554	41.39	-45.15	32.61	-66.41	-25.00	41.41	Vertical			
3	6357	40.96	-44.47	33.84	-64.92	-25.00	39.92	Vertical			
4	7530	39.79	-43.08	36.61	-61.94	-25.00	36.94	Vertical			
5	9036.5	37.83	-40.76	36.37	-61.82	-25.00	36.82	Vertical			
6	11159	32.72	-37.63	38.72	-61.45	-25.00	36.45	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the first subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 117 of 128

Test Band = ULMIMO N41_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4309.5	42.44	-45.57	29.84	-68.54	-25.00	43.54	Horizontal			
2	5426.5	42.08	-45.28	32.42	-66.04	-25.00	41.04	Horizontal			
3	6681.5	41.20	-43.91	34.63	-63.34	-25.00	38.34	Horizontal			
4	8072.5	38.72	-41.63	36.76	-61.41	-25.00	36.41	Horizontal			
5	10185.5	35.15	-39.44	38.29	-61.26	-25.00	36.26	Horizontal			
6	11278	32.67	-37.41	38.73	-61.28	-25.00	36.28	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4602	42.51	-45.67	30.52	-67.89	-25.00	42.89	Vertical			
2	6690.5	40.65	-43.86	34.64	-63.83	-25.00	38.83	Vertical			
3	7864	39.64	-42.64	36.75	-61.51	-25.00	36.51	Vertical			
4	9433.5	36.49	-39.96	37.12	-61.61	-25.00	36.61	Vertical			
5	11224	32.61	-37.40	38.72	-61.32	-25.00	36.32	Vertical			
6	13391	30.40	-36.36	39.80	-61.42	-25.00	36.42	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settle of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention-10 check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 118 of 128

Test Band = ULMIMO N41_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	3975	42.72	-46.10	29.08	-69.57	-25.00	44.57	Horizontal			
2	4889	43.16	-45.53	31.16	-66.48	-25.00	41.48	Horizontal			
3	5645.5	42.25	-44.97	32.63	-65.35	-25.00	40.35	Horizontal			
4	6848	41.17	-44.14	34.93	-63.30	-25.00	38.30	Horizontal			
5	7865	40.16	-42.64	36.75	-61.00	-25.00	36.00	Horizontal			
6	9841	35.18	-39.42	37.90	-61.60	-25.00	36.60	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	4447	43.10	-45.77	30.17	-67.76	-25.00	42.76	Vertical			
2	6184	41.54	-44.71	33.29	-65.14	-25.00	40.14	Vertical			
3	7420.5	40.39	-43.35	36.38	-61.85	-25.00	36.85	Vertical			
4	8933	37.96	-41.16	36.33	-62.13	-25.00	37.13	Vertical			
5	10380	34.12	-39.03	38.39	-61.78	-25.00	36.78	Vertical			
6	12732.5	31.06	-36.73	39.02	-61.91	-25.00	36.91	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Indushia Park, Suzhou Area, Chine (Jiangsu) Pikit Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜高1号的6号厂房南部 鄉鄉: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 119 of 128

Test Band = ULMIMO N41_ TM1 Test Channel = High

Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	3968.5	43.12	-46.12	29.07	-69.19	-25.00	44.19	Horizontal		
2	5493.5	42.27	-45.24	32.58	-65.65	-25.00	40.65	Horizontal		
3	6666.5	40.88	-43.99	34.60	-63.77	-25.00	38.77	Horizontal		
4	7699	40.19	-43.12	36.68	-61.51	-25.00	36.51	Horizontal		
5	9334.5	36.64	-40.09	36.94	-61.77	-25.00	36.77	Horizontal		
6	11271.5	32.70	-37.41	38.73	-61.24	-25.00	36.24	Horizontal		

Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	4193.5	42.64	-45.77	29.56	-68.82	-25.00	43.82	Vertical		
2	5237.5	42.08	-45.21	31.97	-66.42	-25.00	41.42	Vertical		
3	6525	41.30	-44.55	34.35	-64.16	-25.00	39.16	Vertical		
4	7856	39.66	-42.60	36.74	-61.45	-25.00	36.45	Vertical		
5	9587.5	35.93	-39.74	37.42	-61.65	-25.00	36.65	Vertical		
6	12906	30.67	-37.12	39.07	-62.64	-25.00	37.64	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request for accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditions-Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 120 of 128

Test Band = ULMIMO N48_ TM1 Test Channel = Low

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7794.9	39.48	-42.60	36.72	-61.66	-40.00	21.66	Horizontal			
2	9410.65	35.37	-39.92	37.08	-62.73	-40.00	22.73	Horizontal			
3	10066.725	33.54	-38.93	38.23	-62.41	-40.00	22.41	Horizontal			
4	11229.95	30.62	-36.79	38.72	-62.71	-40.00	22.71	Horizontal			
5	12225.85	29.14	-36.99	38.87	-64.24	-40.00	24.24	Horizontal			
6	13405.75	28.52	-36.10	39.83	-63.01	-40.00	23.01	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7838.025	39.05	-42.64	36.74	-62.12	-40.00	22.12	Vertical			
2	9587.75	34.88	-39.29	37.42	-62.26	-40.00	22.26	Vertical			
3	10644.025	31.86	-37.78	38.52	-62.66	-40.00	22.66	Vertical			
4	11478.35	29.75	-36.73	38.75	-63.49	-40.00	23.49	Vertical			
5	12881.925	28.81	-36.82	39.06	-64.21	-40.00	24.21	Vertical			
6	13928.425	28.29	-35.35	40.77	-61.54	-40.00	21.54	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or applied CPA Descheck/Beas come.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 121 of 128

Test Band = ULMIMO N48_ TM1 Test Channel = Mid

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7677.025	39.59	-42.90	36.67	-61.90	-40.00	21.90	Horizontal			
2	9360.625	35.16	-39.98	36.99	-63.09	-40.00	23.09	Horizontal			
3	10396.2	32.55	-38.73	38.40	-63.04	-40.00	23.04	Horizontal			
4	11150.6	30.68	-37.17	38.72	-63.03	-40.00	23.03	Horizontal			
5	12321.3	28.37	-36.71	38.90	-64.71	-40.00	24.71	Horizontal			
6	13347.675	27.90	-36.57	39.73	-64.20	-40.00	24.20	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7808.7	38.69	-42.59	36.72	-62.44	-40.00	22.44	Vertical			
2	9100.15	35.81	-40.41	36.49	-63.37	-40.00	23.37	Vertical			
3	10079.375	32.90	-38.84	38.24	-62.96	-40.00	22.96	Vertical			
4	10450.25	32.58	-38.74	38.43	-62.99	-40.00	22.99	Vertical			
5	11618.65	27.94	-36.81	38.76	-65.37	-40.00	25.37	Vertical			
6	12344.875	28.40	-36.80	38.90	-64.75	-40.00	24.75	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settle of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention-10 check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Indushia Park, Suzhou Area, Chine (Jiangsu) Pikit Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜高1号的6号厂房南部 鄉鄉: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 122 of 128

Test Band = ULMIMO N48_ TM1 Test Channel = High

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7616.075	39.10	-42.77	36.65	-62.29	-40.00	22.29	Horizontal			
2	8649.35	37.66	-41.11	36.48	-62.24	-40.00	22.24	Horizontal			
3	9592.35	34.70	-39.26	37.43	-62.39	-40.00	22.39	Horizontal			
4	10692.325	31.96	-37.53	38.55	-62.28	-40.00	22.28	Horizontal			
5	12241.375	28.71	-36.92	38.87	-64.59	-40.00	24.59	Horizontal			
6	13352.275	27.97	-36.52	39.73	-64.08	-40.00	24.08	Horizontal			

Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	7828.825	38.87	-42.63	36.73	-62.28	-40.00	22.28	Vertical		
2	8956.975	36.66	-40.89	36.32	-63.17	-40.00	23.17	Vertical		
3	10188.625	32.71	-39.21	38.29	-63.47	-40.00	23.47	Vertical		
4	11268.475	30.48	-37.03	38.73	-63.08	-40.00	23.08	Vertical		
5	12217.225	29.58	-37.03	38.87	-63.84	-40.00	23.84	Vertical		
6	13604.125	29.32	-36.04	40.19	-61.79	-40.00	21.79	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the first subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 123 of 128

Test Band = ULMIMO N77_ TM1 Test Channel = Mid 3450-3550

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7658.05	39.65	-42.86	36.66	-61.81	-13.00	48.81	Horizontal			
2	8596.45	37.24	-40.92	36.50	-62.44	-13.00	49.44	Horizontal			
3	9596.375	34.49	-39.23	37.43	-62.56	-13.00	49.56	Horizontal			
4	10078.225	33.52	-38.85	38.24	-62.35	-13.00	49.35	Horizontal			
5	11470.875	29.83	-36.80	38.75	-63.48	-13.00	50.48	Horizontal			
6	13406.9	28.00	-36.11	39.83	-63.54	-13.00	50.54	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7673.575	39.77	-42.89	36.67	-61.72	-13.00	48.72	Vertical			
2	8598.75	37.41	-40.90	36.50	-62.25	-13.00	49.25	Vertical			
3	9602.7	34.88	-39.21	37.45	-62.14	-13.00	49.14	Vertical			
4	10653.225	31.91	-37.73	38.53	-62.56	-13.00	49.56	Vertical			
5	12308.075	28.96	-36.67	38.89	-64.08	-13.00	51.08	Vertical			
6	13644.375	28.97	-36.02	40.26	-62.05	-13.00	49.05	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settle of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention-10 check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 124 of 128

Test Band = ULMIMO N77_ TM1 Test Channel = Low 3700-3800

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7691.4	39.34	-42.93	36.68	-62.18	-13.00	49.18	Horizontal			
2	8400.375	38.34	-41.37	36.60	-61.69	-13.00	48.69	Horizontal			
3	9439.975	35.24	-39.94	37.14	-62.82	-13.00	49.82	Horizontal			
4	10069.6	33.53	-38.91	38.23	-62.40	-13.00	49.40	Horizontal			
5	11229.95	30.42	-36.79	38.72	-62.91	-13.00	49.91	Horizontal			
6	12717.475	28.88	-36.79	39.02	-64.16	-13.00	51.16	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	8390.025	38.85	-41.42	36.60	-61.22	-13.00	48.22	Vertical			
2	9601.55	34.37	-39.20	37.44	-62.65	-13.00	49.65	Vertical			
3	10651.5	32.02	-37.74	38.53	-62.46	-13.00	49.46	Vertical			
4	11484.1	29.89	-36.67	38.75	-63.29	-13.00	50.29	Vertical			
5	13427.6	28.30	-36.23	39.87	-63.32	-13.00	50.32	Vertical			
6	13928.425	28.08	-35.35	40.77	-61.75	-13.00	48.75	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the first subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 125 of 128

Test Band = ULMIMO N77_ TM1 Test Channel = Mid 3700-3800

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7448.175	39.55	-42.97	36.45	-62.23	-13.00	49.23	Horizontal			
2	8660.275	37.98	-41.16	36.47	-61.97	-13.00	48.97	Horizontal			
3	10020.725	33.67	-39.24	38.21	-62.62	-13.00	49.62	Horizontal			
4	10925.775	30.88	-37.75	38.66	-63.47	-13.00	50.47	Horizontal			
5	12804.875	29.00	-36.63	39.04	-63.85	-13.00	50.85	Horizontal			
6	13928.425	27.94	-35.35	40.77	-61.89	-13.00	48.89	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7857.575	39.19	-42.67	36.74	-62.00	-13.00	49.00	Vertical			
2	9595.225	35.03	-39.24	37.43	-62.04	-13.00	49.04	Vertical			
3	10464.05	32.41	-38.75	38.43	-63.16	-13.00	50.16	Vertical			
4	11451.325	30.22	-37.00	38.75	-63.29	-13.00	50.29	Vertical			
5	12808.325	28.69	-36.64	39.04	-64.17	-13.00	51.17	Vertical			
6	13937.625	27.82	-35.27	40.79	-61.93	-13.00	48.93	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the first subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 126 of 128

Test Band = ULMIMO N77_ TM1 Test Channel = High 3700-3800

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7742.575	39.12	-42.79	36.70	-62.24	-13.00	49.24	Horizontal			
2	8682.125	37.61	-41.26	36.46	-62.45	-13.00	49.45	Horizontal			
3	9997.15	34.50	-39.37	38.19	-61.94	-13.00	48.94	Horizontal			
4	11140.25	30.93	-37.29	38.71	-62.90	-13.00	49.90	Horizontal			
5	13343.65	28.75	-36.61	39.72	-63.40	-13.00	50.40	Horizontal			
6	14671.9	27.05	-34.93	41.17	-61.97	-13.00	48.97	Horizontal			

Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity			
1	7640.8	39.40	-42.83	36.66	-62.03	-13.00	49.03	Vertical			
2	8938	37.44	-40.89	36.33	-62.38	-13.00	49.38	Vertical			
3	9595.225	34.74	-39.24	37.43	-62.33	-13.00	49.33	Vertical			
4	10656.1	31.86	-37.72	38.53	-62.59	-13.00	49.59	Vertical			
5	12269.55	29.08	-36.78	38.88	-64.08	-13.00	51.08	Vertical			
6	13602.4	29.23	-36.04	40.18	-61.88	-13.00	48.88	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-and-Conditions] Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions Ferms-and-Conditions ferms-and-Conditions appearance and subject to the first subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 127 of 128

Test Band = ULMIMO N78_ TM1 Test Channel = Mid 3450-3550

Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	8022.025	38.43	-41.96	36.79	-62.00	-13.00	49.00	Horizontal
2	9588.325	34.90	-39.29	37.42	-62.23	-13.00	49.23	Horizontal
3	10689.45	32.42	-37.54	38.54	-61.84	-13.00	48.84	Horizontal
4	12185.6	30.46	-37.12	38.86	-63.07	-13.00	50.07	Horizontal
5	12834.2	29.48	-36.71	39.05	-63.44	-13.00	50.44	Horizontal
6	13933.025	29.42	-35.31	40.78	-60.37	-13.00	47.37	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	
1	8322.175	38.04	-41.76	36.64	-62.34	-13.00	49.34	Vertical	
2	10188.625	33.62	-39.21	38.29	-62.56	-13.00	49.56	Vertical	
3	11153.475	31.25	-37.14	38.72	-62.43	-13.00	49.43	Vertical	
4	12237.35	29.78	-36.93	38.87	-63.54	-13.00	50.54	Vertical	
5	13920.95	28.79	-35.40	40.76	-61.12	-13.00	48.12	Vertical	
6	14317.7	28.79	-35.72	41.03	-61.16	-13.00	48.16	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settle of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention-10 check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR2401000005AT02

Rev.: 01

Page: 128 of 128

Test Band = ULMIMO N78_ TM1 Test Channel = Mid 3700-3800

Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7667.825	39.40	-42.88	36.67	-62.08	-13.00	49.08	Horizontal
2	9599.25	35.36	-39.21	37.44	-61.67	-13.00	48.67	Horizontal
3	10138.6	33.55	-38.92	38.27	-62.36	-13.00	49.36	Horizontal
4	12182.15	29.72	-37.12	38.85	-63.81	-13.00	50.81	Horizontal
5	12831.325	29.97	-36.70	39.05	-62.94	-13.00	49.94	Horizontal
6	13930.725	28.62	-35.33	40.78	-61.19	-13.00	48.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7697.725	39.33	-42.95	36.68	-62.20	-13.00	49.20	Vertical
2	9596.375	34.96	-39.23	37.43	-62.09	-13.00	49.09	Vertical
3	10647.475	32.63	-37.76	38.52	-61.87	-13.00	48.87	Vertical
4	11458.8	30.70	-36.92	38.75	-62.74	-13.00	49.74	Vertical
5	12849.15	29.20	-36.74	39.05	-63.75	-13.00	50.75	Vertical
6	14515.5	27.26	-34.40	41.11	-61.30	-13.00	48.30	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, the decironic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of iniability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com