

Ref 20 dBm

Atten 30 dB

Ext PG -8.501 dB

Δ Mkr2 -3.20 MHz

-6.75 dB

#Peak

Log

10

dB/

DI

0.9

dBm

LgAv

Center 5.825 00 GHz

Span 40 MHz

#Res BW 100 kHz

VBW 100 kHz

Sweep 20 ms (601 pts)

Marker	Trace	Type	X Axis	Amplitude
1R	(1)	Freq	5.819 93 GHz	6.95 dBm
1Δ	(1)	Freq	13.27 MHz	-6.18 dB
2R	(1)	Freq	5.819 93 GHz	6.95 dBm
2Δ	(1)	Freq	-3.20 MHz	-6.75 dB

Select Marker

1 2 3 4

Normal

Delta

Delta Pair  
(Tracking Ref)

Span Pair  
Center

Off

More  
1 of 2

Ref 20 dBm

Atten 30 dB

Ext PG -8.41 dB

Δ Mkr2 -2.00 MHz

-6.52 dB

#Peak

Log

10

dB/

DI

0.0

dBm

LgAv

Center 5.785 00 GHz

Span 40 MHz

#Res BW 100 kHz

VBW 100 kHz

Sweep 20 ms (601 pts)

Marker	Trace	Type	X Axis	Amplitude
1R	(1)	Freq	5.778 73 GHz	6.01 dBm
1Δ	(1)	Freq	14.47 MHz	-6.03 dB
2R	(1)	Freq	5.778 73 GHz	6.01 dBm

Select Marker

1 2 3 4

Normal

Delta

Delta Pair  
(Tracking Ref)


Span Pair  
Center

Off

1R	(1)	Freq	5.747 47 GHz	6.01 dBm	Off
2R	(1)	Freq	5.778 73 GHz	6.01 dBm	
1Δ	(1)	Freq	-2.00 MHz	-6.52 dB	
2Δ	(1)	Freq			

More  
1 of 2

Copyright 2000-2002 Agilent Technologies



Copyright 2000-2002 Agilent Technologies

arker

Marker  
3 4

Normal

Delta

Delta Pair  
(Linking Ref)  
▲

Span Pair  
Center

Off

More  
1 of 2

arker

Marker  
3 4

Normal

Delta

Delta Pair  
(Linking Ref)  
▲

Span Pair  
Center

Off

Off

More  
1 of 2

arker

Marker  
3 4

Normal

Delta

Delta Pair  
(Linking Ref)  


Span Pair  
Center

Off

More  
1 of 2