

Federal Communications Commission
Authorization & Evaluation Division
7435 Oakland Mills Road
Columbia, Maryland 21046
Attention: Equipment Authorization Branch

July 30, 2008

Subject: Certification for FCC ID: PURSSEROMNICELLH

Gentlemen;

Radioframe Networks, Inc. requests a Grant of Certification (Type Acceptance) for the above mentioned FCC Identifier. This base station transceiver is designed for use in the GSM 1900 MHz cellular telephone system. The transmitter will operate from 1930.2 to 1989.8 MHz. The receiver circuit supports 1850.4 to 1809.6 MHz. The base station operates in the 1900 MHz broadband PCS services as per 47 CFR Part 24 subpart E. This transceiver will in normal mode operate at a nominal output peak power of 187.5 mW per channel for GSM Modulation and 176.3 mW per channel for GPRS Modulation at the antenna connector. The power output is reducible to ~0.007 watts for both modulation types.

If additional information is needed, please contact me on the below listed number.

Sincerely,



Dean R. Busch
Manager, Compliance Engineering
Radioframe Networks, Inc
9461 Willows Rd. NE, Suite 100
Redmond, WA 98052
Telephone No.: (425) 278-2780 x130
Fax No.: (425) 278-2830
E-mail: deanb@radioframenetworks.com