


SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
Version# (date) PA:	4 (10-25-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00103099-1

Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

Proof Reading - Spelling Website
 Proof against TDS request Graphics Printability









PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"

2.2047"

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1









Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

Proof Reading – Spellig Website
 Proof against TDS request Graphics Printability

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1



Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

Proof Reading – Spellig Website
 Proof against TDS request Graphics Printability

PC93122136 INS


This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"


Simple DIY Setup


Important: start by removing the plastic tab from the top of the control




Press
 any button on the control in initiate setup. LED indicator light will blink until app set up is complete


Download
 the C by GE app

2


Add
 your remote to the C by GE app


Place
 your remote in the same room in the C by GE app as the C by GE Smart Lights, Plugs and Switches you want to control from the remote

3






2.2047"


2.2047"

4.3307"






PC93122136 INS


This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval		
Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

<input type="checkbox"/> Proof Reading – Spellig	<input type="checkbox"/> Website	
<input type="checkbox"/> Proof against TDS@quest	<input type="checkbox"/> Graphics Printability	

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval		
Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

<input type="checkbox"/> Proof Reading – Spellig	<input type="checkbox"/> Website	
<input type="checkbox"/> Proof against TDS@quest	<input type="checkbox"/> Graphics Printability	

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"


Compatibility Requirements

- Works with the following C by GE devices:
- Soft White Smart Lights
 - Tunable White Smart Lights
 - Full Color Smart Lights and Strips
 - Smart Plugs
 - Smart Switches
 - Wireless Smart Switches

For Help, Go To:
cbyge.com/wireless-support
or call 1-844-30C-BYGE

4

2.2047"



For Help, Go To:
cbyge.com/wireless-support
or call 1-844-30C-BYGE






5


2.2047"






4.3307"


PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		




 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"

<h3>What You Can Do With Your Remote</h3> <p></p> <ul style="list-style-type: none"> • Turn off lights from bed • Dim the lights for movie time • Change the light color to a warm, amber light in the evening and a cool, vibrant light in the morning* 	<p></p> <ul style="list-style-type: none"> • Stick the remote on a metal door frame and create a wireless 3-way connection • Set up a master on/off switch next to your bed
<p></p> <ul style="list-style-type: none"> • Control devices like fans and space heaters across the room • Turn on lights when entering a room • Remotely control lamps with integrated LEDs or non-standard bulbs 	<p>*Color changing feature requires the Color Changing Smart Remote + Tunable White or Full Color Smart Lights</p>






2.2047"


2.2047"

4.3307"

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1









Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

Proof Reading – Spellig Website
 Proof against TDS@quest Graphics Printability

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1



Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

Proof Reading – Spellig Website
 Proof against TDS@quest Graphics Printability

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"


Removing/ Replacing the Battery

(uses one CR2032 coin battery)

1. Remove rear housing of the remote by inserting a Phillips screwdriver into the port at the bottom of the remote.
2. Slide the battery out, towards the top of the remote.
3. Slide a new battery underneath the contact strap, with the (+) terminal toward the back of the remote.
4. Replace rear housing.

For Help, Go To:
cbyge.com/wireless-support
or call 1-844-30C-BYGE

8



For Help, Go To:
cbyge.com/wireless-support
or call 1-844-30C-BYGE

9






2.2047"


2.2047"






4.3307"


PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"

<h3>Additional Information and Warnings</h3> <p>FCC Compliance Statement Compliance Notice:</p> <p>This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause</p>	<p>harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:</p> <ul style="list-style-type: none"> • Reorient or relocate the receiving antenna. • Increase the separation between the equipment and receiver. • Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. • Consult the dealer or an experienced radio/TV technician for help.
--	--






2.2047"


2.2047"






4.3307"


PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<hr/> <input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS@quest <input type="checkbox"/> Graphics Printability		

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<hr/> <input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS@quest <input type="checkbox"/> Graphics Printability		

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"

<p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:</p> <ol style="list-style-type: none"> (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. <p>FCC ID: PUU-CWLRMXXBWM1</p> <p>IC: 10798A-CWLRMXXBWM1</p> <p>CAUTION! Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.</p>	<p>This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:</p> <ol style="list-style-type: none"> (1) This device may not cause interference; and (2) This device must accept any interference, including interference that may cause undesired operation of the device. <p>L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :</p> <ol style="list-style-type: none"> (1) l'appareil ne doit pas produire de brouillage; (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.
---	---






2.2047"


2.2047"

4.3307"






PC93122136 INS


This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1
			 PMS COOL GRAY 11

		
Lighting Graphics App roval		
Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

<input type="checkbox"/> Proof Reading – Spellig	<input type="checkbox"/> Website	
<input type="checkbox"/> Proof against TDS request	<input type="checkbox"/> Graphics Printability	

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1
			 PMS COOL GRAY 11


		
Lighting Graphics App roval		
Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

<input type="checkbox"/> Proof Reading – Spellig	<input type="checkbox"/> Website	
<input type="checkbox"/> Proof against TDS request	<input type="checkbox"/> Graphics Printability	

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"








2.2047"


2.2047"






4.3307"


PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<hr/> <input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		

 Process CYAN	 Process MAGENTA	SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
 Process YELLOW	 Process BLACK	Version# (date) PA:	4 (10-25-19) CN
 PMS COOL GRAY 11		Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
		Insert (if shared):	None
		Supplier Project#:	N/A
		Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
		GE DIE#:	NOT CONTROLLED
		PK#:	PK-00103099-1

 Lighting Graphics App roval Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.		
REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS
<hr/> <input type="checkbox"/> Proof Reading – Spellig <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"

<p>⚠ WARNING: Chemical Burn Hazard. Keep batteries away from children This product contains a lithium button/coin cell battery. If a new or used lithium button/coin cell battery is swallowed or enters the body, it can cause severe internal burns and can lead to death in as little as 2 hours. Always completely secure the battery compartment. If the battery compartment does not close securely, stop using the product, remove the batteries, and keep it away from children. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.</p> <p>The cells shall be disposed of properly, including keeping them away from children; and even used cells may cause injury.</p>	<p>⚠ AVERTISSEMENT : Risque de brûlure chimique. Garder les piles hors de la portée des enfants. Ce produit contient une pile bouton neuve ou usagée est avalée ou pénètre dans le corps, cela peut causer des brûlures internes graves et entrainer la mort en aussi peu que 2 heures. Fixer toujours solidement le compartiment de la pile. Si le compartiment de la pile ne se ferme pas solidement, cesser d'utiliser le produit, retirer la pile et la garder hors de la portée des enfants. S'il y a un risque pour qu'une pile ait été avalée ou placée à l'intérieur d'une partie du corps, consulter immédiatement un médecin.</p> <p>Les piles doivent être éliminées de manière appropriée, y compris en les conservant hors de la portée des enfants; même les piles usagées peuvent causer des blessures.</p>
16	17


2.2047"

2.2047"

4.3307"

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.



SKU Listing Info	93122136 NPI Lowes US 5880261 Q3
Version# (date) PA:	4 (10-25-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00103099-1

Lighting Graphics App roval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE	SIGNATURE	PACKAGING GRAPHICS

Proof Reading – Spellig Website
 Proof against TDS request Graphics Printability

PC93122136 INS

This art is supplied at 100% size.
Do not resize, reshape or alter in any way.

4.3307"



2.2047"