



SKU Listing Info	93105004 NPI Artwork 5795355 Q3
Version# (date) PA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1



**Lighting Graphics App roval**

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

PACKAGING GRAPHICS

---

REVIEWED DATE

\_\_\_\_\_

SIGNATURE

\_\_\_\_\_

Proof Reading – Spelling

Website

Proof against TDS request

Graphics Printability



4.25"

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Process  
C/VAN

Process  
MAGENTA

Process  
YELLOW

Process  
BLACK

PMS  
COOL  
GRAY 11

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

**Lighting Graphics App roval**

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PMS-LOGGING GRAPHICS

Proof Reading - Spelling  Website

Proof against TDSrequest  Graphics Printability

Process  
MAGENTA

Process  
BLACK

PMS  
COOL  
GRAY 11

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

**Lighting Graphics App roval**

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PMS-LOGGING GRAPHICS


Proof Reading - Spelling  Website

Proof against TDSrequest  Graphics Printability

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



4.25"

4.25"

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Process Cyan	Process MAGENTA	Process YELLOW	Process BLACK	Process BLACK GRAY 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	PAC-LOGGING GRAPHICS		
<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability				

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1


SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

REVIEWED DATE	SIGNATURE	PAC-LOGGING GRAPHICS		
<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability				

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



4.25"

4.25"

3.25"

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

Process Cyan	Process Magenta	Process Yellow	Process Black	Process PMS COOL GRAY 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed for compliance in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	PAC-LOGGING GRAPHICS		
<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability				
SKU Listing Info	93105004 NPI Artwork: 5795355 Q3			
Version# (date) RA:	8 (08-08-19) CN			
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A			
Insert (if shared):	None			
Supplier Project#:	N/A			
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)			
GE DIE#:	NOT CONTROLLED			
PK#:	PK-00101925-1			

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

**You Got This!**

And we're here to help.  
For in-depth instructional videos and a guided tour through the installation, go to [cbyge.com/wireless-support](http://cbyge.com/wireless-support).

6 For Help, Go To: [cbyge.com/wireless-support](http://cbyge.com/wireless-support) or call 1-646-300-3108

4.25"

Process Cyan	Process Magenta	Process Yellow	Process Black	Process PMS COOL GRAY 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed for compliance in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	PAC-LOGGING GRAPHICS		
<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability				
SKU Listing Info	93105004 NPI Artwork: 5795355 Q3			
Version# (date) RA:	8 (08-08-19) CN			
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A			
Insert (if shared):	None			
Supplier Project#:	N/A			
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)			
GE DIE#:	NOT CONTROLLED			
PK#:	PK-00101925-1			

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

**BEFORE YOU DO ANYTHING: STEP 1**

## Location & Mounting Type

Decide how you want to mount your switch. This switch can be mounted to the wall in two ways, by screws or adhesive tape. Once you determine which install method is best for you, select one of the following setup methods.

7 For Help, Go To: [cbyge.com/wireless-support](http://cbyge.com/wireless-support) or call 1-646-300-3108

4.25"

Process Cyan	Process Magenta	Process Yellow	Process Black	Process Cool Gray 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	<input type="checkbox"/> Proof Reading - Spelling <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Website <input type="checkbox"/> Graphics Printability		
SKU Listing Info	93105004 NPI Artwork: 5795355 Q3			
Version# (date) RA:	8 (08-08-19) CN			
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A			
Insert (if shared):	None			
Supplier Project#:	N/A			
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)			
GE DIE#:	NOT CONTROLLED			
PK#:	PK-00101925-1			

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

Process Cyan	Process Magenta	Process Yellow	Process Black	Process Cool Gray 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	<input type="checkbox"/> Proof Reading - Spelling <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Website <input type="checkbox"/> Graphics Printability		
SKU Listing Info	93105004 NPI Artwork: 5795355 Q3			
Version# (date) RA:	8 (08-08-19) CN			
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A			
Insert (if shared):	None			
Supplier Project#:	N/A			
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)			
GE DIE#:	NOT CONTROLLED			
PK#:	PK-00101925-1			

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.


3.25"

**STEP 2 (Option A)**  
**Installing Your Switch**  
 (mounting with screws/single-gang wallplate)  
**IMPORTANT Start** by removing the clear plastic tab from the back of the switch.


- Identify where you want to mount your wireless switch (switches are typically located 48-52" from the floor to the top of the switch).
- Mark the location for holes to be drilled. We suggest using the mounting holes on the switch housing as a guide. Use the level (optional) to ensure the switch is level before drilling holes.
- Using 7/32" bit, drill holes in wall for mounting screws. Insert drywall anchors.
- Secure the switch to the wall until level and flush.
- Screw on the faceplate bracket, then snap the faceplate cover onto the bracket.

8 For Help, Go To: [cbyge.com/wireless-support](http://cbyge.com/wireless-support) or call 1-844-30C-RYGE


**STEPS 1 & 2**



**STEP 3**



**STEPS 4 & 5**



4.25"

9 For Help, Go To: [cbyge.com/wireless-support](http://cbyge.com/wireless-support) or call 1-844-30C-RYGE

Process Cyan	Process Magenta	Process Yellow	Process Black	Process PMS COOL GRAY 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Process Cyan	Process Magenta	Process Yellow	Process Black	Process PMS COOL GRAY 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

<p>10    For Help, Go To: <a href="http://cbyge.com/wireless-support">cbyge.com/wireless-support</a> or call 1-844-330-8YGE</p> <p><b>STEP 2 (Option B)</b>  <b>Installing Your Switch</b>          (mounting with screws/2-gang wallplate)  <b>IMPORTANT</b> Start by removing the clear plastic tab from the back of the switch.</p> <ol style="list-style-type: none"> <li>1. Remove existing wallplate</li> <li>2. Get multi-gang wallplate (purchased separately).</li> <li>3. Use new wallplate to mark the location for holes to be drilled.</li> <li>4. Using 7/32" bit, drill holes in wall for mounting screws. Insert drywall anchors.</li> <li>5. Secure the switch to the wall until level and flush.</li> <li>6. Screw on the faceplate cover onto the bracket.</li> </ol>	<p>11    For Help, Go To: <a href="http://cbyge.com/wireless-support">cbyge.com/wireless-support</a> or call 1-844-330-8YGE</p> <p><b>STEPS 1 &amp; 2</b></p> <p><b>STEP 3</b></p> <p><b>STEPS 4 - 6</b></p>
--	--

4.25"

4.25"

Process **CYAN**

Process **MAGENTA**

Process **YELLOW**

Process **BLACK**

PMS COOL GRAY 11

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

**Lighting Graphics App roval**  
 Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PMS COOL GRAY 11

Proof Reading – Spelling  Website  
 Proof against TDS request  Graphics Printability

Process **CYAN**

Process **MAGENTA**

Process **YELLOW**

Process **BLACK**

PMS COOL GRAY 11

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

**Lighting Graphics App roval**  
 Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PMS COOL GRAY 11

Proof Reading – Spelling  Website  
 Proof against TDS request  Graphics Printability

# PC93105004 INS

This art is supplied at 100% size.  
 Do not resize, reshape or alter in any way.

3.25"

**STEP 2**  
**Installing Your Switch**  
 (mounting with adhesive tape)

**IMPORTANT** Start by removing the clear plastic tab from the back of the switch.

- Identify where you want to mount your wireless switch (switches are typically located 48-52" from the floor to the top of the switch).
- Prior to installation, be sure that the surface is smooth and degreased.
- Apply adhesive tape to the middle back of the switch. Adhesive tab should stick out from the side of the switch. This will be covered by the wallplate and allows removal if needed in the future.
- Mount switch to the wall.
- Scrape on the faceplate bracket, then snap the faceplate cover onto the bracket.

12 For Help, Go To: [cbyge.com/wireless-support](http://cbyge.com/wireless-support) or call 1-844-330-CBYGE

4.25"

# PC93105004 INS

This art is supplied at 100% size.  
 Do not resize, reshape or alter in any way.

3.25"

**STEPS 1, 2 & 3**   **STEPS 4 & 5**

13 For Help, Go To: [cbyge.com/wireless-support](http://cbyge.com/wireless-support) or call 1-844-330-CBYGE

4.25"

**Lighting Graphics App roval**

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PMS-COOL-686V11

Proof Reading - Spelling  Website  
 Proof against TDS request  Graphics Printability

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

Process C/MAN  Process MAGENTA  Process BLACK  Process YELLOW  PMS-COOL-686V11

**Lighting Graphics App roval**

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PMS-COOL-686V11

Proof Reading - Spelling  Website  
 Proof against TDS request  Graphics Printability

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

Process C/MAN  Process MAGENTA  Process BLACK  Process YELLOW  PMS-COOL-686V11

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

4.25"

4.25"

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"



**Lighting Graphics App roval**

Approvals designate all items on checklist have been reviewed for compliance in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

Proof Reading – Spelling  Website  
 Proof against TDS request  Graphics Printability

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

Process C/MAN

Process MAGENTA

Process YELLOW

Process BLACK

PMS COOL GRAY 11

**Lighting Graphics App roval**

Approvals designate all items on checklist have been reviewed for compliance in addition to other organizational responsibilities.

REVIEWED DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

Proof Reading – Spelling  Website  
 Proof against TDS request  Graphics Printability

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

## Removing/Replacing the Battery

(uses one CR2032 coin battery)

1. Remove the switch from the wall.
2. Remove rear housing of the switch using Phillips screwdriver.
3. Slide the battery out, towards the top of the switch.
4. Slide a new battery underneath the contact strip, with the (+) terminal toward the back of the wireless switch.
5. Replace rear housing.

4.25"

## Additional Information and Warnings

FCC Compliance Statement/Compliance Notice:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules, which limits the radio frequency energy that this equipment can emit to reduce the potential for harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not properly installed or used, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to you or other users of the receiving equipment, you are encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

4.25"

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"

Process C/MAN	Process MAGENTA	Process BLACK	Process YELLOW	Process PMS COOL GRAY 11
 <b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	PAC-LOGGING GRAPHICS		
<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDSrequest <input type="checkbox"/> Graphics Printability				


SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"



4.25"

4.25"

REVIEWED DATE	SIGNATURE	PAC-LOGGING GRAPHICS		
<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDSrequest <input type="checkbox"/> Graphics Printability				

SKU Listing Info	93105004 NPI Artwork: 5795355 Q3
Version# (date) RA:	8 (08-08-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101925-1

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

Process CIVAN	Process MAGENTA	Process BLACK	Process YELLOW	Process PMS COOL GRAY 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed to ensure compliance in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		
SKU Listing Info	93105004 NPI Artwork: 5795355 Q3			
Version# (date) RA:	8 (08-08-19) CN			
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A			
Insert (if shared):	None			
Supplier Project#:	N/A			
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)			
GE DIE#:	NOT CONTROLLED			
PK#:	PK-00101925-1			


Process CIVAN	Process MAGENTA	Process BLACK	Process YELLOW	Process PMS COOL GRAY 11
<b>Lighting Graphics App roval</b> Approvals designate all items on checklist have been reviewed to ensure compliance in addition to other organizational responsibilities.				
REVIEWED DATE	SIGNATURE	<input type="checkbox"/> Proof Reading – Spelling <input type="checkbox"/> Website <input type="checkbox"/> Proof against TDS request <input type="checkbox"/> Graphics Printability		
SKU Listing Info	93105004 NPI Artwork: 5795355 Q3			
Version# (date) RA:	8 (08-08-19) CN			
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A			
Insert (if shared):	None			
Supplier Project#:	N/A			
Print Method:	<input checked="" type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)			
GE DIE#:	NOT CONTROLLED			
PK#:	PK-00101925-1			

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"



4.25"






4.25"

# PC93105004 INS

This art is supplied at 100% size.

Do not resize, reshape or alter in any way.

3.25"

 Process CYAN	 Process MAGENTA
 Process YELLOW	 Process BLACK
 PMS COOL GRAY 11	


SKU Listing Info	93105004 NPI Artwork 5795355 Q3		
Version# (date) PA:	8 (08-08-19) CN		
Bar Code Spec:	<input type="checkbox"/> 100% No BWR	<input type="checkbox"/> 80% No BWR	<input checked="" type="checkbox"/> N/A
Insert (if shared):	None		
Supplier Project#:	N/A		
Print Method:	<input checked="" type="checkbox"/> Offset/Litho	<input type="checkbox"/> Flexo (direct)	
GE DIE#:	NOT CONTROLLED		
PK#:	PK-00101925-1		

	<b>Lighting Graphics App roval</b>
	Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.
REVIEWED DATE	SIGNATURE
PACKAGING GRAPHICS	
<input type="checkbox"/> Proof Reading – Spelling	<input type="checkbox"/> Website
<input type="checkbox"/> Proof against TDS request	<input type="checkbox"/> Graphics Printability

# PC93105004 INS

This art is supplied at 100% size.  
Do not resize, reshape or alter in any way.

3.25"



4.25"

SKU Listing Info:	93105004 NPI Artwork 5795355 Q3
Version# (date) PA:	5 (08-07-19) CN
Bar Code Spec:	<input type="checkbox"/> 100% No BWR <input type="checkbox"/> 80% No BWR <input checked="" type="checkbox"/> N/A
Insert (if shared):	None
Supplier Project#:	N/A
Print Method:	<input type="checkbox"/> Offset/Litho <input type="checkbox"/> Flexo (direct)
GE DIE#:	NOT CONTROLLED
PK#:	PK-00101926-1





## Lighting Graphics Approval

Approvals designate all items on checklist have been reviewed & are correct in addition to other organizational responsibilities.

REVIEWED DATE \_\_\_\_\_ SIGNATURE \_\_\_\_\_

PACKAGING GRAPHICS

Proof Reading – Spelling    Website  
 Proof against TDS request    Graphics Printability

# PC93105004 QUICK GUIDE

This art is supplied at 100% size. Do not resize, reshape or alter in any way.

FRONT

4.25"

BACK

4.25"

Let's illuminate what your Wireless Smart Switch can do:

- 1** Dim and brighten lights from the switch.


Go to **C** by **GE app**. Add the Wireless Switch and any C by GE Smart Plug to a room under **create a room**. (light sold separately)
- 2** Control devices like fans and small space heaters from the switch.

Go to **C** by **GE app**. Add the Wireless Switch and any C by GE Smart Plug to a room under **create a room**. Plug the fan or small space heater in the Smart Plug. (plug sold separately)
- 3** Create a 3-Way switch without new wiring.

Go to **C** by **GE app**. Add the Wireless Switch and any C by GE Smart Switch to a room under **create a room**. The Wireless Switch will control the C by GE Smart Switch. (in-wall smart switch sold separately)

PK-00101926-1

Touch Controls



Access battery from back of switch

3.25"