




| REV | CREATOR | ECO# | DATE | DESCRIPTION |
|-----|---------|-------|----------|------------------|
| 00 | UA | XXXXX | 11/16/21 | INITIAL CREATION |
| | | | | |

QR DATA FORMAT:
ProductID|Revision|Serial Number|MAC Address


Example:
00C1|00|SQE201200001|001AAE123457

Model number and current revision
Serial number:
Format: CPCYYMMxxxxx
C = Contract Manufacturer (in this case S for Sheenway)
PC = Product Code
YY = Year of Manufacture
MM = Month of Manufacture
xxxxx = Sequential Number

UID = MAC Address + ProductID
MAC Address:
MAC MUST start
MUST start with Savant 001AAE
MUST end with an odd character
ProductID:
LAST four digits AFTER MAC Address



Label 1 of GPM-Q2PWL-21



- NOTES: UNLESS OTHERWISE SPECIFIED
- USE 3-D SOURCE FOR FABRICATION. THIS DRAWING IS TO BE USED FOR PART INSPECTION AND CRITICAL DIMENSIONS THAT AFFECT FIT, FORM AND FUNCTION
 - MARK PART NUMBER, REV, DATE, MANUFACTURER ON:
 - A. BULK PACKAGING
 - B. ON PRODUCT AS SHOWN
 - ADHESIVE 3M 467
 - COLOR: SILVER BACKGROUND WITH BLACK C TEXT
 - USE M/N PER P.O.

| SCREW TORQUE DATA | TOLERANCE DATA TABLE (UNLESS OTHERWISE SPECIFIED) | | |
|-------------------|--|--------|------|
| | X | MM | IN |
| SIZE/ITEM | TORQUE VALUE | X.X | .3 |
| | | XXX | .1 |
| | | X.XXX | .005 |
| | ANGLE | 1 DEG. | |
| | TORQUE | 10% | |

| | | | |
|---|--|---|--|
| MATERIAL: SILVER - PERMANENT ADHESIVE | SAVANT SYSTEMS LLC PROPRIETARY & CONFIDENTIAL | 45 PERSERVANCE WAY HYANNIS, MA 02601 | |
| | THIS DOCUMENT CONTAINS COMPANY PROPRIETARY INFORMATION AND IS NOT TO BE REPRODUCED OR DISTRIBUTED WITHOUT PRIOR AUTHORIZATION. | | TITLE SAVANT COMPANION SECONDARY LABEL |
| COLOR: SEE NOTE | SIZE B | UNITS MM | REV 00 |
| | SCALE 1:1 | DWG NO 080-XXXX-00 | SHEET 65 SHEET |

不干胶尺寸：34.1*46.3mm

— — 裁切线

SAVANT

DUAL 24V CONTROL RELAY

GPM-Q2PWL INDOOR USE ONLY

MODULE INPUT: 120VAC 60Hz

LOAD INPUT: 24VDC

LOAD OUTPUT: 24VDC 10A MAX PER CHANNEL

LOAD TYPE: RES

#14-18 AWG Cu ONLY

E523609

HOME AUTOMATION EQUIPMENT

IC: 10798A-QP2PWL

FCC ID: PUU-QP2PWL



INPUT

(B)

OUTPUT

(B)

INPUT

(A)

OUTPUT

(A)

Label 2 of GPM-Q2PWL-21

| REV | CREATOR | ECO# | DATE | DESCRIPTION |
|-----|---------|-------|----------|------------------|
| 00 | UA | XXXXX | 11/16/21 | INITIAL CREATION |
| | | | | |

QR DATA FORMAT:
ProductID|Revision|Serial Number|MAC Address

Example:
00C1|00|SQE201200001|001AAE123457

Model number and current revision

Serial number:

Format: CPCYYMMxxxxxx

C = Contract Manufacturer (in this case S for Sheenway)

PC = Product Code

YY = Year of Manufacture

MM = Month of Manufacture

xxxxx = Sequential Number

UID = MAC Address + ProductID

MAC Address:

MAC MUST start

MUST start with Savant 001AAE

MUST end with an odd character

ProductID:

LAST four digits AFTER MAC Address

MIN: GPM-QP2PWL-21 REV: XX
S/N: XXXXXXXXXXXXX
UID: XXXXXXXXXXXXXXXXX
MADE IN CHINA



33.00mm

11.00mm

ADHESIVE THIS SIDE



Label 1 of GPM-QP2PWL-21

NOTES: UNLESS OTHERWISE SPECIFIED

1. USE 3-D SOURCE FOR FABRICATION. THIS DRAWING IS TO BE USED FOR PART INSPECTION AND CRITICAL DIMENSIONS THAT AFFECT FIT, FORM AND FUNCTION

2. MARK PART NUMBER, REV, DATE, MANUFACTURER ON:

- A. BULK PACKAGING
- B. ON PRODUCT AS SHOWN

3. ADHESIVE 3M 467

4. COLOR: SILVER BACKGROUND WITH BLACK C TEXT


5. USE M/N PER P.O.

| SCREW TORQUE DATA | TOLERANCE DATA TABLE (UNLESS OTHERWISE SPECIFIED) | |
|-------------------|--|----------|
| | MM | IN |
| SIZE/ITEM | X | AS NOTED |
| TORQUE VALUE | X.X | .3 |
| | XXX | .1 |
| | X.XXX | AS NOTED |
| | | .005 |
| ANGLE | | 1 DEG. |
| TORQUE | | 10% |

| | | | | |
|--|--|-------------|--|-----------|
| MATERIAL: SILVER- PERMANENT ADHESIVE | SAVANT SYSTEMS LLC PROPRIETARY & CONFIDENTIAL | | 45 PERSERVERANCE WAY HYANNIS, MA 02601 | |
| | THIS DOCUMENT CONTAINS COMPANY PROPRIETARY INFORMATION AND IS NOT TO BE REPRODUCED OR DISTRIBUTED WITHOUT PRIOR AUTHORIZATION. | | TITLE SAVANT COMPANION SECONDARY LABEL | |
| COLOR: SEE NOTE | SIZE B | UNITS MM | DWG NO 080-XXXX-00 | REV 00 |
| SCALE 1:1 | SHEET | | 65 SHEET | |

不干胶尺寸：34.1*46.3mm

— — 裁切线



Label of GPM-QP2PWL-21