

承认书

SPECIFICATION

客户/ Customer	惠州市华阳多媒体电子有限公司	
型号/ Part No.	MP-A13	
客户承认签字/印章 Customer Approved Signatures		
编制/ Drawn	审核/ Checked	批准/ Approved
		

惠州市华阳多媒体电子有限公司

HUIZHOU FORYOU MULTIMEDIA ELECTRONICS CO.,LTD

一、 适用范围

本产品仅适用于符合 WPC 标准的无线充电器产品上
/This product is only applicable to wireless charger products in line with the WPC standard dimensions.


二、 外形尺寸/

1、 要求/Requirements:

线圈圈数 /nuber of coils	线圈层数/nuber of layers	线材/wire	
12	1	105× ϕ 0.08	

2、 外形寸法/shape inch method

1. DIMENSION (UNIT mm)
* DIMENSION WITHOUT TOLERANCE IS FOR REFERENCE.



* DIMENSION WITHOUT TOLERANCE IS FOR REFERENCE.

三、 电子特性/Electrical Characteristics

No.	ITEM	SPEC	CONDITION	TEST EQUIPMENT
1	L(Upper)	6.8 μ H ± 10%	100KHz/1V	Chroma 11025
2	L(Lower)	6.8 μ H ± 10%	100KHz/1V	Chroma 11025
3	DCR	56mΩ±20%	20±15℃	Chroma 11025

四、 使用条件/Conditions of use

项目/Item	规格/Specification	备注/Remarks
工作电压 /Operating voltage	12V	
使用环境 /Use environment	-30~+125℃	

五、 包装/Packing

PVC 胶袋/plastic bag+纸箱/cardboard box

六、 Storage and use condition

Storage condition

Recommended keeping conditions:-25℃~+45℃, 70%RH (Max.)

Service life : Within the limits of six month from being produced.

The appearance and solder ability should be check, If product is not in expiry date.

Use condition

Use condition limit: T=-25℃ ~ +125℃, RH≤ 90%.