BAND SELECT
RESET
CABLE LOSS
WILSONPRO™
1050 Main
5 Band Cellular Booster
WILSONPRO™
Cell Band Uplink (MHz) Downlink (MHz)
2 1850-1910 1930-1995
4 1710-1755 2110-2155
5 824-849 869-894
12 699-716 729-746
13 777-787 746-756
Maximum Uplink Power 30 dBm
Maximum Downlink Power 17 dBm
Max Gain 72 dB



Power
462020F1313827612 Product #: U470030
FCC ID: PWO460030 IC: 4726A-460030
This is a CONSUMER device. BEFORE USE, you must all requirements set out in CPC-2-1-00, and you MUST REGISTER THIS DEVICE with your wireless provider and have your provider's consent. Most wireless providers consent to the use of signal boosters. Some providers may not consent to the use of this device on their network. If you are unsure, contact your provider. You MUST operate this device with approved antennas and cables as specified by the manufacturer. Antennas MUST be installed at least 20 cm (8 inches) from any person. You MUST cease operating this device immediately if requested by the FCC, ISED or a licensed wireless service provider. WARNING: E911 location information may not be provided or may be inaccurate for calls served by using this device. This device may be operated ONLY in a fixed location for in-building use.
220 - 240V
110 - 120V
USE ONLY WITH 250V
FUSE, SLOW BLOW
UNDERNEATH AVOID
RISKS OF EXPLOSION
DES RISQUES DE 250V

Inside Antenna
Outdoor Antenna