


ALS BETRIEBSGEHEIMNIS ANVERTRAUT. ALLE RECHTE VORBEHALTEN. PROPRIETARY DATA, COMPANY CONFIDENTIAL. ALL RIGHTS RESERVED.




Label: Z30880-Z9999-Z72-*-25
 Ink ribbon: TTR-Band Ricoh 110-C
 Font: Title blocks concentric

1) Corporate logo: 1.5 SN 66324
 2) Product name: Internal font B, size 3
 3) Made xx xxxxxxxx: Internal font A, size 4 / Depending on production location
 4) Code of date: Internal font D, size 4
 e.g. F3 — March
 ?—? 1995
 5) Code number: Internal font D, size 4
 Corresponding to the number of the transceiver unit part list
 6) CE - identification: Height: 5mm
 9) Canada IC and US FCC: Internal font B, size 3

				DATE	19.10.2004	Approval label top C70	
				NAME	Nielsen		
					RD LPD HW4 AAL		
1		19.10.04	DON	SIEMENS AG		LETTERING PLAN	
VERS		DATE	TOKEN			PAGE 1	
						DIS 94593	FROM 1

ALS BETRIEBSGEHEIMNIS ANVERTRAUT. ALLE RECHTE VORBEHALTEN. PROPRIETARY DATA. COMPANY CONFIDENTIAL. ALL RIGHTS RESERVED.



- 10) XXXXXXXX Typ-Approval Code TAC
 10) SSSSSS Current serial number (6 digits), Assigned by PICS
 10) C CHECK DIGIT 15. digit
 space between TAC, serial no. and 15. digit

Label: Z30880-Z9999-Z72-*25
 Ink ribbon: TTR-Band Ricoh 110-C
 Font: Title blocks concentric

7) Barcode IMEI-no.: Code: 128 Size 2 Ratio: 3.0 Height: 3mm
 Typ 128, table **C** and **B**
Characteristic: IMEI-No. has 15 digits
 Digit 1-14 is generated as Barcode with table **C**.
 Digit 15 is printed with table **B**.

8) IMEI-no. (plain writing): Internal font D, size 4, space between TAC, serial no. and 15. digit

10) Document for IMEI-no. allocation: DIS - 62272-* BOM 000 xx
 Valid is the highest level in the system

			DATE	20.02.2004	Approval label bottom HERA	
			NAME	Nielsend		
2		21.04.04	DON	RD HW4 LPD AAL	LETTERING PLAN	
1		20.02.04	DON			
VERS		DATE	TOKEN	SIEMENS AG	DIS 66204	PAGE 1
						FROM 1

