



Label: Z30880-Z9999-Z72-*-25
Ink ribbon: TTR-Band Ricoh 110-C
Font: Title blocks concentric

1) Corporate logo:	1.5 SN 66324
2) Product name:	Internal font B, size 3
3) Made xx xxxxxxxx	Internal font A, size 4 / Depending on production location
4) Code of date:	Internal font D, size 4 e.g. F3 — March └── 1995
5) Code number:	Internal font D, size 4

Corresponding to the number of the transceiver unit part list

			DATE	15.04.2004	Approval label top C65	
3		04.03.05	DON	NAME Nielsen		
2		22.04.04	DON	RD LPD HW4 AAL	LETTERING PLAN	
1		15.04.04	DON	SIEMENS AG		
/ERS		DATE	TOKEN			
					DIS 66205	PAGE 1 FROM

ALLES RECHTS VORBEHALTEN. PROPRIETARY DATA, COMPANY CONFIDENTIAL. ALL RIGHTS RESERVED.
 ALLES RECHTS VORBEHALTEN. PROPRIETARY DATA, COMPANY CONFIDENTIAL. ALL RIGHTS RESERVED.



- 10) XXXXXXXX Typ-Approval Code TAC
- 10) SSSSSS Current serial number (6 digits), Assigned by PICS
- 10) C CHECK DIGIT 15, digit
space between TAC, serial no. and 15.digit

- Label: Z30880-Z9999-Z72-*-*25
- Ink ribbon: TTR-Band Ricoh 110-C
- Font: Title blocks concentric
- 6) CE-identification: Height 5mm
- 7) Barcode IMEI-no.: Code: 128 Size 2 Ratio: 3.0 Height: 3mm
 Typ 128, table C and B
Characteristic: IMEI-No. has 15 digits
 Digit 1-14 is generated as Barcode with table C.
 Digit 15 is printed with table B.
- 8) IMEI-no. (plain writing): Internal font D, size 4, space between TAC, serial no. and 15.digit
- 9) Canada IC and US FCC: Internal font B, size 3
- 10) Document for IMEI-no. allocation: DIS - 62272-* BOM 000 xx
 Valid is the highest level in the system

			DATE	20.02.2004	Approval label bottom HERA	
3		04.03.04	DON	NAME		
2		21.04.04	DON	RD HW4 LPD AAL		
1		20.02.04	DON			
VERS		DATE	TOKEN	SIEMENS AG	LETTERING PLAN	PAGE 1
					DIS 66204	FROM 1

