

TEST REPORT

Report No. :	AF011762-001	Date : 2005 June 07
Application No. :	LF207167(1)	
Applicant :	Jada Toys Co. Ltd Unit 901, 9/F., Energy Plaza, 92 Granville Road, TST East, Kowloon, Hong Kong.	
Sample Description	 One(1) submitted sample stated to be <u>9.6V R/C Car</u> of Mode Rating : 9.6V rechargeable battery No. of submitted sample : One (1) piece(s)*** 	el No. <u>83002, 83005</u>
Date Received	: 2005 April 22	
Test Period	: 2005 April 22 – 2005 May 19	
Test Requested	: FCC Part 15 Certification	
Test Method	: FCC Rules and Regulations Part 15 – July 2004 ANSI C63.4 – 2003	
Test Result	: See attached sheet(s) from page 2 to 11.	
Conclusion	: The submitted sample was found to comply with requirement Subpart B.	t of FCC Part 15
Remark	: All two models are the same in circuitry and components; an 83005 was chosen to be the representative of the test sample.	

For and on behalf of CMA Testing and Certification Laboratories

Danny Chui

Page 1 of 11

Authorized Signature :

FCC ID : PWYJY49RX84000

EMC Engineer - EL. Division

This document shall not be reproduced either in full or in part except with written approval by the Authorized Representative of CMA Testing. Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St..., Fo Tan, Shatin, Hong Kong. Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: <u>info@cmatcl.com</u> Web Site: <u>http://www.cmatcl.com</u>



TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

Table of Contents

1 Ge	eneral Information	3
1.1	General Description	3
1.2	Location of the test site	4
1.3	List of measuring equipment	5
2 De	escription of the radiated emission test	6
2.1	Test Procedure	6
2.2	Test Result	6
2.3	Radiated Emission Measurement Data	7
3 De	escription of the Line-conducted Test	8
3.1	Test Procedure	8
3.2	Test Result	8
3.3	Graph and Table of Conducted Emission Measurement Data	8
4 Ph	hotograph	9
4.1	Photographs of the Test Setup for Radiated Emission and Conduction Emission	
4.2	Photographs of the External and Internal Configurations of the EUT	9
5 Su	pplementary document	10
5.1	Bandwidth	10
5.2	Duty Cycle	10
6 Aj	ppendices	11



TEST REPORT

Report No. AF011762-001 :

Date : 2005 June 07

1 **General Information**

General Description 1.1

The equipment under test (EUT) is a superregenerative for 9.6V R/C Car. Operating at 49.860MHz which is controlled by a LRC circuit. The EUT is powered by 9.6V rechargeable battery, When received forward, backward, turn left and turn right signal, it will move forward, backward, turn left and turn right accordingly.

The brief circuit description is listed as follows :

- Q1 and associated circuit act as superregenerative receiver
- U1 and associated circuit act as signal decoder
 Q5, Q6, Q13 Q16 and associated circuit act as motor driving
- D1 and associated circuit act as voltage regulator



TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

1.2 Location of the test site

Radiated emissions measurements are investigated and taken pursuant to the procedures of ANSI C63.4 - 2003. A Semi-Anechoic Chamber Testing Site is set up for investigation and located at :

Ground Floor, Yan Hing Centre, 9 – 13 Wong Chuk Yeung Street, Fo Tan, Shatin, New Territories, Hong Kong.

Conducted emissions measurements are investigated and also taken pursuant to the procedures of ANSI C63.4 - 2003. A shielded room is located at :

Ground Floor, Yan Hing Centre, 9 – 13 Wong Chuk Yeung Street, Fo Tan, Shatin, New Territories, Hong Kong.

FCC ID : PWYJY49RX84000



TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

1.3 List of measuring equipment

Equipment	Manufacturer	Model No.	Serial No.	Calibration Certification No.
EMI Test Receiver	R&S	ESCS30	100001	S43284
Broadband Antenna	Schaffner	CBL6112B	2692	CA3025
Signal Generator	IFR	2023B	202302/938	S43098
LISN	R&S	ESH3-Z5	100038	843377
LISN	R&S	ESH3-Z5	100010	S43101
Pulse Limiter	R&S	ESH3-Z2	100001	S43325
Biconical Antenna	R&S	HK116	837414/004	2GB05000535-0001



TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

2 Description of the radiated emission test

2.1 Test Procedure

Radiated emissions measurements are investigated and taken pursuant to the procedures of ANSI C63.4 - 2003.

The equipment under test (EUT) was placed on a non-conductive turntable with dimensions of 1.5m x 1m and 0.8m high above the ground. 3m from the EUT, a broadband antenna mounting on the mast received the signal strength. The turntable was rotated to maximize the emission level. The antenna was then moving along the mast from 1m up to 4m until no more higher value was found. Both horizontal and vertical polarization of the antenna were placed and investigated.

A signal generator was used to radiate an unmodulated continuous wave (CW) signal to the EUT (superregenerative receiver) at its operating frequency in order to "cohere" the characteristic broadband emissions from the receiver.

2.2 Test Result

The emissions meeting the requirement of section 15.109 are based on measurements employing the CISPR qusai-peak detector.

It was found that the EUT meet the FCC requirement.





TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

2.3 Radiated Emission Measurement Data

Radiated emission

pursuant to

the requirement of FCC Part 15 subpart B

Frequency (MHz)	Polarity (H/V)	Reading at 3m (dBµV/m)	Antenna and Cable factor (dB)	Average Factor (dB)	Field Strength (dBµV/m)	Limit at 3m (dBµV/m)	Margin (dB)
49.232	V	17.9	10.3	-	28.2	40.0	-11.8
49.552	V	21.2	10.3	-	31.5	40.0	-8.5
50.172	V	25.1	8.1	-	33.2	40.0	-6.8
50.477	V	22.7	8.1	-	30.8	40.0	-9.2
50.782	V	20.8	8.1	-	28.9	40.0	-11.1
98.806	V	25.0	9.2	-	34.2	43.5	-9.3
99.113	V	25.9	9.2	-	35.1	43.5	-8.4
102.161	V	23.5	11.0	-	34.5	43.5	-9.0
145.330	Н	16.4	11.9	-	28.3	43.5	-15.2
195.169	Н	28.6	9.2	-	37.8	43.5	-5.7

Page 7 of 11





TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

3 Description of the Line-conducted Test

3.1 Test Procedure

Conducted emissions measurements are investigated and also taken pursuant to the procedures of ANSI C63.4 - 2003. The EUT was setup as described in the procedures, and both lines were measured.

3.2 Test Result

No measurement is required as the EUT is a battery-operated product.

3.3 Graph and Table of Conducted Emission Measurement Data

Not Applicable





TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

4 Photograph

4.1 Photographs of the Test Setup for Radiated Emission and Conduction Emission

For electronic filing, the photos are saved with filename TSup1.jpg to TSup2.jpg

4.2 Photographs of the External and Internal Configurations of the EUT

For electronic filing, the photos are saved with filename ExPho1.jpg to ExPho2.jpg and InPho1.jpg to InPho6.jpg.



TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

5 Supplementary document

The following document were submitted by applicant, and for electronic filing, the document are saved with the following filenames:

Document	Filename
ID Label/Location	LabelSmp.jpg
Block Diagram	BlkDia.pdf
Schematic Diagram	Schem.pdf
Users Manual	UserMan.pdf
Operational Description	OpDes.pdf

5.1 Bandwidth

NA

5.2 Duty Cycle

NA

Page 10 of 11



TEST REPORT

Report No. : AF011762-001

Date : 2005 June 07

6 Appendices

A1	Photos of the set-up of Radiated Emissions	1 page
A2	Photos of External Configurations	1 page
A3	Photos of Internal Configurations	3 pages
A4	ID Label/Location	1 page
A5	Block Diagram	1 page
A6	Schematics Diagram	1 page
A7	User Manual	2 pages
A8	Operation Description	1 page

***** End of Report *****

FCC ID : PWYJY49RX84000

Page 11 of 11