

**Purpose**

This specification constitutes the requirements for the Universal Programmer label.

---

**Associated Documents**

—	Traveler
—	Specification
58-0026	Procedure, Inspection, Labeling
See Attached	File, Electronic

---

**Requirements**

General

- Artwork to be centered on label as shown in:

37-0434-01      See Figure 1

- Material: .005" 8B35 Velvet Textured Lexan
  - Adhesive: .002" PPS Adhesive (3M#467)
  - Background color: Cool Grey 9
  - Printing to be silkscreened sub-surface
- 

Visual

- Parts shall be free of tears, bends or other distortions.

Label, Universal Programmer

- Parts shall be free of readily visible foreign material or embedded particles  $\geq 0.03\text{mm}^2$  and foreign material or embedded particles  $\leq 0.08\text{mm}^2$  occurring 3 or more times in a  $1\text{mm}^2$  area (refer to Tappi Dirt Estimation Chart).
  - Parts shall be free from grease or other foreign contamination.
  - Parts shall not exhibit ink smears such as tracking and ghosting.
  - Parts shall not exhibit illegible or distorted printing.
  - Parts shall not have an incomplete layer of adhesive.
- 

**QA Provisions**

## General

- It shall be the responsibility of the supplier to assure that all requirements of this specification are met.
- Supplier shall notify ANS, Inc., in writing, if any changes occur, which affects the product performance.

## Traceability

- Supplier shall maintain traceability in the form of lot numbers, batch numbers, date code, etc., on all materials for use in the manufacture of components for ANS, Inc.

## Certification

- Supplier shall provide certification with each shipment to avoid lot rejection.
- Supplier shall certify with each shipment the material utilized as well as compliance to this specification.

## Test Methods

- None
-



**Preparation for Delivery**

Packaging

- Parts shall be shipped in containers of adequate size and strength to avoid part damage during shipment.
- Label stacks shall be individually wrapped or protected to avoid surface damage, to preserve cosmetic appearance and to assure label integrity.

Package Marking

- Each carton shall be identified with the following information:

ANS Part Number

Part Description

Manufacturer's Part Number or Date of Manufacturing

Quantity

---

**Notes**

- This document is not complete without electronic file of same name.
-




FIGURE 1 (37-0434-01)



DETAIL 1 – PANTONE BLACK (37-0434-01)

- Vertical target distance  $\oplus$ : 2.50 +/- .01 inches
- Horizontal target distance  $\oplus$ : 1.50 +/- .01 inches

Revision History

<b>REV</b>	<b>DESCRIPTION OF CHANGE</b>	<b>BY</b>	<b>EFFECTIVE DATE</b>	<b>ECN #</b>
<b>A</b>	New Drawing	G. Smith	3/13/02	11428
<b>B</b>	Correct number of radii on label perimeter in figure 1	D. Black	05/02/02	11579