



Date: 6. DEC. 2021 14:07:23

With the input signal amplitude set the AGC threshold
 Middle Frequency: 484.0MHz




Date: 6. DEC. 2021 14:07:45

With the input signal amplitude set 3 dB above the AGC threshold
 Middle Frequency: 484.0MHz



Date: 6.DEC.2021 14:08:17


With the input signal amplitude set the AGC threshold
 High Frequency: 511.99375MHz



Date: 6.DEC.2021 14:08:37


With the input signal amplitude set 3 dB above the AGC threshold
 High Frequency: 511.99375MHz

10.5.5.1.2.1.5. 25kHz Analog FM mode




Date: 6. DEC. 2021 14:26:39

With the input signal amplitude set the AGC threshold
 Low Frequency: 455.0125MHz




Date: 6. DEC. 2021 14:26:57

With the input signal amplitude set 3 dB above the AGC threshold
 Low Frequency: 455.0125MHz




Date: 6. DEC. 2021 14:25:37

With the input signal amplitude set the AGC threshold
 Middle Frequency: 484.0MHz




Date: 6. DEC. 2021 14:25:58

With the input signal amplitude set 3 dB above the AGC threshold
 Middle Frequency: 484.0MHz



Date: 6.DEC.2021 14:27:38

With the input signal amplitude set the AGC threshold
 High Frequency: 511.9875MHz



Date: 6.DEC.2021 14:27:44


With the input signal amplitude set 3 dB above the AGC threshold
 High Frequency: 511.9875MHz

10.5.5.2. Occupied bandwidth


10.5.5.2.1. MU single device test

10.5.5.2.1.1. Downlink


10.5.5.2.1.1.1. P25 Phase I(C4FM) mode




With the input signal amplitude set the AGC threshold
 Low Frequency: 450.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold
 Low Frequency: 450.00625MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
 High Frequency: 508.99375MHz




With the input signal amplitude set 3 dB above the AGC threshold
 High Frequency: 508.99375MHz


10.5.5.2.1.1.2. P25 Phase II(H-DQPSK) mode




With the input signal amplitude set the AGC threshold
Low Frequency: 450.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 450.00625MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 508.99375MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 508.99375MHz


10.5.5.2.1.1.3. 6.25kHz Analog FM mode




With the input signal amplitude set the AGC threshold
Low Frequency: 450.00313MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 450.00313MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 508.99688MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 508.99688MHz


10.5.5.2.1.1.4. 12.5kHz Analog FM mode




With the input signal amplitude set the AGC threshold
Low Frequency: 450.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 450.00625MHz




With the input signal amplitude set the AGC threshold
 Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
 Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 508.99375MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 508.99375MHz


10.5.5.2.1.1.5. 25kHz Analog FM mode




With the input signal amplitude set the AGC threshold
 Low Frequency: 450.0125MHz




With the input signal amplitude set 3 dB above the AGC threshold
 Low Frequency: 450.0125MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 479.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 479.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 508.9875MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 508.9875MHz

10.5.5.2.1.2. Uplink


10.5.5.2.1.2.1. P25 Phase I(C4FM) mode




With the input signal amplitude set the AGC threshold
Low Frequency: 455.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 455.00625MHz




With the input signal amplitude set the AGC threshold
Middle Frequency: 484.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
Middle Frequency: 484.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 511.99375MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 511.99375MHz


10.5.5.2.1.2.2. P25 Phase II(H-DQPSK) mode




With the input signal amplitude set the AGC threshold
 Low Frequency: 455.00625MHz




With the input signal amplitude set 3 dB above the AGC threshold
 Low Frequency: 455.00625MHz




With the input signal amplitude set the AGC threshold
 Middle Frequency: 484.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
 Middle Frequency: 484.0MHz




With the input signal amplitude set the AGC threshold
High Frequency: 511.99375MHz




With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 511.99375MHz


10.5.5.2.1.2.3. 6.25kHz Analog FM mode




With the input signal amplitude set the AGC threshold
Low Frequency: 455.00313MHz




With the input signal amplitude set 3 dB above the AGC threshold
Low Frequency: 455.00313MHz




With the input signal amplitude set the AGC threshold
 Middle Frequency: 484.0MHz



With the input signal amplitude set 3 dB above the AGC threshold
 Middle Frequency: 484.0MHz



With the input signal amplitude set the AGC threshold
High Frequency: 511.99688MHz



With the input signal amplitude set 3 dB above the AGC threshold
High Frequency: 511.99688MHz