


Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:9.627GHz Pmax:-43.26dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.333GHz Pmax:-47.71dBm REW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.440GHz Pmax:-48.81dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.996GHz Pmax:-43.57dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.949GHz Pmax:-44.00dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.723GHz Pmax:-54.18dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.915GHz Pmax:-56.06dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.930GHz Pmax:-66.61dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.930GHz Pmax:-61.77dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.989GHz Pmax:-53.11dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.858GHz Pmax:-51.91dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.582GHz Pmax:-47.55dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.502GHz Pmax:-47.27dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.573GHz Pmax:-43.30dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:9.644GHz Pmax:-42.38dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.513GHz Pmax:-47.90dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.553GHz Pmax:-48.69dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.978GHz Pmax:-42.55dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module A / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.998GHz Pmax:-43.68dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 channel 0,2,4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 230 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116,
Comment 2: Freq:178.278MHz Pmax:-57.18dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 channel 0,2,4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116,
Comment 2: Freq:180.544MHz Fmax:-62.59dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 channel 0,2,4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:998.222MHz Pmax:-76.24dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 channel 0,2,4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:984.889MHz Pmax:-76.04dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116,
Comment 2: Freq:180.544MHz Pmax:-62.59dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116,
Comment 2: Freq:178.278MHz Pmax:-57.18dBm REW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:984.889MHz Pmax:-76.04dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 998.222MHz Pmax: -76.24dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.730GHz Pmax:-54.30dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.915GHz Pmax:-50.55dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.920GHz Pmax:-60.86dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.920GHz Pmax:-55.59dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.844GHz Pmax:-49.33dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.844GHz Pmax:-49.10dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.951GHz Pmax:-47.47dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.507GHz Pmax:-47.08dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.529GHz Pmax:-42.91dBm REW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq: 9.609GHz Pmax: -42.78dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.560GHz Pmax:-47.69dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.860GHz Pmax:-47.50dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:20.000GHz Pmax:-42.69dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.996GHz Pmax:-42.91dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.657GHz Pmax:-56.28dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.915GHz Pmax:-52.71dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.930GHz Pmax:-80.80dBm REW:10 kHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.919GHz Pmax:-76.70dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.851GHz Pmax:-49.15dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.851GHz Pmax:-46.29dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.929GHz Pmax:-47.52dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.502GHz Pmax:-47.50dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.551GHz Pmax:-42.59dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:9.627GHz Pmax:-45.45dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.540GHz Pmax:-48.27dBm REW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.280GHz Pmax:-48.53dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.971GHz Pmax:-42.96dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.376GHz Pmax:-43.89dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.723GHz Pmax:-54.69dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.915GHz Pmax:-57.03dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.930GHz Pmax:-67.91dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.930GHz Pmax:-61.29dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.858GHz Pmax:-46.49dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.858GHz Pmax:-44.19dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.969GHz Pmax:-47.21dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.529GHz Pmax:-46.78dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.569GHz Pmax:-42.48dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:9.644GHz Pmax:-41.29dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.553GHz Pmax:-47.21dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.847GHz Pmax:-48.32dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.942GHz Pmax:-43.30dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 1 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.973GHz Pmax:-42.98dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 channel 0,2,4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116,
Comment 2: Freq:174.500MHz Pmax:-57.01dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 channel 0,2,4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116,
Comment 2: Freq:199.433MHz Pmax:-63.03dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 channel 0,2,4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:984.000MHz Pmax:-77.95dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 channel 0,2,4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq: 983.111MHz Pmax:-76.95dBm RBW: 100 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.795GHz Pmax:-58.88dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.915GHz Pmax:-49.26dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.920GHz Pmax:-63.24dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.920GHz Pmax:-58.96dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.844GHz Pmax:-44.68dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.844GHz Pmax:-45.11dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.987GHz Pmax:-47.89dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.947GHz Pmax:-48.34dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.533GHz Pmax:-41.37dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.529GHz Pmax:-44.23dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.927GHz Pmax:-48.03dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.893GHz Pmax:-47.87dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.991GHz Pmax:-42.93dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 4
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.956GHz Pmax:-43.13dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.805GHz Pmax:-59.17dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.810GHz Pmax:-51.48dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.920GHz Pmax:-79.93dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.931GHz Pmax:-78.53dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.851GHz Pmax:-45.34dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.851GHz Pmax:-46.90dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.942GHz Pmax:-47.54dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.547GHz Pmax:-47.66dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.551GHz Pmax:-41.98dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.551GHz Pmax:-41.21dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.573GHz Pmax:-48.63dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.900GHz Pmax:-49.05dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.911GHz Pmax:-43.81dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 2
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.471GHz Pmax:-43.38dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.798GHz Pmax:-57.55dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.796GHz Pmax:-50.19dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.930GHz Pmax:-65.52dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC PART 15, SUBPART D (ANSI C63.17-1998, Subclause 6.1.6.3)


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:1.930GHz Pmax:-63.60dBm RBW:10 kHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.858GHz Pmax:-50.12dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, ampl.
Comment 2: Freq:3.858GHz Pmax:-45.35dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.942GHz Pmax:-48.07dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:7.564GHz Pmax:-47.17dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.573GHz Pmax:-43.55dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:11.573GHz Pmax:-44.89dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cersovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.553GHz Pmax:-48.13dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: BBHA 9120D, HP+ampl.
Comment 2: Freq:17.913GHz Pmax:-49.34dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D


Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRF12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:19.973GHz Pmax:-43.76dBm RBW: 1 MHz



Spurious emissions under normal conditions

FCC RULES PART 15, SUBPART D

Approval Holder: KIRK telecom A/S
EUT / Model : 1,9 GHz Communication System / WRFP12 1G9
Conditions: module B / antenna 2 / channel 0
Test Site / Operator: ETS / Mr. Cerovsky
Temperature/ Voltage: 25°C / 120 V~ (AC/DC adapter)
Test Specification: Fully anechoic chamber / mode: Tx
Comment 1: Dist.: 1m, Ant.: HL 025, ampl.: 18-26 GHz
Comment 2: Freq:20.000GHz Pmax:-44.00dBm RBW: 1 MHz



Appendix T

Frame period



Frame Repetition Stability / Frame Period and Jitter

Tested according ANSI C63.17-1998 Sec

Measurement results Fixed Part

Test Performed	Criteria
Frame Period	10 ms
Frame repetition stability	10 ppm
Jitter	25 µs

Frame Repetition Stability


Frequency (MHz)	Standard Deviation (Hz)	Mean (Hz)	Frame Repetition Stability (ppm)
1924,992	2,21889E-06	99,99999572	0,067

Frame Repetition Stability = $3 * \text{Standard Deviation} / \text{Frame Rate} * 10E06$

Jitter Measurement

Frequency (MHz)	Standard Deviation (µs)	Mean (ms)	Jitter (µs)
1924,992	0,156	10,00000043	0,468

Jitter = $3 * \text{Standard Deviation}$



Title: Frame Periodo DEUT PP
Date: 22.JUL.2005 11:51:33



Appendix U

Frequency stability



Frequency Stability § 15.323 (f)

Tested according ANSI C63.17-1998 Section 6.2.3 / 6.2.4

Measurement results Fixed Part

Temp °C	Supply Voltage	Frequency of carrier (MHz)	delta f(min) (KHz)	delta f(max) (KHz)	maximum delta f (ppm)	Mean (MHz)	Deviation ppm
20	Vnom	1924,992	-12,761	-2,91	-6,63	1924,984682	Reference
20	Vmin	1924,992	-12,861	-3,01	-4,00	1924,984582	0,05
20	Vmax	1924,992	-12,871	-3,02	-6,69	1924,984572	0,06
-10	Vnom	1924,992	-28,706	-21,204	-14,91	1924,966305	9,55
55	Vnom	1924,992	7,602	15,492	3,95	1925,003108	-9,57

Limit : 10 ppm

$$Deviation\ ppm = \frac{FR - FM}{FR} * 10^6$$

FR = Reference frequency of carrier at 20°C and Vnom

FM = Measured frequency of carrier

