

Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 1 of 33

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C AND INDUSTRY CANADA RSS 210 REQUIREMENT

	OF		
Product Name:	Pendant2 WS		
Brand Name:	MobileHelp		
Model No.:	IGPWS-02W, IGPWS-02B		
Model Different:	IGPWS-02W consist of white color housing IGPWS-02B consist of black color housing		
FCC ID:	PXTIGP-02		
IC ID:	10876A-IGP202		
Report No.:	ER/2015/80004		
Issue Date:	Jul. 24, 2015		
FCC Rule Part:	§15.231		
IC Rule Part:	RSS-210 Issue 8 2010		
Prepared by:	Integrity Tracking LLC, dba MobileHelp 3701 FAU Blvd., Suite 300. Boca Raton FL, 33431		
Prepared by:	SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803		
Testing Laboratory 0513	Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exenerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 2 of 33

VERIFICATION OF COMPLIANCE

Applicant:	Integrity Tracking LLC, dba MobileHelp		
	3701 FAU Blvd., Suite 300. Boca Raton FL, 33431		
Product Name:	Pendant2 WS		
Brand Name:	MobileHelp		
Model No.:	IGPWS-02W, IGPWS-02B		
Model Different:	IGPWS-02W consist of white color housing		
Model Different.	IGPWS-02B consist of black color housing		
FCC ID:	PXTIGP-02		
IC ID:	10876A-IGP202		
File Number:	ER/2015/80004		
Date of test:	Jul. 13, 2015 ~ Jul. 24, 2015		
Date of EUT Received:	Jul. 13, 2015		

We hereby certify that:

Unless

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.231 & IC RSS-210.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus Tseng	Date:	Jul. 24, 2015
-	Marcus Tseng / Engineer		
Prepared By:	Allen Isai	Date:	Jul. 24, 2015
Approved By:	Allen Tsai / Engineer Tim Ch ang	Date:	Jul. 24, 2015
_	Jim Chang / Asst. Manager	_	
otherwise stated the results show	n in this test report refer only to the sample(s) tested and such sa	mple(s) are retained fo	or 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Version

Report Number Revision		Description	Issue Date	
ER/2015/80004	Rev.00	Initial creation of document	Jul. 24, 2015	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 4 of 33

Table of Contents

	GENERAL INFORMATION	6
1.1	PRODUCT DESCRIPTION	6
1.2	Test Methodology	
1.3	TEST FACILITY	7
1.5	SPECIAL ACCESSORIES	7
1.6	EQUIPMENT MODIFICATIONS	7
2.	SYSTEM TEST CONFIGURATION	8
2.1	EUT CONFIGURATION	8
2.2	EUT Exercise	
2.3	Test Procedure	8
2.4	RESULTS EXPLANATION EXAMPLE	9
2.5	CONFIGURATION OF TESTED SYSTEM	9
3.	SUMMARY OF TEST RESULTS	10
4.	DESCRIPTION OF TEST MODES	10
4.1	OPERATED IN 433.05 ~ 434.57 MHz BAND	10
4.2	THE WORST TEST MODES AND CHANNEL DETAILS	11
5.	MEASUREMENT UNCERTAINTY	12
6.	CONDUCTED EMISSIONS TEST (NOT APPLY IN THE REPORT)	
		13
6.1	STANDARD APPLICABLE	
6.1 6.2		13
-	STANDARD APPLICABLE	
6.2	STANDARD APPLICABLE	13
6.2 6.3	STANDARD APPLICABLE MEASUREMENT EQUIPMENT USED: EUT SETUP	13
6.2 6.3 6.4	STANDARD APPLICABLE MEASUREMENT EQUIPMENT USED: EUT SETUP TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	
6.2 6.3 6.4 6.5	STANDARD APPLICABLE MEASUREMENT EQUIPMENT USED: EUT SETUP TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) MEASUREMENT PROCEDURE	
6.2 6.3 6.4 6.5 6.6	STANDARD APPLICABLE	
6.2 6.3 6.4 6.5 6.6 7.	STANDARD APPLICABLE	
6.2 6.3 6.4 6.5 6.6 7. 7.1.	STANDARD APPLICABLE	
6.2 6.3 6.4 6.5 6.6 7. 7.1. 7.2.	STANDARD APPLICABLE	
6.2 6.3 6.4 6.5 6.6 7. 7.1. 7.2. 7.3.	STANDARD APPLICABLE	
6.2 6.3 6.4 6.5 6.6 7. 7.1. 7.2. 7.3. 7.4.	STANDARD APPLICABLE MEASUREMENT EQUIPMENT USED: EUT SETUP TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) MEASUREMENT PROCEDURE MEASUREMENT RESULT RADIATED EMISSION TEST STANDARD APPLICABLE: MEASUREMENT PROCEDURE TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION). MEASUREMENT EQUIPMENT USED: FIELD STRENGTH CALCULATION TEST RESULTS OF RADIATED SPURIOUS EMISSIONS FORM 9 KHZ TO 30 MHZ	
6.2 6.3 6.4 6.5 6.6 7. 7.1. 7.2. 7.3. 7.4. 7.4. 7.4. 7.5. 7.6.	STANDARD APPLICABLE MEASUREMENT EQUIPMENT USED: EUT SETUP TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) MEASUREMENT PROCEDURE MEASUREMENT RESULT RADIATED EMISSION TEST STANDARD APPLICABLE: MEASUREMENT PROCEDURE TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION). MEASUREMENT EQUIPMENT USED: FIELD STRENGTH CALCULATION TEST RESULTS OF RADIATED SPURIOUS EMISSIONS FORM 9 KHZ TO 30 MHZ MEASUREMENT RESULT:	
6.2 6.3 6.4 6.5 6.6 7. 7.1. 7.2. 7.3. 7.4. 7.4 7.5.	STANDARD APPLICABLE	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 5 of 33

8.1	Measurement Procedure	25
8.2	TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	25
8.3	MEASUREMENT EQUIPMENT USED:	
8.4	MEASUREMENT RESULTS	
9.	DUTY CYCLE MEASUREMENT	28
9.1	Measurement Procedure	
9.2	TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	
9.3	MEASUREMENT EQUIPMENT USED:	
9.4	MEASUREMENT RESULTS:	
10.	RELEASE TIME MEASUREMENT:	29
10.1	Measurement Procedure	29
10.2	TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	
10.3	MEASUREMENT EQUIPMENT USED:	
10.4	MEASUREMENT RESULTS	29
рнотс	OGRAPHS OF EUT	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1. **GENERAL INFORMATION**

1.1 Product Description

Product Name:	Pendant2 WS		
Brand Name:	MobileHelp		
Model No.	IGPWS-02W, IGPWS-02B		
Model Different:	IGPWS-02W consist of white color housing IGPWS-02B consist of black color housing		
Hardware Version:	R02		
Software Version:	1.04		
	2.8VDC from coin battery		
Power Supply:	Battery: Model No.: Coin Battery 2032 type Supplier: Maxell		

433 MHz:

Operating Frequency	433.92MHz
Transmit Power	<80.79 dBuV/m Max.
Modulation Technique	ASK
Number of Channels	1 Channel
Antenna Type	PCB Antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.2 Test Methodology

FCC Part 15, Subpart C §15.231

RSS-210 Issue 8 2010

ANSI C63.10:2013

Note:

- 1. All test items have been performed and record as per the above standards.
- 2. The composite system is compliance with FCC Subpart B is authorized under the certification procedure.
- 3. The EUT was placed 1.5m height for frequency above 1GHz in accordance with ANSI C63. 10 :2013

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 990257

Canada Registration Number: 4620A-5

1.5 Special Accessories

There are no special accessories used while test was conducted.

1.6 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



2. SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The Transmitter was operated in the normal operating mode. the Tx frequency was fixed which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

はならないの「しんならないの良く」の何可し体の可能ではないで、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.4 Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. **Note:**

The spectrum analyzer offset is derived from RF cable loss 1dB.

2.5 Configuration of Tested System

Fig. 2-1 Configuration of Tested System

EUT(TX)

Table 2-1 Equipment Used in Tested System

lte m	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	N/A					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



3. SUMMARY OF TEST RESULTS

FCC Rules	IC Rules	Description Of Test	Result
§15.207	RSS-Gen § 8.8	Conducted Emission	N/A
§15.231	RSS-210 A1.1	Radiated Emission	Compliant
§15.231(c)	RSS-210 A1.1.3	20dB & 99% Occupied Bandwidth	Compliant
§15.35 (c)	RSS-Gen § 6.10	Duty Cycle Test (Pulse Modulation)	Compliant
§15.231(a)(1)	RSS-210 A1.1.1(b)	Release Time Measurement	Compliant

4. DESCRIPTION OF TEST MODES

4.1 Operated in 433.05 ~ 434.57 MHz Band

1 channel is provided.

СН	FREQUENCY
01	433.920MHZ

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



4.2 The Worst Test Modes and Channel Details

RADIATED EMISSION TEST:

RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
433 MHz	1	1	GFSK	1	MAIN		
	RADIATED EMISSION TEST (ABOVE 1 GHz)						
MODE AVAILABLE TESTED MODULATION RATE (Mbps)							
433 MHz	1	1	GFSK	1	MAIN		

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 433MHz Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT			
433 MHz	1	1	GFSK	1	MAIN			

Note:

Per 15.31 (e) - For battery operated equipment, the equipment tests shall be performed using a new battery. All test items for this report are performed with a new battery.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

は非ちかすめの「し根をきまたほうかみのこかのすり」「つけしたの言葉」ののでは、いました。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 12 of 33

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 1.55 dB
20dB & 99% Bandwidth	+/- 123.36 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Frequency Separation	+/- 123.36 Hz
Number of hopping frequency	+/- 123.36 Hz
Time of Occupancy	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz~30MHz: +-2.3dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

-	9kHz~30MHz: +-2.3dB		
	30MHz - 167MHz: +/- 4.22dB		
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB		
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB		
	1GHz - 18GHz: +/- 4.08dB		
	18GHz - 40GHz: +/- 4.08dB		

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本概告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6. CONDUCTED EMISSIONS TEST (NOT APPLY IN THE REPORT)

6.1 Standard Applicable

According to 15.207(a) & RSS-Gen §8.8 frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

Frequency range	Lin dB(nits uV)				
	· · · · · · · · · · · · · · · · · · ·					
MHz	Quasi-peak	Average				
0.15 to 0.50	66 to 56	56 to 46				
0.50 to 5	56	46				
5 to 30	60	50				
Note						
1. The lower limit shall apply at the transition frequencies						
O The live it deepersons live a why we						

2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

6.2 Measurement Equipment Used:

SGS Conducted Emission Test Site No.A								
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
EMI Test Receiver	R&S	ESCI7	100760	05/04/2015	05/03/2016			
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/15/2015	05/14/2016			
LISN	FCC	FCC-LISN-50/250-2 5-2-01	04034	03/13/2015	03/12/2016			
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2014	11/25/2015			

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

は非ちかすめの「し根をきまたほうかみのこかのすり」「つけしたの言葉」ののでは、いました。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 14 of 33

6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

6.6 Measurement Result

N/A; Powered from coin battery.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新子方分前の) 「しんできる木住利の私之体の見具」「同可し休のほぼかほうひ、今本時で本本本でする」の新子、「うつかかえき、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7. RADIATED EMISSION TEST

7.1. Standard Applicable:

ccording to 15.231(b) & RSS 210 A1.1 Table A, the field strength of emissions from Intentional Radiators operated under this section shall not exceed the following:

Fundamental	Field Stre	ength of	Field Strength of		
Frequency	Fundar	mental	Spurious		
(MHz)	(dBuV/m)	(uV/m)	(dBuV/m)	(uV/m)	
40.66 - 40.70	67.04	2,250	47	225	
70 - 130	61.94	1,250	41.9	125	
130 - 174	* 61.94 - 71.48	* 1,250 -3,750	* 41.9 – 51.48	* 125 to 375	
174 - 260	71.48	3,750	51.48	375	
260 - 470	* 71.48 - 81.94	* 3,750 - 12,500	* 51.48 - 54	* 375 to 1250	
above 470	81.94	12,500	74	1250	

Remark 1. Emission level in dBuV/m=20 log (uV/m)

- 2. Measurement was performed at an antenna to the closed point of EUT distance of meters.
 - 3. Only spurious frequency is permitted to locate within the Restricted Bands specified in provision of § 15.205 & RSS-Gen 8.10.
 - 4. Emission spurious frequency which appearing within the Restricted Bands specified in provision of §15.205 & RSS-Gen 8.10., then the general radiated emission limits in § 15.209 and RSS-Gen 8.9 apply.
 - For the band 130-174MHz, uV/m at 3meters = 56.81818(F) 6136.3636;
 For the band 260-470MHz uV/m at 3meters = 41.6667(F) 7083.3333;
 Where F is the frequency in MHz.
- 6. 433.92 MHz limit = 41.6667 * 433.92 7083.33333 = 10996.681134 uV/m = 80.8 dBuV/m

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



7.2. Measurement Procedure

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 7. Repeat above procedures until all frequency of the interest measured were complete.

Auxiliary Procedure (Setting on Spectrum to capture the reading of emission level):

Span = wide enough to fully capture the emission being measured

Test was measured starting from 9kHz to 10th harmonic of the fundamental frequency, and data containing the worst result over 30MHz are shown on the test report.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.




7.3. Test SET-UP (Block Diagram of Configuration).

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4. Measurement Equipment Used:

SGS SAC Chamber No.C (FCC)								
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
EMI Test Receiver	R&S	ESCI7	100760	05/04/2015	05/03/2016			
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016			
EXA Spectrum								
Analyzer	Agilent	N9010A	MY50420195	12/22/2014	12/21/2015			
Spectrum Analyzer	R&S	FSV-30	101398	10/07/2014	10/06/2015			
Loop Antenna	ETS.LINDGREN	6502	00143303	12/9/2014	12/08/2015			
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/23/2014	12/22/2015			
Horn antenna	ETS.LINDGREN	3117	123995	05/05/2015	05/04/2016			
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2014	12/24/2015			
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2015	01/01/2016			
Pre-Amplifier	Agilent	8449B	3008A00578	01/02/2015	01/01/2016			
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/02/2015	01/01/2016			
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M2	01/02/2015	01/01/2016			
Attenuator	Mini-Circuit	BW-S10W2+	004	01/02/2015	01/01/2016			
Turn Table	HD	DT420	N/A	N.C.R	N.C.R			
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R			
Controller	HD	HD100	N/A	N.C.R	N.C.R			
Low Loss Cable	Huber Suhner	966_Rx	9	01/02/2015	01/01/2016			
3m Site NSA	SGS	966 chamber	N/A	07/01/2015	06/30/2016			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新子方分前の) 「しんできる木住利の私之体の見具」「同可し休のほぼかほうひ、今本時で本本本でする」の新子、「うつかかえき、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Remark:

The limit of the emission level is expressed in dBuV/m, which converts $20*\log(uV/m)$ Actual FS(dBµV/m) = SPA. Reading level(dBµV) + Factor(dB)

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

Note :

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

7.5. Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-Gen § 6.13 was not reported.

7.6. Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 20 of 33

7.7. **Measurement Result**

Operation Ba Fundamental Operation Mo EUT Pol.	Frequency	: Main :433.92 MH; :TX MAIN :E2 PLAN	z Tem Eng	Test Date Temp./Humi. Engineer Measurement Antenna Pol.			54 RH
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
433.92	F	Averge		-10.13	49.04	80.83	-31.79
433.92	F	Peak	65.00	-5.83	59.17	100.83	-41.66
Operation Ba Fundamental Operation Mo EUT Pol.	Frequency	: Main :433.92 MH; :TX MAIN :E2 PLAN	92 MHz Temp./Humi. /AIN Engineer		:2015-07-14 :23 deg_C / :Curry :HORIZONT	54 RH	
Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
433.92	F	Averge		-10.13	58.35	80.83	-22.48
	•	,		10110	00.00		


Note: Average Actual = Peak Actual + Average Factor (-10.13)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新子方分前の) 「しんできる木住利の私之体の見具」「同可し休のほぼかほうひ、今本時で本本本でする」の新子、「うつかかえき、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 21 of 33





Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
103.72	S	Peak	33.95	-13.49	20.46	63.00	-42.54
167.74	S	Peak	27.79	-9.09	18.70	63.00	-44.30
286.08	S	Peak	28.67	-8.26	20.41	66.00	-45.59
590.66	S	Peak	28.33	-1.53	26.80	66.00	-39.20
726.46	S	Peak	28.32	-0.98	27.34	66.00	-38.66
776.90	S	Peak	28.16	0.58	28.74	66.00	-37.26
867.84	Н	Averge		-10.13	24.10	46.00	-21.90
867.84	Н	Peak	31.73	2.50	34.23	66.00	-31.77
1735.68	Н	Averge		-10.13	37.26	54.00	-16.74
1735.68	Н	Peak	45.39	2.00	47.39	74.00	-26.61
2169.60	Н	Averge		-10.13	37.90	54.00	-16.10
2169.60	Н	Peak	43.44	4.59	48.03	74.00	-25.97
3037.44	Н	Averge		-10.13	42.59	54.00	-11.41
3037.44	Н	Peak	45.83	6.89	52.72	74.00	-21.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 22 of 33

3471.36	Н	Averge		-10.13	48.45	54.00	-5.55
3471.36	Н	Peak	51.45	7.13	58.58	74.00	-15.42
3905.28	Н	Averge		-10.13	41.73	54.00	-12.27
3905.28	Н	Peak	43.89	7.97	51.86	74.00	-22.14
4339.20	Н	Averge		-10.13	39.06	54.00	-14.94
4339.20	Н	Peak	40.36	8.83	49.19	74.00	-24.81

Note: Average Actual = Peak Actual + Average Factor (-10.13)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新子方分前の) 「しんできる木住利の私之体の見具」「同可し休のほぼかほうひ、今本時で本本本でする」の新子、「うつかかえき、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 23 of 33

Operation Band	:433 MHz	Test Date	:2015-07-14
Fundamental Frequency	:433.92 MHz	Temp./Humi.	:23 deg_C / 54 RH
Operation Mode	:TX	Engineer	:Curry
EUT Pol.	:E2 PLAN	Measurement Antenna Pol.	:HORIZONTAL



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
99.84	S	Peak	34.34	-14.32	20.02	63.00	-42.98
135.73	S	Peak	29.25	-10.20	19.05	63.00	-43.95
309.36	S	Peak	27.42	-7.67	19.75	66.00	-46.25
417.03	S	Peak	27.51	-5.69	21.82	66.00	-44.18
684.75	S	Peak	28.59	-0.95	27.64	66.00	-38.36
807.94	S	Peak	28.77	0.35	29.12	66.00	-36.88
867.84	Н	Averge		-10.13	22.15	46.00	-23.85
867.84	Н	Peak	29.78	2.50	32.28	66.00	-33.72
1301.76	Н	Averge		-10.13	34.69	54.00	-19.31
1301.76	Н	Peak	45.08	-0.26	44.82	74.00	-29.18
1735.68	Н	Averge		-10.13	45.27	54.00	-8.73
1735.68	Н	Peak	53.40	2.00	55.40	74.00	-18.60
2169.60	Н	Averge		-10.13	38.45	54.00	-15.55
2169.60	Н	Peak	43.99	4.59	48.58	74.00	-25.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 24 of 33

3037.44	н	Averge		-10.13	40.83	54.00	-13.17
3037.44	Н	Peak	44.07	6.89	50.96	74.00	-23.04
3471.36	Н	Averge		-10.13	41.46	54.00	-12.54
3471.36	Н	Peak	44.46	7.13	51.59	74.00	-22.41
3905.28	Н	Averge		-10.13	41.26	54.00	-12.74
3905.28	Н	Peak	43.42	7.97	51.39	74.00	-22.61

Note: Average Actual = Peak Actual + Average Factor (-10.13)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新子方分前の) 「しんできる木住利の私之体の見具」「同可し休のほぼかほうひ、今本時で本本本でする」の新子、「うつかかえき、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




8. 20DB & 99% OCCUPIED BANDWIDTH

8.1Measurement Procedure

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. Set EUT as normal operation
- 3. Set SPA Center Frequency = fundamental frequency, RBW, VBW= 10KHz, Span =100KHz.
- 4. Set SPA -20dB Occupied bandwidth.

8.2Test SET-UP (Block Diagram of Configuration)



8.3Measurement Equipment Used:

SGS Conducted Emission Test Site No.A						
Name of Equipment	Manufacturer	Model Serial Number		Calibration Date	Calibration Due	
Power Meter	Anritsu	ML2495A	1005007	12/20/2014	12/19/2015	
Power Sensor	Anritsu	MA2411B	917032	12/20/2014	12/19/2015	
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016	
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA	N/A	01/02/2015	01/01/2016	
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016	
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016	
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4 Measurement Results


The center frequency f_c is 433.92MHz, according to the Rules, section 15.231(C) & RSS-210 A1.1.3, the Bandwidth of Center Frequency at-20dB should be calculated as following:

433.92 X 0.0025 = 1.0848 (MHz)

Operation frequency (MHz)	-20dB Bandwidth (MHz)	Limit (MHz)	Result	
433.92	0.043	1.0848	pass	

Operation frequency (MHz)	99% Bandwidth (MHz)	Limit (MHz)	Result	
433.92	0.049	1.0848	pass	

20dB Band Width Test Data



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exencising all their rights and obligations under the transaction for documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 27 of 33

99% Band Width Test Data



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新子方分前の) 「しんできる木住利の私之体の見具」「同可し休のほぼかほうひ、今本時で本本本でする」の新子、「うつかかえき、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9. DUTY CYCLE MEASUREMENT

9.1 Measurement Procedure

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. Set ETU normal operating mode.
- Set SPA Center Frequency = fundamental frequency, RBW, VBW= 100kHz, Span =0 Hz. Adjacent sweep.
- 4. Set SPA View. Mark delta.

9.2 Test SET-UP (Block Diagram of Configuration)

Same as 8.3 Radiated Emission Measurement.


9.3 Measurement Equipment Used:

Same as 8.3 Radiated Emission Measurement.

9.4 Measurement Results:

T on	TP = (T on + T off)	Avg correct = 20log(Ton/TP)
31.165 ms	100 ms	-10.13 dB

Ton = 0.791 x 35 + 1.74 x 2 = 31.165 (ms)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10. RELEASE TIME MEASUREMENT:

15.231 (a) (1) & RSS-210 A1.1.1 (b) A manually operated transmitter shall employ a switch that will automatically deactivate the transmitter within not more than 5 seconds of being released.

10.1 Measurement Procedure

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. Set SPA Center Frequency = fundamental frequency, RBW=100KHz, VBW= 100KHz, Span =0Hz. Sweep Time= 5s.
- 3. Set EUT as normal operation and press Transmitter bottom for 2 s approximately,
- 4. Set SPA Max hold. Delta Mark.

10.2 Test SET-UP (Block Diagram of Configuration)

Same as 8.3 Radiated Emission Measurement.

10.3 Measurement Equipment Used:

Same as 8.3 Radiated Emission Measurement.

10.4 Measurement Results


The release time is less than 5 s. Refer to attached data chart.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No: ER/2015/80004 Issue Date: Jul. 24, 2015 Page: 30 of 33



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新子方分前の) 「しんできる木住利の私之体の見具」「同可し休のほぼかほうひ、今本時で本本本でする」の新子、「うつかかえき、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.