


Appendix C. Co-location



1. Results of Radiated Emissions for Co-located


Temperature	26 °C	Humidity	60%			
Test Engineer	Donis Su	Configurations	Chip 1 (eth 1) 2.4G +			
	Denis Su	Comgurations	Chip 2 (eth 2) 5G TX			



Horizontal


Freq	Level	Limit Line	Over Limit					T/Pos	A/Pos	Remark	Pol/Phase
MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	Cm		
1 3249.36 2 3249.48 <u>3 p 7304.84</u> 4 a 7307.12	44.58	74.00	-17.06 -29.42 -11.91 -9.17	46.51	3.24	34.95 34.95 <u>34.94</u> 34.94	29.78 29.78 36.67 36.67	335 335 288 288	138 118	Average Peak Peak Average	HOR IZONTAL HOR IZONTAL HOR IZONTAL HOR IZONTAL






	Freq	Level	Limit Line	Over Limit			PreampA Factor		T/Pos	A/Pos	Remark	Pol/Phase
_	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB/m	deg	Cm		
1 2 3 a 4 p	3249.33 3249.50 7308.00 7310.70	43.18	74.00 54.00	-10.82	40.26 36.00	3.24 5.45	34.95 34.95 34.94 34.94	29.78 36.67	51 51 259 259	105 100	Average Peak Average Peak	VERTICAL VERTICAL VERTICAL VERTICAL





Freq	Level	Limit Line						T/Pos	A/Pos	Remark	Pol/Phase
MHz	dBuV/m	$\overline{dBuV/\mathfrak{m}}$	dB	dBuV	dB	dB	dB/m	deg	Cm		
1 3215.89 2 3215.95 3 p 7234.60		54.00		40.56		34.96 34.96 34.98	29.70 29.70 36.59	277 277 104	120	Peak Average Peak	HORIZONTAL HORIZONTAL HORIZONTAL
4 a 7237.20	51.43	54.00	-2.57	44.38	5.43	34.97	36.59	104	100	Average	HORIZONTAL





	Freq	Level	Limit Line	Over Limit					T/Pos	A/Pos	Remark	Pol/Phase
_	MHz	dBuV/m	$\overline{dBuV/\mathfrak{m}}$	dB	dBuV	dB	dB	dB/m	deg	Cm		
1 2 a 3 p 4	3215.96 3215.98 7230.90 7232.92	47.47 60.64	54.00 74.00	-6.53	49.50 53.60	3.23 5.43	34.96 34.96 34.98 34.98	29.70 36.59	330 330 259 259	113 100	Peak Average Peak Average	VERTICAL VERTICAL VERTICAL VERTICAL